1

15A NCAC 07H .0309 is proposed for amendment as follows:

2			
3	15A NCAC 07	H .0309 USE STANDARDS FOR OCEAN HAZARD AREAS: EXCEPTIONS	
4	(a) The follow	ing types of development shall be permitted seaward of the oceanfront setback requirements of Rule	
5	.0306(a) of this Section if all other provisions of this Subchapter and other state and local regulations are met:		
6	(1)	campsites;	
7	(2)	driveways and parking areas with clay, packed sand, or gravel;	
8	(3)	elevated decks not exceeding a footprint of 500 square feet. Existing decks exceeding a footprint of	
9		500 square feet may be replaced with no enlargement beyond their original dimensions;	
10	(4)	beach accessways consistent with Rule .0308(c) of this Section;	
11	(5)	unenclosed, uninhabitable gazebos with a footprint of 200 square feet or less;	
12	(6)	uninhabitable, single-story storage sheds with a foundation or floor consisting of wood, clay, packed	
13		sand or gravel, and a footprint of 200 square feet or less;	
14	(7)	temporary amusement stands consistent with Section .1900 of this Subchapter;	
15	(8)	sand fences;	
16	(9)	swimming pools; and	
17	(10)	fill not associated with dune creation that is obtained from an upland source and is of the same	
18		general characteristics as the sand in the area in which it is to be placed.	
19	In all cases, this	s development shall be permitted only if it is landward of the vegetation line or pre-project vegetation	
20	line, whichever is applicable; involves no alteration or removal of primary or frontal dunes which would compromise		
21	the integrity of the dune as a protective landform or the dune vegetation; is not essential to the continued existence or		
22	use of an associated principal development; and meets all other non-setback requirements of this Subchapter.		
23	(b) Where application of the oceanfront Ocean Hazard Area setback requirements of Rule .0306(a) of this Section		
24	would preclude	placement of a structure on a lot existing as of June 1, 1979, the structure shall be permitted seaward	
25	of the applicable setback line in Ocean Erodible Areas, State Ports Inlet Management Areas, and Inlet Hazard Areas,		
26	but not Unvegetated Beach Areas Areas, the structure shall be permitted seaward of the applicable setback line if each		
27	of the following	g conditions are met:	
28	(1)	The development is set back from the ocean the maximum feasible distance possible on the existing	
29		lot and the development is designed to minimize encroachment into the setback area;	
30	(2)	The development is at least 60 feet landward of the vegetation line, measurement line, or pre-project	
31		vegetation line, whichever is applicable;	
32	(3)	The development is not located on or oceanward of a frontal dune, but is entirely behind the	
33		landward toe of the frontal dune;	
34	(4)	The development incorporates each of the following design standards, which are in addition to those	
35		required by Rule .0308(d) of this Section;	
36		(A) All pilings shall have a tip penetration that extends to at least four feet below mean sea	
37		level;	

3Section, roof-covered decks and porches that are structurally attached shall be included in4the calculation of footprint;5(C)Driveways and parking areas shall be constructed of clay, packed sand or gravel except in6those cases where the development does not abut the ocean and is located landward of a7paved public street or highway currently in use. In those cases, other material may be used;8and9(D)No portion of a building's total floor area, including elevated portions that are cantilevered,10knee braced, or otherwise extended beyond the support of pilings or footings, may extend11oceanward of the total floor area of the landward-most habitable building or structure. The12alignment shall be measured from the most oceanward point of the adjacent building or13structure's roof line, including roofed decks. An "adjacent" property is one that shares a14boundary line with the site of the proposed development. When no adjacent building or15structure exists, or the geometry or orientation of a lot or shoreline precludes the placement16of a building in line with the landward most adjacent structure of similar use, an average17line of construction shall be determined by the Director of the Division of Coastal18Management based on an approximation of the average seaward-most positions of the20direction. If no structures exist within this distance, the proposed structure shall meet the21applicable setback from the Vegetation Line but shall not be held to the landward-most22adjacent structure or an aver	1	(B)	The footprint of the structure shall be no more than 1,000 square feet, and the total floor
4 the calculation of footprint; 5 (C) Driveways and parking areas shall be constructed of clay, packed sand or gravel except in 6 those cases where the development does not abut the ocean and is located landward of a 7 paved public street or highway currently in use. In those cases, other material may be used: 8 and 9 (D) No portion of a building's total floor area, including elevated portions that are cantilevered. 10 knee braced, or otherwise extended beyond the support of pilings or footings, may extend 11 oceanward of the total floor area of the landward-most habitable building or structure. The 12 alignment shall be measured from the most oceanward point of the adjacent building or 13 structure's roof line, including roofed decks. An "adjacent" property is one that shares a 14 boundary line with the site of the proposed development. When no adjacent building or 15 structure exists, or the geometry or orientation of a lot or shoreline precludes the placement 16 of a building in line with the landward most adjacent structure of similar use, an average 17 line of construction shall be determined by the Director of the Division of Coastal 18 Management based on an approximation of the average seaward-most positions of the 20	2		area of the structure shall be no more than $\frac{2,000}{2,500}$ square feet. For the purpose of this
5(C)Driveways and parking areas shall be constructed of clay, packed sand or gravel except in6those cases where the development does not abut the ocean and is located landward of a7paved public street or highway currently in use. In those cases, other material may be used:8and9(D)No portion of a building's total floor area, including elevated portions that are cantilevered.10knee braced, or otherwise extended beyond the support of pilings or footings, may extend11oceanward of the total floor area of the landward-most habitable building or structure. The12alignment shall be measured from the most oceanward point of the adjacent building or13structure's roof line, including roofed decks. An "adjacent" property is one that shares a14boundary line with the site of the proposed development. When no adjacent building or15structure exists, or the geometry or orientation of a lot or shoreline precludes the placement16of a building in line with the landward most adjacent structure of similar use, an average17line of construction shall be determined by the Director of the Division of Coastal18Management based on an approximation of the average seaward-most positions of the20adjacent structures exist within this distance, the proposed structure shall meet the21applicable setback from the Vegetation Line but shall not be held to the landward-most22adjacent structure or an average line of structures. The ocean hazard setback shall extend23landward of the vegetation line, static vegetation line or measurement line, whichever is	3		Section, roof-covered decks and porches that are structurally attached shall be included in
6 those cases where the development does not abut the ocean and is located landward of a 7 paved public street or highway currently in use. In those cases, other material may be used; 8 and 9 (D) No portion of a building's total floor area, including elevated portions that are cantilevered, 10 knee braced, or otherwise extended beyond the support of pilings or footings, may extend 11 occanward of the total floor area of the landward-most habitable building or structure. The 12 alignment shall be measured from the most oceanward point of the adjacent building or 13 structure's roof line, including roofed decks. An "adjacent" property is one that shares a 14 boundary line with the site of the proposed development. When no adjacent building or 15 structure exists, or the geometry or orientation of a lot or shoreline precludes the placement 16 of a building in line with the landward most adjacent structure of similar use, an average 17 line of construction shall be determined by the Director of the Division of Coastal 18 Management based on an approximation of the average seaward-most positions of the 20 direction. If no structures exist within this distance, the proposed structure shall meet the 21 applicable setback from the Vegetation Line but shall not be held to the landward-mo	4		the calculation of footprint;
7paved public street or highway currently in use. In those cases, other material may be used:8and9(D)No portion of a building's total floor area, including elevated portions that are cantilevered.10knee braced, or otherwise extended beyond the support of pilings or footings, may extend11oceanward of the total floor area of the landward-most habitable building or structure. The12alignment shall be measured from the most oceanward point of the adjacent building or13structure's roof line, including roofed decks. An "adjacent" property is one that shares a14boundary line with the site of the proposed development. When no adjacent building or15structure exists, or the geometry or orientation of a lot or shoreline precludes the placement16of a building in line with the landward most adjacent structure of similar use, an average17line of construction shall be determined by the Director of the Division of Coastal18Management based on an approximation of the average seaward-most positions of the20of adjacent structures along the same shoreline, extending 500 feet in either21applicable setback from the Vegetation Line but shall not be held to the landward-most22adjacent structure or an average line of structures. The ocean hazard setback shall extended23landward of the vegetation line, static vegetation line or measurement line, whichever is24applicable, a distance no less than 60 feet.25(5)All other provisions of this Subchapter and other state and local regulations are met. If the24asystem shall be s	5	(C)	Driveways and parking areas shall be constructed of clay, packed sand or gravel except in
8 and 9 (D) No portion of a building's total floor area, including elevated portions that are cantilevered. 10 knee braced, or otherwise extended beyond the support of pilings or footings, may extend 11 oceanward of the total floor area of the landward-most habitable building or structure. The 12 alignment shall be measured from the most oceanward point of the adjacent building or 13 structure's roof line, including roofed decks. An "adjacent" property is one that shares a 14 boundary line with the site of the proposed development. When no adjacent building or 15 structure exists, or the geometry or orientation of a lot or shoreline precludes the placement 16 of a building in line with the landward most adjacent structure of similar use, an average 17 line of construction shall be determined by the Director of the Division of Coastal 18 Management based on an approximation of the average seaward-most positions of the 19 rooflines of adjacent structures along the same shoreline, extending 500 feet in either 20 direction. If no structures exist within this distance, the proposed structure shall meet the 21 applicable setback from the Vegetation Line but shall not be held to the landward-most 22 adjacent structure or an average line of structures. The ocean hazard setback shall ext	6		those cases where the development does not abut the ocean and is located landward of a
9(D)No portion of a building's total floor area, including elevated portions that are cantilevered.10knee braced, or otherwise extended beyond the support of pilings or footings, may extend11oceanward of the total floor area of the landward-most habitable building or structure. The12alignment shall be measured from the most oceanward point of the adjacent building or13structure's roof line, including roofed decks. An "adjacent" property is one that shares a14boundary line with the site of the proposed development. When no adjacent building or15structure exists, or the geometry or orientation of a lot or shoreline precludes the placement16of a building in line with the landward most adjacent structure of similar use, an average17line of construction shall be determined by the Director of the Division of Coastal18Management based on an approximation of the average seaward-most positions of the20direction. If no structures exist within this distance, the proposed structure shall meet the21applicable setback from the Vegetation Line but shall not be held to the landward-most22adjacent structure or an average line of structures. The ocean hazard setback shall extend23landward of the vegetation line, static vegetation line or measurement line, whichever is24applicable, a distance no less than 60 feet.25(5)All other provisions of this Subchapter and other state and local regulations are met. If the24asystem shall be submitted as part of the CAMA permit application.25(c)The following types of water dependent developme	7		paved public street or highway currently in use. In those cases, other material may be used;
10knee braced, or otherwise extended beyond the support of pilings or footings, may extend11oceanward of the total floor area of the landward-most habitable building or structure. The12alignment shall be measured from the most oceanward point of the adjacent building or13structure's roof line, including roofed decks. An "adjacent" property is one that shares a14boundary line with the site of the proposed development. When no adjacent building or15structure exists, or the geometry or orientation of a lot or shoreline precludes the placement16of a building in line with the landward most adjacent structure of similar use, an average17line of construction shall be determined by the Director of the Division of Coastal18Management based on an approximation of the average seaward-most positions of the20direction. If no structures exist within this distance, the proposed structure shall meet the21applicable setback from the Vegetation Line but shall not be held to the landward-most22adjacent structure or an average line of structures. The ocean hazard setback shall extend23landward of the vegetation line, static vegetation line or measurement line, whichever is24applicable, a distance no less than 60 feet.25(5)All other provisions of this Subchapter and other state and local regulations are met. If the26development is to be serviced by an on-site waste disposal system, a copy of a valid permit for such27a system shall be submitted as part of the CAMA permit application.28(c) The following types of water dependent development shall be p	8		and
11oceanward of the total floor area of the landward-most habitable building or structure. The12alignment shall be measured from the most oceanward point of the adjacent building or13structure's roof line, including roofed decks. An "adjacent" property is one that shares a14boundary line with the site of the proposed development. When no adjacent building or15structure exists, or the geometry or orientation of a lot or shoreline precludes the placement16of a building in line with the landward most adjacent structure of similar use, an average17line of construction shall be determined by the Director of the Division of Coastal18Management based on an approximation of the average seaward-most positions of the20direction. If no structures along the same shoreline, extending 500 feet in either21applicable setback from the Vegetation Line but shall not be held to the landward-most22adjacent structure or an average line of structures. The ocean hazard setback shall extend23landward of the vegetation line, static vegetation line or measurement line, whichever is24applicable, a distance no less than 60 feet.25(5)All other provisions of this Subchapter and other state and local regulations are met. If the26development is to be serviced by an on-site waste disposal system, a copy of a valid permit for such27a system shall be submitted as part of the CAMA permit application.28(c) The following types of water dependent development shall be permitted seaward of the oceanfront setback	9	(D)	No portion of a building's total floor area, including elevated portions that are cantilevered,
12alignment shall be measured from the most oceanward point of the adjacent building or13structure's roof line, including roofed decks. An "adjacent" property is one that shares a14boundary line with the site of the proposed development. When no adjacent building or15structure exists, or the geometry or orientation of a lot or shoreline precludes the placement16of a building in line with the landward most adjacent structure of similar use, an average17line of construction shall be determined by the Director of the Division of Coastal18Management based on an approximation of the average seaward-most positions of the19rooflines of adjacent structures along the same shoreline, extending 500 feet in either20direction. If no structures exist within this distance, the proposed structure shall meet the21adjacent structure or an average line of structures. The ocean hazard setback shall extend23landward of the vegetation line, static vegetation line or measurement line, whichever is24applicable, a distance no less than 60 feet.25(5)All other provisions of this Subchapter and other state and local regulations are met. If the26development is to be serviced by an on-site waste disposal system, a copy of a valid permit for such27a system shall be submitted as part of the CAMA permit application.28(c)The following types of water dependent development shall be permitted seaward of the oceanfront setback	10		knee braced, or otherwise extended beyond the support of pilings or footings, may extend
13structure's roof line, including roofed decks. An "adjacent" property is one that shares a14boundary line with the site of the proposed development. When no adjacent building or15structure exists, or the geometry or orientation of a lot or shoreline precludes the placement16of a building in line with the landward most adjacent structure of similar use, an average17line of construction shall be determined by the Director of the Division of Coastal18Management based on an approximation of the average seaward-most positions of the19rooflines of adjacent structures along the same shoreline, extending 500 feet in either20direction. If no structures exist within this distance, the proposed structure shall meet the21applicable setback from the Vegetation Line but shall not be held to the landward-most22adjacent structure or an average line of structures. The ocean hazard setback shall extend23landward of the vegetation line, static vegetation line or measurement line, whichever is24applicable, a distance no less than 60 feet.25(5)All other provisions of this Subchapter and other state and local regulations are met. If the26development is to be serviced by an on-site waste disposal system, a copy of a valid permit for such27a system shall be submitted as part of the CAMA permit application.28(c)The following types of water dependent development shall be permitted seaward of the oceanfront setback	11		oceanward of the total floor area of the landward-most habitable building or structure. The
14boundary line with the site of the proposed development. When no adjacent building or15structure exists, or the geometry or orientation of a lot or shoreline precludes the placement16of a building in line with the landward most adjacent structure of similar use, an average17line of construction shall be determined by the Director of the Division of Coastal18Management based on an approximation of the average seaward-most positions of the19rooflines of adjacent structures along the same shoreline, extending 500 feet in either20direction. If no structures exist within this distance, the proposed structure shall meet the21applicable setback from the Vegetation Line but shall not be held to the landward-most22adjacent structure or an average line of structures. The ocean hazard setback shall extend23landward of the vegetation line, static vegetation line or measurement line, whichever is24applicable, a distance no less than 60 feet.25(5)All other provisions of this Subchapter and other state and local regulations are met. If the26development is to be serviced by an on-site waste disposal system, a copy of a valid permit for such27a system shall be submitted as part of the CAMA permit application.28(c)The following types of water dependent development shall be permitted seaward of the oceanfront setback	12		alignment shall be measured from the most oceanward point of the adjacent building or
15structure exists, or the geometry or orientation of a lot or shoreline precludes the placement16of a building in line with the landward most adjacent structure of similar use, an average17line of construction shall be determined by the Director of the Division of Coastal18Management based on an approximation of the average seaward-most positions of the19rooflines of adjacent structures along the same shoreline, extending 500 feet in either20direction. If no structures exist within this distance, the proposed structure shall meet the21applicable setback from the Vegetation Line but shall not be held to the landward-most22adjacent structure or an average line of structures. The ocean hazard setback shall extend23landward of the vegetation line, static vegetation line or measurement line, whichever is24applicable, a distance no less than 60 feet.25(5)All other provisions of this Subchapter and other state and local regulations are met. If the26development is to be serviced by an on-site waste disposal system, a copy of a valid permit for such27a system shall be submitted as part of the CAMA permit application.28(c)The following types of water dependent development shall be permitted seaward of the oceanfront setback	13		structure's roof line, including roofed decks. An "adjacent" property is one that shares a
16of a building in line with the landward most adjacent structure of similar use, an average17line of construction shall be determined by the Director of the Division of Coastal18Management based on an approximation of the average seaward-most positions of the19rooflines of adjacent structures along the same shoreline, extending 500 feet in either20direction. If no structures exist within this distance, the proposed structure shall meet the21applicable setback from the Vegetation Line but shall not be held to the landward-most22adjacent structure or an average line of structures. The ocean hazard setback shall extend23landward of the vegetation line, static vegetation line or measurement line, whichever is24applicable, a distance no less than 60 feet.25(5)All other provisions of this Subchapter and other state and local regulations are met. If the26development is to be serviced by an on-site waste disposal system, a copy of a valid permit for such27a system shall be submitted as part of the CAMA permit application.28(c)The following types of water dependent development shall be permitted seaward of the oceanfront setback	14		boundary line with the site of the proposed development. When no adjacent building or
17line of construction shall be determined by the Director of the Division of Coastal18Management based on an approximation of the average seaward-most positions of the19rooflines of adjacent structures along the same shoreline, extending 500 feet in either20direction. If no structures exist within this distance, the proposed structure shall meet the21applicable setback from the Vegetation Line but shall not be held to the landward-most22adjacent structure or an average line of structures. The ocean hazard setback shall extend23landward of the vegetation line, static vegetation line or measurement line, whichever is24applicable, a distance no less than 60 feet.25(5)All other provisions of this Subchapter and other state and local regulations are met. If the26development is to be serviced by an on-site waste disposal system, a copy of a valid permit for such27a system shall be submitted as part of the CAMA permit application.28(c)The following types of water dependent development shall be permitted seaward of the oceanfront setback	15		structure exists, or the geometry or orientation of a lot or shoreline precludes the placement
Management based on an approximation of the average seaward-most positions of the rooflines of adjacent structures along the same shoreline, extending 500 feet in either direction. If no structures exist within this distance, the proposed structure shall meet the applicable setback from the Vegetation Line but shall not be held to the landward-most adjacent structure or an average line of structures. The ocean hazard setback shall extend landward of the vegetation line, static vegetation line or measurement line, whichever is applicable, a distance no less than 60 feet. (5) All other provisions of this Subchapter and other state and local regulations are met. If the development is to be serviced by an on-site waste disposal system, a copy of a valid permit for such a system shall be submitted as part of the CAMA permit application.	16		of a building in line with the landward most adjacent structure of similar use, an average
19rooflines of adjacent structures along the same shoreline, extending 500 feet in either20direction. If no structures exist within this distance, the proposed structure shall meet the21applicable setback from the Vegetation Line but shall not be held to the landward-most22adjacent structure or an average line of structures. The ocean hazard setback shall extend23landward of the vegetation line, static vegetation line or measurement line, whichever is24applicable, a distance no less than 60 feet.25(5)All other provisions of this Subchapter and other state and local regulations are met. If the26development is to be serviced by an on-site waste disposal system, a copy of a valid permit for such27a system shall be submitted as part of the CAMA permit application.28(c)The following types of water dependent development shall be permitted seaward of the oceanfront setback	17		line of construction shall be determined by the Director of the Division of Coastal
20direction. If no structures exist within this distance, the proposed structure shall meet the applicable setback from the Vegetation Line but shall not be held to the landward-most adjacent structure or an average line of structures. The ocean hazard setback shall extend landward of the vegetation line, static vegetation line or measurement line, whichever is applicable, a distance no less than 60 feet.25(5)All other provisions of this Subchapter and other state and local regulations are met. If the development is to be serviced by an on-site waste disposal system, a copy of a valid permit for such a system shall be submitted as part of the CAMA permit application.28(c)The following types of water dependent development shall be permitted seaward of the oceanfront setback	18		Management based on an approximation of the average seaward-most positions of the
21applicable setback from the Vegetation Line but shall not be held to the landward-most adjacent structure or an average line of structures. The ocean hazard setback shall extend 2323landward of the vegetation line, static vegetation line or measurement line, whichever is applicable, a distance no less than 60 feet.25(5)26All other provisions of this Subchapter and other state and local regulations are met. If the development is to be serviced by an on-site waste disposal system, a copy of a valid permit for such a system shall be submitted as part of the CAMA permit application.28(c)29(c)20The following types of water dependent development shall be permitted seaward of the oceanfront setback	19		rooflines of adjacent structures along the same shoreline, extending 500 feet in either
 adjacent structure or an average line of structures. The ocean hazard setback shall extended landward of the vegetation line, static vegetation line or measurement line, whichever is applicable, a distance no less than 60 feet. (5) All other provisions of this Subchapter and other state and local regulations are met. If the development is to be serviced by an on-site waste disposal system, a copy of a valid permit for such a system shall be submitted as part of the CAMA permit application. (c) The following types of water dependent development shall be permitted seaward of the oceanfront setback 	20		direction. If no structures exist within this distance, the proposed structure shall meet the
 23 landward of the vegetation line, static vegetation line or measurement line, whichever is 24 applicable, a distance no less than 60 feet. 25 (5) All other provisions of this Subchapter and other state and local regulations are met. If the 26 development is to be serviced by an on-site waste disposal system, a copy of a valid permit for such 27 a system shall be submitted as part of the CAMA permit application. 28 (c) The following types of water dependent development shall be permitted seaward of the oceanfront setback 	21		applicable setback from the Vegetation Line but shall not be held to the landward-most
 applicable, a distance no less than 60 feet. (5) All other provisions of this Subchapter and other state and local regulations are met. If the development is to be serviced by an on-site waste disposal system, a copy of a valid permit for such a system shall be submitted as part of the CAMA permit application. (c) The following types of water dependent development shall be permitted seaward of the oceanfront setback 	22		adjacent structure or an average line of structures. The ocean hazard setback shall extend
 (5) All other provisions of this Subchapter and other state and local regulations are met. If the development is to be serviced by an on-site waste disposal system, a copy of a valid permit for such a system shall be submitted as part of the CAMA permit application. (c) The following types of water dependent development shall be permitted seaward of the oceanfront setback 	23		landward of the vegetation line, static vegetation line or measurement line, whichever is
 26 development is to be serviced by an on-site waste disposal system, a copy of a valid permit for such 27 a system shall be submitted as part of the CAMA permit application. 28 (c) The following types of water dependent development shall be permitted seaward of the oceanfront setback 	24		applicable, a distance no less than 60 feet.
 a system shall be submitted as part of the CAMA permit application. (c) The following types of water dependent development shall be permitted seaward of the oceanfront setback 	25	(5) All of	her provisions of this Subchapter and other state and local regulations are met. If the
28 (c) The following types of water dependent development shall be permitted seaward of the oceanfront setback	26	develo	opment is to be serviced by an on-site waste disposal system, a copy of a valid permit for such
	27	a syste	em shall be submitted as part of the CAMA permit application.
29 requirements of Rule .0306(a) of this Section if all other provisions of this Subchapter and other state and local	28	(c) The following type	es of water dependent development shall be permitted seaward of the oceanfront setback
	29	requirements of Rule .0	0306(a) of this Section if all other provisions of this Subchapter and other state and local
30 regulations are met:	30	regulations are met:	
31 (1) piers providing public access; and	31	(1) piers p	providing public access; and
32 (2) maintenance and replacement of existing state-owned bridges, and causeways and accessways to	32	(2) mainte	enance and replacement of existing state-owned bridges, and causeways and accessways to
33 such bridges.	33	such b	oridges.
34 (d) Replacement or construction of a pier house associated with an ocean pier shall be permitted if each of the	34	(d) Replacement or co	nstruction of a pier house associated with an ocean pier shall be permitted if each of the
35 following conditions is met:	35	following conditions is a	met:
36 (1) The ocean pier provides public access for fishing and other recreational purposes whether on a	36	(1) The o	cean pier provides public access for fishing and other recreational purposes whether on a
37 commercial, public, or nonprofit basis;	37	comm	ercial, public, or nonprofit basis;

1	(2)	Commercial, non-water dependent uses of the ocean pier and associated pier house shall be limited	
2		to restaurants and retail services. Residential uses, lodging, and parking areas shall be prohibited;	
3	(3)	The pier house shall be limited to a maximum of two stories;	
4	(4)	A new pier house shall not exceed a footprint of 5,000 square feet and shall be located landward of	
5		mean high water;	
6	(5)	A replacement pier house may be rebuilt not to exceed its most recent footprint or a footprint of	
7		5,000 square feet, whichever is larger;	
8	(6)	The pier house shall be rebuilt to comply with all other provisions of this Subchapter; and	
9	(7)	If the pier has been destroyed or rendered unusable, replacement or expansion of the associated pier	
10		house shall be permitted only if the pier is being replaced and returned to its original function.	
11	(e) In addition	to the development authorized under Paragraph (d) of this Rule, small scale, non-essential development	
12	that does not in	duce further growth in the Ocean Hazard Area, such as the construction of single family piers and	
13	small scale <u>sm</u>	all-scale erosion control measures that do not interfere with natural oceanfront processes, shall be	
14	permitted in th	e Ocean Hazard Area along those portions of shoreline that exhibit features characteristic of an	
15	Estuarine Shore	eline. Such features include the presence of wetland vegetation, and lower wave energy and erosion	
16	rates than in the adjoining Ocean Erodible Area. Such development shall be permitted under the standards set out in		
17	Rule .0208 of this Subchapter. For the purpose of this Rule, small scale small-scale is defined as those projects which		
18	are eligible for authorization under 15A NCAC 07H .1100, .1200, and 15A NCAC 07K .0203.		
19	(f) Transmission lines necessary to transmit electricity from an offshore energy-producing facility may be permitted		
20	provided that each of the following conditions is met:		
21	(1)	The transmission lines are buried under the ocean beach, nearshore area, and primary and frontal	
22		dunes, all as defined in Rule .0305 of this Section, in such a manner so as to ensure that the	
23		placement of the transmission lines involves no alteration or removal of the primary or frontal dunes;	
24		and	
25	(2)	The design and placement of the transmission lines shall be performed in a manner so as not to	
26		endanger the public or the public's use of the beach.	
27	(g) Existing stormwater outfalls as of the last amended date of this rule within the Ocean Hazard AEC that are own		
28	or maintained by a State agency or local government, may be extended oceanward subject to the provisions containe		
29	within 15A NC	AC 07J .0200. Outfalls may be extended below mean low water and may be maintained in accordance	
30	with 15A NCAC 07K .0103. Shortening or lengthening of outfall structures within the authorized dimensions, in		
31	response to changes in beach width, is considered maintenance under 15A NCAC 07K .0103. Outfall extensions may		
32	be marked with signage and shall not prevent pedestrian or vehicular access along the beach. This Paragraph does no		
33	apply to existing stormwater outfalls that are not owned or maintained by a State agency or local government.		
34			
35	History Note:	Authority G.S. 113A-107(a); 113A-107(b); 113A-113(b)(6)a; 113A-113(b)(6)b; 113A-113(b)(6)d;	
36		<i>113A-124;</i>	
37		<i>Eff. February 2, 1981;</i>	

1	Amended Eff. April 1, 2020; June 1, 2010; February 1, 2006; September 17, 2002 pursuant to S.L.
2	2002-116; August 1, 2000; August 1, 1998; April 1, 1996; April 1, 1995; February 1, 1993; January
3	1, 1991; April 1, 1987;
4	Readopted Eff. December 1, 2020;
5	Amended Eff. <u>November 1, 2025;</u> August 1, 2022.