

## APPENDIX A:

### Tracked Changes Between Prior Rule and Rule Effective November 1, 2019

#### SUBCHAPTER ~~2B02B~~ - SURFACE WATER AND WETLAND STANDARDS

#### SECTION .0100 - PROCEDURES FOR ASSIGNMENT OF WATER QUALITY STANDARDS

##### 15A NCAC 02B .0101 GENERAL PROCEDURES

(a) The rules contained in Sections .0100, .0200 and .0300 of this Subchapter, which pertain to the series of classifications and water quality standards, shall be known as the "Classifications and Water Quality Standards Applicable to the Surface Waters and Wetlands of North Carolina."

(b) The Environmental Management Commission, ~~(hereinafter referred to as the Commission)~~, prior to classifying and assigning standards of water quality to any waters of the ~~state~~State, shall proceed as follows:

- (1) The Commission, or its designee, shall determine waters to be studied for the purpose of classification and assignment of water quality standards on the basis of user requests, petitions, or the identification of existing or attainable water uses, as defined by ~~15A NCAC 2B~~Rule .0202 ~~of this Subchapter~~, not presently included in the water classification.
- (2) In determining the best usage of waters and assigning classifications of such waters, the Commission shall consider the criteria specified in G.S. 143-214.1(d). In determining whether to revise a designated best usage for waters through a revision to the classifications, the Commission shall follow the requirements of 40 CFR 131.10 which is incorporated by reference including subsequent amendments and editions. A copy of the most current version of the requirements is available free of charge at <https://www.govinfo.gov>.
- (3) When revising the classification of waters, the Division shall collect water quality data within the watershed for those substances that require more stringent control than required by the existing classification. However, such sampling may be limited to only those parameters that are of concern. If the revision to classifications involves the removal of a designated use, the Division shall conduct a use attainability analysis as required by the provisions of 40 CFR 131.10.
- (4) ~~After appropriate studies of the identified waters to obtain the data and information required for determining the proper revised classification of the waters or segments of water are completed, the Commission, or its designee, shall make a decision on whether to initiate proceedings to modify the classifications and water quality standards of identified waters. In the case of the Commission's designee deciding to initiate said proceedings, the designee shall inform the Commission of the decision prior to scheduling a public hearing.~~
- (5) In the case of a petition for classification and assignment of water quality standards according to the requirements of ~~General Statute~~G.S. 150B-20 and 15A NCAC 02I .0500, the Director shall make a preliminary recommendation on the appropriate classifications and water quality standards of the identified waters on the basis of the study findings or information included in the petition supporting the classification and standards changes.
- (6) The Commission shall make a decision on whether to grant or deny a petition in accordance with the provisions of ~~General Statute~~G.S. 150B-20 and 15A NCAC 02I .0500 based on the information included in the petition and the recommendation of the Director. ~~The Commission may deny the petition and request that the Division study the appropriate classifications and water quality standards for the petitioned waters in accordance with Subparagraph (b)(2) of this Rule.~~
- (7) The ~~Director~~chairman of the Commission shall give due notice of ~~such hearing or public~~hearings regarding water quality classifications or standards in accordance with the requirements of ~~General Statute~~40 CFR 131.20, 40 CFR 25.5, G.S. 143-214.1 and G.S. 150B-~~21.2~~ and shall appoint a hearing officer(s) in consultation with the ~~chairman of the Commission~~Director.
- (8) ~~The (8) After completion of a public hearing regarding water quality classifications or standards, the hearing officer(s) shall, as soon as practicable after the completion of the hearing, submit a complete report of the proceedings of the hearing to the Commission. The hearing officer(s) shall include in the report a transcript or summary of testimony presented at such public hearing, relevant exhibits, a summary of relevant information from the stream studies conducted by the technical staff of the Commission, and final recommendations as to classification of the designated waters and the standards of water quality and best management practices which should to be applied to the classifications recommended.~~

## APPENDIX A:

### Tracked Changes Between Prior Rule and Rule Effective November 1, 2019

- (79) The Commission, ~~after due consideration of~~ shall consider the provisions of G.S. 143-214.1, the hearing ~~records~~record(s), and the ~~final recommendations~~recommendation(s) of the hearing officer(s), ~~shall adopt its~~ before taking final action with respect to the assignment of classifications, and any applicable standards or best management practices applicable as rule(s) to the waters under consideration. ~~The Commission shall publish such action, together with the effective date for the application of the provisions of General Statute 143-215.1 and 143-215.2, as amended, as a part of the Commission's official rules.~~
- (810) The final action of the Commission with respect to the assignment of classification with its accompanying standards and best management practices shall contain the Commission's conclusions relative to the various factors ~~given in General Statute G.S. 143-214.1(d),~~ and shall ~~specifically~~ include the class or classes to which such ~~specifically~~ designated waters in the watershed or watersheds shall be assigned on the basis of best usage in the interest of the public.
- (e) ~~Freshwater shall be assigned to one of the following classification:~~
- ~~(1) Class C: freshwaters protected for secondary recreation, fishing, aquatic life including propagation and survival, and wildlife. All freshwaters shall be classified to protect these uses at a minimum.~~
  - ~~(2) Class B: freshwaters protected for primary recreation which includes swimming on a frequent or organized basis and all Class C uses.~~
  - ~~(3) Class WS I: waters protected as water supplies which are essentially in natural and undeveloped watersheds. Point source discharges of treated wastewater are permitted pursuant to Rules .0104 and .0211 of this Subchapter. Local programs to control nonpoint sources and stormwater discharges of pollution are required. Suitable for all Class C uses.~~
  - ~~(4) Class WS II: waters protected as water supplies which are generally in predominantly undeveloped watersheds. Point source discharges of treated wastewater are permitted pursuant to Rules .0104 and .0211 of this Subchapter. Local programs to control nonpoint sources and stormwater discharges of pollution shall be required. Suitable for all Class C uses.~~
  - ~~(5) Class WS III: waters protected as water supplies which are generally in low to moderately developed watersheds. Point source discharges of treated wastewater are permitted pursuant to Rules .0104 and .0211 of this Subchapter. Local programs to control nonpoint sources and stormwater discharges of pollution shall be required. Suitable for all Class C uses.~~
  - ~~(6) Class WS IV: waters protected as water supplies which are generally in moderately to highly developed watersheds. Point source discharges of treated wastewater are permitted pursuant to Rules .0104 and .0211 of this Subchapter. Local programs to control nonpoint sources and stormwater discharges of pollution shall be required; suitable for all Class C uses.~~
  - ~~(7) Class WS V: waters protected as water supplies which are generally upstream of and draining to Class WS IV waters. No categorical restrictions on watershed development or treated wastewater discharges shall be required. However, the Commission or its designee may apply appropriate management requirements as deemed necessary for the protection of downstream receiving waters (15A NCAC 2B .0203); suitable for all Class C uses.~~
  - ~~(8) Class WL: waters that meet the definition of wetlands found in 15A NCAC 2B .0202 except those designated as Class SWL.~~
- (d) ~~Tidal Salt Waters shall be assigned to one of the following:~~
- ~~(1) Class SC: saltwaters protected for secondary recreation, fishing, aquatic life including propagation and survival, and wildlife. All saltwaters shall be classified to protect these uses at a minimum.~~
  - ~~(2) Class SB: saltwaters protected for primary recreation which includes swimming on a frequent or organized basis and all Class SC uses.~~
  - ~~(3) Class SA: suitable for commercial shellfishing and all other tidal saltwater uses.~~
  - ~~(4) Class SWL: waters that meet the definition of coastal wetlands as defined by 15A NCAC 2H .0205, and which are landward of the mean high water line, and wetlands contiguous to estuarine waters as defined by 15A NCAC 2H .0206.~~
- (e) ~~The following are supplemental classifications:~~
- ~~(1) Trout waters (Tr): freshwaters protected for natural trout propagation and survival of stocked trout.~~
  - ~~(2) Swamp waters (Sw): waters which have low velocities and other natural characteristics which are different from adjacent streams.~~
  - ~~(3) Nutrient Sensitive Waters (NSW): waters subject to growths of microscopic or macroscopic vegetation requiring limitations on nutrient inputs.~~

## APPENDIX A:

### Tracked Changes Between Prior Rule and Rule Effective November 1, 2019

- ~~(4) Outstanding Resource Waters (ORW): unique and special waters of exceptional state or national recreational or ecological significance which require special protection to maintain existing uses.~~
- ~~(5) High Quality Waters (HQW): waters which are rated as excellent based on biological and physical/chemical characteristics through Division monitoring or special studies, native and special native trout waters (and their tributaries) designated by the Wildlife Resources Commission, primary nursery areas (PNA) designated by the Marine Fisheries Commission and other functional nursery areas designated by the Marine Fisheries Commission, all water supply watersheds which are either classified as WS I or WS II or those for which a formal petition for reclassification as WS I or WS II has been received from the appropriate local government and accepted by the Division of Water Quality and all Class SA waters.~~
- ~~(6) Future Water Supply (FWS): waters that have been requested by a local government and adopted by the Commission as a future source for drinking, culinary, or food processing purposes. Local government(s) requesting this reclassification shall provide to the Division evidence of intent which may include one or a combination of the following: capitol improvement plans, a Water Supply Plan as described in G.S. 143-355(1), bond issuance for the water treatment plant or land acquisition records. Local governments shall provide a 1:24,000 scale USGS topographical map delineating the location of the intended water supply intake. Requirements for activities administered by the State of North Carolina, such as the issuance of permits for landfills, NPDES wastewater discharges, land application of residuals and road construction activities shall be effective upon reclassification for future water supply use. The requirements shall apply to the critical area and balance of the watershed or protected area as appropriate. Upon receipt of the final approval letter from the Division of Environmental Health for construction of the water treatment plant and water supply intake, the Commission shall initiate rule making to modify the Future Water Supply supplemental classification. Local government implementation is not required until 270 days after the Commission has modified the Future Water Supply (FWS) supplemental classification through the rule making process and notified the affected local government(s) that the appropriate local government land use requirements applicable for the water supply classifications are to be adopted, implemented and submitted to the Commission for approval. Local governments may also adopt land use ordinances that meet or exceed the state's minimum requirements for water supply watershed protection prior to the end of the 270 day deadline. The requirements for FWS may also be applied to waters formerly used for drinking water supply use, and currently classified for water supply use, at the request of local government(s) desiring protection of the watershed for future water supply use.~~
- ~~(7) Unique wetland (UWL): wetlands of exceptional state or national ecological significance which require special protection to maintain existing uses. These wetlands may include wetlands that have been documented to the satisfaction of the Commission as habitat essential for the conservation of state or federally listed threatened or endangered species.~~

~~(f) In determining the best usage of waters and assigning classifications of such waters, the Commission shall consider the criteria specified in General Statute 143-214.1(d) and all existing uses as defined by 15A NCAC 2B .0202. In determining whether to revise a designated best usage for waters through a revision to the classifications, the Commission shall follow the requirements of 40 CFR 131.10(b),(c),(d) and (g) which are hereby incorporated by reference including any subsequent amendments and editions. This material is available for inspection at the Department of Environment, Health, and Natural Resources, Division of Water Quality, Water Quality Section, 512 North Salisbury Street, Raleigh, North Carolina. Copies may be obtained from the U.S. Government Printing Office, Superintendent of Documents, Washington, DC 20402-9325 at a cost of thirteen dollars (\$13.00).~~

~~(g) When revising the classification of waters, the Division shall collect water quality data within the watershed for those substances which require more stringent control than required by the existing classification. However, such sampling may be limited to only those parameters which are of concern. If the revision to classifications involves the removal of a designated use, the Division shall conduct a use attainability study as required by the provisions of 40 CFR 131.10(j) which are hereby incorporated by reference including any subsequent amendments and editions. This material is available for inspection at the Department of Environment, Health, and Natural Resources, Division of Water Quality, Water Quality Section, 512 North Salisbury Street, Raleigh, North Carolina. Copies may be obtained from the U.S. Government Printing Office, Superintendent of Documents, Washington, DC 20402-9325 at a cost of thirteen dollars (\$13.00).~~

## APPENDIX A:

### Tracked Changes Between Prior Rule and Rule Effective November 1, 2019

*History Note:* Authority G.S. 143-214.1; 143-215.3(a)(1);  
Eff. February 1, 1976;  
Amended Eff. August 1, 1995; February 1, 1993; August 3, 1992; August 1, 1990;  
RRC Objection Eff. July 18, 1996 due to lack of statutory authority and ambiguity;  
Amended Eff. October 1, 1996-;  
Readopted Eff. November 1, 2019.

#### 15A NCAC 02B .0102 USE OF CLASSIFICATIONS AND WATER QUALITY STANDARDS

*History Note:* Authority G.S. 143-214.1;  
Eff. February 1, 1976;  
Repealed Eff. January 1, 1985.

#### 15A NCAC 02B .0103 ANALYTICAL PROCEDURES

(a) Chemical/Physical Procedures. -Tests or analytical procedures to determine conformity ~~or non-conformity~~ with standards shall, insofar as practicable and applicable, conform to the guidelines by the U.S. Environmental Protection Agency (EPA) codified as 40 CFR, Part 136, which are hereby incorporated by reference including ~~any~~ subsequent amendments and editions. ~~This material is available for inspection at the Department of Environment, Health, and Natural Resources, Division of Water Quality, Water Quality Section, 512 North Salisbury Street, Raleigh, North Carolina. Copies may be obtained from the U.S. Government Printing Office, Superintendent~~ A copy of the most current version of 40 CFR Part 136 is available free of Documents, Washington, DC 20402-9325 at a cost of thirteen dollars (\$13.00)-charge at <https://www.govinfo.gov>. Methods not codified by 40 CFR, Part 136 ~~will~~shall, insofar as practicable and applicable, conform to the ~~guidelines by the~~ American Public Health Association, (APHA), American Water Works Association, (AWWA), and Water Environment Federation (WEF) publication "Standard" Standard Methods for the Examination of Water and Wastewater, 19th" (20<sup>th</sup> edition@1996) or subsequent editions), which are hereby is incorporated by reference. ~~Copies may be obtained from the Water Environment Federation, 601 Wythe St., including subsequent amendments and editions. The 20th edition is available for inspection at the Department of Environmental Quality, Division of Water Resources, 512 North Salisbury Street, Raleigh, North Carolina 27604-1170. A print copy of the most current edition of "Standard Methods for the Examination of Water and Wastewater" is available for purchase at a cost of three hundred and ninety-five dollars (\$395.00) from the following places: APHA, 8001 Street, NW Washington, DC 20001; AWWA, 6666 W. Quincy Avenue, Denver, CO 80235; or WEF, 601 Wythe Street, Alexandria, VA, 22314 at a cost of one hundred and eighty dollars (\$180.00)-.~~

(b) Biological Procedures. -Biological tests to determine conformity ~~or non-conformity~~ with standards shall be based on methods published by the ~~U.S. Environmental Protection Agency~~ EPA as codified as 40 CFR, Part 136, which are ~~hereby~~ incorporated by reference including ~~any~~ subsequent amendments and editions. ~~This material~~ A copy of the most current version of 40 CFR Part 136 is available for inspection free of charge at the Department of Environment, Health and Natural Resources, Division of Water Quality, Water Quality Planning Branch, 512 North Salisbury Street, Raleigh, North Carolina. Copies may be obtained from the U.S. Government Printing Office, Superintendent of Documents, Washington, DC 20402-9325 at a cost of thirteen dollars (\$13.00)-<https://www.govinfo.gov>.

(c) Wetland Evaluation Procedures.- Evaluations of wetlands for the presence of existing uses shall be based on procedures approved by the Director. -The Director shall approve wetland evaluation procedures that have been demonstrated to produce verifiable and repeatable results and that have widespread acceptance in the scientific community. Copies of approved methods or guidance may be obtained at no cost by submitting a written request ~~to~~ NCDWQ, Ecological Assessment Group, P.O. Box 29535 NCDWR, Wetlands Branch, 1617 Mail Service Center, Raleigh, NC 27626-0535-27699-1617.

*History Note:* Authority G.S. 143-214.1; 143-215.3(a)(1);  
Eff. February 1, 1976;  
Amended Eff. February 1, 1993; October 1, 1989; January 1, 1985; September 9, 1979;  
RRC Objection Eff. July 18, 1996 due to lack of statutory authority and ambiguity;  
Amended Eff. October 1, 1996-;  
Readopted Eff. November 1, 2019.

#### 15A NCAC 02B .0104 CONSIDERATIONS/ASSIGNING/IMPLEMENTING WATER SUPPLY CLASSIFICATIONS

## APPENDIX A:

### Tracked Changes Between Prior Rule and Rule Effective November 1, 2019

(a) In determining the suitability of waters for use as a source of water supply for drinking, culinary, or food processing purposes after approved treatment, the Commission ~~will be guided by~~shall consider the physical, chemical, and bacteriological maximum contaminant levels specified by U.S. Environmental Protection Agency regulations adopted pursuant to the Public Health Service Act, 42 U.S.C. 201 et seq., as amended by the Safe Drinking Water Act, 42 U.S.C. 300(f) et seq. In addition, the Commission shall be guided by the requirements for unfiltered and filtered water supplies and the maximum contaminant levels specified in ~~the North Carolina Rules Governing Public Water Supplies, 15A NCAC 18C .1100, .1200 and .1500, which are incorporated by reference including subsequent amendments and comments provided by the Division of Environmental Health editions.~~

~~(b) All local governments that have land use authority within designated water supply watersheds shall adopt and enforce ordinances that at a minimum meet the requirements of G.S. 143-214.5 and this Subchapter. The Commission shall approve local water supply protection programs if it determines that the requirements of the local program equal or exceed the minimum statewide water supply watershed management requirements adopted pursuant to this Section. Local governments may adopt and enforce more stringent controls. Local management programs and modifications to these programs must be approved by the Commission and shall be kept on file by the Division of Environmental Management, Division of Environmental Health and the Division of Community Assistance.~~

~~(c)~~(b) All waters used for water supply purposes or intended for future water supply use shall be classified to the most appropriate water supply classification as determined by the Commission. ~~Water supplies may be reclassified to a more or less protective water supply classification on a case by case basis through the rule making process. in accordance with Sections .0100 and .0200 of this Subchapter.~~ A more protective water supply classification may be applied to existing water supply watersheds after receipt of a resolution from all local governments having land use jurisdiction within the designated water supply watershed requesting a more protective water supply classification. ~~Local government(s) requesting the Future Water Supply classification must provide to the Division evidence of intent which may include one or a combination of the following: capital improvement plans, a Water Supply Plan as described in G.S. 143-355(l), bond issuance for the water treatment plant or land acquisition records. A 1:24,000 scale USGS topographical map delineating the location of the intended water supply intake is also required. Requirements for activities administered by the State of North Carolina, such as the issuance of permits for landfills, NPDES wastewater discharges, land application of residuals and road construction activities shall be effective upon reclassification for future water supply use. The requirements shall apply to the critical area and balance of the watershed or protected area as appropriate. Upon receipt of the final approval letter from the Division of Environmental Health for construction of the water treatment plant and water supply intake, the Commission shall initiate rule making to modify the Future Water Supply supplemental classification. Local government implementation is not required until 270 days after the Commission has modified the Future Water Supply (FWS) supplemental classification through the rule making process and notified the affected local government(s) that the appropriate local government land use requirements applicable for the water supply classifications are to be adopted, implemented and submitted to the Commission for approval. Local governments may also adopt land use ordinances that meet or exceed the state's minimum requirements for water supply watershed protection prior to the end of the 270 day deadline. The requirements for FWS may also be applied to waters formerly used for drinking water supply purposes, and currently classified for water supply use, at the request of local government(s) desiring protection of the watershed for future water supply use. Requests for reclassification of non-water supply segments and watersheds to a water supply classification shall include submittal to the Commission of resolutions from all local governments having land use jurisdiction within the proposed water supply watershed for which a water supply classification is being requested, provided that the Commission may reclassify waters without the consent of local governments if the Commission deems such reclassifications appropriate and necessary in accordance with Rule .0101 of this Section. Local governments requesting water supply reclassifications shall provide a topographic map (such as a 1:24,000 scale USGS map) indicating the normal pool elevation for backwaters of water supply reservoirs, longitude and latitude coordinates of intended water supply intakes, and critical areas and other watershed boundaries as appropriate.~~

~~(d)~~(c) In considering the reclassification of waters for water supply purposes, the Commission shall take into consideration the risks posed by pollutants and the relative proximity, quantity, composition, natural dilution, and diminution of potential sources of pollution ~~to determine that risks posed by all significant pollutants are adequately considered.~~

~~(e) For the purposes of implementing the d) The water supply watershed protection rules (15A NCAC 2B .0100, .0200 and .0300) and the requirements of Rules .0620 through .0624 of this Subchapter and G.S. 143-214.5, the following schedule of implementation shall be that are applicable:~~  
to State agencies and units of local government with land use authority in water supply watersheds that were classified as such on or before August 3, 1992 \_\_\_\_\_, shall be effective no later than:

## APPENDIX A:

### Tracked Changes Between Prior Rule and Rule Effective November 1, 2019

- (1) ~~August 3, 1992 - Activities administered by the State of North Carolina, such as the issuance of permits for landfills, NPDES wastewater discharges, and land application of sludge/residuals, and road construction activities, shall become effective regardless of the deadlines for municipal and county water supply watershed protection ordinance adoptions;~~
- ~~By (2) July 1, 1993 - Affected municipalities Municipalities with a population greater than 5,000 shall adopt and submit the appropriate drinking water supply protection, maps and ordinances that meet or exceed the minimum management requirements of these Rules;~~
- ~~By (3) October 1, 1993 - Affected municipalities Municipalities with a population less than 5,000 shall adopt and submit the appropriate drinking; and~~
- (4) January 1, 1994 - County governments and other units of local government, as applicable.
- (e) The water supply watershed protection requirements of Rules .0620 through .0624 of this Subchapter and G.S. 143-214.5 that are applicable to State agencies and units of local government with land use authority in water supply protection, maps and ordinances that meet or exceed watersheds that were classified as such after August 3, 1992, shall be effective no later than:
- (1) for activities administered by the State of North Carolina, such as the issuance of permits for landfills, NPDES wastewater dischargers, and land application of sludge or residuals, and road construction activities, the date the minimum management requirements of these Rules; reclassification became effective; and
- ~~By January 1, 1994 - Affected county (2) for local governments shall adopt and submit, the appropriate drinking water supply protection, maps and ordinances that meet or exceed date the minimum management requirements of these Rules.~~
- ~~Affected local government drinking water supply protection ordinances shall become effective on or before these dates. Local governments may choose to adopt, implement and enforce these provisions prior local watershed ordinance was adopted or revised to this date. Three copies of reflect the adopted and effective relevant ordinances shall be sent to the Division along with reclassification, but no later than 270 days after receiving notice of a cover letter reclassification from the municipal or county attorney, or its designated legal counsel, stating that the local government drinking water supply protection ordinances shall meet or exceed the rules in 15A NCAC 2B .0100, .0200 and .0300. If the rules in 15A NCAC 2B .0100, .0200 and .0300 are revised, the Division shall modify and distribute to local governments, as appropriate, a revised model ordinance. The Division shall approve the amended local maps and ordinances, or request the Commission to take appropriate action under G.S. 143-214.5.~~
- (f) ~~Wherever in this Subchapter it is provided that local governments assume responsibility for operation and maintenance of engineered stormwater control(s), this shall be construed to require responsible local governments to inspect such controls at least once per year, to determine whether the controls are performing as designed and intended. Records of inspections shall be maintained on forms supplied by the Division. Local governments may require payment of reasonable inspection fees by entities which own the controls, as authorized by law. In the event inspection shows that a control is not performing adequately, the local government shall order the owning entity to take corrective actions. If the entity fails to take sufficient corrective actions, the local government may impose civil penalties and pursue other available remedies in accordance with the law. The availability of new engineered stormwater controls as an alternative to lower development density and other measures under the provisions of this Subchapter and local ordinances approved by the Commission shall be conditioned on the posting of adequate financial assurance, in the form of a cash deposit or bond made payable to the responsible local government, or other acceptable security. The establishment of a stormwater utility by the responsible local government shall be deemed adequate financial assurance. The purpose of the required financial assurance is to assure that maintenance, repairs or reconstruction necessary for adequate performance of the controls may be made by the owning entity or the local government which may choose to assume ownership and maintenance responsibility.~~
- (g) ~~Where higher density developments are allowed, stormwater control systems must use wet detention ponds as described in 15A NCAC 2H .1003(g)(2), (g)(3), (i), (j), (k), and (l). Alternative stormwater management systems consisting of other treatment options, or a combination of treatment options, may be approved by the Director. The design criteria for approval shall be 85 percent average annual removal of Total Suspended Solids. Also the discharge rate shall meet one of the following criteria:~~
- (1) ~~the discharge rate following the 1 inch design storm shall be such that the runoff draws down to the pre-storm design stage within five days, but not less than two days; or~~

**APPENDIX A:  
Tracked Changes Between Prior Rule and Rule Effective November 1, 2019**

~~(2) — the post-development peak discharge rate shall equal the predevelopment rate for the 1-year, 24-hour storm.~~

~~(h) Where no practicable alternative exists, discharge from groundwater remediation projects addressing water quality problems shall be allowed in accordance with other applicable requirements in all water supply classifications.~~

~~(i) To further the cooperative nature of the water supply watershed management and protection program provided for herein, local governments with jurisdiction over portions of classified watersheds and local governments which derive their water supply from within such watersheds are encouraged to establish joint water quality monitoring and information sharing programs, by interlocal agreement or otherwise. Such cooperative programs shall be established in consultation with the Division.~~

~~(j) Where no practicable alternative exists other than surface water discharge,~~(f) Discharge from groundwater remediation projects addressing water quality problems shall be allowed if an engineering alternatives analysis submitted for approval in accordance with 15A NCAC 02H .0105(c) demonstrates that no practicable alternative exists to such a discharge. Such discharges shall meet applicable requirements of Rules .0212 through .0218 of this Subchapter.

~~(g) For previously unknown existing unpermitted wastewater discharges shall incorporate the best possible technology treatment as deemed appropriate by the Division to surface water, an engineering alternatives analysis shall be submitted for approval in accordance with 15A NCAC 02H .0105(c). If the analysis finds that no practicable alternative exists to surface water discharges, such discharges shall meet the "Minimum treatment requirements" as defined in Rule .0403 of this Subchapter.~~

~~(k) The Commission may designate water supply watersheds or portions thereof as critical water supply watersheds pursuant to G.S. 143-214.5(b).~~

~~(h)~~ (h) A more protective classification may be allowed by the Commission although minor occurrences of nonconforming activities are present prior to reclassification. ~~When the Commission allows a more protective classification, expansions of existing wastewater discharges that otherwise would have been prohibited may be allowed if there is no increase in permitted pollutant loading; other, Other~~ discharges of treated wastewater existing at the time of reclassification may be required to meet more stringent effluent limitations ~~as determined by the Division.~~ in accordance with Section .0400 of this Subchapter. Consideration of all practicable alternatives to surface water discharge ~~must~~shall be documented.

~~(m) The construction of new roads and bridges and non-residential development shall minimize built-upon area, divert stormwater away from surface water supply waters as much as possible, and employ best management practices (BMPs) to minimize water quality impacts. To the extent practicable, the construction of new roads in the critical area shall be avoided. The Department of Transportation shall use BMPs as outlined in their document entitled "Best Management Practices for the Protection of Surface Waters" which is hereby incorporated by reference including all subsequent amendments and editions. This material is available for inspection at the Department of Environment, Health, and Natural Resources, Division of Environmental Management, Water Quality Planning Branch, 512 North Salisbury Street, Raleigh, North Carolina.~~

~~(n) Activities within water supply watersheds are also governed by the North Carolina Rules Governing Public Water Supplies, 15A NCAC 18C .1100, .1200 and .1500. Proposed expansions of treated wastewater discharges to water supply waters must be approved by the Division of Environmental Health.~~

~~(o) Local governments shall correctly delineate the approximate normal pool elevation for backwaters of water supply reservoirs for the purposes of determining the critical and protected area boundaries as appropriate. Local governments must submit to the Division a 1:24,000 scale U.S.G.S. topographic map which shows the local government's corporate and extraterritorial jurisdiction boundaries, the Commission's adopted critical and protected area boundaries, as well as the local government's interpreted critical and protected area boundaries. All revisions (expansions or deletions) to these areas must be submitted to the Division and approved by the Commission prior to local government revision.~~

~~(p) Local governments shall encourage participation in the Agricultural Cost Share Program. The Soil and Water Conservation Commission is the designated management agency responsible for implementing the provisions of the rules in 15A NCAC 2H .0200 pertaining to agricultural activities. Agricultural activities are subject to the provisions of the Food Security Act of 1985 and the Food, Agriculture, Conservation and Trade Act of 1990 (Public Law 101-624) and 15A NCAC 2H .0217. The following shall be required within WS-I watersheds and the critical areas of WS-II, WS-III and WS-IV watersheds:~~

~~(1) — Agricultural activities conducted after January 1, 1993 shall maintain a minimum 10-foot vegetated buffer, or equivalent control as determined by the Soil and Water Conservation Commission, along~~

**APPENDIX A:**  
**Tracked Changes Between Prior Rule and Rule Effective November 1, 2019**

all perennial waters indicated on the most recent versions of U.S.G.S. 1:24,000 (7.5 minute) scale topographic maps or as determined by local government studies; and

- (2) ~~Animal operation deemed permitted and permitted under 15A NCAC 2H .0217 are allowed in all classified water supply watersheds.~~

~~(q) Existing development is not subject to the requirements of these Rules. Redevelopment is allowed if the rebuilding activity does not have a net increase in built upon area or provides equal or greater stormwater control than the previous development, except that there are no restrictions on single family residential redevelopment. Expansions to structures classified as existing development must meet the requirements of the rules in 15A NCAC 2B .0100, .0200 and .0300; however, the built upon area of the existing development is not required to be included in the density calculations. Expansions to structures other than existing development must meet the density requirements of these Rules for the entire project site. If a nonconforming lot of record is not contiguous to any other lot owned by the same party, then that lot of record shall not be subject to the development restrictions of these Rules if it is developed for single family residential purposes. Local governments may, however, require the combination of contiguous nonconforming lots of record owned by the same party in order to establish a lot or lots that meet or nearly meet the development restrictions of the rules under 15A NCAC 2B. Any lot or parcel created as part of a family subdivision after the effective date of these Rules shall be exempt from these Rules if it is developed for one single family detached residence and if it is exempt from local subdivision regulation. Any lot or parcel created as part of any other type of subdivision that is exempt from a local subdivision ordinance shall be subject to the land use requirements (including impervious surface requirements) of these Rules, except that such a lot or parcel must meet the minimum buffer requirements to the maximum extent practicable. Local governments may also apply more stringent controls relating to determining existing development, redevelopment or expansions.~~

~~(r) Development activities may be granted minor variances by local governments utilizing the procedures of G.S. 153A Article 18, or G.S. 160A, Article 19. A description of each project receiving a variance and the reason for granting the variance shall be submitted to the Commission on an annual basis by January 1. For all proposed major and minor variances from the minimum statewide watershed protection rules, the local Watershed Review Board shall make findings of fact showing that:~~

- ~~(1) there are practical difficulties or unnecessary hardships that prevent compliance with the strict letter of the ordinance;~~
- ~~(2) the variance is in harmony with the general purpose and intent of the local watershed protection ordinance and preserves its spirit; and~~
- ~~(3) in granting the variance, the public safety and welfare have been assured and substantial justice has been done.~~

~~The local Watershed Review Board may attach conditions to the major or minor variance approval that support the purpose of the local watershed protection ordinance. If the variance request qualifies as a major variance, and the local Watershed Review Board decides in favor of granting the major variance, the Board shall then prepare a preliminary record of the hearing and submit it to the Commission for review and approval. If the Commission approves the major variance or approves with conditions or stipulations added, then the Commission shall prepare a Commission decision which authorizes the local Watershed Review Board to issue a final decision which would include any conditions or stipulations added by the Commission. If the Commission denies the major variance, then the Commission shall prepare a Commission decision to be sent to the local Watershed Review Board. The local Watershed Review Board shall prepare a final decision denying the major variance. For all proposed major and minor variances the local government considering or requesting the variance shall notify and allow a reasonable comment period for all other local governments having jurisdiction within the watershed area governed by these Rules and the entity using the water supply for consumption. Appeals from the local government decision on a major or minor variance request are made on certiorari to the local Superior Court. Appeals from the Commission decision on a major variance request are made on judicial review to Superior Court. When local ordinances are more stringent than the state's minimum water supply protection rules a variance to the local government's ordinance is not considered a major variance as long as the result of the variance is not less stringent than the state's minimum requirements.~~

~~(s) Cluster development is allowed on a project by project basis as follows:~~

- ~~(1) Overall density of the project meets associated density or stormwater control requirements under 15A NCAC 2B .0200;~~
- ~~(2) Buffers meet the minimum statewide water supply watershed protection requirements;~~
- ~~(3) Built upon areas are designed and located to minimize stormwater runoff impact to the receiving waters, minimize concentrated stormwater flow, maximize the use of sheet flow through vegetated areas, and maximize the flow length through vegetated areas;~~



**APPENDIX A:  
Tracked Changes Between Prior Rule and Rule Effective November 1, 2019**

- ~~(4) Areas of concentrated density development are located in upland areas and away, to the maximum extent practicable, from surface waters and drainageways;~~
- ~~(5) Remainder of tract to remain in vegetated or natural state;~~
- ~~(6) The area in the vegetated or natural state may be conveyed to a property owners association; a local government for preservation as a park or greenway; a conservation organization; or placed in a permanent conservation or farmland preservation easement. A maintenance agreement shall be filed with the property deeds; and~~
- ~~(7) Cluster developments that meet the applicable low density requirements shall transport stormwater runoff by vegetated conveyances to the maximum extent practicable.~~
- ~~(t) Local governments may administer oversight of future development activities in single family residential developments that exceed the applicable low density requirements by tracking dwelling units rather than percentage built upon area, as long as the wet detention pond or other approved stormwater control system is sized to capture and treat runoff from all pervious and built upon surfaces shown on the development plan and any off site drainage from pervious and built upon surfaces, and when an additional safety factor of 15 percent of built upon area of the project site is figured in.~~
- ~~(u) All new development shall meet the development requirements on a project by project basis except local governments may submit ordinances and ordinance revisions which use density or built upon area criteria averaged throughout the local government's watershed jurisdiction instead of on a project by project basis within the watershed. Prior to approval of the ordinance or amendment, the local government must demonstrate to the Commission that the provisions as averaged meet or exceed the statewide minimum requirements, and that a mechanism exists to ensure the orderly and planned distribution of development potential throughout the watershed jurisdiction.~~
- ~~(v) Silviculture activities are subject to the provisions of the Forest Practices Guidelines Related to Water Quality (15A NCAC 11 .0101—.0209). The Division of Forest Resources is the designated management agency responsible for implementing the provisions of the rules in 15A NCAC 2B .0200 pertaining to silviculture activities.~~
- ~~(w) Local governments shall, as the existing laws allow, develop, implement, and enforce comprehensive nonpoint source and stormwater discharge control programs to reduce water pollution from activities within water supply watersheds such as development, forestry, landfills, mining, on site sanitary sewage systems which utilize ground adsorption, toxic and hazardous materials, transportation, and water based recreation.~~
- ~~(x) When the Commission assumes a local water supply protection program as specified under G.S. 143-214.5(e) all local permits authorizing construction and development activities as regulated by the statewide minimum water supply watershed protection rules of this Subchapter must be approved by the Commission prior to local government issuance.~~
- ~~(y) In the event that stormwater management systems or facilities may impact existing waters or wetlands of the United States, the Clean Water Act requires that these systems or facilities be consistent with all federal and state requirements.~~
- ~~(z) A model local water supply watershed management and protection ordinance, as approved by the Commission in accordance with G.S. 143-214.5, is on file with the Office of Administrative Hearings and may be obtained by writing to: Water Quality Planning Branch, Division of Environmental Management, Post Office Box 29535, Raleigh, North Carolina 27626-0535.~~
- ~~(aa) The Commission may delegate such matters as variance approval, extension of deadlines for submission of corrected ordinances and assessment of civil penalties to the Director.~~
- ~~(i) Animal operations deemed permitted, as defined in 15A NCAC 02T .0103, and permitted under 15A NCAC 02T .1300 are allowed in all classified water supply watersheds.~~
- ~~(j) Local government water supply watershed ordinances for water supply classified watersheds shall be implemented in accordance with Rules .0620 through .0624 of this Subchapter.~~

*History Note:* Authority G.S. 143-214.1; 143-215.3(a)(1);  
Eff. February 1, 1976;  
Amended Eff. August 1, 1995; August 3, 1992; March 1, 1991; October 1, 1989-;  
Redopted Eff. November 1, 2019.

**15A NCAC 02B .0105 DETERMINATION OF SAFETY OR SUITABILITY: CLASS A-II WATERS**

*History Note:* Authority G.S. 143-214.1; 143-215.3(a)(1);  
Eff. February 1, 1976;  
Amended Eff. January 1, 1985; September 9, 1979;

## APPENDIX A:

### Tracked Changes Between Prior Rule and Rule Effective November 1, 2019

*Repealed Eff. February 1, 1986.*

#### **15A NCAC 02B .0106 CONSIDERATIONS/ASSIGNING CLASSIFICATIONS FOR PRIMARY RECREATION**

~~In assigning the B or SB classification to waters intended for primary recreation, the Commission will take into consideration the relative proximity of sources of water pollution and will recognize the potential hazards involved in locating swimming areas close to sources of water pollution and will not assign this classification to waters in which such water pollution could result in a hazard to public health. Discharges to waters classified as B or SB will meet the reliability requirements specified in 15A NCAC 2H .0124. Discharges to waters where a primary recreational use is determined by the Director to be attainable will be required to meet water quality standards and reliability requirements to protect this use concurrently with reclassification efforts.~~

*History Note: Authority G.S. 143-214.1; 143-215.3(a)(1);  
Eff. February 1, 1976;  
Amended Eff. October 1, 1989; January 1, 1985; September 9, 1979;  
Repealed Eff. November 1, 2019.*

#### **15A NCAC 02B .0107 DEFINITION OF REGULATIONS: CLASSIFICATIONS: AND STANDARDS**

*History Note: Authority G.S. 143-214.1;  
Eff. February 1, 1976;  
Repealed Eff. January 1, 1985.*

#### **15A NCAC 02B .0108 CONSIDERATIONS IN ASSIGNING THE SHELLFISHING AREA CLASSIFICATION**

~~In determining the safety or suitability of Class SA waters to be used for shellfishing for market purposes, the Commission will be guided by the existing water quality of the area in relation to the standards to protect shellfishing uses, the potential contamination of the area from both point and nonpoint sources of pollution, and the presence of harvestable quantities of shellfish or the potential for the area to have harvestable quantities through management efforts of the Division of Marine Fisheries. Waters will not be classified SA without the written concurrence of the Division of Health Services, North Carolina Department of Human Resources.~~

*History Note: Authority G.S. 143-214.1;  
Eff. January 1, 1985;  
Amended Eff. October 1, 1989;  
Repealed Eff. November 1, 2019.*

#### **15A NCAC 02B .0109 WATERS AFFECTED BY DREDGE AND FILL ACTIVITIES**

*History Note: Authority G.S. 143-214.1;  
Eff. October 1, 1989;  
Repealed Eff. October 1, 1996.*

#### **15A NCAC 02B .0110 CONSIDERATIONS FOR FEDERALLY-LISTED THREATENED OR ENDANGERED AQUATIC SPECIES**

Certain waters provide habitat for federally-listed aquatic animal species that are listed as threatened or endangered by the U.S. Fish and Wildlife Service or National Marine Fisheries Service under the provisions of the Endangered Species Act, 16 U.S.C. 1531-1544 and subsequent modifications. ~~Maintenance and recovery of the water quality conditions required to sustain and recover federally-listed threatened and endangered aquatic animal species contributes to the support and maintenance of a balanced and indigenous community of aquatic organisms and thereby protects the biological integrity of the waters. The Division Rules .0225 and .0227 of this Subchapter shall develop apply to the development of site-specific management strategies under the provisions of 15A NCAC 2B .0225 to maintain or 15A NCAC 2B .0227 for those waters. These plans shall be developed within recover the basinwide planning schedule with all plans completed at the end of each watershed's first complete five year cycle following adoption of this Rule. water quality conditions required to sustain and recover federally-listed threatened or~~

## APPENDIX A:

### Tracked Changes Between Prior Rule and Rule Effective November 1, 2019

endangered aquatic animal species. Nothing in this Rule shall prevent the Division or Commission from taking other actions within its authority to maintain and restore the quality of these waters.

*History Note:* Authority G. S. 143-214.1; 143-215.3(a)(1); 143-215.8A;  
Eff. August 1, 2000;  
Readopted Eff. November 1, 2019.

## SECTION .0200 - CLASSIFICATIONS AND WATER QUALITY STANDARDS APPLICABLE TO SURFACE WATERS AND WETLANDS OF NORTH CAROLINA

### 15A NCAC 02B .0201 ANTIDegradation Policy

(a) ~~It is the policy of the Environmental Management Commission to maintain, protect, and enhance water quality within the State of North Carolina. Pursuant to this policy, the~~ requirements ~~of for the antidegradation policy and implementation methods in~~ 40 CFR 131.12 are ~~hereby~~ incorporated by reference including ~~any~~ subsequent amendments and editions. -This material is available for inspection at the Department of ~~Environment, Health, and Natural Resources, Environmental Quality, Division of Water Quality, Water Quality Section, Resources,~~ 512 North Salisbury Street, Raleigh, North Carolina. ~~Copies may be obtained from the U.S. Government Printing Office, Superintendent of Documents, Washington, DC 20402-9325, 27604-1170. A copy of the most current version of 40 CFR 131.12 is available free of charge at a cost of thirteen dollars (\$13.00). <https://www.govinfo.gov>.~~ These requirements shall be implemented in North Carolina as set forth in ~~Paragraphs (b), (c), (d), (e) and (f) of this Rule.~~

~~(b) Existing~~(b) The Commission shall protect existing uses, as defined by Rule .0202 of this Section, and the water quality to protect such uses ~~shall be protected by properly~~ classifying surface waters and having standards sufficient to protect these uses. - In cases where the Commission or its designee determines that an existing use is not included in the classification of waters in accordance with Rule .0101(b)(1) of this Subchapter, a project ~~which shall affect that affects~~ these waters shall not be permitted unless the existing uses are protected.

(c) The Commission shall consider the present and anticipated usage of waters with quality higher than the standards, including any uses not specified by the assigned classification (such as outstanding national resource waters or waters of exceptional water quality), and shall not allow degradation of the quality of waters with quality higher than the standards below the water quality necessary to maintain existing and anticipated uses of those waters. -Waters with quality higher than the standards are defined by Rule .0202 of this Section. -The following procedures shall be implemented in order to meet ~~these~~ requirements of this Rule:

- (1) Each applicant for an National Pollutant Discharge Elimination System (NPDES) permit or NPDES permit expansion to discharge treated waste shall document ~~an effort to consider~~ non-discharge alternatives considered pursuant to 15A NCAC ~~2H02H~~ .0105(c)(2).
- (2) Public Notices for NPDES permits shall list parameters that would be water quality limited and state whether ~~or not~~ the discharge shall will use the entire available load capacity of the receiving waters and may, as a result, cause more stringent water quality based effluent limitations to be established for dischargers downstream.
- (3) The Division may require supplemental documentation from ~~the~~ affected local government to show that a proposed project or parts of the project are necessary for important economic and social development under 40 CFR 131.12.
- (4) ~~The~~Local governments shall have the option to work with the Commission and Division ~~shall work with local governments on a voluntary basis to to~~ identify and develop ~~appropriate~~ management strategies or classifications for waters with unused pollutant loading capacity to accommodate future economic growth.

Waters with quality higher than the standards shall be identified by the Division on a case-by-case basis through the NPDES permitting and waste load allocation processes ~~(, pursuant to the provisions of 15A NCAC ~~2H02H~~ .0100)-,~~ Dischargers affected by the requirements of ~~Paragraphs (c)(1) through (c)(4) of this Rule~~Paragraph and the public at large shall be notified according to the provisions described herein, and all other appropriate provisions pursuant to 15A NCAC ~~2H02H~~ .0109. - If an applicant objects to the requirements to protect waters with quality higher than the standards and believes degradation is necessary to accommodate important social and economic development, the applicant may contest these requirements according to the provisions of ~~General Statute~~G.S. 143-215.1(e) and 150B-23.

## APPENDIX A:

### Tracked Changes Between Prior Rule and Rule Effective November 1, 2019

(d) The Commission shall consider the present and anticipated ~~usage~~uses of High Quality Waters (HQW), including any uses not specified by the assigned classification (such as outstanding national resource waters or waters of exceptional water quality) and shall not allow degradation of the quality of High Quality Waters below the water quality necessary to maintain existing and anticipated uses of those waters. ~~High Quality Waters are a subset of waters with quality higher than the standards and are as described by 15A NCAC 2B .0101(e)(5). The procedures described in Rule .0224 of this Section shall be implemented in order to meet the requirements of this part. pursuant to Rule .0224 of this Section.~~

(e) ~~The water quality of waters classified as Outstanding Resource Waters (ORW) are a special subset of High Quality Waters with unique and special characteristics.~~ as described in Rule .0225 of this Section. ~~The water quality of waters classified as ORW,~~ shall be maintained such that existing uses, including the outstanding resource values of said Outstanding Resource Waters, ~~shall be~~are maintained and protected.

(f) Activities regulated under Section 404 of the federal Clean Water Act (~~33 U.S.C. 1344~~) ~~which that~~ require a water quality certification as described in Section 401 of the federal Clean Water Act (~~33 U.S.C. 1341~~) shall be evaluated according to the procedures outlined in 15A NCAC ~~2H02H~~ .0500. ~~Activities which that~~ receive a water quality certification pursuant to ~~these~~the procedures in 15A NCAC 02H .0500 shall not be considered to remove existing uses. ~~The evaluation of permits issued pursuant to G.S. 143-215.1 that involve the assimilation of wastewater or stormwater by wetlands shall incorporate the criteria found in 15A NCAC 2H02H .0506(c)-(1)-(5) in determining the potential impact of the proposed activity on the existing uses of the wetland per 15A NCAC 2HAs described in Rule .0231(a) of this Section.~~

*History Note:* Authority G.S. 143-214.1; 143-215.1; 143-215.3(a)(1);  
Eff. February 1, 1976;  
Amended Eff. October 1, 1995; August 1, 1995; February 1, 1993; April 1, 1991; August 1, 1990;  
~~RRC Objection Eff. July 18, 1996 due to lack of statutory authority and ambiguity;~~  
~~Amended Eff. October 1, 1996;~~  
~~Readopted Eff. November 1, 2019.~~  
~~RRC Objection Eff. July 18, 1996 due to lack of statutory authority and ambiguity;~~  
~~Amended Eff. October 1, 1996.~~

#### 15A NCAC 02B .0202 DEFINITIONS

The definition of any word or phrase used in this Section shall be the same as given in G.S. 143, Article 21. -The following words and phrases, which are not defined in this article, shall be interpreted as follows:

- (1) "Acute toxicity to aquatic life" means lethality or other harmful effects sustained by either resident aquatic populations or indicator species used as test organisms in a controlled toxicity test due to a short-term exposure (relative to the life cycle of the organism) of 96 hours or less to a specific chemical or mixture of chemicals (as in an effluent). ~~Short term exposure for acute tests is generally 96 hours or less.~~ Acute toxicity shall be determined using the following procedures:
  - (a) for specific chemical constituents or compounds, acceptable levels shall be equivalent to a concentration of one-half or less of the Final Acute Value (FAV) as determined according to "Guidelines for Deriving Numerical Water Quality Criteria for the Protection of Aquatic Life and its Uses" published by the Environmental Protection Agency and referenced in the Federal Register (50 FR 30784, July 29, 1985) which is ~~hereby~~ incorporated by reference including ~~any~~ subsequent amendments and editions.
  - (b) for specific chemical constituents or compounds for which values described under ~~Subparagraph (1)(Sub-Item~~ (a) of this ~~Rule can not~~Item cannot be determined, acceptable levels shall be equivalent to a concentration of one-third or less of the lowest available LC50 value.
  - (c) for effluents, acceptable levels ~~are~~shall be defined as no statistically measurable lethality (99 percent confidence level using ~~Students~~Student's t-test) during a specified exposure period. ~~Concentrations of exposure shall be determined based on a case-by-case basis permit requirements and procedures in accordance with 15A NCAC 02H .1110.~~
  - (d) in instances where detailed dose response data indicate that levels of acute toxicity are significantly different from those defined in this Rule, the Director may determine on a case-by-case basis an alternate acceptable level through statistical analyses of the dose response curve in accordance with 15A NCAC 02H .1110.

## APPENDIX A:

### Tracked Changes Between Prior Rule and Rule Effective November 1, 2019

- (2) "Acute to Chronic Ratio-~~(" or "ACR)~~" means the ratio of acute toxicity expressed as an LC50 for a specific toxicant or an effluent to the chronic value for the same toxicant or effluent.
- (3) "Agricultural uses-~~include~~" means the use of waters for stock watering, irrigation, and other farm purposes.
- (4) "Applicator" means any person, firm, corporation, wholesaler, retailer, or distributor; any local, ~~state~~State, or federal governmental agency; or any other person who applies fertilizer to the land of a consumer or client or to land that they own ~~or to land which they~~, lease, or otherwise hold rights.
- (5) "Approved treatment;" as applied to water supplies, means treatment ~~accepted as satisfactory~~approved by the Division ~~of Environmental Health or Division of Water Quality~~in accordance with 15A NCAC 18C .0301 through .0309, as authorized by G.S. 130A-315 and G.S. 130A-317.
- (6) "Attainable water uses" means uses that can be achieved by the imposition of effluent limits and cost effective and reasonable best management practices (BMP) for nonpoint source control.
- (7) "Average-~~(except bacterial)~~" means the arithmetical average and includesof the analytical results of all representative samples taken under prevailing environmental conditions during ~~the~~a specified period; ~~all sampling shall be done as to obtain the most representative sample under prevailing conditions; (for example: daily, weekly, or monthly).~~
- (a) ~~Daily Average for dissolved oxygen, shall be of at least four samples;~~
- (b) ~~Weekly Average means the average of all daily composite samples obtained during the calendar week. If only one grab sample is taken each day, the weekly average is the average of all daily grab samples. A minimum of three daily grab samples is needed to calculate a weekly average.~~
- (c) ~~Monthly Average means the average of all daily composites (or grab samples if only one per day) obtained during the calendar month.~~
- ~~The definitions in this Paragraph do not affect the monitoring requirements for NPDES permits but rather shall be used by the Division along with other methodologies in determining violations of water quality standards. Arithmetical averages as defined by this Section, and not confidence limits nor other statistical descriptions, shall be used in all calculations of limitations which require the use of averages pursuant to this Section and 40 CFR 122.41(l)(4)(iii).~~
- (7) ~~(8)~~ (8) "Best Management Practice-~~(" or "BMP)~~" means a structural or nonstructural management-based practice used singularly or in combination to reduce point source or nonpoint source inputs to receiving waters in order to achieve water quality protection goals.
- (8) ~~9)~~ 9) "Best usage" or "Best use" of waters, as specified for each class, means those uses as determined by the Environmental Management Commission in accordance with the provisions of G.S. 143-214.1.
- (9) ~~10)~~ 10) "Bioaccumulation factor-~~(" or "BAF)~~ is" means a unitless value that describes the degree to which substances are taken up or accumulated into tissues of aquatic organisms from water directly and from food or other ingested materials containing the accumulated substances, and is usually measured as a ratio of a substance's concentration in tissue versus its concentration in water in situations where exposure to the substance is occurring from both water and the food chain.
- (10) ~~11)~~ 11) "Bioconcentration factor-~~(" or "BCF)~~ is" means a unitless value that describes the degree to which substances are absorbed or concentrated into tissues of aquatic organisms from water directly and is usually measured as a ratio of substance's concentration in tissue versus its concentration in water in situations where exposure to the substance is occurring from water only.
- (11) ~~12)~~ 12) "Biological integrity" means the ability of an aquatic ecosystem to support and maintain a balanced and indigenous community of organisms having species composition, diversity, population densities, and functional organization similar to that of reference conditions.
- (12) ~~13)~~ 13) "Buffer" means a natural or vegetated area through which stormwater runoff flows in a diffuse manner so that the runoff does not become channelized and which provides for infiltration of the runoff and filtering of pollutants. ~~The buffer shall be measured landward from the normal pool elevation of impounded structures and from the bank of each side of streams or rivers.~~
- (13) ~~Built upon area means that portion of a development project that is covered by impervious or partially impervious cover including buildings, pavement, gravel areas (e.g. roads, parking lots,~~

## APPENDIX A:

### Tracked Changes Between Prior Rule and Rule Effective November 1, 2019

- ~~paths), recreation facilities (e.g. tennis courts), etc. (Note: Wooden slatted decks and the water area of a swimming pool are considered pervious.)~~
- (14) "Chronic toxicity to aquatic life" means any harmful effect sustained by either resident aquatic populations or indicator species used as test organisms in a controlled toxicity test due to long-term exposure (relative to the life cycle of the organism) or exposure during a substantial portion of the duration of a sensitive period of the life cycle to a specific chemical substance or mixture of chemicals (as in an effluent). ~~-In absence of extended periods of exposure, early life stage or reproductive toxicity tests may be used to define chronic impacts.~~
- (15) "Chronic value for aquatic life" means the geometric mean of two concentrations identified in a controlled toxicity test as the No Observable Effect Concentration (NOEC) and the Lowest Observable Effect Concentration (LOEC).
- (16) ~~Cluster development means the grouping of buildings in order to conserve land resources and provide for innovation in the design of the project including minimizing stormwater runoff impacts. This term includes nonresidential development as well as single-family residential and multi-family developments. For the purpose of Sections .0100, .0200 and .0300 of this Subchapter, planned unit developments and mixed use development shall be considered as cluster development.~~
- ~~(17)~~ "Commercial applicator" means any person, firm, corporation, wholesaler, retailer, distributor, or any other person who for hire or compensation applies fertilizer to the land of a consumer or client.
- ~~(18)~~ ~~Concentrations are~~ (17) "Concentration" means the mass of a substance per volume of water and, for the purposes of this Section, shall be expressed as milligrams per liter (mg/l), micrograms per liter (ug/l), or nanograms per liter (ng/l).
- ~~(19)~~ ~~(18)~~ "Contiguous" ~~refers to~~ means those wetlands landward of the mean high water line or normal water level and within 575 feet of classified surface waters ~~which~~that appear as solid blue lines on the most recently published versions of U.S.G.S. 1:24,000 (7.5 minute) scale topographic maps, ~~which are available at no cost at <http://www.usgs.gov/pubprod/>.~~
- ~~(20)~~ ~~(19)~~ "Critical area" means the area adjacent to a water supply intake or reservoir where risk associated with pollution is greater than risk associated with pollution from the remaining portions of the watershed. ~~-The boundary of a critical area is defined as:-~~
- (a) extending either 1/2 mile in a straight line fashion upstream from and draining to the normal pool elevation of the reservoir in which the intake is located or to the ridge line of the watershed, whichever comes first; or is nearest the normal pool elevation of the reservoir;
- (b) extending either 1/2 mile in a straight line fashion upstream from and draining to the intake (or other appropriate downstream location associated with the water supply) located directly in the stream or river (run-of-the-river), or to the ridge line of the watershed (whichever comes first), of-the-river) or to the ridge line of the watershed, whichever is nearest the intake; or ~~Since WS-I watersheds are essentially undeveloped, establishment of a critical area is not required. Local governments may extend the critical area as needed. Major landmarks such as highways or property lines may be used to delineate the outer boundary of the critical area if these landmarks are immediately adjacent to the appropriate outer boundary of 1/2 mile. The Commission may adopt a different critical area size during the reclassification process.~~
- (c) extending a different distance from the reservoir or intake as adopted by the Commission during the reclassification process pursuant to Rule .0104 of this Subchapter.
- Since WS-I watersheds are essentially undeveloped, establishment of a critical area is not required. ~~(21)~~ Cropland
- ~~(20)~~ "Cropland" means agricultural land that is not covered by a certified animal waste management plan and is used for growing corn, grains, oilseed crops, cotton, forages, tobacco, beans, or other vegetables or fruits.
- ~~(22)~~ ~~(21)~~ "Designated Nonpoint Source Agency" means ~~those agencies~~an agency specified by the Governor in the North Carolina Nonpoint Source Management Program, as approved by the Environmental Protection Agency pursuant to the 1987 amendments to the federal Clean Water Act 33 U.S.C. 1329 that established Section 319 Nonpoint source management programs.
- ~~(23)~~ ~~Development means any land-disturbing activity which adds to or changes the amount of impervious or partially impervious cover on a land area or which otherwise decreases the infiltration of precipitation into the soil.~~

## APPENDIX A:

### Tracked Changes Between Prior Rule and Rule Effective November 1, 2019

- (24) — ~~(22)~~ "Director" means the Director of the Division ~~of Water Quality~~.
- (25) — ~~(23)~~ "Discharge ~~is~~" means the addition of any man-induced waste effluent either directly or indirectly to ~~state~~State surface waters.
- (26) — ~~(24)~~ "Division" means the Division of Water Quality Resources or its successors.
- (27) — ~~(25)~~ "Domestic wastewater discharge" means the discharge of sewage, non-process industrial wastewater, other domestic wastewater, or any combination of these items.— Domestic wastewater includes, but is not limited to, liquid waste generated by domestic water using fixtures and appliances, from any residence, place of business, or place of public assembly, even if it contains no sewage.— Examples of domestic wastewater include once-through non-contact cooling water, seafood packing facility discharges, and wastewater from restaurants.
- (28) — ~~(26)~~ "Effluent channel" means a discernable confined and discrete conveyance ~~which~~that is used for transporting treated wastewater to a receiving stream or other body of water, as provided in Rule .02150228 of this Section.
- (29) — ~~Existing development, for projects that do not require a state permit, shall be defined as those projects that are built or those projects that at a minimum have established a vested right under North Carolina zoning law as of the effective date of the local government water supply ordinance, or such earlier time that an affected local government's ordinances shall specify, based on at least one of the following criteria:~~
- (a) — ~~substantial expenditures of resources (time, labor, money) based on a good faith reliance upon having received a valid local government approval to proceed with the project, or~~
  - (b) — ~~having an outstanding valid building permit in compliance with G.S. 153A 344.1 or G.S. 160A 385.1, or~~
  - (c) — ~~having an approved site specific or phased development plan in compliance with G.S. 153A 344.1 or G.S. 160A 385.1.~~
- ~~For projects that require a state permit, such as landfills, NPDES wastewater discharges, land application of residuals and road construction activities, existing development shall be defined as those projects that are built or those projects for which a state permit was issued prior to August 3, 1992.~~
- (30) — ~~(27)~~ "Existing uses" mean uses actually attained in the water body, ~~in a significant and not incidental manner,~~ on or after November 28, 1975, whether or not they are included in the water quality standards, ~~which either have been actually available to the public or are uses deemed attainable by the Environmental Management Commission. At a minimum, uses shall be deemed attainable if they can be achieved by the imposition of effluent limits and cost effective and reasonable best management practices (BMPs) for nonpoint source control.~~
- (31) — ~~Family subdivision means a division of a tract of land:~~
- (a) — ~~to convey the resulting parcels, with the exception of parcels retained by the grantor, to a relative or relatives as a gift or for nominal consideration, but only if no more than one parcel is conveyed by the grantor from the tract to any one relative; or~~
  - (b) — ~~to divide land from a common ancestor among tenants in common, all of whom inherited by intestacy or by will.~~
- (32) — ~~(28)~~ "Fertilizer" means any substance containing nitrogen or phosphorus ~~which~~that is used primarily ~~for its~~as plant food ~~content~~.
- (33) — ~~(29)~~ "Fishing" means the taking of fish by sportrecreational or commercial methods ~~as well as,~~ the consumption of fish or shellfish ~~or,~~ the propagation of fish ~~and such,~~ or the propagation of other aquatic life as is necessary to provide a suitable protect the biological integrity of the environment for fish.
- (34) — ~~(30)~~ "Forest vegetation" means the plants of an area ~~which~~that grow ~~together~~ in disturbed or undisturbed conditions in ~~various~~ wooded plant communities in any combination of trees, saplings, shrubs, vines, and herbaceous plants. ~~This includes, including~~ mature and successional forests ~~as well as and~~ cutover stands.
- (35) — ~~(31)~~ "Freshwater" means all waters that under natural conditions ~~would~~ have a chloride ion content of 500 mg/l or less.
- (36) — ~~(32)~~ "Industrial discharge" means the discharge of industrial process treated wastewater or wastewater other than sewage.— Stormwater shall not be considered to be an industrial wastewater unless it is contaminated with industrial wastewater. —Industrial discharge includes:

## APPENDIX A:

### Tracked Changes Between Prior Rule and Rule Effective November 1, 2019

- (a) wastewater resulting from any process of industry or manufacture; or from the development of any natural resource;
- (b) wastewater resulting from processes of trade or business, including wastewater from laundromats and car washes, but not wastewater from restaurants; ~~or and~~
- (c) wastewater discharged from a municipal wastewater treatment plant requiring a pretreatment program.
- ~~(37)~~ 33 "Land-disturbing activity" means any use of the land that results in a change in the natural cover or topography that may cause or contribute to sedimentation.
- ~~(38)~~ 34 "LC50" means that concentration of a toxic substance ~~which that~~ is lethal (or immobilizing, if appropriate) to 50 percent of the ~~organisms sensitive aquatic toxicity testing species~~ tested during a specified exposure period. ~~The LC50 concentration for toxic materials shall be determined for sensitive species, as defined by Subparagraph (43) of this Rule required by NPDES permit, under aquatic conditions characteristic of the receiving waters. Sensitive species for aquatic toxicity testing is defined by Subparagraph (50) of this Rule.~~
- ~~(39)~~ 35 "Local government" means a city or county in singular or plural as defined in G.S. 160A-1(2) and G.S. 158A-10.
- ~~(40)~~ 36 "Lower piedmont and coastal plain waters ~~mean~~" means those waters of the Catawba River Basin below Lookout Shoals Dam; the Yadkin River Basin below the junction of the Forsyth, Yadkin, and Davie County lines; and all of the waters of Cape Fear, Lumber, Roanoke, Neuse, Tar-Pamlico, Chowan, Pasquotank, and White Oak River Basins; except tidal salt waters which are assigned S classifications.
- ~~(41)~~ 37 ~~MF is an abbreviation for~~ "MF" means the membrane filter procedure for bacteriological analysis.
- ~~(42)~~ ~~Major variance means a variance from the minimum statewide watershed protection rules that results in the relaxation, by a factor greater than five percent of any buffer, density or built-upon area requirement under the high density option; any variation in the design, maintenance or operation requirements of a wet detention pond or other approved stormwater management system; or relaxation by a factor greater than 10 percent, of any management requirement under the low density option.~~
- ~~(43)~~ ~~Minor variance means a variance from the minimum statewide watershed protection rules that results in a relaxation, by a factor of up to five percent of any buffer, density or built-upon area requirement under the high density option; or that results in a relaxation by a factor up to 10 percent, of any management requirement under the low density option.~~
- ~~(44)~~ (38) "Mixing zone" means a region of the receiving water in the vicinity of a discharge within which dispersion and dilution of constituents in the discharge occurs ~~and such zones. Zones~~ shall be subject to conditions established in accordance with ~~15A NCAC 2B Rule .0204(b)-) of this Section.~~
- ~~(45)~~ 39 "Mountain and upper piedmont waters ~~mean~~" means all of the waters of the Hiwassee; Little Tennessee, including the Savannah River drainage area; French Broad; Broad; New; and Watauga River Basins; and those portions of the Catawba River Basin above Lookout Shoals Dam and the Yadkin River Basin above the junction of the Forsyth, Yadkin, and Davie County lines.
- ~~(46)~~ ~~Nonconforming lot of record means a lot described by a plat or a deed that was recorded prior to the effective date of local watershed regulations (or their amendments) that does not meet the minimum lot size or other development requirements of Rule .0211 of this Subchapter.~~
- ~~(47)~~ 40 "Nonpoint source pollution" means pollution ~~which that~~ enters waters mainly as a result of precipitation and subsequent runoff from lands ~~which that~~ have been disturbed by man's activities and includes all sources of water pollution ~~which that~~ are not required to have a permit in accordance with G.S. 143-215.1(c).
- ~~(48)~~ 41 "Non-process discharge" means industrial effluent not directly resulting from the manufacturing process. ~~An example would be~~ is non-contact cooling water from a compressor.
- ~~(49)~~ ~~Nutrient sensitive waters mean those waters which are so designated in the classification schedule in order to limit the discharge of nutrients (usually nitrogen and phosphorus). They are designated by "NSW" following the water classification.~~
- ~~(50)~~ 42 "Offensive condition" means any condition or conditions resulting from the presence of sewage, industrial wastes, or other wastes within the waters of the ~~state~~ State or along the shorelines thereof ~~which that~~ shall either directly or indirectly cause foul or noxious odors, unsightly conditions,



## APPENDIX A:

### Tracked Changes Between Prior Rule and Rule Effective November 1, 2019

- or breeding of abnormally large quantities of mosquitoes or other insect pests; ~~or shall;~~ damage private or public water supplies or other structures; ~~;~~ result in the development of gases which destroy or damage surrounding property, herbage or grasses; ~~or which may;~~ cause the impairment of taste; such as from fish flesh tainting; ~~;~~ or affect the health of any person residing or working in the area.
- ~~(51) Primary Nursery Areas (PNAs) are tidal saltwaters which~~ (43) "Primary contact recreation" means swimming, diving, skiing, and similar uses involving human body contact with water where such activities take place in an organized or on a frequent basis.
- ~~(44) "Primary nursery area" or "PNA" means tidal saltwaters that~~ provide essential habitat for the early development of commercially important fish and shellfish and are so designated by the Marine Fisheries Commission.
- ~~(52) Primary recreation includes swimming, skin diving, skiing, and similar uses involving human body contact with water where such activities take place in an organized or on a frequent basis.~~
- ~~(53) 45) "Protected area" means the area adjoining and upstream of the critical area in a WS-IV water supply in which protection measures are required. The boundaries~~ boundary of the protected areas ~~area~~ is defined as ~~within;~~
- (a) ~~extending either~~ five miles ~~of in an as-the-river-runs manner upstream from and draining to~~ the normal pool elevation of the reservoir ~~and draining to water supply reservoirs (measured from the normal pool elevation) in which the intake is located~~ or to the ridge line of the watershed ~~(, whichever comes first); or is nearest the normal pool elevation of the reservoir;~~
- (b) ~~extending either~~ 10 miles ~~in an as-the-river-runs manner upstream from~~ and draining to the intake located directly in the stream or river ~~(run-of-the-river);~~ or to the ridge line of the watershed ~~(, whichever comes first). Local governments may extend the protected area. Major landmarks such as highways or property lines may be used to delineate the outer boundary of the protected area if these landmarks are immediately adjacent to is nearest the appropriate outer boundary of five or 10 miles. intake.~~ In some cases the protected area shall encompass the entire watershed. ~~The Commission may adopt; or~~
- (c) ~~extending a different protected area size distance from the reservoir or intake as adopted by the Commission during the reclassification process pursuant to Rule .0104 of this Subchapter.~~
- ~~(54) 46) "Residential development" means buildings for residence such as attached and detached single family dwellings, apartment complexes, condominiums, townhouses, cottages, and their associated outbuildings such as garages, storage buildings, and gazebos.~~
- ~~(55) Residuals means any solid or demisolid waste generated from a wastewater treatment plant, water treatment plant or air pollution control facility permitted under the authority of the Environmental Management Commission.~~
- ~~(56) 47) "Residuals" has the same meaning as in 15A NCAC 02T .0103.~~
- ~~(48) "Riparian area" means an area that is adjacent to a body of water.~~
- ~~(57) 49) "Secondary contact recreation includes" means~~ wading, boating, other uses not involving human body contact with water, and activities involving human body contact with water where such activities take place on an infrequent, unorganized, or incidental basis.
- ~~(58) 50) "Sensitive species for aquatic toxicity testing is" means~~ any species utilized in procedures accepted by the Commission or its designee in accordance with Rule .0103 of this Subchapter, ~~or and~~ the following genera:
- (a) Daphnia;
  - (b) Ceriodaphnia;
  - (c) Salmo;
  - (d) Pimephales;
  - (e) Mysisidopsis;
  - (f) Champia;
  - (g) Cyprinodon;
  - (h) Arbacia;
  - (i) Penaeus;
  - (j) Menidia;
  - (k) Notropis;

## APPENDIX A:

### Tracked Changes Between Prior Rule and Rule Effective November 1, 2019

- (l) Salvelinus;
  - (m) Oncorhynchus;
  - (n) Selenastrum;
  - (o) Chironomus;
  - (p) Hyalella;
  - (q) Lumbriculus.
- (59) ~~51~~ "Shellfish culture ~~includes~~" means the use of waters for the propagation, storage, and gathering of oysters, clams, and other shellfish for market purposes.
- (60) ~~Stormwater collection system means any conduit, pipe, channel, curb or gutter for the primary purpose of transporting (not treating) runoff. A stormwater collection system does not include vegetated swales, swales stabilized with armoring or alternative methods where natural topography prevents the use of vegetated swales (subject to case by case review), curb outlet systems or pipes used to carry drainage underneath built upon surfaces that are associated with development controlled by the provisions of 15A NCAC 2H .1003(e)(1).~~
- (61) ~~Source of water supply for drinking, culinary or food processing purposes means any source, either public or private, the waters from which are used for human consumption, or used in connection with the processing of milk, beverages, food, or other purpose which requires water suitable for human consumption.~~
- (62) ~~(52) "Swamp waters mean" means those waters which that are classified as such by the Environmental Management Commission, pursuant to Rule .0101 of this Subchapter, and which are topographically located so as to generally that have very low velocities and other natural characteristics which due to topography, such as low velocity, dissolved oxygen, or pH, that are different from adjacent streams draining steeper topography. They are designated by "Sw" following the water classification.~~
- (63) ~~(53) "Tidal salt waters mean" means all tidal waters which are classified by the Environmental Management Commission which generally waters that have a natural chloride ion content in excess of 500 parts per million and include all waters assigned S classifications.~~
- (64) ~~(54) "Toxic substance" or toxicant "Toxicant" means any substance or combination of substances (including disease-causing agents), which) that, after discharge and upon exposure, ingestion, inhalation, or assimilation into any organism, either directly from the environment or indirectly by ingestion through food chains, has the potential to cause death, disease, behavioral abnormalities, cancer, genetic mutations, physiological malfunctions (including malfunctions or suppression in reproduction or growth), or physical deformities in such organisms or their offspring.~~
- (65) ~~(55) "Trout waters are" means those waters which have conditions which shall sustain and allow for trout propagation and survival of stocked trout on a year round basis. These waters shall be that are classified as such by the Environmental Management Commission after considering the requirements of, pursuant to Rule .0101(b) and (e) of this Subchapter and include all waters designated by "Tr" in the water classification, and have conditions that sustain and allow for natural trout propagation and survival and for year-round maintenance of stocked trout.~~
- (66) ~~Waste disposal includes the use of waters for disposal of sewage, industrial waste or other waste after approved treatment.~~
- (67) ~~(56) "Water dependent structures are" means those structures for which the use requires that require access or proximity to or siting within surface waters to fulfill its basic purpose, such as boat ramps, boat houses, docks, and bulkheads. Ancillary facilities such as restaurants, outlets for boat supplies, parking lots, and commercial boat storage areas are not water dependent structures.~~
- (68) ~~(57) "Water quality based effluent limits (or limitations) and best management practices are limitations or best management" mean limits and practices developed by the Division for the purpose of protecting to protect water quality standards and best uses of surface waters, consistent with the requirements of G.S. 143-214.1 and the Federal federal Water Pollution Control Act, as amended.~~
- (69) ~~(58) "Waters with quality higher than the standards" means all waters for which that the determination of waste load allocations Director determines (pursuant to Rule .0206 of this Section) indicates that water quality is sufficiently greater than that defined by the standards such that~~

## APPENDIX A:

### Tracked Changes Between Prior Rule and Rule Effective November 1, 2019

~~significant~~have the capacity to receive additional pollutant loading ~~capacity still exists in those waters~~and continue to meet applicable water quality standards.

- (70) ~~59~~ "Watershed" means ~~the entire land~~ a natural area of drainage, including all tributaries contributing surface drainage to a specific point. ~~For the purpose of the water~~ the supply protection rules in 15A NCAC 2B .0104 and .0211 local governments may use of at least one major landmarks such as highways or property lines ~~waterway within the State, the specific limits of each separate watershed to delineate~~be designated by the ~~outer boundary of~~ Commission as defined by G.S. 143-213(21).
- (60) "WER" or "Water effect ratio" expresses the ~~drainage area if these landmarks are immediately adjacent to~~ difference between the ~~ridge line~~ measures of the toxicity of a substance in laboratory waters and the toxicity in site water.
- (71) ~~61~~ "Wetlands" are "waters" as defined by G.S. 143-212(6) ~~and are areas~~ that are inundated or saturated by an accumulation of surface or ground water at a frequency and duration sufficient to support, and that under normal circumstances do support, a prevalence of vegetation typically adapted for life in saturated soil conditions. ~~Wetlands generally include swamps, marshes, bogs and similar areas. Wetlands classified as waters of the state are restricted to waters of the United States as defined by 33 CFR 328.3 and 40 CFR 230.3. Wetlands do not include prior converted cropland as defined in the National Food Security Act Manual, Fifth Edition, which is hereby incorporated by reference, not including subsequent amendments and editions, and is available free of charge at <https://directives.sc.egov.usda.gov/RollupViewer.aspx?hid=29340>.~~

~~History Note: Authority G.S. 143-214.1; 143-215.3(a)(1); Eff. February 1, 1976;~~

History Note: Authority G.S. 143-213; 143-214.1; 143-215.3(a)(1); Eff. February 1, 1976; Amended Eff. August 1, 1995; February 1, 1993; August 3, 1992; August 1, 1990; RRC Objection Eff. July 18, 1996 due to lack of authority and ambiguity; Amended Eff. August 1, 1998; October 1, 1996; Readopted Eff. November 1, 2019.

#### 15A NCAC 02B .0203 PROTECTION OF WATERS DOWNSTREAM OF RECEIVING WATERS

Water quality based effluent limitations ~~or~~and management practices for direct or indirect discharges of waste or for other sources of water pollution ~~will~~shall be developed by the Division such that the water quality standards and best usage of receiving waters and all downstream waters will not be impaired.

~~History Note: Authority G.S. 143-214.1; 143-215.3(a)(1); Eff. February 1, 1976; Amended Eff. October 1, 1989; January 1, 1985; September 9, 1979; Readopted Eff. November 1, 2019.~~

#### 15A NCAC 02B .0204 LOCATION OF SAMPLING SITES AND MIXING ZONES

(a) ~~Location of Sampling Sites: in~~In conducting tests or making analytical determinations of classified waters to determine ~~conformity or nonconformity~~whether they conform with the water quality standards established ~~standards in accordance with this Subchapter~~, samples shall be collected outside ~~the limits of prescribed~~ mixing zones. ~~However, where appropriate if required by NPDES permit~~, samples shall be collected within the mixing zone in order to ensure compliance with in-zone water quality requirements as outlined in Paragraph (b) of this Rule.

(b) ~~Mixing Zones: a~~A mixing zone may be established in the area of a discharge in order to provide ~~reasonable~~ opportunity for the mixture of the wastewater with the receiving waters. ~~Water quality standards shall not apply within regions defined~~designated as mixing zones, except that such zones shall be subject to the conditions established in accordance with this Rule. ~~The need for and~~ limits of such mixing zones shall be ~~defined~~determined by the ~~division~~Division on a case-by-case basis after consideration of the magnitude and character of the waste discharge and the size and character of the receiving waters. Mixing zones shall be ~~determined~~designated such that discharges ~~shall~~will not:

## APPENDIX A:

### Tracked Changes Between Prior Rule and Rule Effective November 1, 2019

- (1) result in acute toxicity to aquatic life ~~as~~, defined ~~by~~in Rule .0202(1) of this Section~~;~~, or prevent free passage of aquatic organisms around the mixing zone;
- (2) result in offensive conditions;
- (3) produce undesirable aquatic life or result in a dominance of nuisance species outside of the assigned mixing zone; or
- (4) endanger the public health or welfare.

In addition, a mixing zone shall not be ~~assigned~~designated for point source discharges of fecal coliform organisms in waters classified "WS-II," "WS-III," "B," or "SA~~-~~," as defined in Rule .0301 of this Subchapter. Mixing zones shall not be ~~assigned~~designated for point source discharges of enterococci in waters classified "SB" or "SA~~-~~," as defined in Rule .0301 of this Subchapter. For the discharge of heated wastewater, compliance with federal rules and regulations pursuant to Section 316(a) of the ~~Federal Clean~~ Water ~~Pollution Control~~ Act, as amended, shall constitute compliance with ~~Subparagraph~~Paragraph (b) of this Rule.

~~History Note: Authority G.S. 143-214.1;~~  
~~Eff. February 1, 1976;~~

~~History Note: Authority G.S. 143-214.1;~~  
~~Eff. February 1, 1976;~~  
~~Amended Eff. May 1, 2007; October 1, 1989; February 1, 1986; September 9, 1979-;~~  
~~Readopted Eff. November 1, 2019.~~

#### 15A NCAC 02B .0205 NATURAL CHARACTERISTICS OUTSIDE STANDARDS LIMITS

Natural waters may on occasion, or temporarily, have characteristics outside of the normal range established by the water quality standards in this Subchapter. The adopted water quality standards relate to the condition of waters as affected by the discharge of sewage, industrial wastes, or other wastes including those from nonpoint sources and other sources of water pollution. ~~-~~Water quality standards will~~shall~~ not be considered violated when~~if~~ values outside the normal range are caused by natural conditions. ~~-Where~~If wastes are discharged to such waters, the discharger will~~shall~~ not be ~~considered~~deemed a contributor to substandard conditions provided~~if~~ maximum treatment in compliance with permit requirements is maintained and, therefore, meeting the established limits is beyond the discharger's control.

~~History Note: Authority G.S. 143-214.1; 143-215.3(a)(1);~~  
~~Eff. February 1, 1976;~~  
~~Amended Eff. October 1, 1989; January 1, 1985;~~  
~~Readopted Eff. November 1, 2019.~~

~~History Note: Authority G.S. 143-214.1; 143-215.3(a)(1);~~  
~~Eff. February 1, 1976;~~  
~~Amended Eff. October 1, 1989; January 1, 1985.~~

#### 15A NCAC 02B .0206 FLOW DESIGN CRITERIA FOR EFFLUENT LIMITATIONS

(a) Water quality based effluent limitations shall be developed to allow appropriate frequency and duration of deviations from water quality standards so that the designated uses of receiving waters are protected. ~~-~~There are water quality standards for a number of categories of pollutants and to protect a range of water uses. ~~-~~For this reason, the appropriate frequency and duration of deviations from water quality standards shall not be the same for all ~~categories of standards-~~pollutants. A flow design criterion shall be used in the development of water quality based effluent limitations as a simplified means of estimating the acceptable frequency and duration of deviations. ~~More complex modeling techniques may also be used to set effluent limitations directly based on frequency and duration criteria published by the U.S. Environmental Protection Agency available free of charge at <http://water.epa.gov/scitech/swguidance/standards/criteria/current/index.cfm> are hereby incorporated by reference including any subsequent amendments. Use of more complex modeling techniques to set water quality based effluent limitations shall be approved by the Commission or its designee on a case by case basis. Flow design criteria to calculate water quality based effluent limitations for categories of water quality standards shall be the following~~Effluent limitations shall be developed using the following flow design criteria:

## APPENDIX A:

### Tracked Changes Between Prior Rule and Rule Effective November 1, 2019

- (1) All standards except toxic substances and aesthetics shall be protected using the minimum average flow for a period of seven consecutive days that has an average recurrence of once in ten years (7Q10 flow). -Other governing flow strategies, such as varying discharges with the receiving waters ability to assimilate wastes, may be designated by the Commission or its designee on a case-by-case basis if the discharger or permit applicant provides evidence that establishes ~~to the satisfaction of the Director~~ that the alternative flow strategies will give equal or better protection for the water quality standards. "Better protection for the water quality standards" means that deviations from the standard would be expected less frequently than provided by using the 7Q10 flow.
- (2) Toxic substance standards to protect aquatic life from chronic toxicity shall be protected using the 7Q10 flow.
- (3) Toxic substance standards to protect aquatic life from acute toxicity shall be protected using the 1Q10 flow.
- (4) Toxic substance standards to protect human health shall be the following:
  - (A) The 7Q10 flow for standards to protect human health through the consumption of water, fish, and shellfish from noncarcinogens; and
  - (B) The mean annual flow to protect human health from carcinogens through the consumption of water, fish, and shellfish unless site specific fish contamination concerns necessitate the use of an alternative design flow;
- (5) Aesthetic quality shall be protected using the minimum average flow for a period of 30 consecutive days that has an average recurrence of once in two years (30Q2 flow).

More complex modeling techniques may also be used to set effluent limitations directly based on frequency and duration criteria published by the U.S. Environmental Protection Agency, available free of charge at <http://water.epa.gov/scitech/swguidance/standards/criteria/current/index.cfm> and incorporated by reference, including subsequent amendments and editions, and the Commission or its designee has determined, on a case-by-case basis, that the techniques will protect the designated uses of receiving waters.

(b) ~~In cases where~~ If the stream flow is regulated, a minimum daily low flow may be used as a substitute for the 7Q10 flow, except in cases where there are acute toxicity concerns for aquatic life. -In the cases where there are acute toxicity concerns, an alternative low flow, such as the instantaneous minimum release, shall be approved ~~by~~ if the Director ~~determines~~, on a case-by-case basis ~~so~~, that the designated uses of receiving waters are protected.

(c) Flow design criteria shall be used to develop water quality based effluent limitations and ~~for~~ in the design of wastewater treatment facilities. -Deviations from a specific water quality standard resulting from discharges that are ~~affirmatively~~ demonstrated to be in compliance with water quality based effluent limitations for that standard shall not be a violation pursuant to G.S. 143-215.6 when the actual stream flow is ~~significantly~~ less than the design flow.

(d) ~~In cases where~~ If the 7Q10 flow of the receiving stream is estimated to be zero, water quality based effluent limitations shall be assigned as follows:

- (1) ~~Where~~ If the 30Q2 flow is estimated to be greater than zero, effluent limitations for new or expanded (additional) discharges of oxygen consuming waste shall be set at BOD<sub>5</sub> = 5 mg/l, NH<sub>3</sub>-N = 2 mg/l and DO = 6 mg/l, unless it is determined by the Director through modeling or other analysis that these limitations will not protect water quality standards. -Requirements for existing discharges shall be determined on a case-by-case basis by the Director. -More stringent limits shall be applied ~~in cases where~~ if violations of water quality standards are predicted to occur for a new or expanded discharge with the limits set pursuant to this Rule, or ~~where~~ if existing limits are determined to be inadequate to protect water quality standards.
- (2) If the 30Q2 and 7Q10 flows are both estimated to be zero, no new or expanded ~~(additional)~~ discharge of oxygen consuming waste shall be allowed. - Requirements for existing discharges to streams where the 30Q2 and 7Q10 flows are both estimated to be zero shall be determined on a case-by-case basis.
- (3) Other water quality standards shall be protected by requiring the discharge to meet the standards set forth in this Subchapter, unless the Director determines that alternative limitations protect the classified water uses.

(e) Receiving water flow statistics shall be estimated through consultation with the U.S. Geological Survey. -Estimates for any given location may be based on actual flow data, modeling analyses, or other methods determined to be appropriate by the Commission or its designee.

*History Note:* Authority G.S. 143-214.1; 143-215.3(a)(1);

## APPENDIX A:

### Tracked Changes Between Prior Rule and Rule Effective November 1, 2019

Eff. February 1, 1976;

Amended Eff. January 1, 2015; February 1, 1993; October 1, 1989; August 1, 1985; January 1, 1985;

Readopted Eff. November 1, 2019.

#### 15A NCAC 02B .0207 MINIMUM ACCEPTABLE DEGREE OF TREATMENT

History Note: Authority G.S. 143-214.1;  
Eff. February 1, 1976;  
Repealed Eff. September 9, 1979.

#### 15A NCAC 02B .0208 STANDARDS FOR TOXIC SUBSTANCES AND TEMPERATURE

(a) Toxic Substances: -the concentration of toxic substances, either alone or in combination with other wastes, in surface waters shall not render waters injurious to aquatic life or wildlife, recreational activities, or public health, ~~or~~ shall it impair the waters for any designated uses.- Specific standards for toxic substances to protect freshwater and tidal saltwater uses are listed in Rules .0211 and .0220 of this Section, respectively. ~~Procedures for interpreting the~~The narrative standard for toxic substances and numerical standards applicable to all waters ~~are~~shall be interpreted as follows:

(1) ~~Aquatic life standards: the~~The concentration of toxic substances shall not result in chronic toxicity ~~to aquatic life.~~ Any levels in excess of the chronic value for aquatic life shall be considered to result in chronic toxicity.- In the absence of direct measurements of chronic toxicity, the concentration of toxic substances shall not exceed the concentration specified by the fraction of the lowest LC50 value that predicts a no effect chronic level (as determined by the use of ~~acceptable acute/chronic ratios~~). ~~If an acceptable acute/chronic ratio is not available, then~~Acute to Chronic Ratio (ACR) in accordance with U.S. Environmental Protection Agency (EPA) "Guidelines for Deriving Numerical Water Quality Criteria for the Protection of Aquatic Life and its Uses." In the absence of an ACR, that toxic substance shall not exceed one-one hundredth (0.01) of the lowest LC50 or, if it is ~~affirmatively~~ demonstrated that a toxic substance has a half-life of less than 96 hours, the maximum concentration shall not exceed one-twentieth (0.05) of the lowest LC50.

(2) ~~Human health standards: the~~The concentration of toxic substances shall not exceed the level necessary to protect human health through exposure routes of fish tissue consumption, water consumption, recreation, or other route identified ~~as appropriate~~ for the water body. Fish tissue consumption ~~includes~~shall include the consumption of shellfish. These concentrations of toxic substances shall be determined as follows:

(A) For non-carcinogens, these concentrations shall be determined using a Reference Dose (RfD) as published by the ~~U.S. Environmental Protection Agency~~EPA pursuant to Section 304(a) of the Federal Water Pollution Control Act as amended ~~or,~~ a RfD issued by the ~~U.S. Environmental Protection Agency~~EPA as listed in the Integrated Risk Information System (IRIS) file, or a RfD approved by the Director after consultation with the State Health director.- Water quality standards or criteria used to calculate water quality based effluent limitations to protect human health through the different exposure routes ~~are~~shall be determined as follows:

(i) Fish tissue consumption:

$$WQS = (RfD \times RSC) \times \text{Body Weight} / (\text{FCR} \times \text{BCF})$$

where:

         WQS = water quality standard or criteria;

         RfD = reference dose;

         RSC = Relative Source Contribution;

         FCR = fish consumption rate (based upon 17.5 gm/person-day);

         BCF = bioconcentration factor, or bioaccumulation factor (BAF), as appropriate.

         Pursuant to Section 304(a) of the Federal Water Pollution Control Act as amended, BCF or BAF values, literature values, or site specific bioconcentration data ~~approved by the Commission or its designee~~ are ~~shall be~~ based on ~~U.S. Environmental Protection Agency~~EPA publications; FCR values ~~are~~shall be average consumption rates for a 70 Kg

## APPENDIX A:

### Tracked Changes Between Prior Rule and Rule Effective November 1, 2019

adult for the lifetime of the population; alternative FCR values may be used when it is considered necessary to protect localized populations that may be consuming fish at a higher rate; RSC values, when made available through ~~U.S. Environmental Protection Agency~~EPA publications pursuant to Section 304(a) of the Federal Clean Water Pollution Control Act to account for non-water sources of exposure may be either a percentage (multiplied) or amount subtracted, depending on whether multiple criteria are relevant to the chemical;

(ii) Water consumption (including a correction for fish consumption):

$$WQS = (RfD \times RSC) \times \text{Body Weight} / [WCR + (FCR \times BCF)]$$

where:

~~\_\_\_\_\_~~ WQS = -water quality standard or criteria;

~~\_\_\_\_\_~~ RfD = -reference dose;

~~\_\_\_\_\_~~ RSC = Relative Source Contribution;

~~\_\_\_\_\_~~ FCR = -fish consumption rate (based upon 17.5 gm/person-day);

~~\_\_\_\_\_~~ BCF = bioconcentration factor; or bioaccumulation factor (BAF), as appropriate;

~~\_\_\_\_\_~~ WCR = water consumption rate (assumed to be two liters per day for adults).

~~\_\_\_\_\_~~ To protect sensitive groups, exposure ~~is~~shall be based on a 10 Kg child drinking one liter of water per day. Standards may also be based on drinking water standards based on the requirements of the Federal Safe Drinking Water Act ~~42 U.S.C. 300(f)(g)-1~~. For non-carcinogens, specific numerical water quality standards have not been included in this Rule because water quality standards to protect aquatic life for all toxic substances for which standards have been considered are more stringent than numerical standards to protect human health from non-carcinogens through consumption of fish; ~~standards.~~ Standards to protect human health from non-carcinogens through water consumption are listed under the water supply classification standards in Rule .0211 of this Section; ~~the.~~ The equations listed in this Subparagraph shall be used to develop water quality based effluent limitations on a case-by-case basis for toxic substances that are not presently included in the water quality standards. ~~Alternative FCR values may be used when it is considered~~ necessary to protect localized populations that may be consuming fish at a higher rate;

(B) For carcinogens, the concentrations of toxic substances shall not result in unacceptable health risks and shall be based on a Carcinogenic Potency Factor (CPF). ~~An unacceptable health risk for cancer shall be considered to be~~ more than one case of cancer per one million people exposed ( $10^{-6}$  risk level). ~~The CPF is a measure of the cancer-causing potency of a substance estimated by the upper 95 percent confidence limit of the slope of a straight line calculated by the Linearized Multistage Model or other appropriate model according to U.S. Environmental Protection Agency Guidelines FR 51 (185): 33992-34003; and FR 45 (231 Part V): 79318-79379~~. Water quality standards or criteria for water quality based effluent limitations ~~are~~shall be calculated using the procedures given in ~~Subparagraphs this Part and in Part (A) and (B) of this Rule.~~ Subparagraph. Standards to protect human health from carcinogens through water consumption are listed under the water supply classification standards in Rules .0212, .0214, .0215, .0216, and .0218 of this Section; ~~standards.~~ Standards to protect human health from carcinogens through the consumption of fish (and shellfish) only ~~are~~shall be applicable to all waters as follows:

(i) Aldrin: -0.05 ng/l;

(ii) Arsenic: -10 ug/l;

(iii) Benzene: -51 ug/l;

(iv) Carbon tetrachloride: -1.6 ug/l;

(v) Chlordane: 0.8 ng/l;

(vi) DDT: -0.2 ng/l;

(vii) Dieldrin: 0.05 ng/l;

(viii) Dioxin: -0.000005 ng/l;

(ix) Heptachlor: -0.08 ng/l;

(x) Hexachlorobutadiene: -18 ug/l;

## APPENDIX A:

### Tracked Changes Between Prior Rule and Rule Effective November 1, 2019

- (xi) Polychlorinated biphenyls (total of all identified PCBs and congeners): -0.064 ng/l;
- (xii) Polynuclear aromatic hydrocarbons (total of all PAHs): -31.1 ng/l;
- (xiii) Tetrachloroethane (1,1,2,2): -4 ug/l;
- (xiv) Tetrachloroethylene: -3.3 ug/L;
- (xvi) Trichloroethylene: -30 ug/l;
- (xvii) Vinyl chloride: -2.4 ug/l.

\_\_\_\_\_The values listed in Subparts (i) through (xvii) of this Part may be adjusted by the Commission or its designee on a case-by-case basis to account for site-specific or chemical-specific information pertaining to the assumed BCF, FCR, or CPF values or other data.

(b)– Temperature: the Commission may establish a water quality standard for temperature for specific water bodies other than the standards specified in Rules .0211 and .0220 of this Section, upon a case-by-case determination that thermal discharges to these waters; that serve or may serve as a source or receptor of industrial cooling water provide for the maintenance of the designated best use throughout a reasonable portion of the water body. –Such revisions of the temperature standard mustshall be consistent with the provisions of Section 316(a) of the Federal Water Pollution Control Act, as amended. –A listinglist of existing thermalsuch revisions shall be maintained and made available to the public by the Division.

History Note: Authority G.S. 143-214.1; 143-215.3(a)(1);

~~History Note:~~ ~~Authority G.S. 143-214.1; 143-215.3(a)(1);~~

~~Eff. February 1, 1976;~~

~~Eff. February 1, 1976;~~

~~Amended Eff. May 1, 2007; April 1, 2003; February 1, 1993; October 1, 1989; January 1, 1985; September 9, 1979;~~

~~Readopted Eff. November 1, 2019.~~

#### 15A NCAC 02B .0209 VARIANCES FROM APPLICABLE STANDARDS

#### 15A NCAC 02B .0210 BEST USE CRITERIA

*History Note:* Authority G.S. 143-214.1;  
Eff. February 1, 1976;  
Amended Eff. September 9, 1979;  
Repealed Eff. January 1, 1985.

#### 15A NCAC 02B .0211 FRESH SURFACE WATER QUALITY STANDARDS FOR CLASS C WATERS

~~General. The~~In addition to the standards set forth in Rule .0208 of this Section, the following water quality standards for all fresh surface waters shall be the basic standards applicable to apply to all Class C waters. ~~Water quality standards for temperature and numerical water quality standards for the protection of human health applicable to all fresh surface waters are in Rule .0208 of this Section. –Additional and more stringent standards applicable to other specific freshwater classifications are specified in Rules .0212, .0214, .0215, .0216, .0218, .0219, .0223, .0224, .0225, and .02250231 of this Section. –Action Levels for purposes of National Pollutant Discharge Elimination System (NPDES) permitting are specified in Item (22) of this Rule.~~

- (1) ~~Best Usage~~The best usage of Waters:–waters shall be aquatic life propagation, survival, and maintenance of biological integrity (including fishing and fish); wildlife; secondary contact recreation; as defined in Rule .0202 of this Section; agriculture; and any other usage except for primary contact recreation or as a source of water supply for drinking, culinary, ~~or~~and food processing purposes; All freshwaters shall be classified to protect these uses at a minimum.
- (2) ~~Conditions Related to Best Usage:~~ The conditions of waters shall be such that waters are suitable for aquatic life propagation and maintenance of biological integrity, wildlife, secondary recreation, and agriculture. all best uses specified in this Rule. Sources of water pollution that preclude any of these uses on either a short-term or long-term basis shall be ~~considered~~deemed to be violatingviolate a water quality standard;
- (3) Chlorine, total residual:- 17 ug/l;



## APPENDIX A:

### Tracked Changes Between Prior Rule and Rule Effective November 1, 2019

- (4) Chlorophyll a (corrected): not greater than 40 ug/l for lakes, reservoirs, and other waters subject to growths of macroscopic or microscopic vegetation not designated as trout waters, and not greater than 15 ug/l for lakes, reservoirs, and other waters subject to growths of macroscopic or microscopic vegetation designated as trout waters (not applicable to lakes or reservoirs less than 10 acres in surface area). -The Commission or its designee may prohibit or limit any discharge of waste into surface waters if the surface waters experience or the discharge would result in growths of microscopic or macroscopic vegetation such that the standards established pursuant to this Rule would be violated or the intended best usage of the waters would be impaired;
- (5) Cyanide, total: 5.0 ug/L;
- (6) Dissolved oxygen: not less than 6.0 mg/l for trout waters; for non-trout waters, not less than a daily average of 5.0 mg/l with ~~a minimum~~ instantaneous value of not less than 4.0 mg/l; swamp waters, lake coves, or backwaters, and lake bottom waters may have lower values if caused by natural conditions;
- (7) Fecal coliform: shall not exceed a geometric mean of 200/100ml (MF count) based upon at least five ~~consecutive~~ samples ~~examined during any~~ taken over a 30-day period, nor exceed 400/100ml in more than 20 percent of the samples examined during such period. -Violations of ~~the fecal coliform standard~~ this Item are expected during rainfall events and, ~~in some cases, this violation is expected to may~~ be caused by uncontrollable nonpoint source pollution. -All coliform concentrations shall be analyzed using the membrane filter technique, ~~unless, If~~ high turbidity or other ~~adverse~~ conditions ~~necessitate would cause the membrane filter technique to produce inaccurate data,~~ the most probable number (MPN) 5-tube multiple dilution method. ~~In case of controversy over results, the MPN 5-tube dilution technique shall be used as the reference method.~~
- (8) Floating solids, settleable solids, or sludge deposits: only such amounts attributable to sewage, industrial wastes, or other wastes as shall not make the water unsafe or unsuitable for aquatic life and wildlife or impair the waters for any designated uses;
- (9) Fluoride: -1.8 mg/l;
- (10) Gases, total dissolved: not greater than 110 percent of saturation;
- (11) Metals:
  - (a) With the exception of mercury and selenium, acute and chronic freshwater aquatic life standards for metals shall be based upon measurement of the dissolved fraction of the metal. Mercury and selenium water quality standards shall be based upon measurement of the total recoverable metal;
  - ~~(b)~~ With the exception of mercury and selenium, aquatic life standards for metals listed in this Sub-Item shall apply as a function of the pollutant's water effect ratio (WER). The WER shall be assigned a value equal to one unless any person demonstrates to the Division's satisfaction in a permit proceeding that another value is developed in accordance with the "Water Quality Standards Handbook: Second Edition" published by the US Environmental Protection Agency (EPA-823-B-12-002), which is hereby incorporated by reference, including subsequent amendments and editions, and can be obtained free of charge at <http://water.epa.gov/scitech/swguidance/standards/handbook/>. Alternative site-specific standards may also be developed when any person submits values that demonstrate to the Commission that they were derived in accordance with the "Water Quality Standards Handbook: Second Edition, Recalculation Procedure or the Resident Species Procedure", which is hereby incorporated by reference including subsequent amendments and can be obtained free of charge at <http://water.epa.gov/scitech/swguidance/standards/handbook/>.
  - (c) Freshwater metals standards that are not hardness-dependent shall be as follows:
    - (i) Arsenic, dissolved, acute: WER· 340 ug/l;
    - (ii) Arsenic, dissolved, chronic: WER· 150 ug/l;
    - (iii) Beryllium, dissolved, acute: WER· 65 ug/l;
    - (iv) Beryllium, dissolved, chronic: WER· 6.5 ug/l;
    - (v) Chromium VI, dissolved, acute: WER· 16 ug/l;
    - (vi) Chromium VI, dissolved, chronic: WER· 11 ug/l;
    - (vii) Mercury, total recoverable, chronic: -0.012 ug/l;
    - (viii) Selenium, total recoverable, chronic: -5 ug/l;
    - (ix) Silver, dissolved, chronic: WER· 0.06 ug/l;

**APPENDIX A:**

**Tracked Changes Between Prior Rule and Rule Effective November 1, 2019**

~~With the exception of mercury and selenium, acute and chronic freshwater aquatic life standards for metals listed in this Subparagraph apply to the dissolved form of the metal and apply as a function of the pollutant's water effect ratio (WER). A WER expresses the difference between the measures of the toxicity of a substance in laboratory waters and the toxicity in site water. The WER shall be assigned a value equal to one unless any person demonstrates to the Division's satisfaction in a permit proceeding that another value is developed in accordance with the "Water Quality Standards Handbook: Second Edition" published by the US Environmental Protection Agency (EPA 823-B-12-002), free of charge, at <http://water.epa.gov/scitech/swguidance/standards/handbook/>, hereby incorporated by reference including any subsequent amendments. Alternative site specific standards may also be developed when any person submits values that demonstrate to the Commissions' satisfaction that they were derived in accordance with the "Water Quality Standards Handbook: Second Edition, Recalculation Procedure or the Resident Species Procedure", hereby incorporated by reference including subsequent amendments at <http://water.epa.gov/scitech/swguidance/standards/handbook/>.~~

~~This material is available free of charge.~~

~~(d) Hardness-dependent freshwater metals standards are located in Sub Item (e) and (d) of this Rule and in Table A: Dissolved Freshwater Standards for Hardness-Dependent Metals;~~

~~(e) Hardness dependent freshwater metals standards shall be as follows:~~

~~(i) Hardness dependent metals standards shall be derived using the equations specified in Table A: Dissolved Freshwater Standards for Hardness-Dependent Metals. If the actual instream hardness (expressed as CaCO<sub>3</sub> or Ca+Mg) is less than 25 milligrams/liter (mg/l), standards shall be calculated based upon 25 mg/l hardness. If the actual instream hardness is greater than 25 mg/l and less than 400 mg/l, standards shall be calculated based upon the actual instream hardness. If the instream hardness is greater than 400 mg/l, the maximum applicable hardness shall be 400 mg/l.~~

~~Table A: Dissolved Freshwater Standards for Hardness-Dependent Metals(ii)~~

~~Hardness dependent metals in NPDES permitting: for NPDES permitting purposes, application of the equations in Table A: Dissolved Freshwater Standards for Hardness-Dependent Metals shall have hardness values (expressed as CaCO<sub>3</sub> or Ca+Mg) established using the median of instream hardness data collected within the local US Geological Survey (USGS) and Natural Resources Conservation Service (NRCS) 8 digit Hydrologic Unit (HU). The minimum applicable instream hardness shall be 25 mg/l and the maximum applicable instream hardness shall be 400 mg/l, even when the actual median instream hardness is less than 25 mg/l and greater than 400 mg/l;~~

~~(d) Alternatives:~~

~~Acute and chronic freshwater aquatic life standards for metals listed in Table A apply to the dissolved form of the metal and apply as a function of the pollutant's water effect ratio (WER), which is set forth in Sub Item (b) of this Rule. Alternative site specific standards may also be developed as set forth in Sub Item (b) of this Rule;~~

~~Table A: Dissolved Freshwater Standards for Hardness-Dependent Metals~~

~~Numeric standards calculated at 25 mg/l hardness are listed below for illustrative purposes. The Water Effects Ratio (WER) is equal to one unless determined otherwise under Sub-Item (d)(b) of this Rule.~~

Metal	Equations for Hardness-Dependent Freshwater Metals (ug/l)	Standard at 25 mg/l hardness (ug/l)
Cadmium, Acute	$WER \cdot [1.136672 - [\ln \text{hardness}](0.041838)] \cdot e^{0.9151 [\ln \text{hardness} - 3.1485]}$	0.82

**APPENDIX A:**

**Tracked Changes Between Prior Rule and Rule Effective November 1, 2019**

Cadmium, Acute, Trout waters	WER: $[ \{ 1.136672 - [\ln \text{ hardness}](0.041838) \} \cdot e^{\{ 0.9151[\ln \text{ hardness}] - 3.6236 \}} ]$	0.51
Cadmium, Chronic	WER: $[ \{ 1.101672 - [\ln \text{ hardness}](0.041838) \} \cdot e^{\{ 0.7998[\ln \text{ hardness}] - 4.4451 \}} ]$	0.15
Chromium III, Acute	WER: $[ 0.316 \cdot e^{\{ 0.8190[\ln \text{ hardness}] + 3.7256 \}} ]$	180
Chromium III, Chronic	WER: $[ 0.860 \cdot e^{\{ 0.8190[\ln \text{ hardness}] + 0.6848 \}} ]$	24
Copper, Acute	WER: $[ 0.960 \cdot e^{\{ 0.9422[\ln \text{ hardness}] - 1.700 \}} ]$ Or, Aquatic Life Ambient Freshwater Quality Criteria— <del>2</del> Copper 2007 Revision (EPA-822-R-07-001)	3.6  NA
Copper, Chronic	WER: $[ 0.960 \cdot e^{\{ 0.8545[\ln \text{ hardness}] - 1.702 \}} ]$ Or, Aquatic Life Ambient Freshwater Quality Criteria— <del>2</del> Copper 2007 Revision (EPA-822-R-07-001)	2.7  NA
Lead, Acute	WER: $[ \{ 1.46203 - [\ln \text{ hardness}](0.145712) \} \cdot e^{\{ 1.273[\ln \text{ hardness}] - 1.460 \}} ]$	14
Lead, Chronic	WER: $[ \{ 1.46203 - [\ln \text{ hardness}](0.145712) \} \cdot e^{\{ 1.273[\ln \text{ hardness}] - 4.705 \}} ]$	0.54
Nickel, Acute	WER: $[ 0.998 \cdot e^{\{ 0.8460[\ln \text{ hardness}] + 2.255 \}} ]$	140
Nickel, Chronic	WER: <del><math>[ 0.997 \cdot e^{\{ 0.8460[\ln \text{ hardness}] + 0.0584 \}} ]</math></del>	16
Silver, Acute	WER: <del><math>[ 0.85 \cdot e^{\{ 1.72[\ln \text{ hardness}] - 6.59 \}} ]</math></del>	0.30
Zinc, Acute	WER: $[ 0.978 \cdot e^{\{ 0.8473[\ln \text{ hardness}] + 0.884 \}} ]$	36
Zinc, Chronic	WER: <del><math>[ 0.986 \cdot e^{\{ 0.8473[\ln \text{ hardness}] + 0.884 \}} ]</math></del>	36

- (e) Compliance with acute instream metals standards shall only be evaluated using an average of two or more samples collected within one hour. Compliance with chronic instream metals standards shall only be evaluated using an average of a minimum of four samples taken on consecutive days; or as a 96-hour average;

~~(f) Metals criteria shall be used for proactive environmental management. An instream exceedence of the numeric criterion for metals shall not be considered to have caused an adverse impact to the instream aquatic community without biological confirmation and a comparison of all available monitoring data and applicable water quality standards. This weight of evidence evaluation shall take into account data quality and the overall confidence in how representative the sampling is of conditions in the waterbody segment before an assessment of aquatic life use attainment, or non attainment, shall be made by the Division. Recognizing the synergistic and antagonistic complexities of other water quality variables on the actual toxicity of metals, with the exception of mercury and selenium, biological monitoring will be used to validate, by direct measurement, whether or not the aquatic life use is supported;~~

- (12) Oils, deleterious substances, or colored; or other wastes: only such amounts as shall not render the waters injurious to public health, secondary recreation, or to aquatic life and wildlife, or adversely affect the palatability of fish, aesthetic quality, or impair the waters for any designated uses. For the purpose of implementing this Rule, oils, deleterious substances, or colored; or other wastes shall include substances that cause a film or sheen upon or discoloration of the surface of the water or

## APPENDIX A:

### Tracked Changes Between Prior Rule and Rule Effective November 1, 2019

adjoining shorelines ~~pursuant to, as described in~~ 40 CFR 110.3(a)-(b) ~~which are hereby~~, incorporated by reference including ~~any~~ subsequent amendments and ~~additions. editions~~. This material is available, free of charge, at: <http://www.ecfr.gov/>;

- (13) Pesticides:
- (a) Aldrin: -0.002 ug/l;
  - (b) Chlordane: -0.004 ug/l;
  - (c) DDT: -0.001 ug/l;
  - (d) Demeton: -0.1 ug/l;
  - (e) Dieldrin: -0.002 ug/l;
  - (f) Endosulfan: -0.05 ug/l;
  - (g) Endrin: -0.002 ug/l;
  - (h) Guthion: -0.01 ug/l;
  - (i) Heptachlor: -0.004 ug/l;
  - (j) Lindane: -0.01 ug/l;
  - (k) Methoxychlor: -0.03 ug/l;
  - (l) Mirex: -0.001 ug/l;
  - (m) Parathion: -0.013 ug/l; and
  - (n) Toxaphene: -0.0002 ug/l;
- (14) pH: shall be ~~normal for the waters in the area, which range~~ between 6.0 and 9.0 except that swamp waters may have a pH as low as 4.3 if it is the result of natural conditions;
- (15) Phenolic compounds: only such levels as shall not result in fish-flesh tainting or impairment of other best usage;
- (16) Polychlorinated biphenyls (total of all PCBs and congeners identified): 0.001 ug/l;
- (17) Radioactive substances, ~~based on at least one sample collected per quarter~~:
- (a) Combined radium-226 and radium-228: -the average annual activity level ~~(based on at least one sample collected per quarter)~~ for combined radium-226 and radium-228 shall not exceed five picoCuries per liter;
  - (b) Alpha Emitters: the average annual gross alpha particle activity (including radium-226, but excluding radon and uranium) shall not exceed 15 picoCuries per liter;
  - (c) Beta Emitters: the average annual activity level ~~(based on at least one sample collected per quarter)~~ for strontium-90 shall not exceed eight picoCuries per liter; nor shall the average annual gross beta particle activity (excluding potassium-40 and other naturally occurring radionuclides) exceed 50 picoCuries per liter; nor shall the average annual activity level for tritium exceed 20,000 picoCuries per liter;
- (18) Temperature: not to exceed 2.8 degrees C (5.04 degrees F) above the natural water temperature, and in no case to exceed 29 degrees C (84.2 degrees F) for mountain and upper piedmont waters and 32 degrees C (89.6 degrees F) for lower piedmont and coastal plain Waters; the temperature for trout waters shall not be increased by more than 0.5 degrees C (0.9 degrees F) due to the discharge of heated liquids, but in no case to exceed 20 degrees C (68 degrees F);
- (19) Toluene: ~~11 ug/l or~~ 0.36 ug/l in trout classified waters; ~~or 11 ug/l in all other waters~~;
- (20) Trialkyltin compounds:- 0.07 ug/l expressed as tributyltin;
- (21) Turbidity: the turbidity in the receiving water shall not exceed 50 Nephelometric Turbidity Units (NTU) in streams not designated as trout waters and 10 NTU in streams, lakes, or reservoirs designated as trout waters; for lakes and reservoirs not designated as trout waters, the turbidity shall not exceed 25 NTU; if turbidity exceeds these levels due to natural background conditions, the existing turbidity level shall not be increased. Compliance with this turbidity standard ~~can~~ shall be ~~deemed~~ met when land management activities employ Best Management Practices (BMPs) ~~as defined by Rule .0202 of this Section~~, recommended by the Designated Nonpoint Source Agency ~~as defined by Rule .0202 of this Section~~. ~~BMPs shall be in full compliance with all specifications governing the proper design, installation, operation, and maintenance of such BMPs~~;
- (22) ~~Action Levels for Toxic Substances~~ Substance Level Applicable to NPDES Permits:
- (a) ~~Copper, dissolved, chronic: 2.7 ug/l;~~
  - (b) ~~Silver, dissolved, chronic: 0.06 ug/l;~~
  - (c) ~~Zinc, dissolved, chronic: 36 ug/l; and~~
  - (d) ~~Chloride: 230 mg/l;~~

## APPENDIX A:

### Tracked Changes Between Prior Rule and Rule Effective November 1, 2019

~~The hardness dependent freshwater action levels for copper and zinc, provided here for illustrative purposes, corresponds to a hardness of 25 mg/l. Copper and zinc action level values for other instream hardness values shall be calculated per the chronic equations specified in Item (11) of this Rule and in Table A: Dissolved Freshwater Standards for Hardness Dependent Metals. If the action levels for any of the substances listed in this Item (which are generally not bioaccumulative and have variable toxicity to aquatic life because of chemical form, solubility, stream characteristics or associated waste characteristics) are~~chloride is determined by the waste load allocation to be exceeded in a receiving water by a discharge under the specified 7Q10 criterion for toxic substances, the discharger shall monitor the chemical or biological effects of the discharge; ~~efforts.~~ Efforts shall be made by all dischargers to reduce or eliminate ~~these substances~~chloride from their effluents. ~~Those substances for which action levels are listed in this Item~~Chloride shall be limited as appropriate in the NPDES permit if sufficient information ~~(to be determined for metals by measurements of that portion of the dissolved instream concentration of the action levels parameter attributable to a specific NPDES permitted discharge)~~ exists to indicate that ~~any of those substances~~it may be a causative factor resulting in toxicity of the effluent.

*History Note:* Authority G.S. 143-214.1; 143-215.3(a)(1);

*History Note:* Authority G.S. 143-214.1; 143-215.3(a)(1);

Eff. February 1, 1976;

Eff. February 1, 1976;

Amended Eff. January 1, 2015; May 1, 2007; April 1, 2003; August 1, 2000; October 1, 1995;

August 1, 1995; April 1, 1994; February 1, 1993.;

Readopted Eff. November 1, 2019.

#### 15A NCAC 02B .0212 FRESH SURFACE WATER QUALITY STANDARDS FOR CLASS WS-I WATERS

The following water quality standards shall apply to surface waters within water supply watersheds classified as WS-I. Water quality standards applicable to Class C waters as described in Rule .0211 of this Section shall also apply to Class WS-I waters.

- (1) The best usage of ~~WS-I~~waters classified as WS-I shall be as ~~follows:~~ a source of water supply for drinking, culinary, or food-processing purposes for those users desiring maximum protection of their water supplies; ~~waters located on land in public ownership; in the form of the most stringent WS classification,~~ and any best usage specified for Class C waters;
- ~~(2) The conditions related to the best usage shall be as follows: waters of this class, Class WS-I waters are protected water supplies within essentially natural waters located on land in public ownership and waters located in undeveloped watersheds in public ownership with no permitted point source dischargers except those.~~
- (2) The best usage of waters classified as WS-I shall be maintained as follows:
  - (a) Water quality standards in a WS-I watershed shall meet the requirements as specified in Item (3) of this Rule.~~0104.~~
  - (b) Wastewater and stormwater point source discharges in a WS-I watershed shall meet the requirements as specified in Item (4) of this Subchapter; waters within this class shall be relatively unimpacted by nonpoint sources of pollution; land use management programs are required to protect waters from nonpoint Rule.
  - (c) Nonpoint source pollution; in a WS-I watershed shall meet the requirements as specified in Item (5) of this Rule.
  - (d) Following approved treatment, as defined in Rule .0202 of this Section, the waters, following treatment required by the Division, shall meet the Maximum Contaminant Level concentrations considered safe for drinking, culinary, and food-processing purposes that are specified in the national drinking water regulations 40 CFR Part 141 National Primary Drinking Water Regulations and in the North Carolina Rules Governing Public Water Supplies, 15A NCAC 18C .1500., incorporated by reference including subsequent amendments and editions.

## APPENDIX A:

### Tracked Changes Between Prior Rule and Rule Effective November 1, 2019

- (e) Sources of water pollution that preclude any of ~~these~~the best uses on either a short-term or long-term basis shall be ~~considered~~deemed to ~~be violating~~violate a water quality standard.
- (f) The Class WS-I classification may be used to protect portions of Class WS-II, WS-III, and WS-IV water supplies. -For reclassifications occurring after the July 1, 1992 statewide reclassification, ~~the more protective~~a WS-I classification that is requested by local governments shall be considered by the Commission ~~when~~if all local governments having jurisdiction in the affected ~~area(s)~~areas have adopted a resolution and the appropriate ordinances as required by G.S. 143-214.5(d) to protect the watershed or if the Commission acts to protect a watershed when one or more local governments has failed to adopt ~~necessary protection~~protective measures; as required by this Sub-Item.
- (3) Quality~~Water quality~~ standards applicable to Class WS-I Waters shall be as follows:
- (a) MBAS (Methylene-Blue Active Substances): -not greater than 0.5 mg/l to protect the aesthetic qualities of water supplies and to prevent foaming;
- ~~(b) Nonpoint Source Pollution: none shall be allowed that would adversely impact the waters for use as a water supply or any other designated use;~~
- ~~(c) Organisms of coliform group: total~~(b) Total coliforms shall not ~~to~~ exceed 50/100 ml (MF count) as a monthly geometric mean value in watersheds serving as unfiltered water supplies;
- ~~(d)~~ Chlorinated phenolic compounds: -not greater than 1.0 ug/l to protect water supplies from taste and odor problems from chlorinated phenols;
- ~~(e) Sewage, industrial wastes: none shall be allowed except those specified in Item (2) of this Rule or Rule .0104 of this Subchapter;~~
- ~~(f)~~ (d) Solids, total dissolved: -not greater than exceed 500 mg/l;
- ~~(g)~~ Total hardness: -not greater than 100 mg/l as calcium carbonate (CaCO<sub>3</sub> or Ca + Mg);
- ~~(h)~~ Toxic and other deleterious substances:
- ~~(i) Water quality standards (maximum permissible concentrations) to protect human health through water consumption and fish tissue consumption for that are non-carcinogens in Class WS I waters:~~
- ~~(A)~~(i) Barium: -1.0 mg/l;
- ~~(B)~~(ii) Chloride: -250 mg/l;
- ~~(C)~~(iii) Nickel: -25 ug/l;
- ~~(D)~~(iv) Nitrate nitrogen: -10.0 mg/l;
- ~~(E)~~(v) 2,4-D: -70 ug/l;
- ~~(F)~~(vi) 2,4,5-TP (Silvex): -10 ug/l; and
- ~~(G)~~(vii) Sulfates: -250 mg/l;
- ~~(ii) Water quality standards (maximum permissible concentrations) to protect human health through water consumption and fish tissue consumption for carcinogens in Class WS I waters:~~
- ~~(A)~~(g) Toxic and other deleterious substances that are carcinogens:
- ~~(i)~~ Aldrin: -0.05 ng/l;
- ~~(B)~~(ii) Arsenic: -10 ug/l;
- ~~(C)~~(iii) Benzene: -1.19 ug/l;
- ~~(D)~~(iv) Carbon tetrachloride: -0.254 ug/l;
- ~~(E)~~(v) Chlordane: 0.8 ng/l;
- ~~(F)~~(vi) Chlorinated benzenes: -488 ug/l;
- ~~(G)~~(vii) DDT: -0.2 ng/l;
- ~~(H)~~(viii) Dieldrin: -0.05 ng/l;
- ~~(I)~~(ix) Dioxin: -0.000005 ng/l;
- ~~(J)~~(x) Heptachlor: -0.08 ng/l;
- ~~(K)~~(xi) Hexachlorobutadiene: -0.44 ug/l;
- ~~(L)~~(xii) Polynuclear aromatic hydrocarbons (total of all PAHs): -2.8 ng/l;
- ~~(M)~~(xiii) Tetrachloroethane (1,1,2,2): 0.17 ug/l;
- ~~(N)~~(xiv) Tetrachloroethylene: -0.7 ug/l;
- ~~(O)~~(xv) Trichloroethylene: -2.5 ug/l; and
- ~~(P)~~(xvi) Vinyl Chloride: -0.025 ug/l.

## APPENDIX A:

### Tracked Changes Between Prior Rule and Rule Effective November 1, 2019

- ~~(4) Wastewater and stormwater point source discharges in a WS-I watershed shall be permitted pursuant to 15A NCAC 02B .0104.~~
- ~~(5) Nonpoint source pollution in a WS-I watershed shall not have an adverse impact, as defined in 15A NCAC 02H .1002, on use as a water supply or any other designated use.~~

*History Note:* ~~Authority G.S. 143-214.1; 143-215.3(a)(1);~~

*History Note:* ~~Authority G.S. 143-214.1; 143-215.3(a)(1);~~

~~Eff. February 1, 1976;~~

~~Eff. February 1, 1976;~~

~~Amended Eff. January 1, 2015; May 1, 2007; April 1, 2003; October 1, 1995; February 1, 1993;~~

~~March 1, 1991; October 1, 1989;~~

~~Readopted Eff. November 1, 2019.~~

#### 15A NCAC 02B .0213 REVISIONS TO DISSOLVED OXYGEN STANDARDS

*History Note:* Authority G.S. 143-214.1;

Eff. December 14, 1978;

Amended Eff. July 1, 1988;

Repealed Eff. October 1, 1989.

#### 15A NCAC 02B .0214 FRESH SURFACE WATER QUALITY STANDARDS FOR CLASS WS-II WATERS

The following water quality standards shall apply to surface waters within water supply watersheds classified as WS-II. ~~Water quality standards applicable to Class C waters as described in Rule .0211 of~~ 0211 of this Section shall also apply to Class WS-II waters.

- (1) The best usage of ~~WS-II~~ waters classified as WS-II shall be as ~~follows:~~ a source of water supply for drinking, culinary, or food-processing purposes for those users desiring maximum protection for their water supplies where a WS-I classification is not feasible as determined by the Commission in accordance with Rule .0212 of this Section and any best usage specified for Class C waters;
- (2) ~~The conditions related to the best usage shall be as follows: of waters of this class are protected as water supplies that are in predominantly undeveloped watersheds and meet average~~ classified as WS-II shall be maintained as follows:
  - (a) ~~Water quality standards in a WS-II watershed development density levels shall meet the requirements as specified in Sub-Items Item (3)(b)(i)(A), (3)(b)(i)(B), (3)(b)(ii)(A) and (3)(b)(ii)(B) of this Rule;~~
  - (b) ~~Wastewater and stormwater point source discharges that qualify for a General Permit pursuant to 15A NCAC 02H .0127, trout farm discharges, recycle (closed loop) systems that only discharge in response to 10 year storm events and other stormwater discharges shall be allowed in the entire a WS-II watershed; new domestic and industrial discharges shall meet the requirements as specified in Item (4) of treated wastewater shall not be allowed in the entire this Rule.~~
  - (c) ~~Nonpoint source pollution in a WS-II watershed; shall meet the requirements as specified in Item (5) of this Rule.~~
  - (d) ~~Following approved treatment, as defined in Rule .0202 of this Section, the waters, following treatment required by the Division, shall meet the Maximum Contaminant Level concentrations considered safe for drinking, culinary, and food-processing purposes that are specified in the national drinking water regulations 40 CFR Part 141 National Primary Drinking Water Regulations and in the North Carolina Rules Governing Public Water Supplies, 15A NCAC 18C .1500.~~
  - (e) ~~Sources of water pollution that preclude any of these the best uses on either a short-term or long-term basis shall be considered deemed to be violating violate a water quality standard.~~
  - (f) ~~The Class WS-II classification may be used to protect portions of Class WS-III and WS-IV water supplies. For reclassifications of these portions of Class WS-III and WS-IV water~~

APPENDIX A:

Tracked Changes Between Prior Rule and Rule Effective November 1, 2019

supplies occurring after the July 1, 1992 statewide reclassification, ~~the more protective a~~ WS-II classification that is requested by local governments shall be considered by the Commission ~~when~~ if all local governments having jurisdiction in the affected ~~area(s)~~ areas have adopted a resolution and the appropriate ordinances as required by G.S. 143-214.5(d) to protect the watershed or if the Commission acts to protect a watershed when one or more local governments has failed to adopt ~~necessary protection-protective~~ measures; as required by this Sub-Item.

- (3) ~~Quality~~ Water quality standards applicable to Class WS-II Waters shall be as follows:
- (a) ~~Sewage, industrial wastes, non-process industrial wastes, MBAS (Methylene-Blue Active Substances): not greater than 0.5 mg/l to protect the aesthetic qualities of water supplies and to prevent foaming;~~
  - (b) ~~Odor producing substances contained in sewage or other wastes: not only such amounts, whether alone or in combination with other substances or wastes, as shall not cause organoleptic effects in water supplies that cannot be corrected by treatment, impair the palatability of fish, or have an adverse impact, as defined in 15A NCAC 02H .1002, on any best usage established for waters of this class;~~
  - (c) ~~Chlorinated phenolic compounds: not greater than 1.0 ug/l to protect water supplies from taste and odor problems from chlorinated phenols;~~
  - (d) ~~Total hardness: not greater than 100 mg/l as calcium carbonate (CaCO<sub>3</sub> or Ca + Mg);~~
  - (e) ~~Solids, total dissolved: not greater than 500 mg/l;~~
  - (f) ~~Toxic and other deleterious substances that are non-carcinogens:~~
    - (i) ~~Barium: 1.0 mg/l;~~
    - (ii) ~~Chloride: 250 mg/l;~~
    - (iii) ~~Nickel: 25 ug/l;~~
    - (iv) ~~Nitrate nitrogen: 10.0 mg/l;~~
    - (v) ~~2,4-D: 70 ug/l;~~
    - (vi) ~~2,4,5-TP (Silvex): 10 ug/l; and~~
    - (vii) ~~Sulfates: 250 mg/l;~~
  - (g) ~~Toxic and other deleterious substances that are carcinogens:~~
    - (i) ~~Aldrin: 0.05 ng/l;~~
    - (ii) ~~Arsenic: 10 ug/l;~~
    - (iii) ~~Benzene: 1.19 ug/l;~~
    - (iv) ~~Carbon tetrachloride: 0.254 ug/l;~~
    - (v) ~~Chlordane: 0.8 ng/l;~~
    - (vi) ~~Chlorinated benzenes: 488 ug/l;~~
    - (vii) ~~DDT: 0.2 ng/l;~~
    - (viii) ~~Dieldrin: 0.05 ng/l;~~
    - (ix) ~~Dioxin: 0.000005 ng/l;~~
    - (x) ~~Heptachlor: 0.08 ng/l;~~
    - (xi) ~~Hexachlorobutadiene: 0.44 ug/l;~~
    - (xii) ~~Polynuclear aromatic hydrocarbons (total of all PAHs): 2.8 ng/l;~~
    - (xiii) ~~Tetrachloroethane (1,1,2,2): 0.17 ug/l;~~
    - (xiv) ~~Tetrachloroethylene: 0.7 ug/l;~~
    - (xv) ~~Trichloroethylene: 2.5 ug/l; and~~
    - (xvi) ~~Vinyl Chloride: 0.025 ug/l.~~
- (4) ~~Wastewater and stormwater point source discharges in a WS-II watershed shall meet the following requirements:~~
- (a) ~~Discharges that qualify for a General NPDES Permit pursuant to 15A NCAC 02H .0127 shall be allowed in the entire watershed.~~
  - (b) ~~Discharges from trout farms that are subject to Individual NPDES Permits shall be allowed in the entire watershed.~~
  - (c) ~~Stormwater discharges that qualify for an Individual NPDES Permit pursuant to 15A NCAC 02H .0126 shall be allowed in the entire watershed.~~
  - (d) ~~No discharge of sewage, industrial, or other wastes shall be allowed in the entire watershed except for those specified in either-allowed by Sub-Items (a) through (c) of this Item (2) of~~



## APPENDIX A:

### Tracked Changes Between Prior Rule and Rule Effective November 1, 2019

- ~~this Rule and or~~ Rule .0104 of this Subchapter; ~~and~~ none shall be allowed that have an adverse effect on human health or that are not treated ~~to the satisfaction of the Commission~~ ~~and~~ in accordance with the ~~permit or other~~ requirements ~~established by~~ the Division. ~~Any discharger shall be required upon~~ pursuant to G.S. 143-215.1. Upon request by the Commission, ~~a discharger shall disclose all chemical constituents present or potentially present in their wastes and chemicals that could be spilled or be present in runoff from their facility that may have an adverse impact on downstream water quality. These facilities may be required to have spill and treatment failure control plans as well as perform special monitoring for toxic substances.~~
- ~~(e) New domestic and industrial discharges of treated wastewater that are subject to Individual NPDES Permits shall not be allowed in the entire watershed.~~
  - ~~(f) No new landfills shall be allowed in the Critical Area, and no NPDES permits shall be issued for landfills that discharge treated leachate in the remainder of the watershed.~~
  - ~~(g) No new permitted sites for land application of residuals or petroleum contaminated soils shall be allowed in the Critical Area.~~
- (5) Nonpoint source pollution in a WS-II watershed shall meet the following requirements:
- ~~(a) Nonpoint source pollution shall not have an adverse impact on waters for use as a water supply or any other designated use.~~
  - ~~(b) Class WS-II waters shall be protected as water supplies that are located in watersheds that meet average watershed development density levels specified for Class WS-II waters in Rule .0624 of this Subchapter.~~

*History Note:* Authority G.S. 143-214.1; 143-215.3(a)(1);  
Eff. May 10, 1979;  
Amended Eff. January 1, 2015; May 1, 2007; April 1, 2003; January 1, 1996; October 1, 1995;  
Readopted Eff. November 1, 2019.

### 15A NCAC 02B .0215 FRESH SURFACE WATER QUALITY STANDARDS FOR CLASS WS-III WATERS

~~to~~The following water quality standards shall apply to surface waters within water supply watersheds classified as WS-III. Water quality standards applicable to Class C waters as described in Rule .0211 of this Section shall also apply to Class WS-III waters.

- ~~(1) The best usage of waters classified as WS-III shall be as a source of water supply for drinking, culinary, or food-processing purposes for those users where a more protective WS-I or WS-II classification is not feasible as determined by the Commission in accordance with Rules .0212 and .0214 of this Section and any other best usage specified for Class C waters.~~
- ~~(2) The best usage of waters classified as WS-III shall be maintained as follows:~~
  - ~~(a) Water quality standards in a WS-III watershed shall meet the requirements as specified in Item (3) of this Rule.~~
  - ~~(b) Wastewater and stormwater point source discharges in a WS-III watershed shall meet the requirements as specified in Item (4) of this Rule.~~
  - ~~(c) Nonpoint source pollution in a WS-III watershed shall meet the requirements as specified in Item (5) of this Rule.~~
  - ~~(d) Following approved treatment, as defined in Rule .0202 of this Section, the waters shall meet the Maximum Contaminant Level concentrations considered safe for drinking, culinary, or food-processing purposes that are specified in 40 CFR Part 141 National Primary Drinking Water Regulations and in the North Carolina Rules Governing Public Water Supplies, 15A NCAC 18C .1500.~~
  - ~~(e) Sources of water pollution that preclude any of the best uses on either a short-term or long-term basis shall be deemed to violate a water quality standard.~~
  - ~~(f) The Class WS-III classification may be used to protect portions of Class WS-IV water supplies. For reclassifications of these portions of WS-IV water supplies occurring after the July 1, 1992 statewide reclassification, a WS-II classification that is requested by local governments shall be considered by the Commission if all local governments having jurisdiction in the affected areas have adopted a resolution and the appropriate ordinances~~

## APPENDIX A:

### Tracked Changes Between Prior Rule and Rule Effective November 1, 2019

- as required by G.S. 143-214.5(d) to protect the watershed or if the Commission acts to protect a watershed when one or more local governments has failed to adopt protective measures as required by this Sub-Item.
- (3) Water quality standards applicable to Class WS-III Waters shall be as follows:
- (a) MBAS (Methylene-Blue Active Substances): not greater than 0.5 mg/l to protect the aesthetic qualities of water supplies and to prevent foaming;
  - (b) Odor producing substances contained in sewage, industrial wastes, or other wastes: only such amounts, whether alone or in combination with other substances or wastes, as shall not cause organoleptic effects in water supplies that cannot be corrected by treatment, impair the palatability of fish, or have an adverse impact, as defined in 15A NCAC 02H .1002, on any best usage established for waters of this class;
  - (c) Chlorinated phenolic compounds: not greater than 1.0 ug/l to protect water supplies from taste and odor problems from chlorinated phenols;
  - (d) Total hardness: not greater than 100 mg/l as calcium carbonate (CaCO<sub>3</sub> or Ca + Mg);
  - (e) Solids, total dissolved: not greater than 500 mg/l;
  - (f) Toxic and other deleterious substances that are non-carcinogens:
    - (i) Barium: 1.0 mg/l;
    - (ii) Chloride: 250 mg/l;
    - (iii) Nickel: 25 ug/l;
    - (iv) Nitrate nitrogen: 10.0 mg/l;
    - (v) 2,4-D: 70 ug/l;
    - (vi) 2,4,5-TP (Silvex): 10 ug/l; and
    - (vii) Sulfates: 250 mg/l;
  - (g) Toxic and other deleterious substances that are carcinogens:
    - (i) Aldrin: 0.05 ng/l;
    - (ii) Arsenic: 10 ug/l;
    - (iii) Benzene: 1.19 ug/l;
    - (iv) Carbon tetrachloride: 0.254 ug/l;
    - (v) Chlordane: 0.8 ng/l;
    - (vi) Chlorinated benzenes: 488 ug/l;
    - (vii) DDT: 0.2 ng/l;
    - (viii) Dieldrin: 0.05 ng/l;
    - (ix) Dioxin: 0.000005 ng/l;
    - (x) Heptachlor: 0.08 ng/l;
    - (xi) Hexachlorobutadiene: 0.44 ug/l;
    - (xii) Polynuclear aromatic hydrocarbons (total of all PAHs): 2.8 ng/l;
    - (xiii) Tetrachloroethane (1,1,2,2): 0.17 ug/l;
    - (xiv) Tetrachloroethylene: 0.7 ug/l;
    - (xv) Trichloroethylene: 2.5 ug/l; and
    - (xvi) Vinyl Chloride: 0.025 ug/l.
- (4) Wastewater and stormwater point source discharges in a WS-III watershed shall meet the following requirements:
- (a) Discharges that qualify for a General NPDES Permit pursuant to 15A NCAC 02H .0127 shall be allowed in the entire watershed.
  - (b) Discharges from trout farms that are subject to Individual NPDES Permits shall be allowed in the entire watershed.
  - (c) Stormwater discharges that qualify for an Individual NPDES Permit pursuant to 15A NCAC 02H .0126 shall be allowed in the entire watershed.
  - (d) New domestic wastewater discharges that are subject to Individual NPDES Permits shall not be allowed in the Critical Area and are allowed in the remainder of the watershed.
  - (e) New industrial wastewater discharges that are subject to Individual NPDES Permits except non-process industrial discharges shall not be allowed in the entire watershed.
  - (f) No discharge of sewage, industrial, or other wastes shall be allowed in the entire watershed except for those allowed by Sub-Items (a) through (e) of this Item or Rule .0104 of this Subchapter, and none shall be allowed that have an adverse effect on human health or that

## APPENDIX A:

### Tracked Changes Between Prior Rule and Rule Effective November 1, 2019

~~are not treated in accordance with the permit or other requirements established by the Division pursuant to G.S. 143-215.1. Upon request by the Commission, a discharger shall disclose all chemical constituents present or potentially present in their wastes and chemicals that could be spilled or be present in runoff from their facility that may have an adverse impact on downstream water quality. -These facilities may be required to have spill and treatment failure control plans as well as perform special monitoring for toxic substances;~~

- ~~(b) Nonpoint Source and Stormwater Pollution: none that would adversely impact the waters for use as a water supply or any other designated use;~~
- ~~(i) Nonpoint Source and Stormwater Pollution Control Criteria for Entire Watershed:~~
  - ~~(A) Low Density Option: development density shall be limited to either no more than one dwelling unit per acre of single family detached residential development (or 40,000 square foot lot excluding roadway right-of-way), or 12 percent built-upon area for all other residential and non residential development in the watershed outside of the critical area; stormwater runoff from the development shall be transported by vegetated conveyances to the maximum extent practicable;~~
  - ~~(B) High Density Option: if new development exceeds the low density option requirements as stated in Sub Item (3)(b)(i)(A) of this Rule, then engineered stormwater controls shall be used to control runoff from the first inch of rainfall; new residential and non residential development shall not exceed 30 percent built-upon area;~~
  - ~~(C) Land within the watershed shall be deemed compliant with the density requirements if the following condition is met: the density of all existing development at the time of reclassification does not exceed the density requirement when densities are averaged throughout the entire watershed area at the time of classification;~~
  - ~~(D) Cluster development (g) No new landfills shall be allowed on a project by project basis as follows:~~
    - ~~(I) overall density of in the project meets associated density or stormwater control requirements of this Rule;~~
    - ~~(II) buffers meet the minimum statewide water supply watershed protection requirements;~~
    - ~~(III) built-upon areas shall be designed Critical Area, and located to minimize stormwater runoff impact to the receiving waters, minimize concentrated stormwater flow, maximize the use of sheet flow through vegetated areas, and maximize the flow length through vegetated areas;~~
    - ~~(IV) areas of concentrated development shall be located in upland areas and away, to the maximum extent practicable, from surface waters and drainageways;~~
    - ~~(V) remainder of tract to remain in vegetated or natural state;~~
    - ~~(VI) area in the vegetated or natural state may be conveyed to a property owners association, a local government for preservation as a park or greenway, a conservation organization, or placed in a permanent conservation or farmland preservation easement;~~
    - ~~(VII) a maintenance agreement for the vegetated or natural area shall be filed with the Register of Deeds; and~~
    - ~~(VIII) cluster development that meets the applicable low density option requirements shall transport stormwater runoff from the development by vegetated conveyances to the maximum extent practicable;~~
  - ~~(E) A maximum of 10 percent of each jurisdiction's portion of the watershed outside of the critical area as delineated on July 1, 1993 may be~~

## APPENDIX A:

### Tracked Changes Between Prior Rule and Rule Effective November 1, 2019

~~developed with new development projects and expansions of existing development of up to 70 percent built upon surface area (the "10/70 option") in addition to the new development approved in compliance with the appropriate requirements of Sub Item (3)(b)(i)(A) or Sub Item (3)(b)(i)(B) of this Rule. For expansions to existing development, the existing built upon surface area shall not be counted toward the allowed 70 percent built upon surface area. A local government having jurisdiction within the watershed may transfer, in whole or in part, its right to the 10/70 option land area to another local government within the watershed upon submittal of a joint resolution and review by the Commission. When the water supply watershed is composed of public lands, such as National Forest land, local governments may count the public land acreage within the watershed outside of the critical area in calculating the acreage allowed under this provision. For local governments that do not choose to use the high density option in that WS II watershed, each project shall, to the maximum extent practicable, minimize built upon surface area, direct stormwater runoff away from surface waters, and incorporate best management practices, as defined in Rule .0202 of this Section, to minimize water quality impacts. If the local government selects the high density development option within that WS II watershed, then engineered stormwater controls shall be employed for the new development;~~

- ~~(F) If local governments choose the high density development option that requires stormwater controls, then they shall assume ultimate responsibility for operation and maintenance of the required controls as outlined in Rule .0104 of this Subchapter;~~
- ~~(G) A minimum 100 foot vegetative buffer shall be required for all new development activities that exceed the low density option requirements as specified in Sub Items (3)(b)(i)(A) and Sub Item (3)(b)(ii)(A) of this Rule, otherwise a minimum 30 foot vegetative buffer for development activities shall be required along all perennial waters indicated on the most recent versions of U.S.G.S. 1:24,000 (7.5 minute) scale topographic maps or as determined by local government studies. Nothing in this Rule shall stand as a bar to artificial streambank or shoreline stabilization;~~
- ~~(H) No new development shall be allowed in the buffer; water dependent structures, or other structures such as flag poles, signs, and security lights, which result in only de minimus increases in impervious area and public projects such as road crossings and greenways may be allowed where no practicable alternative exists. These activities shall minimize built upon surface area and avoid channelizing stormwater;~~
- ~~(I) No National Pollutant Discharge Elimination System (NPDES) permits shall be issued for landfills that discharge treated leachate; in the remainder of the watershed.~~
  - ~~(ii) Critical Area Nonpoint Source and Stormwater Pollution Control Criteria:
    - ~~(A) Low Density Option: new development shall be limited to either no more than one dwelling unit of single family detached residential development per two acres (or 80,000 square foot lot excluding roadway right of way), or six percent built upon area for all other residential and non residential development; stormwater runoff from the development shall be transported by vegetated conveyances to the maximum extent practicable;~~
    - ~~(B) High Density Option: if new development density exceeds the low density requirements specified in Sub Item (3)(b)(ii)(A) of this Rule, then engineered stormwater controls shall be used to control runoff from the first inch of rainfall; new residential and non residential development density shall not exceed 24 percent built upon area;~~~~

APPENDIX A:

Tracked Changes Between Prior Rule and Rule Effective November 1, 2019

- ~~(C)(h)~~ No new permitted sites for land application of residuals or petroleum contaminated soils shall be allowed; in the Critical Area.  
~~(D)~~ No new landfills shall be allowed;
- ~~(e)~~ MBAS (Methylene Blue Active Substances): not greater than 0.5 mg/l to protect the aesthetic qualities of water supplies and to prevent foaming;
- ~~(d)~~ Odor producing substances contained in sewage or other wastes: only such amounts, whether alone or in combination with other substances or wastes, as shall not cause taste and odor difficulties in water supplies that cannot be corrected by treatment, impair the palatability of fish, or have a deleterious effect upon any best usage established for waters of this class;
- ~~(e)~~ Chlorinated phenolic compounds: not greater than 1.0 ug/l to protect water supplies from taste and odor problems from chlorinated phenols;
- ~~(f)~~ Total hardness: not greater than 100 mg/l as calcium carbonate (CaCO<sub>3</sub> or Ca + Mg);
- ~~(g)~~ Total dissolved solids: not greater than 500 mg/l;
- ~~(h)~~ Toxic and other deleterious substances:
- ~~(i)~~ Water quality standards (maximum permissible concentrations) to protect human health through water consumption and fish tissue consumption for non-carcinogens in Class WS-II waters:
- ~~(A)~~ Barium: 1.0 mg/l;
- ~~(B)~~ Chloride: 250 mg/l;
- ~~(C)~~ Nickel: 25 ug/l;
- ~~(D)~~ Nitrate nitrogen: 10 mg/l;
- ~~(E)~~ 2,4 D: 70 ug/l;
- ~~(F)~~ 2,4,5 TP (Silvex): 10 ug/l; and
- ~~(G)~~ Sulfates: 250 mg/l;
- ~~(ii)~~ Water quality standards (maximum permissible concentrations) to protect human health through water consumption and fish tissue consumption for carcinogens in Class WS-II waters:
- ~~(A)~~ Aldrin: 0.05 ng/l;
- ~~(B)~~ Arsenic: 10 ug/l;
- ~~(C)~~ Benzene: 1.19 ug/l;
- ~~(D)~~ Carbon tetrachloride: 0.254 ug/l;
- ~~(E)~~ Chlordane: 0.8 ng/l;
- ~~(F)~~ Chlorinated benzenes: 488 ug/l;
- ~~(G)~~ DDT: 0.2 ng/l;
- ~~(H)~~ Dieldrin: 0.05 ng/l;
- ~~(I)~~ Dioxin: 0.000005 ng/l;
- ~~(J)~~ Heptachlor: 0.08 ng/l;
- ~~(K)~~ Hexachlorobutadiene: 0.44 ug/l;
- ~~(L)~~ Polynuclear aromatic hydrocarbons (total of all PAHs): 2.8 ng/l;
- ~~(M)~~ Tetrachloroethane (1,1,2,2): 0.17 ug/l;
- ~~(N)~~ Tetrachloroethylene: 0.7 ug/l;
- ~~(O)~~ Trichloroethylene: 2.5 ug/l; and
- ~~(P)~~ Vinyl Chloride: 0.025 ug/l.

~~History Note: Authority G.S. 143-214.1; 143-215.3(a)(1);~~

~~Eff. May 10, 1979;~~

~~Amended Eff. January 1, 2015; May 1, 2007; April 1, 2003; January 1, 1996; October 1, 1995.~~

~~15A NCAC 02B .0215 FRESH SURFACE WATER QUALITY STANDARDS FOR CLASS WS-III WATERS~~

~~The(5) Nonpoint source pollution in a WS-III watershed shall meet the following water quality standards apply to surface requirements:~~

## APPENDIX A:

### Tracked Changes Between Prior Rule and Rule Effective November 1, 2019

- ~~(a) Nonpoint source pollution shall not have an adverse impact on waters within for use as a water supply watersheds classified as WS-III. Water quality standards applicable to or any other designated use.~~
- ~~(b) Class C waters as described in Rule .0211 of this Section shall also apply to Class WS-III waters.~~
- ~~(1) The best usage of WS-III waters shall be as follows: a source of water supply for drinking, culinary, or food processing purposes for those users where a more protective WS-I or WS-II classification is not feasible and any other best usage specified for Class C waters;~~
- ~~(2) The conditions related to the best usage shall be as follows: waters of this class are protected as water supplies that are located in low to moderately developed watersheds and that meet average watershed development density levels as specified in Sub Items (3)(b)(i)(A), (3)(b)(i)(B), (3)(b)(ii)(A) and (3)(b)(ii)(B) of this Rule; discharges that qualify for a General Permit pursuant to 15A NCAC 2H .0127, trout farm discharges, recycle (closed loop) systems that only discharge in response to 10 year storm events, and other stormwater discharges shall be allowed in the entire watershed; treated domestic wastewater discharges shall be allowed in the entire watershed but no new domestic wastewater discharges shall be allowed in the critical area; no new industrial wastewater discharges except non process industrial discharges shall be allowed in the entire watershed; the waters, following treatment required by the Division, shall meet the Maximum Contaminant Level concentrations considered safe for drinking, culinary, or food processing purposes that are specified in the national drinking water regulations and in the North Carolina Rules Governing Public Water Supplies, 15A NCAC 18C .1500. Sources of water pollution that preclude any of these uses on either a short term or long term basis shall be considered to be violating a water quality standard. The Class WS-III classification may be used to protect portions of Class WS-IV water supplies. For reclassifications of these portions of WS-IV water supplies occurring after the July 1, 1992 statewide reclassification, the more protective classification requested by local governments shall be considered by the Commission when all local governments having jurisdiction in the affected area(s) have adopted a resolution and the appropriate ordinances to protect the watershed or the Commission acts to protect a watershed when one or more local governments has failed to adopt necessary protection measures;~~
- ~~(3) Quality standards applicable to Class WS-III Waters shall be as follows:~~
- ~~(a) Sewage, industrial wastes, non process industrial wastes, or other wastes: none shall be allowed except for those specified in Item (2) of this Rule and Rule .0104 specified Class WS-III waters in Rule .0624 of this Subchapter; none shall be allowed that have an adverse effect on human health or that are not treated to the satisfaction of the Commission and in accordance with the requirements of the Division. Any discharger may be required by the Commission to disclose all chemical constituents present or potentially present in their wastes and chemicals that could be spilled or be present in runoff from their facility that may have an adverse impact on downstream water quality. These facilities may be required to have spill and treatment failure control plans as well as perform special monitoring for toxic substances;~~
- ~~(b) Nonpoint Source and Stormwater Pollution: none that would adversely impact the waters for use as water supply or any other designated use;~~
- ~~(i) Nonpoint Source and Stormwater Pollution Control Criteria For Entire Watershed:~~
- ~~(A) Low Density Option: development density shall be limited to either no more than two dwelling units of single family detached residential development per acre (or 20,000 square foot lot excluding roadway right-of way), or 24 percent built upon area for all other residential and non residential development in watershed outside of the critical area; stormwater runoff from the development shall be transported by vegetated conveyances to the maximum extent practicable;~~
- ~~(B) High Density Option: if new development practice exceeds the low density option requirements specified in Sub Item (3)(b)(i)(A) of this Rule then development shall control runoff from the first inch of rainfall; new residential and non residential development shall not exceed 50 percent built upon area;~~

## APPENDIX A:

### Tracked Changes Between Prior Rule and Rule Effective November 1, 2019

- ~~(C) Land within the watershed shall be deemed compliant with the density requirements if the following condition is met: the density of all existing development at the time of reclassification does not exceed the density requirement when densities are averaged throughout the entire watershed area;~~
- ~~(D) Cluster development shall be allowed on a project by project basis as follows:
  - ~~(I) overall density of the project meets associated density or stormwater control requirements of this Rule;~~
  - ~~(II) buffers meet the minimum statewide water supply watershed protection requirements;~~
  - ~~(III) built upon areas shall be designed and located to minimize stormwater runoff impact to the receiving waters, minimize concentrated stormwater flow, maximize the use of sheet flow through vegetated areas, and maximize the flow length through vegetated areas;~~
  - ~~(IV) areas of concentrated development shall be located in upland areas and away, to the maximum extent practicable, from surface waters and drainageways;~~
  - ~~(V) remainder of tract to remain in vegetated or natural state;~~
  - ~~(VI) area in the vegetated or natural state may be conveyed to a property owners association, a local government for preservation as a park or greenway, a conservation organization, or placed in a permanent conservation or farmland preservation easement;~~
  - ~~(VII) a maintenance agreement for the vegetated or natural area shall be filed with the Register of Deeds; and~~
  - ~~(VIII) cluster development that meets the applicable low density option requirements shall transport stormwater runoff from the development by vegetated conveyances to the maximum extent practicable;~~~~
- ~~(E) A maximum of 10 percent of each jurisdiction's portion of the watershed outside of the critical area as delineated on July 1, 1993 may be developed with new development projects and expansions of existing development of up to 70 percent built upon surface area (the "10/70 option") in addition to the new development approved in compliance with the appropriate requirements of Sub Item (3)(b)(i)(A) or Sub Item (3)(b)(i)(B) of this Rule. For expansions to existing development, the existing built upon surface area shall not be counted toward the allowed 70 percent built upon surface area. A local government having jurisdiction within the watershed may transfer, in whole or in part, its right to the 10/70 option land area to another local government within the watershed upon submittal of a joint resolution and review by the Commission. When the water supply watershed is composed of public lands, such as National Forest land, local governments may count the public land acreage within the watershed outside of the critical area in figuring the acreage allowed under this provision. For local governments that do not choose to use the high density option in that WS III watershed, each project shall, to the maximum extent practicable, minimize built upon surface area, direct stormwater runoff away from surface waters, and incorporate best management practices, as defined in Rule .0202 of this Section, to minimize water quality impacts. If the local government selects the high density development option within that WS III watershed, then engineered stormwater controls shall be employed for the new development;~~

## APPENDIX A:

### Tracked Changes Between Prior Rule and Rule Effective November 1, 2019

- ~~(F) — If local governments choose the high density development option that requires engineered stormwater controls, then they shall assume ultimate responsibility for operation and maintenance of the required controls as outlined in Rule .0104 of this Subchapter;~~
- ~~(G) — A minimum 100 foot vegetative buffer shall be required for all new development activities that exceed the low density requirements as specified in Sub Item (3)(b)(i)(A) and Sub Item (3)(b)(ii)(A) of this Rule, otherwise a minimum 30 foot vegetative buffer for development shall be required along all perennial waters indicated on the most recent versions of U.S.G.S. 1:24,000 (7.5 minute) scale topographic maps or as determined by local government studies. Nothing in this Rule shall stand as a bar to artificial streambank or shoreline stabilization;~~
- ~~(H) — No new development shall be allowed in the buffer; water dependent structures, or other structures such as flag poles, signs, and security lights, which result in only de minimus increases in impervious area and public projects such as road crossings and greenways may be allowed where no practicable alternative exists. These activities shall minimize built upon surface area and avoid channelizing stormwater;~~
- ~~(I) — No National Pollutant Discharge Elimination System (NPDES) permits shall be issued for landfills that discharge treated leachate;~~
- ~~(ii) — Critical Area Nonpoint Source and Stormwater Pollution Control Criteria:
  - ~~(A) — Low Density Option: new development shall be limited to either no more than one dwelling unit of single family detached residential development per acre (or 40,000 square foot lot excluding roadway right-of way), or 12 percent built upon area for all other residential and non residential development; stormwater runoff from the development shall be transported by vegetated conveyances to the maximum extent practicable;~~
  - ~~(B) — High Density Option: if new development exceeds the low density requirements specified in Sub Item (3)(b)(ii)(A) of this Rule, then engineered stormwater controls shall be used to control runoff from the first inch of rainfall; development shall not exceed 30 percent built upon area;~~
  - ~~(C) — No new permitted sites for land application of residuals or petroleum contaminated soils shall be allowed;~~
  - ~~(D) — No new landfills shall be allowed;~~~~
- ~~(e) — MBAS (Methylene Blue Active Substances): not greater than 0.5 mg/l to protect the aesthetic qualities of water supplies and to prevent foaming;~~
- ~~(d) — Odor producing substances contained in sewage, industrial wastes, or other wastes: only such amounts, whether alone or in combination with other substances or wastes, as shall not cause taste and odor difficulties in water supplies that cannot be corrected by treatment, impair the palatability of fish, or have a deleterious effect upon any best usage established for waters of this class;~~
- ~~(e) — Chlorinated phenolic compounds: not greater than 1.0 ug/l to protect water supplies from taste and odor problems from chlorinated phenols;~~
- ~~(f) — Total hardness: not greater than 100 mg/l as calcium carbonate (CaCO<sub>3</sub> or Ca + Mg);~~
- ~~(g) — Total dissolved solids: not greater than 500 mg/l;~~
- ~~(h) — Toxic and other deleterious substances:
  - ~~(i) — Water quality standards (maximum permissible concentrations) to protect human health through water consumption and fish tissue consumption for non-carcinogens in Class WS-III waters:
    - ~~(A) — Barium: 1.0 mg/l;~~
    - ~~(B) — Chloride: 250 mg/l;~~
    - ~~(C) — Nickel: 25 ug/l;~~
    - ~~(D) — Nitrate nitrogen: 10 mg/l;~~~~~~



APPENDIX A:

Tracked Changes Between Prior Rule and Rule Effective November 1, 2019

- ~~(E) — 2,4 D: 70 ug/l;~~
- ~~(F) — 2,4,5 TP (Silvex): 10 ug/l; and~~
- ~~(G) — Sulfates: 250 mg/l;~~
- ~~(ii) — Water quality standards (maximum permissible concentrations) to protect human health through water consumption and fish tissue consumption for carcinogens in Class WS-III waters:~~
  - ~~(A) — Aldrin: 0.05 ng/l;~~
  - ~~(B) — Arsenic: 10 ug/l;~~
  - ~~(C) — Benzene: 1.19 ug/l;~~
  - ~~(D) — Carbon tetrachloride: 0.254 ug/l;~~
  - ~~(E) — Chlordane: 0.8 ng/l;~~
  - ~~(F) — Chlorinated benzenes: 488 ug/l;~~
  - ~~(G) — DDT: 0.2 ng/l;~~
  - ~~(H) — Dieldrin: 0.05 ng/l;~~
  - ~~(I) — Dioxin: 0.000005 ng/l;~~
  - ~~(J) — Heptachlor: 0.08 ng/l;~~
  - ~~(K) — Hexachlorobutadiene: 0.44 ug/l;~~
  - ~~(L) — Polynuclear aromatic hydrocarbons (total of all PAHs): 2.8 ng/l;~~
  - ~~(M) — Tetrachloroethane (1,1,2,2): 0.17 ug/l;~~
  - ~~(N) — Tetrachloroethylene: 0.7 ug/l;~~
  - ~~(O) — Trichloroethylene: 2.5 ug/l; and~~
  - ~~(P) — Vinyl Chloride: 0.025 ug/l.~~

~~History Note: Authority G.S. 143-214.1; 143-215.3(a)(1);~~

~~History Note: Authority G.S. 143-214.1; 143-215.3(a)(1);~~

~~Eff. September 9, 1979;~~

~~Amended Eff. January 1, 2015; May 1, 2007; April 1, 2003; January 1, 1996; October 1, 1995; October 1, 1989;~~

~~Readopted Eff. November 1, 2019.~~

**15A NCAC 02B .0216 FRESH SURFACE WATER QUALITY STANDARDS FOR CLASS WS-IV WATERS**

~~The following water quality standards shall apply to surface waters within water supply watersheds classified as WS-IV. Water quality standards applicable to Class C waters as described in Rule .0211 of this Section shall also apply to Class WS-IV waters.~~

- ~~(1) The best usage of waters classified as WS-IV shall be as a source of water supply for drinking, culinary, or food-processing purposes for those users where a more protective WS-I, WS-II or WS-III classification is not feasible as determined by the Commission in accordance with Rules .0212 through .0215 of this Section and any other best usage specified for Class C waters.~~
- ~~(2) The best usage of waters classified as WS-IV WATERS shall be maintained as follows:~~

~~The following water quality standards apply to surface waters within water supply watersheds classified as WS-IV.~~

~~(a) Water quality standards applicable to Class C waters as described in Rule .0211 of this Section shall also apply to Class WS-IV waters.~~

- ~~(1) The best usage of WS-IV waters shall be as follows: a source of water supply for drinking, culinary, or food-processing purposes for those users where a more protective WS-I, WS-II or WS-III classification is not feasible and any other best usage specified for Class C waters;~~
- ~~(2) The conditions related to the best usage shall be as follows: waters of this class are protected as water supplies that are in moderately to highly developed watersheds or protected areas and meet average WS-IV watershed development density levels shall meet the requirements as specified in Sub-Items Item (3)(b)(i)(A), (3)(b)(i)(B), (3)(b)(ii)(A) and (3)(b)(ii)(B) of this Rule; discharges that qualify for a General Permit pursuant to 15A NCAC 02H .0127, trout farm discharges, recycle (closed loop) systems that only discharge in response to 10-year storm events, other stormwater discharges, and domestic wastewater discharges shall be allowed in the protected and critical areas; treated industrial wastewater~~

## APPENDIX A:

### Tracked Changes Between Prior Rule and Rule Effective November 1, 2019

- ~~discharges shall be allowed in the protected and critical areas; however, new industrial wastewater discharges in the critical area shall be required to meet the provisions of 15A NCAC 02B .0224(1)(b)(iv), (v) and (vii), and 15A NCAC 02B .0203; new industrial connections and expansions to existing municipal discharges with a pretreatment program pursuant to 15A NCAC 02H .0904 shall be allowed; the waters, following treatment required by the Division, of this Rule.~~
- (b) ~~Wastewater and stormwater point source discharges in a WS-IV watershed shall meet the requirements as specified in Item (4) of this Rule.~~
- (c) ~~Nonpoint source pollution in a WS-IV watershed shall meet the requirements as specified in Item (5) of this Rule.~~
- (d) ~~Following approved treatment, as defined in Rule .0202 of this Section, the waters shall meet the Maximum Contaminant Level concentrations considered safe for drinking, culinary, or food-processing purposes that are specified in the national drinking water regulations 40 CFR Part 141 National Primary Drinking Water Regulations and in the North Carolina Rules Governing Public Water Supplies, 15A NCAC 18C .1500.~~
- (e) ~~Sources of water pollution that preclude any of these the best uses on either a short-term or long-term basis shall be considered deemed to be violating violate a water quality standard.~~
- (f) ~~The Class WS-II or WS-III classifications may be used to protect portions of Class WS-IV water supplies. For reclassifications of these portions of WS-IV water supplies occurring after the July 1, 1992 statewide reclassification, the more protective a WS-IV classification that is requested by local governments shall be considered by the Commission when if all local governments having jurisdiction in the affected area(s) areas have adopted a resolution and the appropriate ordinances as required by G.S. 143-214.5(d) to protect the watershed or if the Commission acts to protect a watershed when one or more local governments has failed to adopt necessary protection-protective measures; as required by this Sub-Item.~~
- (3) ~~Quality~~ Water quality standards applicable to Class WS-IV Waters shall be as follows:
- (a) ~~Sewage(a)~~ MBAS (Methylene-Blue Active Substances): not greater than 0.5 mg/l to protect the aesthetic qualities of water supplies and to prevent foaming;
- (b) ~~Odor producing substances contained in sewage, industrial wastes, non-process industrial or other wastes: only such amounts, whether alone or in combination with other substances or waste, as will not cause organoleptic effects in water supplies that cannot be corrected by treatment, impair the palatability of fish, or other have an adverse impact, as defined in 15A NCAC 02H .1002, on any best usage established for waters of this class;~~
- (c) ~~Chlorinated phenolic compounds: not greater than 1.0 ug/l to protect water supplies from taste and odor problems due to chlorinated phenols shall be allowed. Specific phenolic compounds may be given a different limit if it is demonstrated not to cause taste and odor problems and not to be detrimental to other best usage;~~
- (d) ~~Total hardness: not greater than 100 mg/l as calcium carbonate (CaCO<sub>3</sub> or Ca + Mg);~~
- (e) ~~Solids, total dissolved: not greater than 500 mg/l;~~
- (f) ~~Toxic and other deleterious substances that are non-carcinogens:~~
- (i) ~~Barium: 1.0 mg/l;~~
- (ii) ~~Chloride: 250 mg/l;~~
- (iii) ~~Nickel: 25 ug/l;~~
- (iv) ~~Nitrate nitrogen: 10.0 mg/l;~~
- (v) ~~2,4-D: 70 ug/l;~~
- (vi) ~~2,4,5-TP (Silvex): 10 ug/l; and~~
- (vii) ~~Sulfates: 250 mg/l;~~
- (g) ~~Toxic and other deleterious substances that are carcinogens:~~
- (i) ~~Aldrin: 0.05 ng/l;~~
- (ii) ~~Arsenic: 10 ug/l;~~
- (iii) ~~Benzene: 1.19 ug/l;~~
- (iv) ~~Carbon tetrachloride: 0.254 ug/l;~~
- (v) ~~Chlordane: 0.8 ng/l;~~
- (vi) ~~Chlorinated benzenes: 488 ug/l;~~
- (vii) ~~DDT: 0.2 ng/l;~~

## APPENDIX A:

### Tracked Changes Between Prior Rule and Rule Effective November 1, 2019

- (viii) Dieldrin: 0.05 ng/l;
  - (ix) Dioxin: 0.000005 ng/l;
  - (x) Heptachlor: 0.08 ng/l;
  - (xi) Hexachlorobutadiene: 0.44 ug/l;
  - (xii) Polynuclear aromatic hydrocarbons (total of all PAHs): 2.8 ng/l;
  - (xiii) Tetrachloroethane (1,1,2,2): 0.17 ug/l;
  - (xiv) Tetrachloroethylene: 0.7 ug/l;
  - (xv) Trichloroethylene: 2.5 ug/l; and
  - (xvi) Vinyl Chloride: 0.025 ug/l.
- (4) Wastewater and stormwater point source discharges in a WS-IV watershed shall meet the following requirements:
- (a) Discharges that qualify for a General NPDES Permit pursuant to 15A NCAC 02H .0127 shall be allowed in the entire watershed.
  - (b) Discharges from domestic facilities, industrial facilities and trout farms that are subject to Individual NPDES Permits shall be allowed in the entire watershed.
  - (c) Stormwater discharges that qualify for an Individual NPDES Permit pursuant to 15A NCAC 02H .0126 shall be allowed in the entire watershed.
  - (d) No discharge of sewage, industrial wastes: ~~none~~, or other wastes shall be allowed in the entire watershed except for those specified in Item (2) allowed by Sub-Items (a) through (c) of this Rule and Item or Rule .0104 of this Subchapter, and none shall be allowed that have an adverse effect on human health or that are not treated to the satisfaction of the Commission and in accordance with the permit or other requirements established by the Division. Any pursuant to G.S. 143-215.1. Upon request by the Commission, dischargers or industrial users subject to pretreatment standards shall disclose all chemical constituents present or potentially present in their wastes and chemicals that could be spilled or be present in runoff from their facility which may have an adverse impact on downstream water supplies. These facilities may be required to have spill and treatment failure control plans as well as perform special monitoring for toxic substances.
  - (e) New industrial discharges of treated wastewater in the critical area shall meet the provisions of Rule .0224(c)(2)(D), (E), and (G) of this Section and Rule .0203 of this Section.
  - (f) New industrial connections and expansions to existing municipal discharges with a pretreatment program pursuant to 15A NCAC 02H .0904 shall be allowed in the entire watershed.
  - (g) No new landfills shall be allowed in the Critical Area.
  - (h) No new permitted sites for land application residuals or petroleum contaminated soils shall be allowed in the Critical Area.
- (5) Nonpoint source pollution in a WS-IV watershed shall meet the following requirements:
- (a) Nonpoint source pollution shall not have an adverse impact on waters for use as a water supply or any other designated use.
  - (b) Class WS-IV waters shall be protected as water supplies that are located in watersheds that meet average watershed development density levels specified for Class WS-IV waters in Rule .0624 of this Subchapter.

History Note: Authority G.S. 143-214.1; 143-215.3(a)(1);  
Eff. February 1, 1986;  
Amended Eff. January 1, 2015; May 1, 2007; April 1, 2003; June 1, 1996; October 1, 1995; August 1, 1995; June 1, 1994;  
Readopted Eff. November 1, 2019.

### 15A NCAC 02B .0217 STORMWATER CONTROL CRITERIA TO PROTECT WATER QUALITY STDS

History Note: Authority G.S. 143-214.1; 143-215.3(a)(1);  
Eff. November 1, 1986;

**APPENDIX A:**

**Tracked Changes Between Prior Rule and Rule Effective November 1, 2019**

Repealed Eff. January 1, 1988.

**15A NCAC 02B .0218 FRESH SURFACE WATER QUALITY STANDARDS FOR CLASS WS-V WATERS**

The following water quality standards shall apply to surface waters within water supply watersheds classified as WS-V. Water quality standards applicable to Class C waters as described in Rule .0211 of this Section shall also apply to Class WS-V waters.

- (1) The best usage of waters classified as WS-V shall be as waters that are protected as water supplies which are generally upstream and draining to Class WS-IV waters; waters previously used for drinking water supply purposes; or waters used by industry to supply their employees, but not municipalities or counties, with a raw drinking water supply source, although this type of use is not restricted to WS-V classification; and all Class C uses.
- (2) The best usage of waters classified as WS-V shall be maintained as follows:
  - (a) Water quality standards in a WS-V water shall meet the requirements as specified in Item (3) of this Rule.
  - (b) Wastewater and stormwater point source discharges in a WS-V water shall meet the requirements as specified in Item (4) of this Rule.
  - (c) Nonpoint source pollution in a WS-V water shall meet the requirements as specified in Item (5) of this Rule.
  - (d) Following approved treatment, as defined in Rule .0202 of this Section, the waters shall meet the Maximum Contaminant Level concentrations considered safe for drinking, culinary, or food-processing purposes that are specified in 40 CFR Part 141 National Primary Drinking Water Regulations and in the North Carolina Rules Governing Public Water Supplies, 15A NCAC 18C .1500.
  - (e) The Commission or its designee may apply management requirements for the protection of waters downstream of receiving waters provided in Rule .0203 of this Section.
  - (f) The Commission shall consider a more protective classification for the water supply if a resolution requesting a more protective classification is submitted from all local governments having land use jurisdiction within the affected watershed.
  - (g) Sources of water pollution that preclude any of the best uses on either a short-term or long-term basis shall be deemed to violate a water quality standard;
- (3) Water quality standards applicable to Class WS-V Waters shall be as follows:
  - (a) MBAS (Methylene-Blue Active Substances): not greater than 0.5 mg/l to protect the aesthetic qualities of water supplies and to prevent foaming;
  - (b) Odor producing substances contained in sewage, industrial wastes, or other wastes: only such amounts, whether alone or in combination with other substances or waste, as will not cause organoleptic effects in water supplies that can not be corrected by treatment, impair the palatability of fish, or have an adverse impact, as defined in 15A NCAC 02H .1002, on any best usage established for waters of this class;
  - (c) Chlorinated phenolic compounds: not greater than 1.0 ug/l to protect water supplies from taste and odor problems due to chlorinated phenols. Specific phenolic compounds may be given a different limit if it is demonstrated not to cause taste and odor problems and not to be detrimental to other best usage;  
~~may be required by the Commission to~~(d) Total hardness: not greater than 100 mg/l as calcium carbonate (CaCO<sub>3</sub> or Ca + Mg);
  - (e) Solids, total dissolved: not greater than 500 mg/l;
  - (f) Toxic and other deleterious substances that are non-carcinogens:
    - (i) Barium: 1.0 mg/l;
    - (ii) Chloride: 250 mg/l;
    - (iii) Nickel: 25 ug/l;
    - (iv) Nitrate nitrogen: 10.0 mg/l;
    - (v) 2,4-D: 70 ug/l;
    - (vi) 2,4,5-TP (Silvex): 10 ug/l; and
    - (vii) Sulfates: 250 mg/l;
  - (g) Toxic and other deleterious substances that are carcinogens:

APPENDIX A:

Tracked Changes Between Prior Rule and Rule Effective November 1, 2019

- (i) Aldrin: 0.05 ng/l;
  - (ii) Arsenic: 10 ug/l;
  - (iii) Benzene: 1.19 ug/l;
  - (iv) Carbon tetrachloride: 0.254 ug/l;
  - (v) Chlordane: 0.8 ng/l;
  - (vi) Chlorinated benzenes: 488 ug/l;
  - (vii) DDT: 0.2 ng/l;
  - (viii) Dieldrin: 0.05 ng/l;
  - (ix) Dioxin: 0.000005 ng/l;
  - (x) Heptachlor: 0.08 ng/l;
  - (xi) Hexachlorobutadiene: 0.44 ug/l;
  - (xii) Polynuclear aromatic hydrocarbons (total of all PAHs): 2.8 ng/l;
  - (xiii) Tetrachloroethane (1,1,2,2): 0.17 ug/l;
  - (xiv) Tetrachloroethylene: 0.7 ug/l;
  - (xv) Trichloroethylene: 2.5 ug/l; and
  - (xvi) Vinyl Chloride: 0.025 ug/l.
- (4) ~~No discharge of sewage, industrial wastes, or other wastes shall be allowed that have an adverse effect on human health or that are not treated in accordance with the permit or other requirements established by the Division pursuant to G.S. 143-215.1. Upon request by the Commission, dischargers or industrial users subject to pretreatment standards shall disclose all chemical constituents present or potentially present in their wastes and chemicals that could be spilled or be present in runoff from their facility which may have an adverse impact on downstream water supplies-quality. These facilities may be required to have spill and treatment failure control plans as well as perform special monitoring for toxic substances.~~
- (b5) ~~Nonpoint Source and Stormwater Pollution: none shall be allowed that would adversely pollution in a WS-V water shall not have an adverse impact theon waters for use as water supply or any other designated use.~~
- (i) ~~Nonpoint Source and Stormwater Pollution Control Criteria For Entire Watershed or Protected Area:~~
    - (A) ~~Low Density Option: development activities that require a Sedimentation/Erosion Control Plan in accordance with 15A NCAC 04 established by the North Carolina Sedimentation Control Commission or approved local government programs as delegated by the Sedimentation Control Commission shall be limited to no more than either: two dwelling units of single family detached development per acre (or 20,000 square foot lot excluding roadway right of way), or 24 percent built upon on area for all other residential and non-residential development; or three dwelling units per acre, or 36 percent built upon area for projects without curb and gutter street systems in the protected area outside of the critical area; stormwater runoff from the development shall be transported by vegetated conveyances to the maximum extent practicable;~~
    - (B) ~~High Density Option: if new development activities that require a Sedimentation/Erosion Control Plan exceed the low density requirements of Sub Item (3)(b)(i)(A) of this Rule, then development shall control the runoff from the first inch of rainfall; new residential and non-residential development shall not exceed 70 percent built upon area;~~
    - (C) ~~Land within the critical and protected area shall be deemed compliant with the density requirements if the following condition is met: the density of all existing development at the time of reclassification does not exceed the density requirement when densities are averaged throughout the entire area;~~
    - (D) ~~Cluster development shall be allowed on a project by project basis as follows:~~

## APPENDIX A:

### Tracked Changes Between Prior Rule and Rule Effective November 1, 2019

- ~~(I) — overall density of the project meets associated density or stormwater control requirements of this Rule;~~
- ~~(II) — buffers meet the minimum statewide water supply watershed protection requirements;~~
- ~~(III) — built upon areas shall be designed and located to minimize stormwater runoff impact to the receiving waters, minimize concentrated stormwater flow, maximize the use of sheet flow through vegetated areas, and maximize the flow length through vegetated areas;~~
- ~~(IV) — areas of concentrated development shall be located in upland areas and away, to the maximum extent practicable, from surface waters and drainageways;~~
- ~~(V) — remainder of tract to remain in vegetated or natural state;~~
- ~~(VI) — area in the vegetated or natural state may be conveyed to a property owners association, a local government for preservation as a park or greenway, a conservation organization, or placed in a permanent conservation or farmland preservation easement;~~
- ~~(VII) — a maintenance agreement for the vegetated or natural area shall be filed with the Register of Deeds; and~~
- ~~(VIII) — cluster development that meets the applicable low density option requirements shall transport stormwater runoff from the development by vegetated conveyances to the maximum extent practicable;~~
- ~~(E) — If local governments choose the high density development option that requires engineered stormwater controls, then they shall assume responsibility for operation and maintenance of the required controls as outlined in Rule .0104 of this Subchapter;~~
- ~~(F) — A minimum 100 foot vegetative buffer shall be required for all new development activities that exceed the low density option requirements as specified in Sub Item (3)(b)(i)(A) or Sub Item (3)(b)(ii)(A) of this Rule, otherwise a minimum 30 foot vegetative buffer for development shall be required along all perennial waters indicated on the most recent versions of U.S.G.S. 1:24,000 (7.5 minute) scale topographic maps or as determined by local government studies;~~
- ~~(G) — No new development shall be allowed in the buffer; water dependent structures, or other structures, such as flag poles, signs, and security lights, which result in only de minimus increases in impervious area and public projects such as road crossings and greenways may be allowed where no practicable alternative exists. These activities shall minimize built upon surface area and avoid channelizing stormwater;~~
- ~~(H) — For local governments that do not use the high density option, a maximum of 10 percent of each jurisdiction's portion of the watershed outside of the critical area as delineated on July 1, 1995 may be developed with new development projects and expansions to existing development of up to 70 percent built upon surface area (the "10/70 option") in addition to the new development approved in compliance with the appropriate requirements of Sub Item (3)(b)(i)(A) of this Rule. For expansions to existing development, the existing built upon surface area shall not be counted toward the allowed 70 percent built upon surface area. A local government having jurisdiction within the watershed may transfer, in whole or in part, its right to the 10/70 option land area to another local government within the watershed upon submittal of a joint resolution for review by the Commission. When the designated water supply watershed area is composed of public land, such~~

## APPENDIX A:

### Tracked Changes Between Prior Rule and Rule Effective November 1, 2019

- ~~as National Forest land, local governments may count the public land acreage within the designated watershed area outside of the critical area in figuring the acreage allowed under this provision. Each project shall, to the maximum extent practicable, minimize built-upon surface area, direct stormwater runoff away from surface waters and incorporate best management practices, as defined in Rule .0202 of this Section, to minimize water quality impacts;~~
- (ii) ~~Critical Area Nonpoint Source and Stormwater Pollution Control Criteria:~~
- (A) ~~Low Density Option: new development activities that require a Sedimentation/Erosion Control Plan in accordance with 15A NCAC 4 established by the North Carolina Sedimentation Control Commission or approved local government programs as delegated by the Sedimentation Control Commission shall be limited to no more than two dwelling units of single family detached development per acre (or 20,000 square foot lot excluding roadway right of way), or 24 percent built-upon area for all other residential and non-residential development; stormwater runoff from the development shall be transported by vegetated conveyances to the maximum extent practicable;~~
- (B) ~~High Density Option: if new development density exceeds the low density requirements specified in Sub Item (3)(b)(ii)(A) of this Rule, engineered stormwater controls shall be used to control runoff from the first inch of rainfall; new residential and non-residential development shall not exceed 50 percent built-upon area;~~
- (C) ~~No new permitted sites for land application of residuals or petroleum contaminated soils shall be allowed;~~
- (D) ~~No new landfills shall be allowed;~~
- (e) ~~MBAS (Methylene Blue Active Substances): not greater than 0.5 mg/l to protect the aesthetic qualities of water supplies and to prevent foaming;~~
- (d) ~~Odor producing substances contained in sewage, industrial wastes, or other wastes: only such amounts, whether alone or in combination with other substances or waste, as will not cause taste and odor difficulties in water supplies that cannot be corrected by treatment, impair the palatability of fish, or have a deleterious effect upon any best usage established for waters of this class;~~
- (e) ~~Chlorinated phenolic compounds: not greater than 1.0 ug/l to protect water supplies from taste and odor problems due to chlorinated phenols shall be allowed. Specific phenolic compounds may be given a different limit if it is demonstrated not to cause taste and odor problems and not to be detrimental to other best usage;~~
- (f) ~~Total hardness shall not exceed 100 mg/l as calcium carbonate (CaCO<sub>3</sub> or Ca + Mg);~~
- (g) ~~Total dissolved solids shall not exceed 500 mg/l;~~
- (h) ~~Toxic and other deleterious substances:~~
- (i) ~~Water quality standards (maximum permissible concentrations) to protect human health through water consumption and fish tissue consumption for non-carcinogens in Class WS-IV waters:~~
- (A) ~~Barium: 1.0 mg/l;~~
- (B) ~~Chloride: 250 mg/l;~~
- (C) ~~Nickel: 25 ug/l;~~
- (D) ~~Nitrate nitrogen: 10.0 mg/l;~~
- (E) ~~2,4 D: 70 ug/l;~~
- (F) ~~2,4,5 TP (Silvex): 10 ug/l; and~~
- (G) ~~Sulfates: 250 mg/l;~~
- (ii) ~~Water quality standards (maximum permissible concentrations) to protect human health through water consumption and fish tissue consumption for carcinogens in Class WS-IV waters:~~
- (A) ~~Aldrin: 0.05 ng/l;~~
- (B) ~~Arsenic: 10 ug/l;~~

**APPENDIX A:  
Tracked Changes Between Prior Rule and Rule Effective November 1, 2019**

- ~~(C) — Benzene: 1.19 ug/l;~~
- ~~(D) — Carbon tetrachloride: 0.254 ug/l;~~
- ~~(E) — Chlordane: 0.8 ng/l;~~
- ~~(F) — Chlorinated benzenes: 488 ug/l;~~
- ~~(G) — DDT: 0.2 ng/l;~~
- ~~(H) — Dieldrin: 0.05 ng/l;~~
- ~~(I) — Dioxin: 0.000005 ng/l;~~
- ~~(J) — Heptachlor: 0.08 ng/l;~~
- ~~(K) — Hexachlorobutadiene: 0.44 ug/l;~~
- ~~(L) — Polynuclear aromatic hydrocarbons (total of all PAHs): 2.8 ng/l;~~
- ~~(M) — Tetrachloroethane (1,1,2,2): 0.17 ug/l;~~
- ~~(N) — Tetrachloroethylene: 0.7 ug/l;~~
- ~~(O) — Trichloroethylene: 2.5 ug/l; and~~
- ~~(P) — Vinyl Chloride: 0.025 ug/l.~~

*History Note:* Authority G.S. 143-214.1; 143-215.3(a)(1);  
Eff. February 1, 1986;  
~~Amended Eff. January 1, 2015; May 1, 2007; April 1, 2003; June 1, 1996; October 1, 1995; August 1, 1995; June 1, 1994.~~

~~**15A NCAC 02B .0217 — STORMWATER CONTROL CRITERIA TO PROTECT WATER QUALITY  
STDS**~~

~~*History Note:* Authority G.S. 143-214.1; 143-215.3(a)(1);  
Eff. November 1, 1986;  
Repealed Eff. January 1, 1988.~~

~~**15A NCAC 02B .0218 — FRESH SURFACE WATER QUALITY STANDARDS FOR CLASS WS V  
WATERS**~~

~~The following water quality standards apply to surface waters within water supply watersheds classified as WS V. Water quality standards applicable to Class C waters as described in Rule .0211 of this Section shall also apply to Class WS V waters.~~

- ~~(1) — The best usage of WS V waters shall be as follows: waters that are protected as water supplies that are upstream and draining to Class WS IV waters; or waters previously used for drinking water supply purposes; or waters used by industry to supply their employees, but not municipalities or counties, with a raw drinking water supply source, although this type of use shall not be restricted to WS V classification; and all Class C uses. The Commission may consider a more protective classification for the water supply if a resolution requesting a more protective classification is submitted from all local governments having land use jurisdiction within the affected watershed;~~
- ~~(2) — The conditions related to the best usage shall be as follows: waters of this class are protected water supplies; the waters, following treatment required by the Division, shall meet the Maximum Contaminant Level concentrations considered safe for drinking, culinary, or food processing purposes that are specified in the national drinking water regulations and in the North Carolina Rules Governing Public Water Supplies, 15A NCAC 18C .1500; no categorical restrictions on watershed development or wastewater discharges shall be required, however, the Commission or its designee may apply management requirements for the protection of waters downstream of receiving waters (15A NCAC 02B .0203). Sources of water pollution that preclude any of these uses on either a short term or long term basis shall be considered to be violating a water quality standard;~~
- ~~(3) — Quality standards applicable to Class WS V Waters shall be as follows:
  - ~~(a) — Sewage, industrial wastes, non process industrial wastes, or other wastes: none shall be allowed that have an adverse effect on human health or that are not treated to the satisfaction of the Commission and in accordance with the requirements of the Division. Any discharges or industrial users subject to pretreatment standards shall be required by the Commission to disclose all chemical constituents present or potentially present in their wastes and chemicals that could be spilled or be present in runoff from their facility which~~~~



## APPENDIX A:

### Tracked Changes Between Prior Rule and Rule Effective November 1, 2019

- may have an adverse impact on downstream water supplies. These facilities may be required to have spill and treatment failure control plans as well as perform special monitoring for toxic substances;
- ~~(b) MBAS (Methylene Blue Active Substances): not greater than 0.5 mg/l to protect the aesthetic qualities of water supplies and to prevent foaming;~~
  - ~~(c) Nonpoint Source and Stormwater Pollution: none that would adversely impact the waters for use as water supply or any other designated use;~~
  - ~~(d) Odor producing substances contained in sewage, industrial wastes, or other wastes: only such amounts, whether alone or in combination with other substances or waste, as will not cause taste and odor difficulties in water supplies that cannot be corrected by treatment, impair the palatability of fish, or have a deleterious effect upon any best usage established for waters of this class;~~
  - ~~(e) Chlorinated phenolic compounds: not greater than 1.0 ug/l to protect water supplies from taste and odor problems due to chlorinated phenols; specific phenolic compounds may be given a different limit if it is demonstrated not to cause taste and odor problems and not to be detrimental to other best usage;~~
  - ~~(f) Total hardness: not greater than 100 mg/l as calcium carbonate (CaCO<sub>3</sub> or Ca + Mg);~~
  - ~~(g) Total dissolved solids: not greater than 500 mg/l;~~
  - ~~(h) Toxic and other deleterious substances:
    - ~~(i) Water quality standards (maximum permissible concentrations) to protect human health through water consumption and fish tissue consumption for non-carcinogens in Class WS-V waters:
      - ~~(A) Barium: 1.0 mg/l;~~
      - ~~(B) Chloride: 250 mg/l;~~
      - ~~(C) Nickel: 25 ug/l;~~
      - ~~(D) Nitrate nitrogen: 10.0 mg/l;~~
      - ~~(E) 2,4 D: 70 ug/l;~~
      - ~~(F) 2,4,5 TP (Silvex): 10 ug/l; and~~
      - ~~(G) Sulfates: 250 mg/l.~~~~
    - ~~(ii) Water quality standards (maximum permissible concentrations) to protect human health through water consumption and fish tissue consumption for carcinogens in Class WS-V waters:
      - ~~(A) Aldrin: 0.05 ng/l;~~
      - ~~(B) Arsenic: 10 ug/l;~~
      - ~~(C) Benzene: 1.19 ug/l;~~
      - ~~(D) Carbon tetrachloride: 0.254 ug/l;~~
      - ~~(E) Chlordane: 0.8 ng/l;~~
      - ~~(F) Chlorinated benzenes: 488 ug/l;~~
      - ~~(G) DDT: 0.2 ng/l;~~
      - ~~(H) Dieldrin: 0.05 ng/l;~~
      - ~~(I) Dioxin: 0.000005 ng/l;~~
      - ~~(J) Heptachlor: 0.08 ng/l;~~
      - ~~(K) Hexachlorobutadiene: 0.44 ug/l;~~
      - ~~(L) Polynuclear aromatic hydrocarbons (total of all PAHs): 2.8 ng/l;~~
      - ~~(M) Tetrachloroethane (1,1,2,2): 0.17 ug/l;~~
      - ~~(N) Tetrachloroethylene: 0.7 ug/l;~~
      - ~~(O) Trichloroethylene: 2.5 ug/l; and~~
      - ~~(P) Vinyl Chloride: 0.025 ug/l.~~~~~~

~~History Note: Authority G.S. 143-214.1; 143-215.3(a)(1);~~

~~Eff. October 1, 1989;~~

~~Amended Eff. January 1, 2015; May 1, 2007; April 1, 2003; October 1, 1995-;~~

~~Readopted Eff. November 1, 2019.~~

## APPENDIX A:

### Tracked Changes Between Prior Rule and Rule Effective November 1, 2019

The following water quality standards shall apply to surface waters that are for primary contact recreation, ~~including frequent or organized swimming as defined in Rule .0202 of this Section~~, and are classified as Class B waters. -Water quality standards applicable to Class C waters as described in Rule .0211 of this Section also apply to Class B waters.

- (1) ~~Best Usage of Waters. Primary~~The best usage of Class B waters shall be primary contact recreation and any other best usage specified ~~by the "for Class C" classification; waters.~~
- (2) ~~Conditions Related to Best Usage. The Class B~~ waters shall meet ~~accepted~~the standards of water quality for outdoor bathing places as specified in Item (3) of this Rule and shall be of sufficient size and depth for primary contact recreation ~~purposes.~~ In assigning the B classification to waters intended for primary contact recreation, the Commission shall consider the relative proximity of sources of water pollution and the potential hazards involved in locating swimming areas close to sources of water pollution and shall not assign this classification to waters in which such water pollution could result in a hazard to public health. Sources of water pollution ~~which~~that preclude any of these uses on either a short-term or long-term basis shall be ~~considered~~deemed to be ~~violating~~violate a water quality standard.
- (3) Quality standards applicable to Class B waters:
  - (a) Sewage, industrial wastes, or other wastes: ~~none which~~shall be allowed that are not ~~effectively~~treated to the satisfaction of the Commission; ~~in.~~ In determining the degree of treatment required for such waste when discharged into waters to be used for bathing, the Commission shall consider the quality and quantity of the sewage and wastes involved and the proximity of such discharges to waters in this class; ~~discharges.~~ Discharges in the immediate vicinity of bathing areas ~~may~~shall not be allowed if the Director determines that the waste ~~can not~~cannot be ~~reliably~~treated to ensure the protection of primary contact recreation;
  - (b) ~~Organisms of coliform group: fecal~~Fecal coliforms shall not to exceed a geometric mean of 200/100 ml (MF count) based on at least five ~~consecutive~~ samples ~~examined during any taken over a 30-day period and not to,~~ nor exceed 400/100 ml in more than 20 percent of the samples examined during such period.

~~History Note: Authority G.S. 143-214.1; 143-215.3(a)(1);~~

- (4) Wastewater discharges to waters classified as B shall meet the reliability requirements specified in 15A NCAC 02H .0124. Discharges to waters where a primary contact recreational use is determined by the Director to be attainable shall be required to meet water quality standards and reliability requirements to protect this use concurrently with reclassification efforts.

~~History Note: Authority G.S. 143-214.1; 143-215.3(a)(1);~~

~~Eff. January 1, 1990;~~

~~Amended Eff. October 1, 1995;~~

~~Readopted Eff. November 1, 2019.~~

### 15A NCAC 02B .0220 TIDAL SALT WATER QUALITY STANDARDS FOR CLASS SC WATERS

~~General. The~~In addition to the standards set forth in Rule .0208 of this Section, the following water quality standards for all tidal salt waters ~~shall be the basic standards applicable to~~apply to all Class SC waters. -Additional ~~and more stringent~~ standards applicable to other ~~specific~~ tidal salt water classifications are specified in Rules .0221 and .0222 of this Section. ~~Action Levels, for purposes of National Pollutant Discharge Elimination System (NPDES) permitting, are specified in Item (20) of this Rule.~~

- (1) ~~Best Usage of Waters: any usage except primary recreation or shellfishing for market purposes; usages include~~The best usage of waters classified as SC shall be aquatic life propagation, survival, and maintenance of biological integrity (including fishing, fish, and functioning Primary Nursery Areas (PNAs)); wildlife, and; secondary recreation;
- (2) ~~Conditions Related to Best Usage: the waters contact recreation as defined in Rule .0202 in this Section; and any usage except primary contact recreation or shellfishing for market purposes. All saltwaters shall be suitable for aquatic life propagation and maintenance of biological integrity, wildlife, and secondary recreation. classified to protect these uses at a minimum.~~
- (2) The best usage of waters classified as SC shall be maintained as specified in this Rule. Any source of water pollution that precludes any of these uses, ~~including their functioning as PNAs,~~ on either a

## APPENDIX A:

### Tracked Changes Between Prior Rule and Rule Effective November 1, 2019

- short-term or a long-term basis shall be ~~considered~~deemed to ~~be violating~~violate a water quality standard;
- (3) Chlorophyll a (corrected):- not greater than 40 ug/l in sounds, estuaries, and other waters subject to growths of macroscopic or microscopic vegetation. -The Commission or its designee may prohibit or limit any discharge of waste into surface waters if, ~~in the opinion of~~ the Director, determines that the surface waters experience or the discharge would result in growths of microscopic or macroscopic vegetation such that the standards established pursuant to this Rule would be violated or the intended best usage of the waters would be impaired;
- (4) Cyanide: 1 ug/l;
- (5) Dissolved oxygen: not less than 5.0 mg/l, except that swamp waters, poorly flushed tidally influenced streams or embayments, or estuarine bottom waters may have lower values if caused by natural conditions;
- (6) Enterococcus, including Enterococcus faecalis, Enterococcus faecium, Enterococcus avium and Enterococcus gallinarium: not ~~to~~ exceed a geometric mean of 35 enterococci per 100 ml based upon a minimum of five samples ~~within any consecutive~~taken over a 30-day period. For ~~the~~ purposes of beach monitoring and notification, "Coastal Recreational Waters Monitoring, Evaluation and Notification" regulations (15A NCAC 18A .3400), available free of charge at: <http://www.ncoah.com/>, are ~~hereby~~ incorporated by reference including ~~any~~ subsequent amendments and editions;
- (7) Floating solids, settleable solids, or sludge deposits: ~~only~~ such amounts attributable to sewage, industrial wastes, or other wastes, as shall not make the waters unsafe or unsuitable for aquatic life and wildlife, or impair the waters for any designated uses;
- (8) Gases, total dissolved: -not greater than 110 percent of saturation;
- (9) Metals:
- (a) With the exception of mercury and selenium, acute and chronic tidal salt water quality standards for metals shall be based upon measurement of the dissolved fraction of the metals. Mercury and selenium shall be based upon measurement of the total recoverable metal;
- (b) With the exception of mercury and selenium, acute and chronic tidal saltwater quality aquatic life standards for metals listed in this Sub-Item shall apply as a function of the pollutant's water effect ratio (WER). The WER shall be assigned a value equal to one unless any person demonstrates to the Division in a permit proceeding that another value is developed in accordance with the "Water Quality Standards Handbook: Second Edition" published by the US Environmental Protection Agency (EPA-823-B-12-002). Alternative site-specific standards may also be developed when any person submits values that demonstrate to the Commission that they were derived in accordance with the "Water Quality Standards Handbook: Second Edition, Recalculation Procedure or the Resident Species Procedure."
- (c) Acute and chronic tidal salt water quality metals standards shall be as follows:
- (i) Arsenic, acute: WER· 69 ug/l;
- (ii) Arsenic, chronic: WER· 36 ug/l;
- (iii) Cadmium, acute: WER· 40 ug/l;
- (iv) Cadmium, chronic: WER· 8.8 ug/l;
- (v) Chromium VI, acute: WER· 1100 ug/l;
- (vi) Chromium VI, chronic: WER· 50 ug/l;
- (vii) Copper, acute: WER· 4.8 ug/l;
- (viii) Copper, chronic: WER· 3.1 ug/l;
- (ix) Lead, acute: WER· 210 ug/l;
- (x) Lead, chronic: WER· 8.1 ug/l;
- (xi) Mercury, total recoverable, chronic: 0.025 ug/l;
- (xii) Nickel, acute: WER· 74 ug/l;
- (xiii) Nickel, chronic: WER· 8.2 ug/l;
- (xiv) Selenium, total recoverable, chronic: 71 ug/l;
- ~~(xv)~~ Silver, acute: WER· 1.9 ug/l;
- ~~(xvi)~~ Silver, chronic: WER· 0.1 ug/l;

## APPENDIX A:

### Tracked Changes Between Prior Rule and Rule Effective November 1, 2019

~~(xvii) Zinc, acute: WER 90 ug/l; and~~

~~(xviii) Zinc, chronic: WER 81 ug/l;~~

- ~~(d) Compliance with acute instream metals standards shall only be evaluated using an average of two or more samples collected within one hour. Compliance with chronic instream metals standards shall only be evaluated using averages of a minimum of four samples taken on consecutive days, or as a 96-hour average;~~
- ~~(e) Metals criteria shall be used for proactive environmental management. An instream exceedence of the numeric criterion for metals shall not be considered to have caused an adverse impact to the aquatic community without biological confirmation and a comparison of all available monitoring data and applicable water quality standards. This weight of evidence evaluation shall take into account data quality and the overall confidence in how representative the sampling is of conditions in the waterbody segment before an assessment of aquatic life use attainment, or non attainment, is made by the Division. Recognizing the synergistic and antagonistic complexities of other water quality variables on the actual toxicity of metals, with the exception of mercury and selenium, biological monitoring shall be used to validate, by direct measurement, whether or not the aquatic life use is supported.~~
- ~~(d) Acute and chronic tidal salt water quality metals standards are as follows:~~
- ~~(i) Arsenic, acute: WER 69 ug/l;~~
  - ~~(ii) Arsenic, chronic: WER 36 ug/l;~~
  - ~~(iii) Cadmium, acute: WER 40 ug/l;~~
  - ~~(iv) Cadmium, chronic: WER 8.8 ug/l;~~
  - ~~(v) Chromium VI, acute: WER 1100 ug/l;~~
  - ~~(vi) Chromium VI, chronic: WER 50 ug/l;~~
  - ~~(vii) Copper, acute: WER 4.8 ug/l;~~
  - ~~(viii) Copper, chronic: WER 3.1 ug/l;~~
  - ~~(ix) Lead, acute: WER 210 ug/l;~~
  - ~~(x) Lead, chronic: WER 8.1 ug/l;~~
  - ~~(xi) Mercury, total recoverable, chronic: 0.025 ug/l;~~
  - ~~(xii) Nickel, acute: WER 74 ug/l;~~
  - ~~(xiii) Nickel, chronic: WER 8.2 ug/l;~~
  - ~~(xiv) Selenium, total recoverable, chronic: 71 ug/l;~~
  - ~~(xv) Silver, acute: WER 1.9 ug/l;~~
  - ~~(xvi) Silver, chronic: WER 0.1 ug/l;~~
  - ~~(xvii) Zinc, acute: WER 90 ug/l; and~~
  - ~~(xviii) Zinc, chronic: WER 81 ug/l;~~
- ~~With the exception of mercury and selenium, acute and chronic tidal saltwater quality aquatic life standards for metals listed above apply to the dissolved form of the metal and apply as a function of the pollutant's water effect ratio (WER). A WER expresses the difference between the measures of the toxicity of a substance in laboratory waters and the toxicity in site water. The WER shall be assigned a value equal to one unless any person demonstrates to the Division's satisfaction in a permit proceeding that another value is developed in accordance with the "Water Quality Standards Handbook: Second Edition" published by the US Environmental Protection Agency (EPA 823 B-12-002), free of charge, at <http://water.epa.gov/scitech/swguidance/standards/handbook/>, hereby incorporated by reference including any subsequent amendments. Alternative site specific standards may also be developed when any person submits values that demonstrate to the Commissions' satisfaction that they were derived in accordance with the "Water Quality Standards Handbook: Second Edition, Recalculation Procedure or the Resident Species Procedure", hereby incorporated by reference including subsequent amendments at <http://water.epa.gov/scitech/swguidance/standards/handbook/>. This material is available free of charge;~~

- (10) Oils, deleterious substances, or colored, or other wastes:- only such amounts as shall not render the waters injurious to public health, secondary recreation, aquatic life, and wildlife or adversely affect the palatability of fish, aesthetic quality, or impair the waters for any designated uses. -For the

## APPENDIX A:

### Tracked Changes Between Prior Rule and Rule Effective November 1, 2019

purpose of implementing this Rule, oils, deleterious substances, ~~or~~ colored, or other wastes shall include substances that cause a film or sheen upon or discoloration of the surface of the water or adjoining shorelines ~~pursuant to 40 CFR 110.3, as described in 40 CFR 110.3, incorporated by reference including any subsequent amendments and editions. This material is available free of charge at <https://www.govinfo.gov>.~~

- (11) Pesticides:
  - (a) Aldrin: -0.003 ug/l;
  - (b) Chlordane: -0.004 ug/l;
  - (c) DDT: -0.001 ug/l;
  - (d) Demeton: -0.1 ug/l;
  - (e) Dieldrin: -0.002 ug/l;
  - (f) Endosulfan: -0.009 ug/l;
  - (g) Endrin: -0.002 ug/l;
  - (h) Guthion: -0.01 ug/l;
  - (i) Heptachlor: -0.004 ug/l;
  - (j) Lindane: -0.004 ug/l;
  - (k) Methoxychlor: -0.03 ug/l;
  - (l) Mirex: -0.001 ug/l;
  - (m) Parathion: -0.178 ug/l; and
  - (n) Toxaphene: -0.0002 ug/l;
- (12) pH: ~~shall be normal for the waters in the area, which range~~ between 6.8 and 8.5, except that swamp waters may have a pH as low as 4.3 if it is the result of natural conditions;
- (13) Phenolic compounds: ~~only such levels as shall not result in fish-flesh tainting or impairment of other best usage;~~
- (14) Polychlorinated biphenyls: ~~-(total of all PCBs and congeners identified)-~~ 0.001 ug/l;
- (15) Radioactive substances, ~~based on at least one sample collected per quarter:~~
  - (a) Combined radium-226 and radium-228: ~~The~~ the average annual activity level ~~(based on at least one sample collected per quarter)~~ for combined radium-226, and radium-228 shall not exceed five picoCuries per liter;
  - (b) Alpha Emitters: ~~The~~ the average annual gross alpha particle activity (including radium-226, but excluding radon and uranium) shall not exceed 15 picoCuries per liter;
  - (c) Beta Emitters: ~~The~~ the average annual activity level ~~(based on at least one sample collected per quarter)~~ for strontium-90 shall not exceed eight picoCuries per liter; nor shall the average annual gross beta particle activity (excluding potassium-40 and other naturally occurring radionuclides exceed 50 picoCuries per liter; nor shall the average annual activity level for tritium exceed 20,000 picoCuries per liter;
- (16) Salinity: ~~changes in salinity due to hydrological modifications shall not result in removal of the functions of a PNA. Projects that are determined by the Director to result in modifications of salinity such that functions of a PNA are impaired shall~~ ~~be required to~~ employ water management practices to mitigate salinity impacts;
- (17) Temperature: ~~shall not be increased above the natural water temperature by more than 0.8 degrees C (1.44 degrees F) during the months of June, July, and August, nor, shall not be increased by~~ more than 2.2 degrees C (3.96 degrees F) during other months, and ~~shall~~ shall in no ~~eases to case~~ exceed 32 degrees C (89.6 degrees F) due to the discharge of heated liquids;
- (18) Trialkyltin compounds: -0.007 ug/l expressed as tributyltin;
- (19) Turbidity: - the turbidity in the receiving water shall not exceed 25 Nephelometric Turbidity Units (NTU); if turbidity exceeds this level due to natural background conditions, the existing turbidity level shall not be increased. Compliance with this turbidity standard ~~can~~ shall be ~~deemed~~ met when land management activities employ Best Management Practices (BMPs) ~~as~~, defined by Rule .0202 of this Section, recommended by the Designated Nonpoint Source Agency ~~as~~ defined by Rule .0202 of this Section. ~~BMPs shall be in full compliance with all specifications governing the proper design, installation, operation, and maintenance of such BMPs;~~

History Note: Authority G.S. 143-214.1; 143-215.3(a)(1);  
Eff. October 1, 1995;

## APPENDIX A:

### Tracked Changes Between Prior Rule and Rule Effective November 1, 2019

~~(20) Action Levels for Toxic Substances Applicable to NPDES Permits:~~

~~(a) Copper, dissolved, chronic: 3.1 ug/l;~~

~~(b) Silver, dissolved, chronic: 0.1 ug/l;~~

~~(c) Zinc, dissolved, chronic: 81 ug/l~~

~~If the action levels for any of the substances listed in this Item (which are generally not bioaccumulative and have variable toxicity to aquatic life because of chemical form, solubility, stream characteristics, or associated waste characteristics) shall be determined by the waste load allocation to be exceeded in a receiving water by a discharge under the 7Q10 flow criterion for toxic substances, the discharger shall monitor the chemical or biological effects of the discharge; efforts shall be made by all dischargers to reduce or eliminate these substances from their effluents. Those substances for which action levels are listed in this Item shall be limited as appropriate in the NPDES permit if sufficient information (to be determined for metals by measurements of that portion of the dissolved instream concentration of the action level parameter attributable to a specific NPDES permitted discharge) exists to indicate that any of those substances may be a causative factor resulting in toxicity of the effluent.~~

~~History Note: Authority G.S. 143-214.1; 143-215.3(a)(1);~~

~~Eff. October 1, 1995;~~

~~Amended Eff. January 1, 2015; May 1, 2007; August 1, 2000.;~~

~~Readopted Eff. November 1, 2019.~~

#### 15A NCAC 02B .0221 TIDAL SALT WATER QUALITY STANDARDS FOR CLASS SA WATERS

~~The~~ In addition to the standards set forth in Rules .0220 and .0222 of this Section, the following water quality standards shall apply to tidal surface waters that are used for shellfishing for market purposes and that are classified SA. ~~Water quality standards applicable to Class SC and SB~~

~~(1) The best usage of waters classified as described in Rule .0220 and Rule .0222 of this Section also apply to Class SA waters.~~

~~(1) Best Usage of Waters: shall be~~ shellfishing for market purposes and any other usage specified by the "SB" or "SC" classification;

~~(2) Conditions Related to Best Usage: The best usage of waters classified as SA shall be maintained as specified in this Rule. In determining the safety or suitability of Class SA waters to be used for shellfishing for market purposes, the Commission shall consider the existing water quality of the area in relation to the standards to protect shellfishing uses, the potential contamination of the area from both point and nonpoint sources of pollution, and the presence of harvestable quantities of shellfish or the potential for the area to have harvestable quantities through management efforts of the Division of Marine Fisheries. Waters shall meet the current sanitary and bacteriological standards in 15A NCAC 18A .0400, which is hereby incorporated by reference, as adopted by the Commission for Public Health and shall be suitable for shellfish culture. Any source of water pollution which that precludes any of these uses, including their functioning as PNAs, on either a short-term or a long-term basis shall be considered deemed to be violating/violate a water quality standard. Waters shall not be classified SA without the written concurrence of the Division of Marine Fisheries.~~

~~(3) Quality Standards applicable~~ The following water quality standards shall apply to Class SA Waters:

(a) Floating solids, settleable solids, or sludge deposits: none attributable to sewage, industrial wastes, or other wastes;

(b) Sewage: none;

(c) Industrial wastes, or other wastes: ~~none~~ shall not be allowed ~~that unless they are not effectively treated to the satisfaction of the Commission in in accordance with the permit or other requirements established by the Division of Environmental Health; pursuant to G.S. 143-215.1; and~~

(d) Organisms of ~~coliform group: the fecal coliform group not to exceed a median MF of 14/100 ml and not more than 10 percent of the samples shall exceed an MF count of 43/100 ml in those areas most probably exposed to fecal contamination during meet the most unfavorable hydrographic and pollution conditions.~~ bacteriological standards in 15A NCAC 18A .0431(4).

**APPENDIX A:**  
**Tracked Changes Between Prior Rule and Rule Effective November 1, 2019**

~~History Note: Authority G.S. 143-214.1; 143-215.3(a)(1);~~

~~History Note: Authority G.S. 143-214.1; 143-215.3(a)(1);~~  
~~Eff. October 1, 1995;~~  
Eff. October 1, 1995;  
~~Amended Eff. May 1, 2007;~~  
Readopted Eff. November 1, 2019.

**15A NCAC 02B .0222 TIDAL SALT WATER QUALITY STANDARDS FOR CLASS SB WATERS**

~~The~~ In addition to the standards set forth in Rule .0220 of this Section, the following water quality standards shall apply to tidal surface waters that are used for primary contact recreation, ~~including frequent or organized swimming, as defined in Rule .0202 of this Section~~ and that are classified SB. ~~Water quality standards applicable to Class SC~~

- (1) ~~The best usage of waters are described in Rule .0220 of this Section also apply to classified as SB waters.~~  
(1) ~~Best Usage of waters:~~ shall be primary contact recreation and any other usage specified by the "SC" classification;
- (2) ~~Conditions Related to Best Usage: the~~ (2) The best usage of waters classified as SB shall be maintained as specified in this Rule. In assigning the SB classification to waters intended for primary contact recreation, the Commission shall consider the relative proximity of sources of water pollution and the potential hazards involved in locating swimming areas close to sources of water pollution, and shall not assign this classification to waters in which such water pollution could result in a hazard to public health. The waters shall meet accepted sanitary standards of water quality for outdoor bathing places as specified in Item (3) of this Rule and ~~will~~shall be of sufficient size and depth for primary contact recreation purposes. ~~Any source of water pollution which that precludes any of these uses, including their functioning as PNAs, on either a short-term or a long-term basis, shall be considered deemed to be violating violate a water quality standard.~~
- (3) ~~Quality Standards applicable~~ The following water quality standards shall apply to Class SB waters:
- (a) Floating solids, settleable solids, or sludge deposits: none attributable to sewage, industrial wastes, or other wastes;
  - (b) Sewage, industrial wastes, or other wastes: ~~none shall be allowed that are not effectively treated to the satisfaction of the Commission; in, In~~ in, In determining the degree of treatment required for such waters discharged into waters ~~which that~~ are to be used for bathing, the Commission shall ~~take into consideration~~ consider the quantity and quality of the sewage and other wastes involved and the proximity of such discharges to the waters in this class; ~~discharges. Discharges~~ in the immediate vicinity of bathing areas may shall not be allowed if the Director determines that the waste ~~can not~~ cannot be treated to ensure the protection of primary contact recreation;
  - (c) Enterococcus, including Enterococcus faecalis, Enterococcus faecium, Enterococcus avium and Enterococcus gallinarium: not ~~to~~ exceed a geometric mean of 35 enterococci per 100 ml based upon a minimum of five samples ~~within any consecutive taken over a 30 days day period.~~ within any consecutive taken over a 30 days day period. In accordance with Clean Water Act, 33 U.S.C. 1313 (~~Federal Water Pollution Control Act~~) for the purposes of beach monitoring and notification, "Coastal Recreation Waters Monitoring, Evaluation and Notification" regulations (15A NCAC 18A .3400) are ~~hereby~~ incorporated by reference including any subsequent amendments and editions.

~~History Note: Authority G.S. 143-214.1; 143-215.3(a)(1);~~

- (4) Wastewater discharges to waters classified as SB shall meet the reliability requirements specified in 15A NCAC 02H .0124. Discharges to waters where a primary contact recreational use is determined by the Director to be attainable shall be required to meet water quality standards and reliability requirements to protect this use concurrently with reclassification efforts.

~~History Note: Authority G.S. 143-214.1; 143-215.3(a)(1);~~  
~~Eff. October 1, 1995;~~  
~~Amended Eff. May 1, 2007;~~

## APPENDIX A:

### Tracked Changes Between Prior Rule and Rule Effective November 1, 2019

Readopted Eff. November 1, 2019.

#### 15A NCAC 02B .0223 WATER QUALITY STANDARDS FOR NUTRIENT SENSITIVE WATERS

(a) In addition to existing classifications, the Commission may classify any surface waters of the ~~state as nutrient sensitive waters~~State as Nutrient Sensitive Waters (NSW) upon a finding that such waters are experiencing or are subject to excessive growths of microscopic or macroscopic vegetation. Excessive growths are growths ~~which that~~ the Commission determines impair the ~~use best usage~~of the water for its best usage as determined by the classification applied to such waters. In classifying waters as NSW, the Commission shall consider the criteria specified in G.S. 143-214.1.

(b) NSW may include any or all waters within a particular river basin as the Commission deems necessary to ~~effectively~~ control excessive growths of microscopic or macroscopic vegetation.

(c) For the purpose of this Rule, the term "nutrients" shall mean phosphorous or nitrogen or any other chemical parameter or combination of parameters ~~which that~~ the ~~commission~~Commission determines to be contributing to excessive growths of microscopic or macroscopic vegetation. In determining whether such parameters are contributing to excessive growths of microscopic or macroscopic vegetation, the Commission shall consider information such as chemical, physical, and biological data and reports.

(d) Those waters ~~additionally of the State that are~~ classified as ~~nutrient sensitive~~NSW shall be identified in the appropriate river basin classification schedule of. The schedules are available online at <http://portal.ncdenr.org/web/wq/ps/csu/classifications> as referenced in Section .0300 of this Subchapter.

(e) Nutrient strategies applicable to NSW shall be developed by the Commission to limit nutrients so as to control the magnitude, duration, or frequencies of excessive growths of microscopic or macroscopic vegetation so that the existing and designated uses of the waterbody are protected or restored. Nutrient strategies applicable to NSW are set forth in this Subchapter.

*History Note:* Authority G.S. 143-214.1; 143-215.8B;  
Eff. October 1, 1995;  
Amended Eff. August 1, 2000-;  
Readopted Eff. November 1, 2019.

#### 15A NCAC 02B .0224 WATER QUALITY STANDARDS FOR HIGH QUALITY WATERS

(a) High Quality Waters (HQW) are a subset of "waters with quality higher than the standards ~~and are~~" as ~~described by 15A NCAC 2B .0101(e)(5). The following procedures defined in Rule .0202(58) of this Section. This Rule~~ shall be implemented in order to ~~implement~~meet the requirements of Rule .0201(d) of this Section.

~~(1)~~ (b) High Quality Waters (HQW) shall include:

(1) water supply watersheds that are classified as Class WS-I or WS-II;

(2) waters classified as Class SA; and

(3) surface waters of the State that the Commission classifies as HQW upon finding that such waters are:

(A) rated excellent based on biological and physical/chemical characteristics through monitoring or special studies; or

(B) primary nursery areas (PNA) and other functional nursery areas designated by the Marine Fisheries Commission or the Wildlife Resources Commission.

(c) New or expanded wastewater discharges in High Quality Waters shall comply with the following:

(a1) Discharges from new single family residences shall be prohibited. ~~Those existing~~Existing subsurface systems for single family residences ~~which that~~ fail and must discharge shall install a septic tank, dual or recirculating sand filters, disinfection, and step aeration.

(b2) All new National Pollutant Discharge Elimination System (NPDES) wastewater discharges ~~(except those for single family residences), shall be required to provide~~comply with the treatment described below following:

(iA) Oxygen Consuming Wastes: -Effluent limitations for oxygen consuming wastes shall be ~~as follows~~: BOD<sub>5</sub>= 5 mg/l, NH<sub>3</sub>-N = 2 mg/l, and DO = 6 mg/l.- More stringent limitations shall be set, if necessary, to ensure that the cumulative pollutant discharge of oxygen-consuming wastes ~~shall does~~ not cause the DO of the receiving water to drop more than 0.5 mg/l below background levels, and in no case below the standard. ~~-Where~~



## APPENDIX A:

### Tracked Changes Between Prior Rule and Rule Effective November 1, 2019

- background information is not ~~readily~~ available, evaluations shall assume a percent saturation determined by staff to be ~~generally~~ applicable to that hydroenvironment.
- (#B) Total Suspended Solids:- Discharges of total suspended solids (TSS) shall be limited to effluent concentrations of 10 mg/l for trout waters and ~~PNA's, HQW-classified PNAs~~ and ~~to~~ 20 mg/l for all other High Quality Waters.
- (##C) Disinfection:- Alternative methods to chlorination shall be required for discharges to trout streams, except that single family residences may use chlorination if other options are not economically feasible. ~~as determined on a case-by-case basis.~~ Domestic discharges ~~are prohibited~~ to SA waters ~~shall be prohibited~~.
- (#D) Emergency Requirements: ~~Failsafe~~ ~~Reliable~~ treatment designs shall be employed, ~~including such as~~ stand-by power capability for entire treatment works, dual train design for all treatment components, or ~~equivalent failsafe~~ ~~other reliable~~ treatment designs ~~in accordance with 15A NCAC 02H .0124~~.
- (#E) Volume:- The total volume of treated wastewater for all discharges combined shall not exceed 50 percent of the total instream flow under 7Q10 conditions.
- (#F) Nutrients: -Where nutrient overenrichment is projected to be a concern, ~~appropriate~~ effluent limitations shall be set for phosphorus or nitrogen, or both.
- (##G) Toxic substances:- In cases where complex wastes (those containing or potentially containing toxicants) may be present in a discharge, a safety factor shall be applied to any chemical or whole effluent toxicity allocation. -The limit for a specific chemical constituent shall be allocated at one-half of the normal standard at design conditions. -Whole effluent toxicity shall be allocated to protect for chronic toxicity at an effluent concentration equal to twice that which is acceptable under design conditions. -In all instances there may be no acute toxicity in an effluent concentration of 90 percent. - Ammonia toxicity shall be evaluated according to EPA guidelines promulgated in "Ambient Water Quality Criteria for Ammonia - 1984"; EPA document number 440/5-85-001; NITS number PB85-227114; July 29, 1985 (50 FR 30784) or "Ambient Water Quality Criteria for Ammonia (Saltwater) - 1989"; EPA document number 440/5-88-004; NTIS number PB89-169825. This material related to ammonia toxicity is available at no cost at <https://www.epa.gov/wqc/aquatic-life-criteria-ammonia> and <https://www.epa.gov/sites/production/files/2019-02/documents/ambient-wqc-ammonia-saltwater-1989.pdf>, and is hereby incorporated by reference including ~~any~~ subsequent amendments and editions ~~and is available for inspection at the Department of Environment and Natural Resources Library, 512 North Salisbury Street, Raleigh, North Carolina. Copies may be obtained from the National Technical Information Service, 5285 Port Royal Road, Springfield, Virginia 22161 at a cost of forty seven dollars (\$47.00).~~
- (e3) All expanded NPDES wastewater discharges in High Quality Waters shall ~~be required to provide the treatment described in Sub Item (1)(b) comply with Subparagraph (2) of this Rule Paragraph~~, except for those existing discharges ~~which that~~ expand with no increase in permitted pollutant loading.

(2) ~~d~~ Development activities ~~which that~~ require an Erosion and Sedimentation Control Plan in accordance with rules established by the NC Sedimentation Control Commission ~~or local erosion and sedimentation control program approved in accordance with 15A NCAC 4B .0218~~, and which drain to and are within one mile of High Quality Waters (HQW) shall ~~be required to follow comply with~~ the stormwater management rules as specified in 15A NCAC ~~2H .1000. Stormwater management requirements specific to HQW are described in 15A NCAC 2H .1006.02H .1019 (coastal county waters) or .1021 (non-coastal county waters).~~

(3) ~~Listing of (e)~~ Waters Classified HQW with Specific Actions. ~~Waters classified as HQW with specific actions to protect exceptional water quality are listed as follows:-~~ Thorpe Reservoir [Little Tennessee River Basin, Index No. 2-79-23-(1)]], including ~~all of its tributaries~~, shall be managed with respect to wastewater discharges ~~through Item (1) as required by Paragraph (c) of this Rule. Item (2) Paragraph (d) of this Rule shall not be applied in association with this HQW because of the local government implementation of WS-III stormwater management requirements apply to Thorpe Reservoir and its tributaries.~~

~~If an applicant objects to the requirements to protect high quality waters and believes degradation is necessary to accommodate important social and economic development, the applicant may contest these requirements according to the provisions of G.S. 143-215.1(e) and 150B-23.~~

**APPENDIX A:  
Tracked Changes Between Prior Rule and Rule Effective November 1, 2019**

*History Note: Authority G.S. 143-214.1; 143-215.1; 143-215.3(a)(1);  
Eff. October 1, 1995;  
Amended Eff. August 1, 1998; April 1, 1996-;  
Readopted Eff. November 1, 2019.*

**15A NCAC 02B .0225 WATER QUALITY STANDARDS FOR OUTSTANDING RESOURCE WATERS**

(a) ~~General. In addition to the existing classifications, the~~The Commission ~~may~~shall classify ~~unique and special~~ surface waters of the ~~state~~State as outstanding resource waters (ORW) upon finding, ~~on a case-by-case basis,~~ that such waters are of exceptional ~~state~~State or national recreational or ecological significance ~~that require additional protection to maintain existing uses, as described in this Rule,~~ and that the waters ~~have exceptional water quality while meeting~~meet the following conditions:

- (1) ~~that~~ the water quality is rated as excellent based on physical, chemical or biological information; ~~and~~
- (2) the characteristics ~~which~~that make these waters ~~unique and special~~of exceptional State or national recreational or ecological significance may not be protected by the assigned narrative and numerical water quality standards.

(b) ~~Outstanding Resource Values. In order to be classified as ORW~~For purposes of this Rule, a water body ~~must exhibit one or more of the following values or uses to demonstrate it is of~~shall be deemed to be of exceptional ~~state~~State or national recreational or ecological significance ~~if it exhibits one or more of the following ORW uses:~~

- (1) there are outstanding fish ~~(or commercially-important aquatic species)~~ habitat and fisheries;
- (2) there is ~~an unusually~~a high level of water-based recreation or the potential for such recreation;
- (3) the waters have ~~already~~received ~~some special~~a designation such as a North Carolina or National Wild and Scenic River, ~~Native or Special Native Trout Waters~~ or a National Wildlife Refuge, which do not provide any water quality protection;
- (4) the waters represent an important component of a ~~state~~State or national park or forest; or
- (5) the waters are of ~~special~~ecological or scientific significance, such as habitat for rare or endangered species or as areas for research and education.

(c) Quality Standards for ORW.

- (1) Freshwater:- Water quality conditions shall be maintained to protect the outstanding resource values of waters classified ORW. ~~Management strategies to protect resource values shall be developed on a site-specific basis during the proceedings to classify waters as ORW-~~ in accordance with Rule .0101 of the Subchapter. No new discharges or expansions of existing discharges shall be permitted, and stormwater controls for all new development activities requiring an Erosion and Sedimentation Control Plan in accordance with rules established by the NC Sedimentation Control Commission ~~or an appropriate local erosion and sedimentation control program~~ shall ~~be required to follow~~comply with the stormwater provisions ~~as specified~~set forth in 15A NCAC 02H .1000. ~~Specific, including the specific~~ stormwater ~~management~~ requirements for freshwater ORW areas ~~are described~~set forth in 15A NCAC 02H ~~.1007~~.1019 and .1021.
- (2) Saltwater:- Water quality conditions shall be maintained to protect the outstanding resource values of waters classified ORW. ~~Management strategies to protect resource values shall be developed on a site-specific basis during the proceedings to classify waters as ORW-~~ in accordance with Rule .0101 of this Subchapter. New development shall comply with the stormwater provisions ~~as specified~~set forth in 15A NCAC 02H .1000. ~~Specific, including the specific~~ stormwater management requirements for saltwater ~~ORWs are described~~ORW areas set forth in 15A NCAC 02H ~~.1007. New non-discharge permits shall meet reduced loading rates~~1019 and ~~increased buffer zones, to be determined on a case-by-case basis-~~.1021. No dredge or fill activities shall be allowed if those activities would result in a reduction of the beds of "submerged aquatic vegetation habitat" or ~~a reduction of~~"shellfish producing habitat ~~as,~~" defined in 15A NCAC 03I .0101 ~~(b)(20)(A), and (B);~~ incorporated by reference including subsequent amendments and editions, except for maintenance dredging, such as that required to maintain access to existing channels and facilities located within the designated areas, or maintenance dredging for activities such as agriculture. ~~A~~The Commission shall hold a public hearing ~~is mandatory for any proposed permits before granting a permit~~ to discharge to waters classified as ORW.

**APPENDIX A:  
Tracked Changes Between Prior Rule and Rule Effective November 1, 2019**

Additional- site-specific actions to protect resource values shall be considered ~~on a site specific basis~~ during the proceedings to classify waters as ORW and shall be specified in Paragraph (ed) of this Rule. -These actions may include anything within the powers of the Commission-, as set forth in G.S. 143-21 and G.S. 143B-282. The Commission shall also consider local actions ~~which~~that have been taken to protect a water body in determining the appropriate state protection options. ~~Descriptions of boundaries of waters classified as ORW are included in Paragraph (e) of this Rule and in the Schedule of Classifications (15A NCAC 02B .0302 through 02B .0317) as specified for the appropriate river basin and shall also be described on maps maintained by the Division of Water Quality.~~  
(d) ~~Petition Process.~~ Any person may petition the Commission to classify a surface water of the state as an ORW. The petition shall identify the exceptional resource value to be protected, address how the water body meets the general criteria in Paragraph (a) of this Rule, and the suggested actions to protect the resource values. The Commission may request additional supporting information from the petitioner. The Commission or its designee shall initiate public proceedings to classify waters as ORW or shall inform the petitioner that the waters do not meet the criteria for ORW with an explanation of the basis for this decision. The petition shall be sent to: site-specific actions.

Director  
DENR/Division of Water Quality  
1617 Mail Service Center  
Raleigh, North Carolina 27699-1617

The envelope containing the petition shall clearly bear the notation: ~~RULE MAKING PETITION FOR ORW CLASSIFICATION.~~

(e)(d) Listing of Waters Classified ORW with Specific Actions. ~~Waters classified as ORW with specific actions to protect exceptional resource values are listed as follows:~~

- (1) Roosevelt Natural Area [White Oak River Basin, Index Nos. 20-36-9.5-(1) and 20-36-9.5-(2)]], including all fresh and saline waters within the property boundaries of the natural area shall have only new; New development ~~which complies with on a site within 575 feet of and naturally draining to the Roosevelt Natural Area shall comply with~~ the low density option in the stormwater rules as specified in 15A NCAC 2H .1005(2)(a) within 575 feet of the Roosevelt Natural Area (if the development site naturally drains to the Roosevelt Natural Area);set forth in 15A NCAC 02H .1019.
- (2) Chattooga River ORW Area (Little Tennessee River Basin and Savannah River Drainage Area): the following undesignated waterbodies that are tributary to ORW designated segments shall comply with ParagraphSubparagraph (c)(1) of this Rule in order to protect the designated waters as per Rule .0203 of this Section. -However, expansions of existing discharges to ~~thesethe following~~ segments shall be allowed if there is no increase in pollutant loading:
  - (A) North and South Fowler Creeks and associated tributaries;
  - (B) Green and Norton Mill Creeks and associated tributaries;
  - (C) Cane Creek and associated tributaries;
  - (D) Ammons Branch; and associated tributaries; and
  - (E) Glade Creek; and associated tributaries.
  - ~~(F) Associated tributaries;~~
- (3) Henry Fork ORW Area (Catawba River Basin):- the following undesignated waterbodies that are tributary to ORW designated segments shall comply with ParagraphSubparagraph (c)(1) of this Rule in order to protect the designated waters as per Rule .0203 of this Section:
  - (A) Ivy Creek; and associated tributaries; and
  - (B) Rock Creek; and
  - ~~(C) Associated associated tributaries;~~
- (4) South Fork New and New Rivers ORW Area [New River Basin (Index Nos. 10-1-33.5 and 10)]: the following management strategies, in addition to the discharge requirements ~~specifiedset forth~~ in Subparagraph (c)(1) of this Rule, shall ~~be appliedapply~~ to ~~protect~~ the designated ORW areas:
  - (A) Stormwater controls described in Subparagraph (c)(1) of this Rule shall apply to land within one mile of and that drains to the designated ORW areas;
  - (B) New or expanded ~~NPDES~~National Pollutant Discharge Elimination System (NPDES) permitted wastewater discharges located upstream of the designated ORW (for the North Fork New River ORW ~~arearea~~, see Subparagraph (14) of this Paragraph) shall be permitted such that the following water quality standards are maintained in the ORW segment:

## APPENDIX A:

### Tracked Changes Between Prior Rule and Rule Effective November 1, 2019

- (i) the total volume of treated wastewater for all upstream discharges combined shall not exceed 50 percent of the total instream flow in the designated ORW under 7Q10 conditions, which are defined in Rule .0206(a)(1) of this Section;
  - (ii) a safety factor shall be applied to any chemical allocation such that the effluent limitation for a specific chemical constituent shall be the more stringent of either the limitation allocated under design conditions (~~pursuant to 15A NCAC 02B Rule .0206~~) of this Section for the normal standard at the point of discharge, or the limitation allocated under design conditions for one-half the normal standard at the upstream border of the ORW segment;
  - (iii) a safety factor shall be applied to any discharge of complex wastewater (those containing or potentially containing toxicants) to protect for chronic toxicity in the ORW segment by setting the whole effluent toxicity limitation at the higher ~~(more stringent) percentage~~ effluent concentration determined under design conditions (~~pursuant to 15A NCAC 02B Rule .0206~~) of this Section for either the instream effluent concentration at the point of discharge or twice the effluent concentration calculated as if the discharge were at the upstream border of the ORW segment;
- (C) New or expanded NPDES permitted wastewater discharges located upstream of the designated ORW (for the North Fork New River ORW area, see Subparagraph (14) of this Paragraph) shall comply with the following:
- (i) Oxygen Consuming Wastes: ~~Effluent limitations~~ for oxygen consuming wastes shall be ~~as follows:~~ BOD = 5 mg/1, and NH<sub>3</sub>-N = 2 mg/1;
  - (ii) Total Suspended Solids: ~~Discharges of total suspended solids (TSS) shall be limited to effluent concentrations of 10 mg/1 for trout waters and to 20 mg/1 for all other waters;~~
  - (iii) Emergency Requirements: ~~Failsafe~~ Reliable treatment designs shall be employed, ~~including such as~~ stand-by power capability for entire treatment works, dual train design for all treatment components, or ~~equivalent failsafe~~ other reliable treatment designs in accordance with 15A NCAC 02H .0124;
  - (iv) Nutrients: ~~Where~~ If nutrient overenrichment is projected to be a concern, effluent limitations shall be set for phosphorus ~~or,~~ nitrogen, or both;
- (5) Old Field Creek (New River Basin): ~~the undesignated portion of Old Field Creek (from its source to Call Creek)~~ shall comply with ~~Paragraph~~ Subparagraph (c)(1) of this Rule in order to protect the designated waters as per Rule .0203 of this Section;
- (6) In the following designated waterbodies, no additional restrictions shall be placed on new or expanded marinas. ~~The only new or expanded NPDES permitted discharges that shall be allowed shall be non-domestic, non-process industrial discharges. The Alligator River Area (Pasquotank River Basin),~~ extending from the source of the Alligator River to the U.S. Highway 64 bridge, including New Lake Fork, North West Fork Alligator River, Juniper Creek, Southwest Fork Alligator River, Scouts Bay, Gum Neck Creek, Georgia Bay, Winn Bay, Stumpy Creek Bay, Stumpy Creek, Swann Creek (Swann Creek Lake), Whipping Creek (Whipping Creek Lake), Grapevine Bay, Rattlesnake Bay, The Straits, The Frying Pan, Coopers Creek, Babbitt Bay, Goose Creek, Milltail Creek, Boat Bay, Sandy Ridge Gut (Sawyer Lake) and Second Creek, but excluding the Intracoastal Waterway (Pungo River-Alligator River Canal) and all other tributary streams and canals;
- (7) In the following designated waterbodies, the only type of new or expanded marina that shall be allowed shall be those marinas located in upland basin areas, or those with ~~less~~ fewer than 10 slips, having no boats over ~~24~~ 24 feet in length and no boats with heads. ~~The only new or expanded NPDES permitted discharges that shall be allowed shall be non-domestic, non-process industrial discharges:~~
- (A) ~~The~~ the Northeast Swanquarter Bay Area including all waters northeast of a line from a point at Lat. 35E 23N 51O and Long. 76E 21N 02O thence southeast along the Swanquarter National Wildlife Refuge hunting closure boundary (as defined by the 1935 Presidential Proclamation) ~~to Drum Point, and depicted on the U.S. Fish and Wildlife Service Swanquarter National Wildlife Refuge map at~~

## APPENDIX A:

### Tracked Changes Between Prior Rule and Rule Effective November 1, 2019

- <https://www.fws.gov/southeast/pdf/map/swanquarter-national-wildlife-refuge.pdf>, incorporated by reference) to Drum Point;
- (B) ~~The~~ Neuse-Southeast Pamlico Sound Area (Southeast Pamlico Sound Section of the Southeast Pamlico, Core and Back Sound Area); (Neuse River Basin) including all waters within an area defined by a line extending from the southern shore of Ocracoke Inlet northwest to the Tar-Pamlico River and Neuse River basin boundary, then southwest to Ship Point;
- (C) ~~The~~ Core Sound Section of the Southeast Pamlico, Core and Back Sound Area (White Oak River Basin), including all waters of Core Sound and its tributaries, but excluding Nelson Bay, Little Port Branch and Atlantic Harbor at its mouth, and those tributaries of Jarrett Bay that are closed to shellfishing;
- (D) ~~The~~ Western Bogue Sound Section of the Western Bogue Sound and Bear Island Area (White Oak River Basin), including all waters within an area defined by a line from Bogue Inlet to the mainland at SR 1117 to a line across Bogue Sound from the southwest side of Gales Creek to Rock Point, and including Taylor Bay and the Intracoastal Waterway;
- (E) ~~The~~ Stump Sound Area (Cape Fear River Basin), including all waters of Stump Sound and Alligator Bay from marker Number 17 to the western end of Permuda Island, but excluding Rogers Bay, the Kings Creek Restricted Area, and Mill Creek; and
- (F) ~~The~~ Topsail Sound and Middle Sound Area (Cape Fear River Basin), including all estuarine waters from New Topsail Inlet to Mason Inlet, and including the Intracoastal Waterway and Howe Creek, but excluding Pages Creek and Futch Creek;
- (8) In the following designated waterbodies, no new or expanded NPDES permitted discharges and only new or expanded marinas with ~~less~~fewer than 10 slips, having no boats over ~~24~~24 feet in length and no boats with heads shall be allowed:
- (A) ~~The~~ Swanquarter Bay and Juniper Bay Area (Tar-Pamlico River Basin), including all waters within a line beginning at Juniper Bay Point and running south and then west below Great Island, then northwest to Shell Point and including Shell ~~Bay~~, Swanquarter, and Juniper Bays and their tributaries, but excluding all waters northeast of a line from a point at Lat. 35E 23N 51O and Long. 76E 21N 02O thence southeast along the Swanquarter National Wildlife Refuge hunting closure boundary (as defined by the 1935 Presidential Proclamation and depicted on the U.S. Fish and Wildlife Service Swanquarter National Wildlife Refuge map at <https://www.fws.gov/southeast/pdf/map/swanquarter-national-wildlife-refuge.pdf>, incorporated by reference) to Drum Point and also excluding the Blowout ~~Canal~~, Hydeland ~~Canal~~, Juniper ~~Canal~~, and Quarter ~~Canal~~; ~~Canals~~;
- (B) ~~The~~ Back Sound Section of the Southeast Pamlico, Core and Back Sound Area (White Oak River Basin), including that area of Back Sound extending from Core Sound west along Shackelford Banks, then north to the ~~western-most~~westernmost point of Middle Marshes and along the northwest shore of Middle Marshes (to include all of Middle Marshes), then west to Rush Point on Harker's Island, and along the southern shore of Harker's Island back to Core Sound;
- (C) ~~The~~ Bear Island Section of the Western Bogue Sound and Bear Island Area (White Oak River Basin), including all waters within an area defined by a line from the western most point on Bear Island to the northeast mouth of Goose Creek on the mainland, east to the southwest mouth of Queen Creek, then south to green marker No. 49, then northeast to the northern most point on Huggins Island, then southeast along the shoreline of Huggins Island to the southeastern most point of Huggins Island, then south to the northeastern most point on Dudley Island, then southwest along the shoreline of Dudley Island to the eastern tip of Bear Island; and
- (D) ~~The~~ Masonboro Sound Area (Cape Fear River Basin), including all waters between the Barrier Islands and the mainland from Carolina Beach Inlet to Masonboro Inlet;
- (9) Black and South Rivers ORW Area (Cape Fear River Basin) [Index Nos. 18-68-(0.5), 18-68-(3.5), 18-68-(11.5), 18-68-12-(0.5), 18-68-12-(11.5), and 18-68-2]: the following management strategies, shall be required in addition to the discharge requirements specified in Subparagraph (c)(1) of this Rule, ~~shall be applied to protect the designated ORW areas~~:

## APPENDIX A:

### Tracked Changes Between Prior Rule and Rule Effective November 1, 2019

- (A) Stormwater controls described in Subparagraph (c)(1) of this Rule shall apply to land within one mile of and that drains to the designated ORW areas;
- (B) New or expanded NPDES permitted wastewater discharges located one mile upstream of the stream segments designated ORW (upstream on the designated mainstem and upstream into direct tributaries to the designated mainstem) shall comply with the following discharge restrictions:
- (i) Oxygen Consuming Wastes: Effluent limitations shall be as follows: BOD ~~=shall not exceed~~ 5 mg/l and NH<sub>3</sub>-N ~~=shall not exceed~~ 2 mg/l;
  - (ii) Total Suspended Solids: ~~-~~ Discharges of total suspended solids (TSS) shall be limited to effluent concentrations of 20 mg/l;
  - (iii) Emergency Requirements: ~~Failsafe~~Reliable treatment designs shall be employed, ~~including such as~~ stand-by power capability for entire treatment works, dual train design for all treatment components, or ~~equivalent failsafe~~other reliable treatment designs in accordance with 15A NCAC 02H .0124;
  - (iv) Nutrients: ~~Where~~If nutrient overenrichment is projected to be a concern, effluent limitations shall be set for phosphorus ~~or~~ nitrogen, or both.
  - (v) Toxic substances: ~~In cases where~~if complex discharges (those containing or potentially containing toxicants) may be currently present in the discharge, a safety factor shall be applied to any chemical or whole effluent toxicity allocation. The limit for a specific chemical constituent shall be allocated at one-half of the normal standard at design conditions. ~~Whole~~ effluent toxicity shall be allocated to protect for chronic toxicity at an effluent concentration equal to twice that which is acceptable under flow design criteria ~~(pursuant to 15A NCAC 02B Rule .0206);~~ of the Section.
- (10) Lake Waccamaw ORW Area (Lumber River Basin) [Index No. 15-2]: all undesignated waterbodies that are tributary to Lake Waccamaw shall comply with Paragraph (c) of this Rule in order to protect the designated waters as per Rule .0203 of this Section;
- (11) Swift Creek and Sandy Creek ORW Area (Tar-Pamlico River Basin) [portion of Index No. 28-78-(0.5) and Index No. 28-78-1-(19)]: all undesignated waterbodies that drain to the designated waters shall comply with Paragraph (c) of this Rule in order to protect the designated waters as per Rule .0203 of this Section and to protect outstanding resource values found in the designated waters as well as in the undesignated waters that drain to the designated waters;
- (12) Fontana Lake North Shore ORW Area (Little Tennessee River Basin and Savannah River Drainage Area) [Index Nos. 2-96 through 2-164] (excluding all waterbodies that drain to the south shore of Fontana Lake) consists of the entire watersheds of all creeks that drain to the north shore of Fontana Lake between Eagle and Forney Creeks, including Eagle and Forney Creeks. ~~In addition to the requirements~~ specified set forth in Subparagraph (c)(1) of this Rule, any person conducting development activity disturbing greater than or equal to 5,000 square feet of land area in the designated ORW area shall undertake the following actions to protect the outstanding resource values of the designated ORW and downstream waters:
- (A) investigate for the presence of and identify the composition of acid-producing rocks by exploratory drilling or other means and characterize the net neutralization potential of the acid-producing rocks prior to commencing the land-disturbing activity;
  - (B) ~~avoid areas~~ to the maximum extent ~~practical~~practicable, taking into account site-specific factors including technical and cost considerations as well as protection of water quality, avoid areas where acid-producing rocks are found with net neutralization potential of -5 or less;
  - (C) establish background levels of acidity and mineralization prior to commencing land-disturbing activity; and monitor and maintain baseline water quality conditions for the duration of the land-disturbing activity and thereafter for ~~any~~any period ~~thereafter not less than~~of at least two years as determined by the Division as part of a certification issued in accordance with 15A NCAC 02H .0500 or stormwater permit issued pursuant to this Rule;
  - (D) obtain a ~~National Pollutant Discharge Elimination System~~NPDES permit for construction pursuant to Rule 15A NCAC 02H .0126- prior to initiating land-disturbing activity;

## APPENDIX A:

### Tracked Changes Between Prior Rule and Rule Effective November 1, 2019

- (E) design stormwater control systems to control and treat stormwater runoff ~~generated~~ from all surfaces generated by one inch of rainfall, in accordance with 15A NCAC 02H-~~1008~~ .1003(3), .1003(5), and .1050; and
- (F) post development, replicate pre-development runoff characteristics and mimic the natural ~~and unique~~ hydrology of the site, ~~post development~~;
- (13) Horsepasture River ORW Area (Savannah Drainage Area) [Index No. 4-13-(0.5) and Index No. 4-13-(12.5)]: -all undesignated waterbodies that are located within the Horsepasture River watershed shall comply with ~~Paragraph~~Subparagraph (c)(1) of this Rule in order to protect the designated waters as per Rule .0203 of this Section and to protect outstanding resource values ~~found~~ throughout the watershed. -However, new domestic wastewater discharges and expansions of existing wastewater discharges ~~may~~shall be allowed provided that:
- (A) Oxygen Consuming Wastes: -Effluent limitations shall be as follows: BOD ~~=shall not exceed~~ 5 mg/l; and NH3-N ~~=shall not exceed~~ 2 mg/l;
- (B) Total Suspended Solids:- Discharges of total suspended solids (TSS) shall be limited to effluent concentrations of 10 mg/l for trout waters and to 20 mg/l for all other waters except for mining operations, which ~~will~~shall be held to their respective NPDES TSS permit limits;
- (C) Nutrients: ~~Where~~If nutrient overenrichment is projected to be a concern, effluent limitations shall be set for phosphorus ~~or~~, nitrogen, or both; and
- (D) Volume:- The total volume of treated wastewater for all discharges combined shall not exceed 25 percent of the total instream flow in the designated ORW under 7Q10 conditions, ~~which areas~~ defined in Rule .0206(a)(1) of this Section; ~~and~~
- (14) North Fork New River ORW Area (New River Basin) [Index Nos. 10-2-(1), 10-2-(11) and 10-2-(12)]: all non-ORW waterbodies, including Little Buffalo Creek and Claybank Creek [Index Nos. 10-2-20-1 and 10-2-20-1-1], that are located within the North Fork New River watershed shall comply with Rule .0224 of this Section in order to protect the ORW designated waters.

*History Note:* Authority G.S. 143-214.1; S.L. 2005-97;  
Eff. October 1, 1995;  
Amended Eff. August 1, 2003 (see S.L. 2003-433, s.2); August 1, 2000; April 1, 1996; January 1, 1996;  
Temporary Amendment Eff. October 7, 2003;  
Amended Eff. December 1, 2010; July 1, 2009; January 1, 2007; June 1, 2004;  
Readopted Eff. November 1, 2019.

#### 15A NCAC 02B .0226 EXEMPTIONS FROM SURFACE WATER QUALITY STANDARDS

Variations from applicable standards, revisions to water quality standards or site-specific water quality standards may be granted by the Commission on a case-by-case basis pursuant to G.S. 143-215.3(e), 143-214.3 or 143-214.1. -A listing of existing variances shall be maintained and made available to the public by the Division. -Exemptions established pursuant to this Rule shall be reviewed as part of the Triennial Review of Water Quality Standards conducted pursuant to 40 CFR 131.10(g).

*History Note:* Authority G.S. 143-214.1; 143-214.3; 143-215.3(e);  
Eff. October 1, 1995;  
Readopted Eff. November 1, 2019.

#### 15A NCAC 02B .0227 WATER QUALITY MANAGEMENT PLANS

(a) In implementing the water quality standards to protect the "existing uses" [as defined by Rule .0202 of this Section] of the waters of the ~~state~~State or the water quality that supports those uses, the Commission shall develop water quality management plans on a priority basis to attain, maintain or enhance water quality throughout the ~~state~~ State. Additional specific actions deemed necessary by the Commission to protect the water quality or the existing uses of the waters of the ~~state~~State shall be specified in Paragraph (b) of this Rule. -These actions may include anything within the powers of the Commission, ~~as set forth in G.S. 143-21 and G.S. 143B-282~~. The Commission may also consider local actions that have been taken to protect a waterbody in determining the appropriate protection options to be incorporated into the water quality management plan.

## APPENDIX A:

### Tracked Changes Between Prior Rule and Rule Effective November 1, 2019

(b) All waters determined by the Commission to be protected by a water quality management plan are listed with specific actions either in Rules .0601 - .0608 of this Subchapter that address the Goose Creek watershed (Yadkin Pee-Dee River Basin) or as follows:

- (1) The Lockwoods Folly River Area (Lumber River Basin), which includes all waters of the lower Lockwoods Folly River in an area extending north from the Intracoastal Waterway to a line extending from Genoes Point to Mullet Creek, shall be protected by the specific actions described in Parts (A) through (D) of this Subparagraph.
  - (A) New development activities within 575' of the mean high water line that require a Sedimentation Erosion Control Plan or a CAMA major development permit shall comply with the low density option of the coastal stormwater requirements as specified in 15A NCAC 02H .1005(3)(a).
  - (B) New or expanded NPDES permits shall be issued only for non-domestic, non-industrial process type discharges, such as non-industrial process cooling or seafood processing discharges. ~~A Pursuant to 15A NCAC 02H .0111, a~~ public hearing shall be mandatory for any proposed (new or expanded) NPDES permit to this protected area.
  - (C) New or expanded marinas shall be located in upland basin areas.
  - (D) No dredge or fill activities shall be allowed if those activities would result in a reduction of the beds of "submerged aquatic vegetation habitat" or "shellfish producing habitat" that are defined in 15A NCAC 03I .0101, except for maintenance dredging, such as that required to maintain access to existing channels and facilities located within the protected area or maintenance dredging for activities such as agriculture.
- (2) A part of the Cape Fear River (Cape Fear River Basin) comprised of a section of Index No.18-(71) from upstream mouth of Toomers Creek to a line across the river between Lilliput Creek and Snows Cut shall be protected by the Class SC Sw standards as well as the following site-specific action: All new individual NPDES wastewater discharges and expansions of existing individual NPDES wastewater discharges shall be required to provide treatment for oxygen consuming wastes as described in Parts (A) through (C) of this Subparagraph.
  - (A) Effluent limitations shall be as follows: - BOD<sub>5</sub> = 5 mg/l, NH<sub>3</sub>-N = 1 mg/l and DO = 6 mg/l, or utilize site-specific best available technology on a case-by-case basis for industrial discharges in accordance with Rule .0406 (e) of this Subchapter.
  - (B) Seasonal effluent limits for oxygen consuming wastes shall be considered in accordance with Rule .0404 of this Subchapter.
  - (C) Any new or expanded permitted pollutant discharge of oxygen consuming waste shall not cause the dissolved oxygen of the receiving water to drop more than 0.1 mg/l below the modeled in-stream dissolved oxygen at total permitted capacity for all discharges.

*History Note:* Authority G.S. 143-214.1; 143-215.8A;  
Eff. October 1, 1995;  
Amended Eff. June 30, 2017; January 1, 1996-;  
Readopted Eff. November 1, 2019.

#### 15A NCAC 02B .0228 EFFLUENT CHANNELS

The standards of water quality contained in this Section shall not apply to waters within effluent channels, as defined in Rule .0202 of this Section, except that said waters shall be maintained at a quality ~~which~~that shall prevent the occurrence of offensive conditions, protect public health, and allow maintenance of the standards applicable to all downstream waters. ~~Effluent channels shall be designated by the Director; on a case-by-case basis prior to permit issuance. To be designated as~~ such ~~that the, effluent~~ channels shall:

- (1) be contained entirely on property owned (or otherwise controlled) by the discharger ~~(to be, as demonstrated by the discharger); and records, deeds, contracts, written agreements, or other legal instruments;~~
- (2) not contain natural waters except when such waters occur in direct response to rainfall events by overland runoff; and
- (3) be so constructed or modified as to minimize the migration of fish into said channel-;
- ~~(4) be identified and designated on a case-by case basis prior to permit issuance.~~



## APPENDIX A:

### Tracked Changes Between Prior Rule and Rule Effective November 1, 2019

*History Note:* Authority G.S. 143-214.1;  
Eff. October 1, 1995;  
Amended Eff. January 1, 1996;  
Readopted Eff. November 1, 2019.

#### **15A NCAC 02B .0230— ACTIVITIES DEEMED TO COMPLY WITH WETLANDS STANDARDS**

(a) The following activities for which Section 404 permits are not required pursuant to Section 404(f)(1) of the Clean Water Act and which are not recaptured into the permitting process pursuant to Section 404(f)(2) are deemed to be in compliance with wetland standards in 15A NCAC ~~2B02B~~.0231 provided that they comply with the most current versions of the federal regulations to implement Section 404 (f)-(1)(US Environmental Protection Agency and US Army Corps of Engineers including 40 C.F.R. 232.3) and the Sedimentation Pollution Control Act, G.S. 113A, Article 4:

(1) ~~normal, on-going silviculture, farming, and ranching activities, such as plowing, seeding, cultivating, minor drainage, and harvesting for the production of food, fiber, and forest products, or upland soil and water conservation practices, provided that relevant silvicultural activities must comply with U.S. Environmental Protection Agency and U.S. Army Corps of Engineers Memorandum to the Field entitled "Application of Best Management Practices to Mechanical Silvicultural Site Preparation Activities for the Establishment of Pine Plantations in the Southeast", November 28, 1995 which is available at no cost at <https://www.epa.gov/cwa-404/memorandum-application-best-management-practices-mechanical-silvicultural-site-preparation> and is~~ hereby incorporated by reference including any subsequent amendments and editions;

(2) ~~maintenance, including emergency reconstruction of recently damaged parts, of currently serviceable structures such as dikes, dams, levees, groins, riprap, breakwaters, causeways, and bridge abutments or approaches, and transportation structures, and other maintenance, repairs or modification to existing structures as required by the NC Dam Safety Program. Information about the NC Dam Safety Program can be found at <https://deq.nc.gov/about/divisions/energy-mineral-land-resources/energy-mineral-land-permits/dam-safety>;~~

(3) ~~construction and maintenance of farm or stock ponds or irrigation ditches. In addition, new pond construction in designated river basins with riparian buffer protection regulations also must comply with the applicable requirements of those regulations; the riparian buffer protection rules as set forth in this Subchapter shall~~ comply with ~~relevant portions~~ the applicable requirements of ~~those regulations;~~ the riparian buffer protection rules as set forth in this Subchapter.

(4) ~~maintenance of drainage ditches, provided that spoil is removed to high ground, placed on top of previous spoil, or placed parallel to one side or the other of the ditch within a distance of 20 feet and spoils are placed in a manner that minimizes damages to existing wetlands; and ditch maintenance is no greater than the original depth, length and width of the ditch;~~

(5) ~~construction of temporary sediment control measures or best management practices as required by the NC Erosion and Sediment Control Program on a construction site, provided that the temporary sediment control measures or best management practices are restored to natural grade and stabilized within two months of completion of the project and native woody vegetation is reestablished during the next appropriate planting season and maintained; Information about the NC Erosion and Sediment Control Program can be found at <https://deq.nc.gov/about/divisions/energy-mineral-land-resources/energy-mineral-land-permits/dam-safety>; and~~

(6) ~~construction or maintenance of farm roads, forest roads, and temporary roads for moving mining equipment where such roads are constructed and maintained in accordance with best management practices, as defined in 40 C.F.R. 232.3 (c)(6)(i-xv), to assure that flow and circulation patterns and chemical and biological characteristics of the navigable waters are not impaired, that the reach of navigable waters is not reduced, and that any adverse effects on the aquatic environment will be otherwise minimized.~~

(b) Where the Director determines, in consultation with the US Army Corps of Engineers or the US Environmental Protection Agency, and considering existing or projected environmental impact, that an activity is not exempt from permitting under Section 404(f), or where the appropriate Best Management Practices are not implemented and maintained in accordance with Paragraph (a) of this Rule, the Director may require restoration of the wetlands as well as imposition of enforcement measures as authorized by G.S. 143-215.6A (civil penalties), G.S. 143-215.6B (criminal penalties) and G.S. 143-215.6C (injunctive relief).

*History Note:* ~~Authority G.S. 143-214.1; 143-214.7; 143-215; 143-215.3; 143-215.6A; 143-215.6B; 143-215.6C;~~  
~~Temporary Adoption Eff. November 24, 1999;~~  
~~Eff. April 1, 2001;~~

**APPENDIX A:**  
**Tracked Changes Between Prior Rule and Rule Effective November 1, 2019**

*Readopted Eff. November 1, 2019.*

**15A NCAC 02B .0231— WETLAND STANDARDS**

(a) ~~General.~~ Wetlands shall be assigned to one of the following classifications:

(1) Class WL: waters that meet the definition of wetlands as defined in Rule .0202 of this Section except those designated as SWL; or

(2) Class SWL: waters that meet the definition of coastal wetlands as defined by 15A NCAC 07H .0205, which are landward of the mean high water line, and wetlands contiguous to estuarine waters as defined by 15A NCAC 07H .0206.

In addition, the EMC may classify wetlands as unique wetlands (Class UWL) that are of exceptional State or national ecological significance which require special protection to maintain existing uses. Class UWL wetlands may include wetlands that have been documented as habitat essential for the conservation of State or federally listed threatened or endangered species.

(b) The water quality standards for all wetlands are designed to protect, preserve, restore, and enhance the quality and uses of wetlands and other waters of the ~~state~~State influenced by wetlands. -The following are wetland uses:

(1) ~~Storm and flood water storage and retention and the moderation of extreme;~~

(2) Moderation of water level fluctuations;

~~(2)~~ ~~(3)~~ Hydrologic functions, including groundwater discharge that contributes to maintain dry weather streamflow and, at other locations or times, groundwater recharge that replenishes the groundwater system;

~~(3)~~ ~~(4)~~ Filtration or storage of sediments, nutrients, toxic substances, or other pollutants that would otherwise adversely have an adverse impact, as defined in 15A NCAC 02H .1002, on the quality of other waters of the stateState;

~~(4)~~ ~~(5)~~ Shoreline protection against erosion through the dissipation of wave energy and water velocity and stabilization of sediments;

~~(5)~~ ~~(6)~~ Habitat for the propagation of resident wetland-dependent aquatic organisms, including, but not limited to fish, crustaceans, mollusks, insects, annelids, planktonic organisms, and the plants and animals upon which these aquatic organisms feed and depend upon for their needs in all life stages; and

~~(6)~~ ~~(7)~~ Habitat for the propagation of resident wetland-dependent wildlife species, including mammals, birds, reptiles, and amphibians for breeding, nesting, cover, travel corridors, and food.

~~(b)~~ ~~(c)~~ The following standards shall be used to assure the maintenance or enhancement of the existing uses of wetlands identified in Paragraph ~~(a)~~(b) of this Rule:

(1) ~~Liquids, fill or other solids, or dissolved gases may shall not be present in amounts which that may cause adverse impacts on existing wetland uses;~~

(2) ~~Floating or submerged debris, oil, deleterious substances, or other material may shall not be present in amounts which that may cause adverse impacts on existing wetland uses;~~

(3) ~~Materials producing color, or odor, taste or unsightliness may shall not be present in amounts which that may cause adverse impacts on existing wetland uses;~~

(4) ~~Materials that adversely affect the palatability of fish or aesthetic quality of the wetland shall not be present in amounts that may cause adverse impacts on existing wetland uses;~~

(5) ~~Concentrations or combinations of substances which that are toxic or harmful to human, animal, or plant life may shall not be present in amounts which individually or cumulatively may cause adverse impacts on existing wetland uses;~~

~~(5)~~ ~~(6)~~ Hydrological conditions necessary to support the biological and physical characteristics naturally present in wetlands shall be protected to prevent adversedetrimental impacts on:

(A) ~~Water currents, erosion or sedimentation patterns;~~

(B) ~~Natural water temperature variations;~~

(C) ~~The chemical, nutrient, and dissolved oxygen regime of the wetland;~~

(D) ~~The movement of aquatic fauna;~~

(E) ~~The pH of the wetland; and~~

(F) ~~Water levels or elevations.~~

~~(6)~~ ~~(7)~~ The populations of wetland flora and fauna shall be maintained to protect biological integrity as defined at 15A NCAC 2B in Rule .0202 of this Section.

*History Note: Authority G.S. 143-214.1; 143-215.3(a)(1);*

*RRC Objection Eff. July 18, 1996 due to lack of statutory authority and ambiguity;*

**APPENDIX A:  
Tracked Changes Between Prior Rule and Rule Effective November 1, 2019**

*Eff. October 1, 1996;*  
*Readopted Eff. November 1, 2019.*

**SECTION .0300 - ASSIGNMENT OF STREAM CLASSIFICATIONS**

**15A NCAC 02B .0301 CLASSIFICATIONS: GENERAL**

~~(a) Schedule of Classifications.~~ (a) The classifications assigned to the waters of the State of North Carolina are set forth in ~~the schedules of classifications and water quality standards assigned to the waters of the river basins of North Carolina, 15A NCAC 2B .0302 to .0317.~~ These classifications are based upon the existing or contemplated best usage of the various streams and segments of streams in the river basin, as determined through studies and evaluations and the holding of public hearings for consideration of the classifications proposed classification schedules provided at <https://deq.nc.gov/about/divisions/water-resources/water-planning/classification-standards/river-basin-classification> and in Rules .0302 to .0317 of this Section. These classifications are based upon procedures described in Rule .0101 of this Subchapter.

~~(b) Stream Names.~~ (b) The names of the streams listed in the schedules of assigned classifications were taken as far as possible from United States Geological Survey topographic maps. Where topographic maps were unavailable, U.S. Corps of Engineers maps, U.S. Department of Agriculture soil maps, and North Carolina highway maps were used for the selection of stream names.

~~(c) Classifications.~~ (b) Classifications. The classifications assigned to the waters of North Carolina are denoted by the letters C, B, WS-I, WS-II, WS-III, WS-IV, WS-V, B, CWL, SC, SB, SA, SB, and SC in the column headed "class." ~~A brief explanation of the "best usage" for which the waters in each class must be protected is given as follows:~~

**Fresh Waters**

~~Class WS I: — waters protected as water supplies which are in natural and undeveloped watersheds; in public ownership; point source discharges of treated wastewater are permitted pursuant to Rules .0104 and .0211 of this Subchapter; local programs to control nonpoint source and stormwater discharge of pollution are required; suitable for all Class C uses;~~

~~Class WS II: — waters protected as water supplies which are generally in predominantly undeveloped watersheds; point source discharges of treated wastewater are permitted pursuant to Rules .0104 and .0211 SWL, Tr, Sw, NSW, ORW, HQW, and UWL. The "best usage", as defined in Rule .0202 of this Subchapter; local programs to control nonpoint source and stormwater discharge of pollution are required; suitable for all Class C uses; for each classification is defined in the rules as follows:~~

~~Class WS III: — waters protected as water supplies which are generally in low to moderately developed watersheds; point source discharges of treated wastewater are permitted pursuant to Rules .0104 and .0211 of this Subchapter; local programs to control nonpoint source and stormwater discharge of pollution are required; suitable for all Class C uses;~~

~~Class WS IV: — waters protected as water supplies which are generally in moderately to highly developed watersheds; point source discharges of treated wastewater are permitted pursuant to Rules .0104 and .0211 of this Subchapter; local programs to control nonpoint source and stormwater discharge of pollution are required; suitable for all Class C uses;~~

~~Class WS V: — waters protected as water supplies which are generally upstream and draining to Class WS IV waters or waters previously used for drinking water supply purposes or waters used by industry to supply their employees, but not municipalities or counties, with a raw drinking water supply source, although this type of use is not restricted to a WS V classification; no categorical restrictions on watershed development or treated wastewater discharges are required, however, the Commission or its designee may apply appropriate management requirements as deemed necessary for the protection of downstream receiving waters (15A NCAC 2B .0203); suitable for all Class C uses;~~

~~Class B: primary recreation and any other usage specified by the "C" classification;~~

~~Class C: aquatic life propagation and survival, fishing, wildlife, secondary recreation, and agriculture.~~

(1) Fresh Waters Classifications:

(A) Class C: Rule .0211 of this Subchapter;

## APPENDIX A:

### Tracked Changes Between Prior Rule and Rule Effective November 1, 2019

- ~~(B) Class B: Rule .0219 of this Subchapter;~~
- ~~(C) Class WS-I (Water Supply): Rule .0212 of this Subchapter;~~
- ~~(D) Class WS-II (Water Supply): Rule .0214 of this Subchapter;~~
- ~~(E) Class WS-III (Water Supply): Rule .0215 of this Subchapter;~~
- ~~(F) Class WS-IV (Water Supply): Rule .0216 of this Subchapter;~~
- ~~(G) Class WS-V (Water Supply): Rule .0218 of this Subchapter; and~~
- ~~(H) Class WL (Wetlands): Rule .0231 of this Subchapter.~~

#### ~~(2) Tidal Salt Waters Classifications:~~

~~Class SA: shellfishing for market purposes and any other usage specified by the "SB" and "SC" classification;~~

~~Class SB: primary recreation and any other usage specified by the "SC" classification;~~

~~Class SC: aquatic life propagation and survival, fishing, wildlife, and secondary recreation.~~

- ~~(A) Class SC: Rule .0220 of this Subchapter;~~
- ~~(B) Class SB: Rule .0222 of this Subchapter;~~
- ~~(C) Class SA: Rule .0221 of this Subchapter; and~~
- ~~(D) Class SWL: Rule .0231 of this Subchapter.~~

#### ~~(3) Supplemental Classifications:~~

- ~~(A) Class Tr (Trout Waters: Suitable for natural trout propagation and maintenance): Rule .0202 of stocked trout this Subchapter;~~

~~Swamp Waters: Waters which have low velocities and other natural characteristics which are different from adjacent streams;~~

- ~~(B) Class Sw (Swamp): Rule .0202 of this Subchapter;~~

- ~~(C) Class NSW: (Nutrient Sensitive Waters which require limitations on nutrient inputs): Rule .0223 of this Subchapter;~~

~~HQW: High Quality Waters which are waters that are rated as excellent based on biological and physical/chemical characteristics through division monitoring or special studies, native and special native trout waters (waters and their tributaries) designated by the Wildlife Resources Commission, primary nursery areas (PNA) designated by the Marine Fisheries Commission and other functional nursery areas designated by the Wildlife Resources Commission, critical habitat areas designated by the Wildlife Resources Commission or the Department of Agriculture, all water supply watersheds which are either classified as WS I or WS II or those for which a formal petition for reclassification as WS I or WS II has been received from the appropriate local government and accepted by the Division of Environmental Management and all Class SA waters.~~

~~ORW: Outstanding Resource Waters which are unique and special waters of exceptional state or national recreational or ecological significance which require special protection to maintain existing uses.~~

~~FWS: Future Water Supply Waters which are waters intended for future drinking water supply purposes.~~

- ~~(D) Class ORW (Outstanding Resource Waters): Rule .0225 of this Subchapter;~~
- ~~(E) Class HQW (High Quality Waters): Rule .0224 of this Subchapter; and~~
- ~~(F) Class UWL (Unique Wetlands): Rule .0231 of this Subchapter.~~

~~(c) Water Quality Standards. The water quality standards applicable to each classification assigned are those established in 15A NCAC 2B the rules of Section .0200, Classifications and Water Quality Standards Applicable to the Surface Waters of North Carolina, as adopted by the North Carolina Environmental Management Commission of this Subchapter.~~

~~(ed) Index Number.~~

~~(1) Reading the Index Number. The index number appearing in the column so designated is an identification number assigned to each stream or segment of a stream, indicating the specific tributary progression between the main stem stream and the tributary stream. The index number can be referenced to the Division's river basin classification schedules (hydrologic and alphabetic) for each river basin.~~

~~(2) Cross Referencing the Index Number. The inclusion of the index number in the schedule is to provide a cross reference between the classification schedules and an alphabetic list of streams.~~

## APPENDIX A:

### Tracked Changes Between Prior Rule and Rule Effective November 1, 2019

~~(f)~~ Classification Date. -The classification date indicates the date on which enforcement of the provisions of ~~Section 143-215.1 of the General Statutes of North Carolina~~ 143-215.1 became effective with reference to the classification assigned to the various streams in North Carolina.

~~(g) Reference. Copies of the schedules of classifications adopted and assigned to the waters of the various river basins may be obtained at no charge by writing to:~~

~~Director  
Division of Environmental Management  
Department of Environment, Health, and Natural Resources  
Post Office Box 29535  
Raleigh, North Carolina 27626-0535~~

~~(h) Places where the schedules may be inspected:~~

~~Division of State Library  
Archives—State Library Building  
109 E. Jones Street~~

~~(f) Unnamed Streams.~~

~~Raleigh, North Carolina.~~

~~(i) Unnamed Streams.~~

- (1) Any stream ~~which that~~ is not ~~named listed~~ in ~~thea river basin classification~~ schedule of stream classifications carries the same classification as that assigned to the stream segment to which it is tributary except:
  - (A) unnamed ~~streams specifically described in the schedule of classifications; freshwaters tributary to tidal saltwaters will be classified "C";~~ or
  - (B) ~~unnamed freshwaters tributary to tidal saltwaters will be classified "C";~~ or
  - ~~(C) —~~ after November 1, 1986, any ~~newly created~~ areas of tidal saltwater ~~which are created by dredging projects approved in accordance with 15A NCAC 07H .0208 and~~ connected to Class SA waters ~~by approved dredging projects will shall~~ be classified "SC" unless case-by-case reclassification proceedings are conducted per Rule .0101 of this Subchapter.
- (2) ~~The following river basins have different policies~~ In addition to Subparagraph (f)(1) of this Rule, for unnamed streams entering other states or for specific areas of ~~thea river basin, the following Rules shall apply:~~
  - ~~(A) —~~ Hiwassee River Basin (Rule .0302); ~~of this Section;~~
  - ~~(B) —~~ Little Tennessee River Basin and Savannah River Drainage Area (Rule .0303); ~~of this Section;~~
  - ~~(C) —~~ French Broad River Basin (Rule .0304); ~~of this Section;~~
  - ~~(D) —~~ Watauga River Basin (Rule .0305); ~~of this Section;~~
  - ~~(E) —~~ Broad River Basin (Rule .0306); ~~of this Section;~~
  - ~~(F) —~~ New River Basin (Rule .0307); ~~of this Section;~~
  - ~~(G) —~~ Catawba River Basin (Rule .0308); ~~of this Section;~~
  - ~~(H) —~~ Yadkin-Pee Dee River Basin (Rule .0309); ~~of this Section;~~
  - ~~(I) —~~ Lumber River Basin (Rule .0310); ~~of this Section;~~
  - ~~(J) —~~ Roanoke River Basin (Rule .0313); ~~of this Section;~~
  - ~~(K) —~~ Tar-Pamlico River Basin (Rule .0316); ~~of this Section;~~ and
  - ~~(L) —~~ Pasquotank River Basin (Rule .0317 ~~of this Section.~~

*History Note:* Authority *G.S. 143-214.1; ~~143-214.5;~~ 143-215.1; 143-215.3(a)(1); Eff. February 1, 1976; Amended Eff. August 1, 1995; August 3, 1992; August 1, 1990; October 1, 1989; ~~Readopted Eff. November 1, 2019.~~*

#### 15A NCAC 02B .0302 HIWASSEE RIVER BASIN

~~(a) Places where the schedule may be inspected:~~

- ~~(1) —~~ Clerk of Court:  
Cherokee County  
Clay County;

## APPENDIX A:

### Tracked Changes Between Prior Rule and Rule Effective November 1, 2019

(a) Classifications assigned to the waters within the Hiwassee River Basin are set forth in the Hiwassee River Basin Classification Schedule, which may be inspected at the following places:

(1) the Internet at <https://deq.nc.gov/about/divisions/water-resources/water-planning/classification-standards/river-basin-classification>; and

(2) the following offices of the North Carolina Department of ~~Environment, Health, and Natural Resources~~ Environmental Quality:

(A) Asheville Regional Office ~~Interchange Building~~  
59 Woodfin Place

Asheville 290 US 70

Swannanoa, North Carolina; and

(B) Division of Water Resources

Central Office

512 North Salisbury Street

Raleigh, North Carolina.

(b) Unnamed ~~Streams. Such~~ streams entering Georgia or Tennessee shall be classified "C Tr."

(c) The Hiwassee River Basin Classification Schedule ~~of Classifications and Water Quality Standards~~ was amended effective:

(1) August 9, 1981;

(2) February 1, 1986;

(3) March 1, 1989;

(4) August 1, 1990;

(5) August 3, 1992;

(6) July 1, 1995;

(7) August 1, 2002.

(d) The ~~Schedule of Classifications and Water Quality Standards for the~~ Hiwassee River Basin Classification Schedule was amended effective March 1, 1989 as follows:

(1) Fires Creek (Index No. 1-27) and all tributary waters were reclassified from Class C-trout and Class C to Class C-trout ORW and Class C ORW.

(2) Gipp Creek (Index No. 1-52-23) and all tributary waters were reclassified from Class C-trout and Class C to Class C-trout ORW and Class C ORW.

(e) The ~~Schedule of Classifications and Water Quality Standards for the~~ Hiwassee River Basin Classification Schedule was amended effective August 3, 1992 with the reclassification of all water supply waters ~~(with a primary classification of WS-I, WS-II or WS-III). These waters were reclassified to WS-I, WS-II, WS-III, WS-IV or WS-V as defined in the revised water supply protection rules, (15A NCAC 02B .0100, .0200 and .0300), which became effective on August 3, 1992. In some cases, streams with primary classifications other than WS were reclassified to a WS classification due to their proximity and linkage to water supply waters. In other cases, waters were reclassified from a WS classification to an alternate appropriate primary classification after being identified as downstream of a water supply intake or identified as not being used for water supply purposes.~~

(f) The ~~Schedule of Classifications and Water Quality Standards for the~~ Hiwassee River Basin Classification Schedule was amended effective July 1, 1995 with the reclassification of the Hiwassee River [Index Nos. 1-(42.7) and 1-(48.5)] from McComb Branch to the Town of Murphy water supply intake including tributaries from Classes WS-IV and WS-IV CA to Classes WS-IV, WS-IV CA, WS-V and C.

(g) The ~~Schedule of Classifications and Water Quality Standards for the~~ Hiwassee River Basin Classification Schedule was amended effective August 1, 2002 with the reclassification of the Hiwassee River [portion of Index No. 1-(16.5)] from a point 1.2 mile upstream of mouth of McComb Branch to a point 0.6 mile upstream of McComb Branch (Town of Murphy proposed water supply intake) from Class WS-IV to Class WS-IV CA.

*History Note: Authority G.S. 143-214.1; 143-215.1; 143-215.3(a)(1);*

*Eff. February 1, 1976;*

*Amended Eff. August 1, 2002; July 1, 1995; August 3, 1992; August 1, 1990; March 1, 1989;:*

*Readopted Eff. November 1, 2019.*

**15A NCAC 02B .0303 LITTLE ~~TENN~~TENNESSEE RIVER BASIN AND SAVANNAH RIVER DRAINAGE AREA**

## APPENDIX A:

### Tracked Changes Between Prior Rule and Rule Effective November 1, 2019

(a) ~~The~~ Classifications assigned to the waters within the Little Tennessee River Basin and Savannah River Drainage Area are set forth in the Little Tennessee River Basin and Savannah River Drainage Area Classification Schedule ~~of Classifications and Water Quality Standards~~, which may be inspected at the following places:

- (1) the Internet at ~~http://h2o.enr.state~~<https://deq.nc.us/esu/gov/about/divisions/water-resources/water-planning/classification-standards/river-basin-classification>; and
- (2) the following offices of the North Carolina Department of ~~Environment and Natural Resources~~Environmental Quality:
  - (A) Asheville Regional Office  
2090 US Highway 70  
Swannanoa, North Carolina; and
  - (B) Division of Water ~~Quality~~Resources  
Central Office  
512 North Salisbury Street  
Raleigh, North Carolina.  
Central Office  
512 North Salisbury Street  
Raleigh, North Carolina.

(b) Unnamed ~~Streams. Such~~ streams entering Georgia or Tennessee shall be classified "C Tr."- Such streams in the Savannah River drainage area entering South Carolina shall be classified "B Tr."

(c) The Little Tennessee River Basin and Savannah River Drainage Area Classification Schedule ~~of Classifications and Water Quality Standards~~ was amended effective:

- (1) February 16, 1977;
- (2) March 1, 1977;
- (3) July 13, 1980;
- (4) February 1, 1986;
- (5) October 1, 1987;
- (6) March 1, 1989;
- (7) January 1, 1990;
- (8) July 1, 1990;
- (9) August 1, 1990;
- (10) March 1, 1991;
- (11) August 3, 1992;
- (12) February 1, 1993;
- (13) August 1, 1994;
- (14) September 1, 1996;
- (15) August 1, 1998;
- (16) August 1, 2000;
- (17) April 1, 2003;
- (18) January 1, 2007;
- (19) November 1, 2007;
- (20) July 1, 2009.

(d) The ~~Schedule of Classifications of Water Quality Standards for the~~ Little Tennessee Basin and Savannah River Drainage Area Classification Schedule was amended effective March 1, 1989 as follows:

- (1) Nantahala River (Index No. 2-57) from source to the backwaters of Nantahala Lake and all tributary waters were reclassified from Class B-trout, Class C-trout and Class C to Class B-trout ORW, Class C-trout ORW and Class C ORW.
- (2) Chattooga River (Index No. 3) including Scotsman Creek, Overflow Creek, Big Creek, Talley Mill Creek and all tributary waters were reclassified from Class B-trout, Class C-trout and Class C to Class B-trout ORW, Class C-trout ORW and Class C ORW and Clear Creek and all tributary waters were reclassified from Class C-trout and Class C to Class B-trout and Class B.

(e) The ~~Schedule of Classifications and Water Quality Standards for the~~ Little Tennessee River Basin and Savannah River Drainage Area Classification Schedule was amended effective January 1, 1990 as follows:

- (1) North Fork Coweeta Creek (Index No. 2-10-4) and Falls Branch (Index No. 2-10-4-1) were reclassified from Class C to Class B.
- (2) Burningtown Creek (Index No. 2-38) was reclassified from C-trout to B-trout.

## APPENDIX A:

### Tracked Changes Between Prior Rule and Rule Effective November 1, 2019

(f) The ~~Schedule of Classifications and Water Quality Standards for the~~ Little Tennessee River Basin and Savannah River Drainage Area Classification Schedule was amended effective July 1, 1990 by the reclassification of Alarka Creek (Index No. 2-69) from source to Upper Long Creek (Index No. 2-69-2) including all tributaries from Classes C and C Tr to Classes C HQW and C Tr HQW.

(g) The ~~Schedule of Classifications and Water Quality Standards for the~~ Little Tennessee River Basin and Savannah River Drainage Area Classification Schedule was amended effective March 1, 1991 as follows:

- (1) Cartoogechaye Creek [Index Nos. 2-19-(1) and 2-19-(16)] from Gibson Cove Branch to bridge at U.S. Hwy. 23 and 441 and from the bridge at U.S. Hwy. 23 and 441 to the Little Tennessee River was reclassified from Classes WS-III Tr and C Tr to Classes WS-III and B Tr and B Tr respectively.
- (2) Coweeta Creek (Index Nos. 2-10) from its source to the Little Tennessee River including all tributaries except Dryman Fork (Index No. 2-10-3) and North Fork Coweeta Creek (Index No. 2-10-4) was reclassified from Classes C and C Tr to Classes B and B Tr.

(h) The ~~Schedule of Classifications and Water Quality Standards for the~~ Little Tennessee River Basin and Savannah River Drainage Area Classification Schedule was amended effective August 3, 1992 with the reclassification of all water supply waters (waters with a primary classification of WS-I, WS-II or WS-III). -These waters were reclassified to WS-I, WS-II, WS-III, WS-IV or WS-V as defined in the revised water supply protection rules, (15A NCAC 02B .0100, .0200 and .0300), which became effective on August 3, 1992. -In some cases, streams with primary classifications other than WS were reclassified to a WS classification due to their proximity and linkage to water supply waters. -In other cases, waters were reclassified from a WS classification to an alternate appropriate primary classification after being identified as downstream of a water supply intake or identified as not being used for water supply purposes.

(i) The ~~Schedule of Classifications and Water Quality Standards for the~~ Little Tennessee River Basin and Savannah River Drainage Area ~~has been~~Classification Schedule was amended effective February 1, 1993 as follows:

- (1) Bearwallow Creek from its source to 2.3 miles upstream of the Toxaway River [Index No. 4-7-(1)] was revised to indicate the application of an additional management strategy (~~referencing 15A NCAC 02B Rule .0201(d) of this Subchapter~~) to protect downstream waters; and
- (2) the Tuckasegee River from its source to Tennessee Creek [Index No. 2-79-(0.5)] including all tributaries was reclassified from Classes WS-III&B Tr HQW, WS-III HQW and WS-III to Classes WS-III Tr ORW and WS-III ORW.

(j) The ~~Schedule of Classifications and Water Quality Standards for the~~ Little Tennessee River Basin and Savannah River Drainage Area Classification Schedule was amended effective August 1, 1994 with the reclassification of Deep Creek [Index Nos. 2-79-63-(1) and 2-79-63-(16)] from its source to the Great Smokey Mountains National Park Boundary including tributaries from Classes C Tr, B Tr and C Tr HQW to Classes WS-II Tr and WS-II Tr CA.

(k) The ~~Schedule of Classifications and Water Quality Standards for the~~ Little Tennessee River Basin and Savannah River Drainage Area Classification Schedule was amended effective September 1, 1996 as follows:

- (1) Deep Creek from the Great Smoky Mountains National Park Boundary to the Tuckasegee River [Index no. 2-79-63-(21)] was reclassified from Class C Tr to Class B Tr; and
- (2) the Tuckasegee River from the West Fork Tuckasegee River to Savannah Creek and from Macks Town Branch to Cochran Branch [Index Nos. 2-79-(24), 2-79(29.5) and 2-79-(38)] was reclassified from Classes WS-III Tr, WS-III Tr CA and C to Classes WS-III&B Tr, WS-III&B Tr CA and B.

(l) The ~~Schedule of Classifications and Water Quality Standards for the~~ Little Tennessee River Basin and Savannah River Drainage Area Classification Schedule was amended effective August 1, 1998 with the reclassifications of Thorpe Reservoir (Lake Glenville), Hurricane Creek, and Laurel Branch [Index Nos. 2-79-23-(1), 2 -79-23-2, and 2-79-23-2-1 respectively] from classes WS-III&B, WS-III Tr and WS-III to classes WS-III&B HQW, WS-III Tr HQW, and WS-III HQW.

(m) The ~~Schedule of Classifications and Water Quality Standards for the~~ Little Tennessee River Basin and Savannah River Drainage Area Classification Schedule was amended August 1, 2000 with the reclassification of Wesser Creek [Index No. 2-79-52-5-1] from its source to Williams Branch from Class C to Class C Tr.

(n) The ~~Schedule of Classifications and Water Quality Standards for the~~ Little Tennessee River Basin and Savannah River Drainage Area Classification Schedule was amended April 1, 2003 with the reclassification of a portion of the Little Tennessee River [Index No. 2-(1)] from a point 0.4 mile upstream of N.C. Highway 28 to Nantahala River Arm of Fontana Lake from Class C to Class B.

(o) The ~~Schedule of Classifications and Water Quality Standards for the~~ Little Tennessee River Basin and Savannah River Drainage Area Classification Schedule was amended January 1, 2007 with the reclassification of the entire watersheds of all creeks that drain to the north shore of Fontana Lake between Eagle and Forney Creeks, including



## APPENDIX A:

### Tracked Changes Between Prior Rule and Rule Effective November 1, 2019

Eagle and Forney Creeks, [Index Nos. 2-96 through 2-164 (excluding all waterbodies that drain to the south shore of Fontana Lake)] from Class B, C Tr, WS-IV Tr CA, WS-IV Tr, and WS-IV & B CA to Class B ORW, C Tr ORW, WS-IV Tr ORW CA, WS-IV Tr ORW, and WS-IV & B ORW CA, respectively. -Additional site-specific management strategies are outlined in Rule ~~15A NCAC 02B-.0225(e)(12)-~~ of this Subchapter.

(p) The ~~Little Tennessee River Basin and Savannah River Drainage Area Classification Schedule of Classifications and Water Quality Standards for the Little Tennessee River Basin and Savannah River Drainage Area~~ was amended effective November 1, 2007 with the reclassification of Richland Balsam Seep near Beechflat Creek [Index No. 2-79-28-3-2] to Class WL UWL ~~as defined in 15A NCAC 02B. 0101.-~~ The Division of Water ~~Quality Resources~~ maintains a Geographic Information Systems data layer of the UWL.

(q) The ~~Schedule of Classifications and Water Quality Standards for the~~ Little Tennessee River Basin and Savannah River Drainage Area Classification Schedule was amended July 1, 2009 with the reclassification of the watershed of the lower portion of the Horsepasture River [portion of Index Number 4-13-(12.5)] from a point approximately 0.60 miles downstream of N.C. 281 (Bohaynee Road) to the NC-SC state line from Class B Tr to Class B Tr ORW, and the watershed of the upper portion of the Horsepasture River [Index Number 4-13-(0.5) and a portion of Index Number 4-13-(12.5)] from source to a point approximately 0.60 miles downstream of -N.C. 281 (Bohaynee Road) to include only the ORW management strategy as represented by "+". -The "+" symbol ~~as used in this paragraph~~ means that all undesignated waterbodies that are located within the watershed of the upper portion of Horsepasture River shall comply with ~~Paragraph (e) of~~ Rule .0225(c) of this Subchapter in order to protect the designated waters as per Rule .0203 of this Subchapter and to protect outstanding resource values found throughout the entire Horsepasture River watershed. -Site-specific management strategies are outlined in ~~15A NCAC 02B Rule .0225(e)(13)-~~ of this Subchapter.

*History Note:* Authority G.S. 143-214.1; 143-215.1; 143-215.3(a)(1); S.L. 2005-97;  
Eff. February 1, 1976;

Amended Eff. July 1, 2009; November 1, 2007; January 1, 2007; April 1, 2003; August 1, 2000;  
August 1, 1998; September 1, 1996; August 1, 1994; February 1, 1993; August 3, 1992; March 1,  
1991-;

Readopted Eff. November 1, 2019.

#### 15A NCAC 02B .0304 FRENCH BROAD RIVER BASIN

~~(a) Effective February 1, 1976, the adopted classifications(a) Classifications~~ assigned to the waters within the French Broad River Basin are set forth in the French Broad River Basin Classification ~~Schedule of Classifications and Water Quality Standards~~, which may be inspected at the following places:

- (1) the Internet at <https://deq.nc.gov/about/divisions/water-resources/water-planning/classification-standards/river-basin-classification-schedule>; and
- (2) the following offices of the North Carolina Department of Environmental Quality:
  - (A) Asheville Regional Office  
2090 US Highway 70
  - (A) Asheville Regional Office  
~~2090 US Highway 70~~  
Swannanoa, North Carolina; and
  - (B) Division of Water Resources  
Central Office  
512 North Salisbury Street  
Raleigh, North Carolina.

(b) Unnamed ~~Streams. Such~~ streams entering Tennessee are classified "B."

(c) The French Broad River Basin Classification ~~Schedule of Classifications and Water Quality Standards~~ was amended effective:

- (1) September 22, 1976;
- (2) March 1, 1977;
- (3) August 12, 1979;
- (4) April 1, 1983;
- (5) August 1, 1984;
- (6) August 1, 1985;
- (7) February 1, 1986;
- (8) May 1, 1987;

## APPENDIX A:

### Tracked Changes Between Prior Rule and Rule Effective November 1, 2019

- (9) August 1, 1990.
- (d) The ~~Schedule of Classifications and Water Quality Standards for the~~ French Broad River Basin Classification Schedule was amended effective March 1, 1989 as follows:
- (1) Cataloochee Creek (Index No. 5-41) and all tributary waters were reclassified from Class C-trout and Class C to Class C-trout ORW and Class C ORW.
  - (2) South Fork Mills River (Index No. 6-54-3) down to Queen Creek and all tributaries were reclassified from Class WS-I and Class WS-III-trout to Class WS-I ORW and Class WS-III-trout ORW.
- (e) The ~~Schedule of Classifications and Water Quality Standards for the~~ French Broad River Basin Classification Schedule was amended effective October 1, 1989 as follows: Cane River (Index No. 7-3) from source to Bowlen's Creek and all tributaries were reclassified from Class C trout and Class C to Class WS-III trout and Class WS-III.
- (f) The ~~Schedule of Classifications and Water Quality Standards for the~~ French Broad River Basin Classification Schedule was amended effective January 1, 1990 as follows: North Toe River (Index No. 7-2) from source to Cathis Creek (Christ Branch) and all tributaries were reclassified from Class C trout and Class C to Class WS-III trout and Class WS-III.
- (g) The ~~Schedule of Classifications and Water Quality Standards for the~~ French Broad River Basin Classification Schedule was amended effective August 3, 1992 with the reclassification of all water supply waters (waters with a primary classification of WS-I, WS-II or WS-III). These waters were reclassified to WS-I, WS-II, WS-III, WS-IV or WS-V as defined in the revised water supply protection rules, (15A NCAC 02B .0100, .0200 and .0300), which became effective on August 3, 1992. In some cases, streams with primary classifications other than WS were reclassified to a WS classification due to their proximity and linkage to water supply waters. In other cases, waters were reclassified from a WS classification to an alternate appropriate primary classification after being identified as downstream of a water supply intake or identified as not being used for water supply purposes.
- (h) The ~~Schedule of Classifications and Water Quality Standards for the~~ French Broad River Basin Classification Schedule was amended effective October 1, 1993 as follows: Reasonover Creek [Index No. 6-38-14-(1)] from source to Reasonover Lake Dam and all tributaries were reclassified from Class B Trout to Class WS-V and B Trout, and Reasonover Creek [Index No. 6-38-14-(4)] from Reasonover Lake Dam to Lake Julia Dam and all tributaries were reclassified from Class C Trout to Class WS-V Trout.
- (i) The ~~Schedule of Classifications and Water Quality Standards for the~~ French Broad River Basin Classification Schedule was amended effective July 1, 1995 with the reclassification of Cane Creek [Index Nos. 6-57-(1) and 6-57-(9)] from its source to the French Broad River from Classes WS-IV and WS-IV Tr to Classes WS-V, WS-V Tr and WS-IV.
- (j) The ~~Schedule of Classifications and Water Quality Standards for the~~ French Broad River Basin Classification Schedule was amended effective November 1, 1995 as follows: North Toe River [Index Numbers 7-2-(0.5) and 7-2-(37.5)] from source to a point 0.2 miles downstream of Banjo Branch, including tributaries, has been reclassified from Class WS-III, WS-III Trout and WS-III Trout CA (critical area) to Class WS-IV Trout, WS-IV, WS-IV Trout CA, and C Trout.
- (k) The ~~Schedule of Classifications and Water Quality Standards for the~~ French Broad River Basin Classification Schedule was amended effective January 1, 1996 as follows: Stokely Hollow [Index Numbers 6-121.5-(1) and 6-121.5-(2)] from source to mouth of French Broad River has been reclassified from Class WS-II and Class WS-II CA to Class C.
- (l) The ~~Schedule of Classifications and Water Quality Standards for the~~ French Broad River Basin Classification Schedule was amended April 1, 1996 with the reclassification of the French Broad River [Index No. 6-(1)] from a point 0.5 miles downstream of Little River to Mill Pond Creek to Class WS-IV; French Broad River [Index No. 6-(51.5)] from a point 0.6 miles upstream of Mills River to Mills River to Class WS-IV CA (Critical Area), from Mills River to a point 0.1 miles upstream of Boring Mill Branch to Class C; and the Mills River [Index No. 6-54-(5)] was reclassified from City of Hendersonville water supply intake to a point 0.7 miles upstream of mouth of Mills River to Class WS-III, and from a point 0.7 miles upstream of mouth of Mills River to French Broad River to Class WS-III CA (Critical Area).
- (m) The ~~Schedule of Classifications and Water Quality Standards for the~~ French Broad River Basin Classification Schedule was amended August 1, 1998 with the revision to the primary classification for portions of the French Broad River [Index No. 6-(38.5)] and the North Toe River 7-2-(10.5) from Class IV to Class C.
- (n) The ~~Schedule of Classifications and Water Quality Standards for the~~ French Broad River Basin Classification Schedule was amended August 1, 1998 with the reclassification of Clear Creek [Index No. 6-55-(1)] from its source to Lewis Creek from Class C Tr to Class B Tr.

## APPENDIX A:

### Tracked Changes Between Prior Rule and Rule Effective November 1, 2019

- (o) The ~~Schedule of Classifications and Water Quality Standards for the~~ French Broad River Basin Classification Schedule was amended August 1, 2000 with the reclassification of Rough Creek [Index No. 5-8-4-(1~~7~~)], including all tributaries, from its source to the Canton Reservoir from Class WS-I to Class WS-I Tr ORW.
- (p) The ~~Schedule of Classifications and Water Quality Standards for the~~ French Broad River Basin Classification Schedule was amended August 1, 2002 with the revision to the primary classification for the French Broad River [Index No. 6-(1), 6-(27), 6-(47.5), 6-(52.5), and 6-(54.5)] including its four headwater forks' mainstems, watershed of tributary Davidson River, and watershed of tributary Bent Creek below Powhatan Dam, and the Nolichucky River [Index No. 7] including a lower portion of the North Toe River from Class C and Class WS-IV to Class B.
- (q) The ~~Schedule of Classifications and Water Quality Standards for the~~ French Broad River Basin Classification Schedule was amended August 1, 2002 with the reclassification of the North Toe River [Index No. 7-2-(0.5)], including all tributaries, from source to a point 0.2 mile upstream of Pyatt Creek, from Class C Tr to Class WS-V Tr.
- (r) The ~~Schedule of Classifications and Water Quality Standards for the~~ French Broad River Basin Classification Schedule was amended September 1, 2004 with the reclassification of a portion of Richland Creek [Index No. 5-16(1~~7~~)], from source to a point approximately 11.2 miles from source (Boyd Avenue), from Class B to Class B Tr, and all tributaries to the portion of the creek referenced in this Paragraph from C, C HQW, and WS-I HQW, and WS-I HQW to C Tr, C HQW Tr, and WS-I HQW Tr, respectively, except Hyatt Creek [Index No. 5-16-6], Farmer Branch [Index No. 5-16-11], and tributaries already classified as Tr.
- (s) The ~~Schedule of Classifications and Water Quality Standards for the~~ French Broad River Basin Classification Schedule was amended effective November 1, 2007 with the reclassification of McClure's Bog near Gash Creek [Index No. 6-47] to Class WL UWL ~~as defined in 15A NCAC 02B .0101~~. The North Carolina Division of Water Resources maintains a Geographic Information Systems data layer of the UWL.  
. The North Carolina Division of Water Resources maintains a Geographic Information Systems data layer of the UWL.
- (t) The ~~Schedule of Classifications and Water Quality Standards for the~~ French Broad River Basin Classification Schedule was amended effective September 1, 2009 with the reclassification of the entire watershed of Big Laurel Creek (Index No. 6-112) from source to the French Broad River from Class C Tr to Class C ORW Tr.
- (u) The ~~Schedule of Classifications and Water Quality Standards for the~~ French Broad River Basin Classification Schedule was amended effective September 1, 2009 with the reclassification of the entire watershed of Spring Creek [Index No. 6-118-(1) and 6-118-(27)] from source to the French Broad River from Class C Tr and Class C to Class C ORW Tr and Class C ORW.
- (v) The ~~Schedule of Classifications and Water Quality Standards for the~~ French Broad River Basin is Classification Schedule was amended December 1, 2011 with the reclassification of a portion of the French Broad River [Index No. 6-(54.5)] from the confluence of the Mills River to a point 0.2 miles downstream of the confluence of the Mills River from Class B to Class WS-IV&B CA.
- (w) The Schedule of Classifications and Water Quality Standards for the French Broad River Basin was amended January 1, 2019 with the reclassification of Enka Lake, which is a portion of the Bill Moore Creek (Index No. 6-76-7) from Class C to Class B.

*History Note:* Authority G.S. 143-214.1; 143-215.1; 143-215.3(a)(1);  
Eff. February 1, 1976;  
Amended Eff. January 1, 2019; December 1, 2011; September 1, 2009; November 1, 2007;  
September 1, 2004; August 1, 2002; August 1, 2000; August 1, 1998; April 1, 1996; January 1,  
1996; November 1, 1995; July 1, 1995;  
Readopted Eff. November 1, 2019.

#### 15A NCAC 02B .0305 WATAUGA RIVER BASIN

(a) ~~The Classifications assigned to the waters within the~~ Watauga River Basin are set forth in the Watauga River Basin Classification Schedule of Classifications and Water Quality Standards, which may be inspected at the following places:

- (1) the Internet at ~~http://h2o.enr.state~~<https://deq.nc.us/esu/gov/about/divisions/water-resources/water-planning/classification-standards/river-basin-classification> and
- (2) the following offices of the North Carolina Department of ~~Environment and Natural Resources~~Environmental Quality:
  - (A) Asheville Regional Office  
2090 US Highway 70

## APPENDIX A:

### Tracked Changes Between Prior Rule and Rule Effective November 1, 2019

- (A) Asheville Regional Office  
2090 US Highway 70  
Swannanoa, ~~North Carolina;~~
- (B) Winston-Salem Regional Office  
450 West Hanes Mill Road  
Winston-Salem, North Carolina; and
- (C) Division of Water ~~Quality~~Resources  
Central Office  
512 North Salisbury Street  
Raleigh, North Carolina.

(b) Unnamed ~~Streams. Such~~ streams entering the State of Tennessee are classified "C."

(c) The Watauga River Basin Classification ~~Schedule of Classifications and Water Quality Standards~~ was amended effective:

- (1) August 12, 1979;
- (2) February 1, 1986;
- (3) October 1, 1987;
- (4) August 1, 1989;
- (5) August 1, 1990;
- (6) December 1, 1990;
- (7) April 1, 1992;
- (8) August 3, 1992;
- (9) February 1, 1993;
- (10) April 1, 1994;
- (11) August 1, 1998;
- (12) November 1, 2007.

(d) The ~~Schedule of Classifications and Water Quality Standards for the~~ Watauga River Basin Classification Schedule was amended effective July 1, 1989 as follows:

- (1) Dutch Creek (Index No. 8-11) was reclassified from Class C-trout to Class B-trout.
- (2) Pond Creek (Index No. 8-20-2) from water supply intake (located just above Tamarack Road) to Beech Creek and all tributary waters were reclassified from Class WS-III to C.

(e) The ~~Schedule of Classifications and Water Quality Standards for the~~ Watauga River Basin Classification Schedule was amended effective December 1, 1990 with the reclassification of the Watauga River from the US Highway 321 bridge to the North Carolina/Tennessee state line from Class C to Class B.

(f) The ~~Schedule of Classifications and Water Quality Standards for the~~ Watauga River Basin Classification Schedule was amended effective April 1, 1992 with the reclassification of Pond Creek from Classes WS-III and C to Classes WS-III Trout and C Trout.

(g) The ~~Schedule of Classifications and Water Quality Standards for the~~ Watauga River Basin Classification Schedule was amended effective August 3, 1992 with the reclassification of all water supply waters (waters with a primary classification of WS-I, WS-II or WS-III). -These waters were reclassified to WS-I, WS-II, WS-III, WS-IV or WS-V as defined in the revised water supply protection rules; (15A NCAC 2B .0100, .0200 and .0300) which became effective on August 3, 1992. -In some cases, streams with primary classifications other than WS were reclassified to a WS classification due to their proximity and linkage to water supply waters. -In other cases, waters were reclassified from a WS classification to an alternate appropriate primary classification after being identified as downstream of a water supply intake or identified as not being used for water supply purposes.

(h) The ~~Schedule of Classifications and Water Quality Standards for the~~ Watauga River Basin ~~has been~~ Classification Schedule was amended effective February 1, 1993 with the reclassification of Boone Fork (Index No. 8-7) and all tributary waters from Classes C Tr HQW and C HQW to Classes C Tr ORW and C ORW.

(i) The ~~Schedule of Classifications and Water Quality Standards for the~~ Watauga River Basin ~~has been~~ Classification Schedule was amended effective April 1, 1994 with the reclassification of the Elk River from Peavine Branch to the North Carolina/Tennessee state line [Index No. 8-22-(3)] from Class C Tr to Class B Tr.

(j) The ~~Schedule of Classifications and Water Quality Standards for the~~ Watauga River Basin ~~has been~~ Classification Schedule was amended effective August 1, 1998 with the reclassification of East Fork Pond Creek from its source to the backwater of Santis Lake, [Index No. 8-20-2-1.5] from Class WS-II Tr to Class -WS-III Tr; the reclassification of West Fork Pond Creek (Santis Lake) [Index No. 8-20-2-1-(2)] from the backwaters of Santis Lake to Pond Creek from

**APPENDIX A:**  
**Tracked Changes Between Prior Rule and Rule Effective November 1, 2019**

WS-II Tr CA to WS-III Tr CA; and the reclassification of the connecting stream of Lake Coffey [Index No. 8-20-2-2] from the dam at Lake Coffey to Pond Creek from WS-II Tr CA to C Tr.

(k) The ~~Schedule of Classifications and Water Quality Standards for the~~ Watauga River Basin ~~has been~~ Classification Schedule was amended effective November 1, 2007 with the reclassification of the Beech Creek Bog near Beech Creek [Index No. 8-20] to Class WL UWL. The North Carolina Division of Water Resources maintains a Geographic Information Systems data layer of the UWL.  
~~as defined in 15A NCAC 02B .0101. The North Carolina Division of Water Quality maintains a Geographic Information Systems data layer of the UWL.~~

*History Note:* Authority G.S. 143-214.1; 143-215.1; 143-215.3(a)(1);  
Eff. February 1, 1976;  
Amended Eff. November 1, 2007; August 1, 1998; April 1, 1994; February 1, 1993; August 3, 1992;  
April 1, 1992.;  
Readopted Eff. November 1, 2019.

**15A NCAC 02B .0306 BROAD RIVER BASIN**

~~(a) Effective February 1, 1976, the adopted classifications~~ (a) Classifications assigned to the waters within the Broad River Basin are set forth in the Broad River Basin Classification Schedule ~~of Classifications and Water Quality Standards~~, which may be inspected at the following places:

- (1) the Internet at <http://portal.ncdenr.org/web/wq/ps/esu/classifications> <https://deq.nc.gov/about/divisions/water-resources/water-planning/classification-standards/river-basin-classification>; and
- (2) the following offices of the North Carolina Department of ~~Environment and Natural Resources~~ Environmental Quality:
  - (A) Mooresville Regional Office  
610 East Center Avenue  
Suite 301  
Mooresville, North Carolina;
  - (B) Asheville Regional Office  
2090 US Highway 70  
Swannanoa, North Carolina.; and
  - (C) Division of Water Resources  
Central Office  
512 North Salisbury Street  
Raleigh, North Carolina.

(b) Unnamed ~~Streams. Such~~ streams entering South Carolina are classified "C."

(c) The Broad River Basin Classification Schedule ~~of Classifications and Water Quality Standards~~ was amended effective:

- (1) March 1, 1977;
- (2) February 12, 1979;
- (3) August 12, 1979;
- (4) April 1, 1983;
- (5) February 1, 1986.

(d) The ~~Schedule of Classifications and Water Quality Standards for the~~ Broad River Basin Classification Schedule was amended effective August 3, 1992 with the reclassification of all water supply waters (waters with a primary classification of WS-I, WS-II or WS-III). -These waters were reclassified to WS-I, WS-II, WS-III, WS-IV or WS-V as defined in the revised water supply protection rules (15A NCAC 02B .0100, .0200 and 0300), which became effective on August 3, 1992. -In some cases, streams with primary classifications other than WS were reclassified to a WS classification due to their proximity and linkage to water supply waters.- In other cases, waters were reclassified from a WS classification to an alternate appropriate primary classification after being identified as downstream of a water supply intake or identified as not being used for water supply purposes.

(e) The ~~Schedule of Classifications and Water Quality Standards for the~~ Broad River Basin Classification Schedule was amended effective September 1, 1994 with the reclassification of the Second Broad River [Index No. 9-41-(0.5)] from its source to Roberson Creek including associated tributaries was reclassified from Class WS-V to Classes WS-V, WS-IV and WS-IV CA.

## APPENDIX A:

### Tracked Changes Between Prior Rule and Rule Effective November 1, 2019

- (f) The ~~Schedule of Classifications and Water Quality Standards for the~~ Broad River Basin Classification Schedule was amended effective August 1, 1998 with the revision to the primary classification for portions of the Broad River [Index No. 9-(23.5)] from Class WS-IV to Class C and Second Broad River [Index Nos. 9-41-(10.5) and 9-41-(14.5)] and First Broad River [Index No. 9-50-(11)] from Class WS-IV to Class WS-V.
- (g) The ~~Schedule of Classifications and Water Quality Standards for the~~ Broad River Basin Classification Schedule was amended August 1, 2000 with the reclassification of the Green River [Index No. 9-29-(1)], including all tributaries, from its source to its mouth in Lake Summit at elevation 2011 from Class C Tr to Class B Tr.
- (h) The ~~Schedule of Classifications and Water Quality Standards for the~~ Broad River Basin Classification Schedule was amended effective August 1, 2000 with the reclassification of Lake Montonia [Index No. 9-54-1-(1)], and all tributaries, from Class B to Class B HQW.
- (i) The ~~Schedule of Classifications and Water Quality Standards for the~~ Broad River Basin Classification Schedule was amended effective April 1, 2001 with the reclassification of the Green River [Index No. 9-29-(1)], including all tributaries, from its source to the downstream side of the mouth of Rock Creek from Class B Tr to Class B Tr HQW.
- (j) The ~~Schedule of Classifications and Water Quality Standards for the~~ Broad River Basin Classification Schedule was amended effective March 1, 2007 with the reclassification of the North Fork First Broad River (Index No. 9-50-4), including all tributaries, from its source to the First Broad River from Class C Tr to Class C Tr ORW.
- (k) The ~~Schedule of Classifications and Water Quality Standards for the~~ Broad River Basin Classification Schedule was amended effective March 1, 2007 with the reclassification of a segment of the Broad River [Index No. 9-(25.5)] from a point 0.5 mile upstream of the City of Shelby proposed water supply intake to the City of Shelby proposed water supply intake from Class C to Class WS-IV CA, and from a point 0.5 mile upstream of the City of Shelby proposed water supply intake to a point approximately 0.3 mile downstream of its confluence with Cane Creek from Class C to Class WS-IV. The City of Shelby proposed water supply intake is to be placed on the Broad River at a point approximately one mile upstream of its confluence with the First Broad River.
- (l) The ~~Schedule of Classifications and Water Quality Standards for the~~ Broad River Basin Classification Schedule was amended effective March 1, 2007 with the reclassification of a segment of the Broad River [Index No. 9-(25.5)] from a point 0.5 mile upstream of the Town of Forest City proposed water supply intake to the Town of Forest City proposed water supply intake from Class C to Class WS-IV CA, and from a point 0.5 mile upstream of the Town of Forest City proposed water supply intake to a point approximately 0.2 mile downstream of Rutherford County SR 1145 (Town of Rutherfordton water supply intake) from Class C to Class WS-IV. The Town of Forest City proposed water supply intake is to be placed on the Broad River at a point approximately 0.4 mile downstream of McKinney Creek.
- (m) The ~~Schedule of Classifications and Water Quality Standards for the~~ Broad River Basin was Classification Schedule amended effective September 1, 2014, in order to allow a water supply intake to be placed in Lake Adger by Polk County, as follows:
- (1) a portion of the Green River [Index No. 9-29-(33)], including tributaries, from the dam at Lake Adger to a point 0.35 mile downstream of Rash Creek from Class C to Class WS-IV CA. The CA extends 0.5 mile from and draining to the normal pool elevation of Lake Adger.
  - (2) a portion of the Green River from a point 0.35 mile [Index No. 9-29-(33)], including tributaries, downstream of Rash Creek to a point 300 feet downstream of Laurel Branch from Class C to Class WS-IV. The PA extends 5.0 miles from and draining to the normal pool elevation of Lake Adger.

*History Note:* Authority G.S. 143-214.1; 143-215.1; 143-215.3(a)(1);  
Eff. February 1, 1976;  
Amended Eff. September 1, 2014; March 1, 2007; April 1, 2001; August 1, 2000; August 1, 1998;  
September 1, 1994; August 3, 1992; February 1, 1986; January 1, 1985;:  
Readopted Eff. November 1, 2019.

#### 15A NCAC 02B .0307 NEW RIVER BASIN

~~(a) Effective February 1, 1976, the adopted classifications~~(a) Classifications assigned to the waters within the New River Basin are set forth in the New River Basin Classification Schedule ~~of Classifications and Water Quality Standards~~, which may be inspected at the following places:

- (1) the Internet at <http://portal.ncdenr.org/web/wq/ps/esu/rules;https://deq.nc.gov/about/divisions/water-resources/water-planning/classification-standards/river-basin-classification>; and

## APPENDIX A:

### Tracked Changes Between Prior Rule and Rule Effective November 1, 2019

- (2) the ~~following offices of the~~ North Carolina Department of ~~Environment and Natural Resources~~Environmental Quality:
- (A) Asheville Regional Office
  - (A) Asheville Regional Office
    - ~~2090 US Highway 70~~
    - ~~Swannanoa, North Carolina;~~
  - (B) Winston-Salem Regional Office
  - ~~(B) Winston-Salem Regional Office~~
    - ~~585 Waughtown Street~~
    - ~~450 West Hanes Mill Road~~
  - Winston-Salem, North Carolina; and
  - (C) Division of Water ~~Quality~~Resources
    - ~~Central Office~~
    - ~~512 North Salisbury Street~~
    - ~~Raleigh, North Carolina.~~
- (b) Unnamed ~~Streams. Such~~ streams entering the State of Tennessee are classified "C."
- (c) The New River Basin ~~Classification Schedule of Classifications and Water Quality Standards~~ was amended effective:
- (1) August 10, 1980 (see Paragraph (d) of this Rule);
  - (2) April 1, 1983 (see Paragraph (e) of this Rule);
  - (3) February 1, 1986 (see Paragraph (f) of this Rule);
  - (4) August 1, 1989 (see Paragraph (g) of this Rule);
  - (5) August 1, 1990 (see Paragraph (h) of this Rule);
  - (6) August 3, 1992 (see Paragraph (i) of this Rule);
  - (7) February 1, 1993 (see Paragraph (j) of this Rule);
  - (8) August 1, 1998 (see Paragraph (k) of this Rule);
  - (9) November 1, 2007 (see Paragraph (l) of this Rule);
  - (10) December 1, 2010 (see Paragraph (m) of this Rule); and
  - (11) July 3, 2012 (see Paragraph (n) of this Rule).
- (d) The ~~Schedule of Classifications and Water Quality Standards for the~~ New River Basin Classification Schedule was amended effective August 10, 1980 as follows:
- (1) South Fork New River [Index No. 10-1-(1)] from the confluence of the Middle Fork South Fork New River and the East Fork South Fork New River to Winkler Creek was reclassified from Class C to Class A-II;
  - (2) Middle Fork South Fork New River [Index Nos. 10-1-2-(6) and 10-1-2-(14)] from Brown Branch to the South Fork New River was reclassified from Class C and C Trout to Class A-II and A-II Trout;
  - (3) East Fork South Fork New River [Index Nos. 10-1-3-(1) and 10-1-3-(7)] was reclassified from Class C and C Trout to Class A-II and A-II Trout; and
  - (4) Winkler Creek [Index No. 10-1-4-(2)] from Boone water supply intake dam to Watauga County SR 1549 and Flannery Fork [Index No. 10-1-4-3-(2)] from the dam at Camp Sky Ranch Bathing Lake to Winkler Creek were reclassified from Class C Trout to Class A-II Trout.
- (e) The ~~Schedule of Classifications and Water Quality Standards for the~~ New River Basin Classification Schedule was amended effective April 1, 1983 as follows: Naked Creek [Index No. 10-1-32] was reclassified from Class C Trout to Class C.
- (f) The ~~Schedule of Classifications and Water Quality Standards for the~~ New River Basin Classification Schedule was amended effective February 1, 1986 with the reclassification of all Class A-I and A-II streams to Class WS-I and WS-III in the New River Basin.
- (g) The ~~Schedule of Classifications and Water Quality Standards for the~~ New River Basin Classification Schedule was amended effective August 1, 1989 as follows: South Fork New River [Index No. 10-1-(30)] from Dog Creek to New River and all tributary waters were reclassified from Class C-trout and Class C to Class B-trout and B.
- (h) The ~~Schedule of Classifications and Water Quality Standards for the~~ New River Basin Classification Schedule was amended effective August 1, 1990 as follows:

## APPENDIX A:

### Tracked Changes Between Prior Rule and Rule Effective November 1, 2019

- (1) New River [Index No. 10] from the confluence of the North and South Forks New River to the last point at which the New River crosses the North Carolina/Virginia State line was reclassified from Class C to Class C HQW;
  - (2) South Fork New River [Index Nos. 10-1-(14.5), 10-1-(26), 10-1-(30), and 10-1-(33.5)] from Elk Creek to the confluence of the New River and North Fork New River was reclassified from Class C, B and WS-III to Class C HQW, B HQW and WS-III HQW;
  - (3) Howard Creek [Index Nos. 10-1-9-(1) and 10-1-9-(6)] from source to the South Fork New River was reclassified from Class WS-III Trout and C Trout to Class WS-III Trout HQW and C Trout HQW;
  - (4) Big Horse Creek [Index No. 10-2-21-(5.5)] from North Carolina/Virginia State line to lower Ashe County SR 1361 bridge was reclassified from Class C Trout to Class C Trout HQW; and
  - (5) Little River [Index No. 10-9-(11.5)] from N.C. Hwy. 18 bridge to the North Carolina/Virginia State line was reclassified from Class C to Class C HQW.
- (i) The ~~Schedule of Classifications and Water Quality Standards for the~~ New River Basin Classification Schedule was amended effective August 3, 1992 with the reclassification of all water supply waters (waters with a primary classification of WS-I, WS-II or WS-III). -These waters were reclassified to WS-I, WS-II, WS-III, WS-IV or WS-V as defined in the revised water supply protection rules; (15A NCAC 02B .0100, .0200 and .0300)), which became effective on August 3, 1992. -In some cases, streams with primary classifications other than WS were reclassified to a WS classification due to their proximity and linkage to water supply waters. -In other cases, waters were reclassified from a WS classification to an alternate appropriate primary classification after being identified as downstream of a water supply intake or identified as not being used for water supply purposes.
- (j) The ~~Schedule of Classifications and Water Quality Standards for the~~ New River Basin Classification Schedule was amended effective February 1, 1993 as follows:
- (1) the South Fork New River (Index No. 10-1-33.5) from Dog Creek to the New River was reclassified from Class B HQW to Class B ORW;
  - (2) the New River (Index No. 10) from ~~the~~ Andand the confluence of the North Andand South Fork New Rivers to the last point at which it crosses the North Carolina/Virginia State line was reclassified from Class C HQW to Class C ORW; and
  - (3) Old Field Creek (Index No. 10-1-22) from Call Creek to the South Fork New River, and Call Creek (Index No. 10-1-22-1) from its source to Old Field Creek were reclassified from Class WS-IV Trout to Class WS-IV Trout ORW.
- (k) The ~~Schedule of Classifications and Water Quality Standards for the~~ New River Basin Classification Schedule was amended effective August 1, 1998 with the revision to the primary classification for a portion of the South Fork New River [Index No. 10-1 (20.5)] from Class WS-IV to Class WS-V.
- (l) The ~~Schedule of Classifications and Water Quality Standards for the~~ New River Basin Classification Schedule was amended effective November 1, 2007 with the reclassification of Bluff Mountain Fen near Buffalo Creek [Index No. 10-2-20] to Class WL UWL ~~as defined in 15A NCAC 02B .0101.~~ The North Carolina Division of Water Quality Resources maintains a Geographic Information Systems data layer of the UWL.
- (m) The ~~Schedule of Classifications and Water Quality Standards for the~~ New River Basin Classification Schedule was amended effective December 1, 2010 with the reclassification of the North Fork New River [Index Nos. 10-2-(1), 10-2-(12)] and its tributaries from C+, C+ Trout and C Trout HQW to C ORW and C Trout ORW with the exception of the following:
- (1) Index Nos. 10-2-21-9, 10-2-21-(8), 10-2-(11) and 10-2-20 were reclassified from C+ and C Trout + to C HQW and C Trout HQW; and
  - (2) Little Buffalo Creek and Claybank Creek (Index Nos. 10-2-20-1 and 10-2-20-1-1) did not qualify for the ORW or HQW designation; however, these waters shall be managed in the same way as the downstream designated HQW areas.
- (n) The ~~Schedule of Classifications and Water Quality Standards for the~~ New River Basin Classification Schedule was amended effective July 3, 2012 as follows:
- (1)- the portion of the South Fork New River [Index No. 10-1-(14.5)] from the Town of Boone's intake, located nearly 0.5 miles upstream of SR 1100, to 875 feet downstream of SR 1351 from C HQW to WS-IV CA HQW;
  - (2) the portion of the South Fork New River [Index No. 10-1-(14.5)] from 875 feet downstream of SR 1351 to Elk Creek from C HQW to WS-IV HQW; and



**APPENDIX A:**  
**Tracked Changes Between Prior Rule and Rule Effective November 1, 2019**

- (3) the portion of the South Fork New River [Index No. 10-1-(3.5)] from Elk Creek to 1.75 miles upstream of SR 1351 from C+ to WS-IV +.

*History Note:* Authority G.S. 143-214.1; 143-215.1; 143-215.3(a)(1);  
Eff. February 1, 1976;  
Amended Eff. July 3, 2012; December 1, 2010; November 1, 2007; August 1, 1998; February 1, 1993; August 3, 1992; August 1, 1990; August 1, 1989;  
Readopted Eff. November 1, 2019.

**15A NCAC 02B .0308 CATAWBA RIVER BASIN**

~~(a) Effective February 1, 1976, the adopted classifications~~(a) Classifications assigned to the waters within the Catawba River Basin are set forth in the Catawba River Basin Classification Schedule of Classifications and Water Quality Standards, which may be inspected at the following places:

- (1) the Internet at <https://deq.nc.gov/about/divisions/water-resources/water-planning/classification-standards/river-basin-classification-schedule>; and
- (2) the following offices of the North Carolina Department of Environmental Quality:
  - (A) Mooresville Regional Office  
610 East Center Avenue, Suite 301  
Mooresville, North Carolina;
  - (B) Asheville Regional Office  
2090 US Highway 70  
Swannanoa, North Carolina; and
  - (C) Division of Water Resources  
Central Office  
512 North Salisbury Street  
Raleigh, North Carolina.

(b) Unnamed ~~Streams. Such~~ streams entering South Carolina are classified "C."

(c) The Catawba River Basin Classification Schedule of Classifications and Water Quality Standards was amended effective:

- (1) March 1, 1977 (see Paragraph (d) of this Rule);
- (2) August 12, 1979 (see Paragraph (e) of this Rule);
- (3) April 1, 1982 (see Paragraph (f) of this Rule; Rule);
- (4) January 1, 1985 (see Paragraph (g) of this Rule);
- (5) August 1, 1985 (see Paragraph (h) of this Rule);
- (6) February 1, 1986 (see Paragraph (i) of this Rule);
- (7) March 1, 1989 (see Paragraph (j) of this Rule);
- (8) May 1, 1989 (see Paragraph (k) of this Rule);
- (9) March 1, 1990 (see Paragraph (l) of this Rule);
- (10) August 1, 1990 (see Paragraph (m) of this Rule);
- (11) August 3, 1992 (see Paragraph (n) of this Rule);
- (12) April 1, 1994 (see Paragraph (o) of this Rule);
- (13) July 1, 1995 (see Paragraph (p) of this Rule);
- (14) September 1, 1996 (see Paragraph (q) of this Rule);
- (15) August 1, 1998 (see Paragraph (r) of this Rule);
- (16) April 1, 1999 (see Paragraph (s) of this Rule);
- (17) August 1, 2000 (see Paragraph (t) of this Rule);
- (18) August 1, 2004 (see Paragraph (u) of this Rule);
- (19) May 1, 2007 (see Paragraph (v) of this Rule);
- (20) September 1, 2010 (see Paragraph (w) of this Rule);
- (21) March 1, 2013 (see Paragraph (x) of this Rule); and
- (22) July 1, 2017 (see Paragraph (y) of this Rule).

(d) The ~~Schedule of Classifications and Water Quality Standards for the~~ Catawba River Basin Classification Schedule was amended effective March 1, 1977 as follows:

- (1) Torrence Branch (Index No. 11-136) from source to North Carolina-South Carolina State Line was reclassified from Class D to Class B; and

**APPENDIX A:**  
**Tracked Changes Between Prior Rule and Rule Effective November 1, 2019**

- (2) Edwards Branch (Index No. 11-137-8-2-1) from source to Brier Creek was reclassified from Class D to Class C.
- (e) The ~~Schedule of Classifications and Water Quality Standards for the~~ Catawba River Basin Classification Schedule was amended effective August 12, 1979 as follows: Unnamed Tributary to Lower Little River (Robinette Creek)(Index No. 11-69-1.5) from source to Lower Little River was reclassified from Class C to Class B.
- (f) The ~~Schedule of Classifications and Water Quality Standards for the~~ Catawba River Basin Classification Schedule was amended effective April 1, 1982 as follows:
- (1) Spainhour Creek (Index No. 11-39-3) from source to Lower Creek was reclassified from Class C (1) to Class C; and
  - (2) Allen Creek (Index No. 11-129-5-7-2-4) from source to Maiden Creek was reclassified from Class C to Class A-II.
- (g) The ~~Schedule of Classifications and Water Quality Standards for the~~ Catawba River Basin Classification Schedule was amended effective January 1, 1985 as follows: Catawba Creek from source to N.C. Highway 275 was reclassified from Class C(1) to Class C.
- (h) The ~~Schedule of Classifications and Water Quality Standards for the~~ Catawba River Basin Classification Schedule was amended effective August 1, 1985 as follows:
- (1) Brier Creek (Index No. 11-137-8-2) from source to Little Sugar Creek was reclassified from Class C (1) to Class C;
  - (2) Little Hope Creek (Index No. 11-137-8-3) from source to Little Sugar Creek was reclassified from Class C (1) to Class C; and
  - (3) McMullen Creek (Index No. 11-137-9-5) from source to N.C. Highway 16 was reclassified from Class C (1) to Class C.
- (i) The ~~Schedule of Classification and Water Quality Standards for the~~ Catawba River Basin Classification Schedule was amended effective February 1, 1986 with the reclassification of all A-I and A-II streams to WS-I and WS-III in the Catawba River Basin.
- (j) The ~~Schedule of Classifications and Water Quality Standards for the~~ Catawba River Basin Classification Schedule was amended effective March 1, 1989 as follows:  
Wilson Creek (Index No. 11-38-34) and all tributary waters were reclassified from Class B-trout and Class C-trout to Class B-trout ORW and Class C-trout ORW.
- (k) The ~~Schedule of Classifications and Water Quality Standards for the~~ Catawba River Basin Classification Schedule was amended effective May 1, 1989 as follows:
- (1) Henry Fork [Index Nos. 11-129-1-(1) and 11-129-1-(2)] from source to Laurel Creek, including all tributaries, were reclassified from Class WS-I, C and C trout to Class WS-I ORW, C ORW and C trout ORW, except Ivy Creek and Rock Creek which will remain Class C trout and Class C; and
  - (2) Jacob Fork [Index Nos. 11-129-2-(1) and 11-129-2-(4)] from source to Camp Creek, including all tributaries, were reclassified from Class WS-III trout and WS-III to WS-III trout ORW and WS-III ORW.
- (l) The ~~Schedule of Classifications and Water Quality Standards for the~~ Catawba River Basin Classification Schedule was amended effective March 1, 1990 as follows:
- (1) Upper Creek [Index No. 11-35-2-(1)] from source to Timbered Branch including all tributaries except Timbered Branch (Index No. 11-35-2-9) was reclassified from Class C Trout to Class C Trout ORW; and
  - (2) Steels Creek [Index No. 11-35-2-12(1)] from source to Little Fork and all tributaries was reclassified from Class C Trout to Class C Trout ORW.
- (m) The ~~Schedule of Classifications and Water Quality Standards for the~~ Catawba River Basin Classification Schedule was amended effective August 1, 1990 as follows:
- (1) The classification for the portion of Mackey Creek [Index No. 11-15-(2)] from Marion Water Supply Intake to Laurel Fork was reclassified from Class C to Class C HQW;
  - (2) Laurel Fork Creek [Index No. 11-15-3] from source to Mackey Creek was reclassified from Class C Tr to Class C Tr HQW;
  - (3) Armstrong Creek [Index No. 11-24-14-(1)] from source to Bee Rock Creek was reclassified from Class WS-III Tr to Class WS-III Tr HQW;
  - (4) Two segments of Linville River [Index Nos. 11-29-(16) and 11-29-(19)] were reclassified from Class B Tr and Class B to Class B Tr HQW and Class B HQW, respectively;

## APPENDIX A:

### Tracked Changes Between Prior Rule and Rule Effective November 1, 2019

- (5) Upper Creek [Index No. 11-35-2-(8.5)] and its named tributaries were reclassified from Class C Tr to Class C Tr HQW;
- (6) Upper Creek (Clear Water Beach Lake) [Index No. 11-35-2-(10)] from Holly Spring Branch to Dam Clear Water Beach Lake was reclassified from Class B Tr to Class B Tr HQW;
- (7) Holly Spring Branch [Index No. 11-35-2-11] from source to Upper Creek was reclassified from Class C Tr to Class Tr HQW;
- (8) Steels Creek [Index No. 11-35-2-12-(5)] from Little Fork to a point 1.7 miles upstream from N.C. Highway 181 Bridge was reclassified from Class B Tr to Class B Tr HQW and Steels Creek [Index No. 11-35-2-12-(7)] from a point 1.7 miles upstream from N.C. Highway 181 bridge to Clear Water Beach Lake, Upper Creek was reclassified from Class B to Class B HQW;
- (9) Upper Creek [Index No. 11-35-2-(13)] from Dam at Clear Water Beach Lake to Warrior Fork was reclassified from Class WS-III Tr to Class WS-III Tr HQW;
- (10) The portion of Johns River [Index No. 11-38-(28)] from Wilson Creek to Rhodhiss Lake, Catawba River was reclassified from Class C to Class C HQW;
- (11) Mulberry Creek [Index No. 11-38-32-(1)] from source to Boone Fork and its tributaries Left Fork Mulberry Creek [Index No. 11-38-32-2], Right Fork Mulberry Creek [Index No. 11-38-32-3], Roaring Creek [Index No. 11-38-32-8] and Clark Branch [Index No. 11-38-32-10] were reclassified from Class C Tr to Class C Tr HQW;
- (12) Amos Creek [Index No. 11-38-32-4] and Mills Creek [Index No. 11-38-32-5] and their named tributaries were reclassified from Class C to Class C HQW;
- (13) Cane Branch [Index No. 11-38-32-6], Rush Branch [11-38-32-7] and Frankum Creek [11-38-32-9] and its named tributaries were reclassified from Class C to Class C HQW;
- (14) Mulberry Creek [Index No. 11-38-32-(11)] from Boone Branch to Dam at Mulberry Beach was reclassified from Class B to Class B HQW;
- (15) Boone Branch (Fork) [Index No. 11-38-32-12] and its named tributaries from source to Mulberry Creek were reclassified from Class B to Class B HQW;
- (16) Brown Branch [Index No. 11-38-32-13] and Moore Branch [Index No. 11-38-32-14] were reclassified from Class B to Class B HQW; and
- (17) Anderson Creek [Index No. 11-38-32-16] was reclassified from Class C to Class C HQW.

(n) The ~~Schedule of Classifications and Water Quality Standards for the~~ Catawba River Basin Classification Schedule was amended effective August 3, 1992 with the reclassification of all water supply waters (waters with a primary classification of WS-I, WS-II or WS-III). These waters were reclassified to WS-I, WS-II, WS-III, WS-IV or WS-V as defined in the revised water supply protection rules, (15A NCAC 02B .0100, .0200 and .0300), which became effective on August 3, 1992. In some cases, streams with primary classifications other than WS were reclassified to a WS classification due to their proximity and linkage to water supply waters. In other cases, waters were reclassified from a WS classification to an alternate appropriate primary classification after being identified as downstream of a water supply intake or identified as not being used for water supply purposes.

In some cases, streams with primary classifications other than WS were reclassified to a WS classification due to their proximity and linkage to water supply waters. In other cases, waters were reclassified from a WS classification to an alternate appropriate primary classification after being identified as downstream of a water supply intake or identified as not being used for water supply purposes.

(o) The ~~Schedule of Classifications and Water Quality Standards for the~~ Catawba River Basin Classification Schedule was amended effective April 1, 1994 as follows:

- (1) Friday Lake (Index No. 11-125.5) from its source to Little Paw Creek was reclassified from Class C to Class B; and
- (2) The Linville River [Index No. 12-29-(1)] from Grandmother Creek to Linville Falls was reclassified from Class C Tr to Class B Tr.

(p) The ~~Schedule of Classifications and Water Quality Standards for the~~ Catawba River Basin Classification Schedule was amended effective July 1, 1995 with the reclassification of Clark Creek from a point 0.6 mile downstream of Catawba County SR 2014 to 0.4 mile upstream of Larkard Creek [Index No. 11-129-5-(4.5)], and Howards Creek from its source to 0.7 mile upstream of Lincoln County State Road 1200 [Index No. 11-129-4], including associated tributaries from Class WS-IV to Classes C and WS-IV.

(q) The ~~Schedule of Classifications and Water Quality Standards for the~~ Catawba River Basin Classification Schedule was amended effective September 1, 1996 as follows:

## APPENDIX A:

### Tracked Changes Between Prior Rule and Rule Effective November 1, 2019

- (1) North Fork Catawba River [Index No. 11-24-(1)] from Laurel Branch to Armstrong Creek from Class C Tr to Class B Tr; and
  - (2) Catawba River (Lake Hickory) from Rhodhiss dam to highway 321 [Index No. 11-(51)] from Class WS-IV CA to Class WS-IV B CA.
- (r) The ~~Schedule of Classifications and Water Quality Standards for the~~ Catawba River Basin Classification Schedule was amended effective August 1, 1998 as follows:
- (1) The primary classification for portions of South Fork Catawba River [Index No. 11-129-(0.5)] and Hoyle Creek [Index No. 11-129-15-(1)] was reclassified from Class WS-IV to Class WS-V;
  - (2) Mill Creek [Index No. 11-7] from its source to Swannanoa Creek, including all tributaries, from Class C Tr to Class Tr HQW;
  - (3) Toms Creek [Index Nos. 11-21-(1) and 11-21-(2)] from its source to Harris Creek, including all tributaries were reclassified from Class C Tr to Class Tr HQW; and
  - (4) Harris Creek to McDowell County SR 1434, including all tributaries were reclassified from Class C to Class HQW.
- (s) The ~~Schedule of Classifications and Water Quality Standards for the~~ Catawba River Basin Classification Schedule was amended effective April 1, 1999 as follows:
- (1) Portion of the Catawba River [Index Nos. 11-(27.5) and 11-(31)] from Class WS-IV B and WS-IV to Class WS-V B and WS-V;
  - (2) Armstrong Creek [Index Nos. 11-24-14-(1), 11-24-14-(13.5) and 11-24-14-(14)], and all tributaries from Classes WS-II Tr, WS-II, WS-II CA and C Tr to Classes C Tr HQW and C HQW;
  - (3) Lookout Shoals Lake from Oxford Dam to Island Creek [Index No. 11-(67)] from Class WS-V to Class WS-IV CA, from Island Creek to Elk Shoal Creek [Index No. 11-(70.5)] from Class WS-IV to Class WS-IV CA and from Elk Shoal Creek to a point one half mile upstream of Lookout Shoals Dam [Index No. 11-(72)] from Class WS-IV B to Class WS-IV B CA;
  - (4) The classifications of tributary streams that are within five miles and draining to the normal pool elevation of Lookout Shoals Lake (Protected Area) have been revised to Class WS-IV; and
  - (5) The classifications of tributary streams that are within one half mile and draining to the normal pool elevation of Lookout Shoals Lake (Critical Area) have been revised to Class WS-IV CA.
- (t) The ~~Schedule of Classifications and Water Quality Standards for the~~ Catawba River Basin Classification Schedule was amended August 1, 2000 with the reclassification of Little Grassy Creek (Index No. 11-29-2), including all tributaries, from its source to the Linville River from Class C Tr to Class C Tr ORW.
- (u) The ~~Schedule of Classifications and Water Quality Standards for the~~ Catawba River Basin Classification Schedule was amended August 1, 2004 with the reclassification of a segment of three surface waters, more specifically Henry Fork [11-129-1-(1)], Jerry Branch [11-129-1-3-(1)], and He Creek [11-129-1-4-(1)], from source to a formerly used City of Morganton Water Intake from Class WS-I ORW to Class WS-V ORW.
- (v) The ~~Schedule of Classifications and Water Quality Standards for the~~ Catawba River Basin Classification Schedule was amended May 1, 2007 with the reclassification of the Catawba River [Index No. 11-(31.5)] from a point 0.6 mile upstream of Muddy Creek to a point 1.2 miles upstream of Canoe Creek from WS-IV to WS-IV Tr and Catawba River [Index No. 11-(32.3)] from a point 1.2 miles upstream of Canoe Creek to a point 0.7 mile upstream of Canoe Creek (Morganton water supply intake) from WS-IV CA to WS-IV Tr CA. Named and unnamed tributaries to this portion of the Catawba River are not classified as Trout. Between the last day of May and the first day of November the water quality standard for dissolved oxygen shall not be less than a daily average of 5.0 mg/l with a minimum instantaneous value of not less than 4.0 mg/l.
- (w) The ~~Schedule of Classifications and Water Quality Standards for the~~ Catawba River Basin Classification Schedule was amended September 1, 2010 with the reclassification of the portion of the Catawba River [Index No. 11-(1)], from its source to the Left Prong Catawba River confluence, and its named tributaries, Chestnut Branch (Fork) [Index No. 11-2], Clover Patch Branch [Index No. 11-3], Youngs Fork Creek [Index No. 11-4], Spring Branch [Index No. 11-5], and Left Prong Catawba River [Index No. 11-6] from Class C Tr to Class C Tr HQW.
- (x) The ~~Schedule of Classifications and Water Quality Standards for the~~ Catawba River Basin Classification Schedule was amended March 1, 2013 as follows:
- (1) the portion of Maiden Creek [Index No. 11-129-5-7-2-(1)] from source to a point 0.7 mile upstream from backwaters of Maiden Reservoir, and its named tributary, Bee Branch [Index No. 11-129-5-7-2-2], from Class WS-II HQW to WS-V;

## APPENDIX A:

### Tracked Changes Between Prior Rule and Rule Effective November 1, 2019

- (2) the portion of Maiden Creek [Index No. 11-129-5-7-2-(2.5)] from a point 0.7 mile upstream from backwaters of Maiden Reservoir to dam at Maiden Reservoir from Class WS-II HQW CA to WS-V;
  - (3) the portion of Allen Creek [Index No. 11-129-5-7-2-4-(1)] from source to a point 0.7 mile upstream of Maiden water supply intake from Class WS-II HQW to WS-V; and
  - (4) the portion of Allen Creek [Index No. 11-129-5-7-2-4-(2)] from a point 0.7 mile upstream of Maiden water supply intake to Maiden water supply intake from Class WS-II HQW CA to WS-V.
- (y) The ~~Schedule of Classifications and Water Quality Standards for the~~ Catawba River Basin Classification Schedule was amended July 1, 2017 as follows:
- (1) a portion of the Catawba River [Index No. 11-(23)], including tributaries, from Bridgewater Dam to North Fork Catawba River from Class WS-V & B to Class WS-IV CA & B, and a portion of the Catawba River [part of Index No. 11-(8)], including tributaries, from North Fork Catawba River to a point 0.~~75~~7 mile downstream of SR 1501 from Class C to Class WS-IV CA. The CA extends 0.5 mile from and draining to the normal pool elevation of Lake James.
  - (2) a portion of the Catawba River [part of Index No. 11-(8)], including tributaries, from a point 0.~~75~~7 mile downstream of SR 1501 to a point 0.~~24~~2 mile upstream of ~~I-224~~SR 1221 from Class C to Class WS-IV. The PA extends 5.0 miles from and draining to the normal pool elevation of Lake James.

*History Note:* Authority G.S. 143-214.1; 143-215.1; 143-215.3(a)(1);  
Eff. February 1, 1976;  
Amended Eff. July 1, 2017; March 1, 2013; December 1, 2010; September 1, 2010; May 1, 2007;  
August 1, 2004; August 1, 2000; April 1, 1999; August 1, 1998; September 1, 1996; July 1, 1995;  
April 1, 1994; August 3, 1992; August 1, 1990;  
Readopted Eff. November 1, 2019.

#### 15A NCAC 02B .0309 YADKIN-PEE DEE RIVER BASIN

(a) ~~The Classifications assigned to the waters within the~~ Yadkin-Pee Dee River Basin are set forth in the Yadkin River Basin Classification Schedule of Classifications and Water Quality Standards, which may be inspected at the following places:

- (1) the Internet at ~~http://h2o.enr.state~~https://deq.nc.us/esu/gov/about/divisions/water-resources/water-planning/classification-standards/river-basin-classification; and
- (2) the following offices of the North Carolina Department of ~~Environment and Natural Resources~~Environmental Quality:
  - (A) Mooresville Regional Office  
~~610 East Center Avenue, Suite 301~~  
~~Mooresville, North Carolina;~~
  - (B) Winston-Salem Regional Office  
~~585 Waughtown Street~~  
(B) Winston-Salem Regional Office  
450 West Hanes Mill Road  
Winston-Salem, North Carolina;
  - (C) Fayetteville Regional Office  
~~System Building~~  
~~225 Green Street~~  
~~System Building~~ Suite 714  
~~Fayetteville, North Carolina;~~
  - (D) Asheville Regional Office  
~~2090 US Highway 70~~  
~~Swannanoa, North Carolina;~~ and
  - (E) Division of Water ~~Quality Resources~~  
~~Central Office~~  
~~512 North Salisbury Street~~  
~~Raleigh, North Carolina.~~

(b) Unnamed ~~Streams. Such~~ streams entering Virginia are classified "C," and such streams entering South Carolina are classified "C".

## APPENDIX A:

### Tracked Changes Between Prior Rule and Rule Effective November 1, 2019

(c) The Yadkin-Pee Dee River Basin ~~Classification Schedule of Classifications and Water Quality Standards~~ was amended effective:

- (1) February 12, 1979;
- (2) March 1, 1983;
- (3) August 1, 1985;
- (4) February 1, 1986;
- (5) October 1, 1988;
- (6) March 1, 1989;
- (7) January 1, 1990;
- (8) August 1, 1990;
- (9) January 1, 1992;
- (10) April 1, 1992;
- (11) August 3, 1992;
- (12) December 1, 1992;
- (13) April 1, 1993;
- (14) September 1, 1994;
- (15) August 1, 1995;
- (16) August 1, 1998;
- (17) April 1, 1999;
- (18) July 1, 2006;
- (19) September 1, 2006;
- (20) November 1, 2007.

(d) The ~~Schedule of Classifications and Water Quality Standard for the~~ Yadkin-Pee Dee River Basin ~~has been~~ Classification Schedule was amended effective October 1, 1988 as follows:

- (1) Mitchell River [Index No. 12-62-(1)] from source to mouth of Christian Creek (North Fork Mitchell River) including all tributaries has been reclassified from Class B Tr to Class B Tr ORW.
- (2) Mitchell River [Index No. 12-62-(7)] from mouth of Christian Creek (North Fork Mitchell River) to Surry County SR 1315 including all tributaries has been classified from Class C Tr to -C Tr ORW, except Christian Creek and Robertson Creek which will be reclassified from Class B Tr to Class B Tr ORW.
- (3) Mitchell River [Index No. 12-62-(12)] from Surry County SR 1315 to mouth of South Fork Mitchell River including all tributaries from Class C to Class C ORW.

(e) The ~~Schedule of Classifications and Water Quality Standards for the~~ Yadkin-Pee Dee River Basin Classification Schedule was amended effective March 1, 1989 as follows:

~~(1)~~ Elk Creek [Index Nos. 12-24-(1) and 12-24-(10)] and all tributary waters were reclassified from Class B-trout, Class C-trout and Class B to Class B-trout ORW, Class C-trout ORW and Class B ORW.

(f) The ~~Schedule of Classifications and Water Quality Standards for the~~ Yadkin-Pee Dee River Basin Classification Schedule was amended effective January 1, 1990 as follows: -Barnes Creek (Index No. 13-2-18) was reclassified from Class C to Class C ORW.

(g) The ~~Schedule of Classifications and Water Quality Standards for the~~ Yadkin-Pee Dee River Basin ~~has been~~ Classification Schedule was amended effective January 1, 1992 as follows:

- (1) Little River [Index Nos. 13-25-(10) and 13-25-(19)] from Suggs Creek to Densons Creek has been reclassified from Classes WS-III and C to Classes WS-III HQW and C HQW.
- (2) Densons Creek [Index No. 13-25-20-(1)] from its source to Troy's Water Supply Intake including all tributaries has been reclassified from Class WS-III to Class WS-III HQW.
- (3) Bridgers Creek (Index No. 13-25-24) from its source to the Little River has been reclassified from Class C to Class C HQW.

(h) The ~~Schedule of Classifications and Water Quality Standards for the~~ Yadkin-Pee Dee River Basin Classification Schedule was amended effective April 1, 1992 with the reclassification of the North Prong South Fork Mitchell River from Class C to Class C Trout.

(i) The ~~Schedule of Classifications and Water Quality Standards for the~~ Yadkin-Pee Dee River Basin Classification Schedule was amended effective August 3, 1992 with the reclassification of all water supply waters (waters with a primary classification of WS-I, WS-II or WS-III). -These waters were reclassified to WS-I, WS-II, WS-III, WS-IV or WS-V as defined in the revised water supply protection rules; (15A NCAC ~~2B02B~~ .0100, .0200 and .0300), which became effective on August 3, 1992. -In some cases, streams with primary classifications other than WS were

**APPENDIX A:  
Tracked Changes Between Prior Rule and Rule Effective November 1, 2019**

reclassified to a WS classification due to their proximity and linkage to water supply waters.- In other cases, waters were reclassified from a WS classification to an alternate appropriate primary classification after being identified as downstream of a water supply intake or identified as not being used for water supply purposes.

(j) The ~~Schedule of Classifications and Water Quality Standards for the~~ Yadkin-Pee Dee River Basin ~~has been~~Classification Schedule was amended effective December 1, 1992 as follows:

- (1) Pike Creek (Index No. 12-46-1-2) was reclassified from Class C Tr to Class C Tr HQW;
- (2) Basin Creek (Index No. 12-46-2-2) was reclassified from Class C Tr to Class C Tr ORW;
- (3) Bullhead Creek (Index No. 12-46-4-2) was reclassified from Class C Tr to Class C Tr ORW;
- (4) Rich Mountain Creek (Index No. 12-46-4-2-2) was reclassified from Class Tr to Class C Tr ORW;  
and
- (5) Widows Creek (Index No. 12-46-4-4) was reclassified from Class C Tr HQW to Class C Tr ORW.

(k) The ~~Schedule of Classifications and Water Quality Standards for the~~ Yadkin-Pee Dee River Basin ~~has been~~Classification Schedule was amended effective September 1, 1994 as follows:

- (1) Lanes Creek [Index Nos. 13-17-40-(1) and 13-17-40-(10.5)] from its source to the Marshville water supply dam including tributaries was reclassified from Classes WS-II and WS-II CA to Class WS-V.
- (2) The South Yadkin River [Index Nos. 12-108-(9.7) and 12-108-(15.5)] from Iredell County SR 1892 to a point 0.7 mile upstream of the mouth of Hunting Creek including associated tributaries was reclassified from Classes WS-V, C and WS-IV to Classes WS-V, WS-IV, C and WS-IV CA.
- (3) The Yadkin River [Index Nos. 12-(53) and 12-(71)] from a point 0.3 mile upstream of the mouth of Elkin Creek (River) to the Town of King water supply intake including associated tributaries was reclassified from Classes C and WS-IV to Classes WS-IV and WS-IV CA.
- (4) The Yadkin River [Index Nos. 12-(80.5), 12-(81.5) and 12-(84.5)] from the Town of King water supply intake to the Davie County water supply intake reclassified from Classes C, B, WS-IV and WS-V to Classes WS-IV, WS-IV B and WS-IV CA.

(l) The ~~Schedule of Classifications and Water Quality Standards for the~~ Yadkin-Pee Dee River Basin ~~has been~~Classification Schedule was amended effective August 1, 1995 as follows:- Bear Creek [Index Nos. 12-108-18-(3), 12-108-18-(3.3)], Little Bear Creek (Index No. 12-108-18-2), and Blue Branch (Index No. 12-108-18-2-1) were reclassified from WS-II and WS-II CA (Critical Area) to C and WS-IV.

(m) The ~~Schedule of Classifications and Water Quality Standards for the~~ Yadkin-Pee Dee River Basin Classification Schedule was amended effective August 1, 1998 with the revision to the primary classification for portions of the Yadkin River [Index No. 12-(45)] from Class WS-IV to WS-V, Yadkin River [Index No. 12-(67.5)] from Class WS-IV to Class C, Yadkin River [Index Nos. 12-(93.5) and 12-(98.5)] from Class WS-IV to Class WS-V, South Yadkin River [Index No. 12-108-(12.5)] from Class WS-IV to Class WS-V, and South Yadkin River [Index Nos. 12-108-(19.5) and 12-108-(22)] from Class WS-IV to Class C.

(n) The ~~Schedule of Classifications and Water Quality Standards for the~~ Yadkin-Pee-Dee River Basin Classification Schedule was amended effective April 1, 1999 with the reclassification of a portion of the Yadkin River [Index No. 12-(80.5)] from WS-IV CA to WS-IV. -A portion of the Yadkin River 0.5 mile upstream of Bashavia Creek was reclassified from WS-IV to WS-IV CA. -Bashavia Creek [Index Nos. 12-81-(0.5) and 12-81-(2)] was reclassified from WS-IV and WS-IV CA to Class C. -Tributaries to Bashavia Creek were also reclassified to Class C. -Portions of the Yadkin River [Index Nos. 12-(25.5) and 12-(27)] were reclassified from WS-IV to Class C and from WS-IV & B to Class B. -Tributaries were reclassified from Class WS-IV to Class C. -Supplemental classifications were not changed.

(o) The ~~Schedule of Classifications and Water Quality Standards for the~~ Yadkin-Pee-Dee River Basin Classification Schedule was amended effective July 1, 2006 with the reclassification of a portion of the Uwharrie River.- More specifically, Index No. 13-2-(25), Index No. 13-2-(17.5), and a portion of Index No. 13-2-(1.5) was reclassified from Class WS-IV CA, WS-IV, and C, to Class -WS-IV B CA, WS-IV B, and B, respectively.

(p) The ~~Schedule of Classifications and Water Quality Standards for the~~ Yadkin-Pee-Dee River Basin Classification Schedule was amended effective September 1, 2006 with the reclassification of a segment of the Yadkin River [portion of Index No. 12-(53)] from a point 0.3 mile upstream of the Town of Elkin proposed water supply intake to the Town of Elkin proposed water supply intake from C to WS-IV CA. -The Town of Elkin proposed water supply intake is to be placed on the Yadkin River at a point directly above the mouth of Elkin Creek.

(q) The ~~Schedule of Classifications and Water Quality Standards for the~~ Yadkin-Pee Dee River Basin Classification Schedule was amended effective November 1, 2007 with the reclassifications as listed below, and the North Carolina Division of Water Quality Resources maintains a Geographic Information Systems data layer of these UWLs.

## APPENDIX A:

### Tracked Changes Between Prior Rule and Rule Effective November 1, 2019

- (1) Black Ankle Bog near Suggs Creek [Index No. 13-25-12] was reclassified to Class WL UWL ~~as defined in 15A NCAC 02B .0101.~~
- (2) Pilot Mountain Floodplain Pool near Horne Creek [Index No. 12-75] was reclassified to Class WL UWL ~~as defined in 15A NCAC 02B .0101.~~

*History Note:* Authority G.S. 143-214.1; 143-215.1; 143-215.3(a)(1);  
Eff. February 1, 1976;  
Amended Eff. November 1, 2007; September 1, 2006; July 1, 2006; April 1, 1999; August 1, 1998;  
August 1, 1995; September 1, 1994; April 1, 1993; December 1, 1992;  
Readopted Eff. November 1, 2019.

#### 15A NCAC 02B .0310 LUMBER RIVER BASIN

(a) ~~The Classifications assigned to the waters within the Lumber River Basin are set forth in the Lumber River Basin Classification Schedule of Classifications and Water Quality Standards, which~~ may be inspected at the following places:

- (1) the Internet at ~~http://h2o.enr.state.nc.us/esu/;https://deq.nc.gov/about/divisions/water-resources/water-planning/classification-standards/river-basin-classification;~~ and
- (2) the ~~following offices of the~~ North Carolina Department of ~~Environment and Natural Resources~~ Environmental Quality:
  - (A) Fayetteville Regional Office  
~~225 Green Street~~  
~~System Building Suite 714~~  
~~Fayetteville, North Carolina;~~
  - (B) Wilmington Regional Office  
~~127 Cardinal Drive Extension~~  
~~Wilmington, North Carolina; and~~
  - (C) Division of Water ~~Quality~~ Resources  
~~Central Office~~  
~~512 North Salisbury Street~~  
~~Raleigh, North Carolina.~~

(b) Unnamed ~~Streams.~~ Such streams entering South Carolina are classified "C Sw".

(c) The Lumber River Basin ~~Schedule of Classification and Water Quality Standards~~ Schedule was amended effective:

- (1) March 1, 1977;
- (2) December 13, 1979;
- (3) September 14, 1980;
- (4) April 12, 1981;
- (5) April 1, 1982;
- (6) February 1, 1986;
- (7) July 1, 1990;
- (8) August 1, 1990;
- (9) August 3, 1992;
- (10) September 1, 1996;
- (11) August 1, 2000;
- (12) November 1, 2007.

(d) The ~~Schedule of Classifications and Water Quality Standards for the~~ Lumber River Basin Classification Schedule was amended effective July 1, 1990 by the reclassification of Naked Creek (Index No. 14-2-6) from source to Drowning Creek including all tributaries from Class WS-III to Class WS-III ORW.

(e) The ~~Schedule of Classifications and Water Quality Standards for the~~ Lumber River Basin Classification Schedule was amended effective August 3, 1992 with the reclassification of all water supply waters (waters with a primary classification of WS-I, WS-II or WS-III). -These waters were reclassified to WS-I, WS-II, WS-III, WS-IV or WS-V as defined in the revised water supply protection rules; (15A NCAC 02B .0100, .0200 and .0300) ~~),~~ which became effective on August 3, 1992. -In some cases, streams with primary classifications other than WS were reclassified to a WS classification due to their proximity and linkage to water supply waters. -In other cases, waters were reclassified from a WS classification to an alternate appropriate primary classification after being identified as downstream of a water supply intake or identified as not being used for water supply purposes.



**APPENDIX A:  
Tracked Changes Between Prior Rule and Rule Effective November 1, 2019**

(f) The ~~Schedule of Classifications and Water Quality Standards for the~~ Lumber River Basin Classification Schedule was amended effective September 1, 1996 by the reclassification of the Lumber River from 2.0 miles upstream of highway 401 to a point 0.5 mile upstream of Powell Branch [Index Nos. 14-(3), 14-(4), 14-(4.5), 14-(7) and 14-(10.3)] from Classes WS-IV Sw HQW, WS-IV Sw HQW CA and C Sw HQW to Classes WS-IV B Sw HQW, -WS-IV B Sw HQW CA and B Sw HQW.

(g) The ~~Schedule of Classifications and Water Quality Standards for the~~ Lumber River Basin Classification Schedule was amended effective August 1, 2000 with the reclassification of Lake Waccamaw [Index No. 15-2] from Class B Sw to Class B Sw ORW.

(h) The ~~Schedule of Classifications and Water Quality Standards for the~~ Lumber River Basin Classification Schedule was amended effective November 1, 2007 with the reclassifications listed below, and the North Carolina Division of Water Quality Resources maintains a Geographic Information Systems data layer of these UWLs:

- (1) Waccamaw Natural Lake Shoreline near Lake Waccamaw [Index No. 15-2] was reclassified to Class WL UWL ~~as defined in 15A NCAC 02B .0101.~~
- (2) Green Swamp Small Depression Pond near Royal Oak Swamp [Index No. 15-25-1-12] was reclassified to Class WL UWL ~~as defined in 15A NCAC 02B .0101.~~
- (3) Old Dock Savanna near Gum Swamp Run [Index No. 15-6] was reclassified to Class WL UWL ~~as defined in 15A NCAC 02B .0101.~~
- (4) Myrtle Head Savanna near Mill Branch [Index No. 15-7-7] was reclassified to Class WL UWL ~~as defined in 15A NCAC 02B .0101.~~
- (5) Goosepond Bay near Big Marsh Swamp [Index No. 14-22-2] was reclassified to Class WL UWL ~~as defined in 15A NCAC 02B .0101.~~
- (6) Antioch Bay near Raft Swamp [Index No. 14-10-(1)] was reclassified to Class WL UWL ~~as defined in 15A NCAC 02B .0101.~~
- (7) Pretty Pond Bay near Big Marsh Swamp [Index No. 14-22-2] was reclassified to Class WL UWL ~~as defined in 15A NCAC 02B .0101.~~
- (8) Dunahoe Bay near Big Marsh Swamp [Index No. 14-22-2] was reclassified to Class WL UWL ~~as defined in 15A NCAC 02B .0101.~~
- (9) Hamby's Bay near Raft Swamp [Index No. 14-10-(1)] was reclassified to Class WL UWL ~~as defined in 15A NCAC 02B .0101.~~
- (10) Oak Savanna Bay near Smith Branch [Index No. 14-10-3] was reclassified to Class WL UWL ~~as defined in 15A NCAC 02B .0101.~~
- (11) Big Island Savanna near Driving Creek [Index No. 15-7-1] was reclassified to Class WL UWL ~~as defined in 15A NCAC 02B .0101.~~

*History Note:* Authority G.S. 143-214.1; 143-215.1; 143-215.3(a)(1);  
Eff. February 1, 1976;  
Amended Eff. November 1, 2007; August 1, 2000; September 1, 1996; August 3, 1992; August 1, 1990; July 1, 1990; February 1, 1986-; Readopted Eff. November 1, 2019.

**15A NCAC 02B .0311 CAPE FEAR RIVER BASIN**

~~(a) Effective February 1, 1976, the adopted classifications~~ (a) Classifications assigned to the waters within the Cape Fear River Basin are set forth in the Cape Fear River Basin Classification Schedule of Classifications and Water Quality Standards, which may be inspected at the following places:

- (1) the Internet at <http://portal.ncdenr.org/web/wq/ps/esu/rules> <https://deq.nc.gov/about/divisions/water-resources/water-planning/classification-standards/river-basin-classification>; and
- (2) the following offices of the North Carolina Department of ~~Environment and Natural Resources~~ Environmental Quality:
  - (A) Winston-Salem Regional Office  
~~585 Waughtown Street~~  
450 West Hanes Mill Road  
Winston-Salem, North Carolina;
  - (B) Fayetteville Regional Office  
~~225 Green Street~~

**APPENDIX A:**  
**Tracked Changes Between Prior Rule and Rule Effective November 1, 2019**

- ~~\_\_\_\_\_~~System Building Suite 714  
~~\_\_\_\_\_~~Fayetteville, North Carolina;
- (C) Raleigh Regional Office  
~~\_\_\_\_\_~~3800 Barrett Drive  
~~\_\_\_\_\_~~Raleigh, North Carolina;
- (D) Washington Regional Office  
~~\_\_\_\_\_~~943 Washington Square Mall  
~~\_\_\_\_\_~~Washington, North Carolina;
- (E) Wilmington Regional Office  
~~\_\_\_\_\_~~127 Cardinal Drive Extension  
~~\_\_\_\_\_~~Wilmington, North Carolina-; and
- (F) Division of Water QualityResources  
Central Office  
512 North Salisbury Street  
Raleigh, North Carolina.  
~~\_\_\_\_\_~~Central Office  
~~\_\_\_\_\_~~512 North Salisbury Street  
~~\_\_\_\_\_~~Raleigh, North Carolina.

(b) The Cape Fear River Basin ~~Schedule of Classification and Water Quality Standards Schedule~~ was amended effective:

- (1) March 1, 1977;
- (2) December 13, 1979;
- (3) December 14, 1980;
- (4) August 9, 1981;
- (5) April 1, 1982;
- (6) December 1, 1983;
- (7) January 1, 1985;
- (8) August 1, 1985;
- (9) December 1, 1985;
- (10) February 1, 1986;
- (11) July 1, 1987;
- (12) October 1, 1987;
- (13) March 1, 1988;
- (14) August 1, 1990.

(c) The ~~Schedule of Classifications and Water Quality Standards for the~~ Cape Fear River Basin Classification Schedule was amended effective June 1, 1988 as follows:

- (1) Cane Creek [Index No. 16-21-(1)] from source to a point 0.5 mile north of N.C. Hwy. 54 (Cane Reservoir Dam) including the Cane Creek Reservoir and all tributaries has been reclassified from Class WS-III to WS-I.
- (2) Morgan Creek [Index No. 16-41-1-(1)] to the University Lake dam including University Lake and all tributaries has been reclassified from Class WS-III to WS-I.

(d) The ~~Schedule of Classifications and Water Quality Standards for the~~ Cape Fear River Basin Classification Schedule was amended effective July 1, 1988 by the reclassification of Crane Creek (Crains Creek) [Index No. 18-23-16-(1)] from source to mouth of Beaver Creek including all tributaries from C to WS-III.

(e) The ~~Schedule of Classifications and Water Quality Standards for the~~ Cape Fear River Basin Classification Schedule was amended effective January 1, 1990 as follows:

- (1) Intracoastal Waterway (Index No. 18-87) from southern edge of White Oak River Basin to western end of Permuda Island (a line from Morris Landing to Atlantic Ocean), from the eastern mouth of Old Topsail Creek to the southwestern shore of Howe Creek and from the southwest mouth of Shinn Creek to channel marker No. 153 including all tributaries except the King Creek Restricted Area, Hardison Creek, Old Topsail Creek, Mill Creek, Futch Creek and Pages Creek were reclassified from Class SA to Class SA ORW.
- (2) Topsail Sound and Middle Sound ORW Area which includes all waters between the Barrier Islands and the Intracoastal Waterway located between a line running from the western most shore of Mason Inlet to the southwestern shore of Howe Creek and a line running from the western shore of New

## APPENDIX A:

### Tracked Changes Between Prior Rule and Rule Effective November 1, 2019

Topsail Inlet to the eastern mouth of Old Topsail Creek was reclassified from Class SA to Class SA ORW.

- (3) Masonboro Sound ORW Area which includes all waters between the Barrier Islands and the mainland from a line running from the southwest mouth of Shinn Creek at the Intracoastal Waterway to the southern shore of Masonboro Inlet and a line running from the Intracoastal Waterway Channel marker No. 153 to the southside of the Carolina Beach Inlet was reclassified from Class SA to Class SA ORW.
- (f) The ~~Schedule of Classifications and Water Quality Standards for the~~ Cape Fear River Basin Classification Schedule was amended effective January 1, 1990 as follows: -Big Alamance Creek [Index No. 16-19-(1)] from source to Lake Mackintosh Dam including all tributaries has been reclassified from Class WS-III NSW to Class WS-II NSW. 16-19-(1)] from source to Lake Mackintosh Dam including all tributaries has been reclassified from Class WS-III NSW to Class WS-II NSW.
- (g) The ~~Schedule of Classifications and Water Quality Standards for the~~ Cape Fear River Basin Classification Schedule was amended effective August 3, 1992 with the reclassification of all water supply waters (waters with a primary classification of WS-I, WS-II or WS-III). -These waters were reclassified to WS-I, WS-II, WS-III, WS-IV or WS-V as defined in the revised water supply protection rules, (15A NCAC 02B .0100, .0200 and .0300), which became effective on August 3, 1992. In some cases, streams with primary classifications other than WS were reclassified to a WS classification due to their proximity and linkage to water supply waters. In other cases, waters were reclassified from a WS classification to an alternate appropriate primary classification after being identified as downstream of a water supply intake or identified as not being used for water supply purposes.  
-In some cases, streams with primary classifications other than WS were reclassified to a WS classification due to their proximity and linkage to water supply waters. -In other cases, waters were reclassified from a WS classification to an alternate appropriate primary classification after being identified as downstream of a water supply intake or identified as not being used for water supply purposes.
- (h) The ~~Schedule of Classifications and Water Quality Standards for the~~ Cape Fear River Basin Classification Schedule was amended effective June 1, 1994 as follows:
  - (1) The Black River from its source to the Cape Fear River [Index Nos. 18-68-(0.5), 18-68-(3.5) and 18-65-(11.5)] was reclassified from Classes C Sw and C Sw HQW to Class C Sw ORW.
  - (2) The South River from Big Swamp to the Black River [Index Nos. 18-68-12-(0.5) and 18-68-12(11.5)] was reclassified from Classes C Sw and C Sw HQW to Class C Sw ORW.
  - (3) Six Runs Creek from Quewhiffle Swamp to the Black River [Index No. 18-68-2] was reclassified from Class C Sw to Class C Sw ORW.
- (i) The ~~Schedule of Classifications and Water Quality Standards for the~~ Cape Fear River Basin Classification Schedule was amended effective September 1, 1994 with the reclassification of the Deep River [Index No. 17-(36.5)] from the Town of Gulf-Goldston water supply intake to US highway 421 including associated tributaries from Class C to Classes C, WS-IV and WS-IV CA.
- (j) The ~~Schedule of Classifications and Water Quality Standards for the~~ Cape Fear River Basin Classification Schedule was amended effective August 1, 1998 with the revision to the primary classification for portions of the Deep River [Index No. 17-(28.5)] from Class WS-IV to Class WS-V, Deep River [Index No. 17-(41.5)] from Class WS-IV to Class C, and the Cape Fear River [Index 18-(10.5)] from Class WS-IV to Class WS-V.
- (k) The ~~Schedule of Classifications and Water Quality Standards for the~~ Cape Fear River Basin Classification Schedule was amended effective April 1, 1999 with the reclassification of Buckhorn Creek (Harris Lake)[Index No. 18-7-(3)] from the backwaters of Harris Lake to the Dam at Harris Lake from Class C to Class WS-V.
- (l) The ~~Schedule of Classifications and Water Quality Standards for the~~ Cape Fear River Basin Classification Schedule was amended effective April 1, 1999 with the reclassification of the Deep River [Index No. 17-(4)] from the dam at Oakdale-Cotton Mills, Inc. to the dam at Randleman Reservoir (located 1.6 mile upstream of U.S. Hwy 220 Business), and including tributaries from Class C and Class B to Class WS-IV and Class WS-IV & B. -Streams within the Randleman Reservoir Critical Area have been reclassified to WS-IV CA.- The Critical Area for a WS-IV reservoir is defined as 0.5 mile and draining to the normal pool elevation of the reservoir. -All waters within the Randleman Reservoir Water Supply Watershed are within a designated Critical Water Supply Watershed and are subject to a special management strategy specified in ~~15A NCAC 02B Rule .0248~~ of this Subchapter.
- (m) The ~~Schedule of Classifications and Water Quality Standards for the~~ Cape Fear River Basin Classification Schedule was amended effective August 1, 2002 as follows:

## APPENDIX A:

### Tracked Changes Between Prior Rule and Rule Effective November 1, 2019

- (1) Mill Creek [Index Nos. 18-23-11-(1), 18-23-11-(2), 18-23-11-3, 18-23-11-(5)] from its source to the Little River, including all tributaries was reclassified from Class WS-III NSW and Class WS-III B NSW to Class WS-III NSW HQW@ and Class WS-III B NSW HQW@.
- (2) McDeed's Creek [Index Nos. 18-23-11-4, 18-23-11-4-1] from its source to Mill Creek, including all tributaries was reclassified from Class WS III NSW and Class WS-III B NSW to Class WS-III NSW HQW@ and Class WS-III B NSW HQW@.

The "@" symbol as used in this Paragraph means that if the governing municipality has deemed that a development is covered under a "5/70 provision" as described in Rule ~~15A NCAC 02B .0215(3)(b)(i)(E) (Fresh Surface Water Quality Standards for Class WS-III Waters) of this Subchapter~~, then that development is not subject to the stormwater requirements as described in ~~rule 15A NCAC 02H .1006 (Stormwater Requirements: High Quality Waters)~~.

(n) The ~~Schedule of Classifications and Water Quality Standards for the~~ Cape Fear River Basin Classification Schedule was amended effective November 1, 2004 as follows:

- (1) the portion of Rocky River [Index Number 17-43-(1)] from a point 0.3 mile upstream of Town of Siler City upper reservoir dam to a point 0.3 mile downstream of Lacy Creek from WS-III to WS-III CA.
- (2) the portion of Rocky River [Index Number 17-43-(8)] from dam at lower water supply reservoir for Town of Siler City to a point 65 feet below dam (site of proposed dam) from C to WS-III CA.
- (3) the portion of Mud Lick Creek (Index No. 17-43-6) from a point 0.4 mile upstream of Chatham County SR 1355 to Town of Siler City lower water supply reservoir from WS-III to WS-III CA.
- (4) the portion of Lacy Creek (17-43-7) from a point 0.6 mile downstream of Chatham County SR 1362 to Town of Siler City lower water supply reservoir from WS-III to WS-III CA.

(o) The ~~Schedule of Classifications and Water Quality Standards for the~~ Cape Fear River Basin Classification Schedule was amended effective November 1, 2007 with the reclassifications listed below, and the North Carolina Division of Water Quality Resources maintains a Geographic Information Systems data layer of these UWLs.

- (1) Military Ocean Terminal Sunny Point Pools, all on the eastern shore of the Cape Fear River [Index No. 18-(71)] were reclassified to Class WL UWL ~~as defined in 15A NCAC 02B .0101~~.
- (2) Salters Lake Bay near Salters Lake [Index No. 18-44-4] was reclassified to Class WL UWL ~~as defined in 15A NCAC 02B .0101~~.
- (3) Jones Lake Bay near Jones Lake [Index No. 18-46-7-1] was reclassified to Class WL UWL ~~as defined in 15A NCAC 02B .0101~~.
- (4) Weymouth Woods Sandhill Seep near Mill Creek [18-23-11-(1)] was reclassified to Class ~~WL UWL as defined in 15A NCAC 02B .0101~~UWL.
- (5) Fly Trap Savanna near Cape Fear River [Index No. 18-(71)] was reclassified to Class WL UWL ~~as defined in 15A NCAC 02B .0101~~.
- (6) Lily Pond near Cape Fear River [Index No. 18-(71)] was reclassified to Class WL UWL ~~as defined in 15A NCAC 02B .0101~~.
- (7) Grassy Pond near Cape Fear River [Index No. 18-(71)] was reclassified to Class WL UWL ~~as defined in 15A NCAC 02B .0101~~.
- (8) The Neck Savanna near Sandy Run Swamp [Index No. 18-74-33-2] was reclassified to Class WL UWL ~~as defined in 15A NCAC 02B .0101~~.
- (9) Bower's Bog near Mill Creek [Index No. 18-23-11-(1)] was reclassified to Class WL UWL ~~as defined in 15A NCAC 02B .0101~~.
- (10) Bushy Lake near Turnbull Creek [Index No. 18-46] was reclassified to Class WL UWL ~~as defined in 15A NCAC 02B .0101~~.

(p) The ~~Schedule of Classifications and Water Quality Standards for the~~ Cape Fear River Basin Classification Schedule was amended effective January 1, 2009 as follows:

- (1) the portion of Cape Fear River [Index No. 18-(26)] (including tributaries) from Smithfield Packing Company's intake, located approximately 2 miles upstream of County Road 1316, to a point 0.5 miles upstream of Smithfield Packing Company's intake from Class C to Class WS-IV CA.
- (2) the portion of Cape Fear River [Index No.18-(26)] (including tributaries) from a point 0.5 miles upstream of Smithfield Packing Company's intake to a point 1 mile upstream of Grays Creek from Class C to Class WS-IV.

(q) The ~~schedule of Classifications and Water Quality Standards for the~~ Cape Fear River Basin Classification Schedule was amended effective August 11, 2009 with the reclassification of all Class C NSW waters and all Class B NSW waters upstream of the dam at B. Everett Jordan Reservoir from Class C NSW and Class B NSW to Class WS-

## APPENDIX A:

### Tracked Changes Between Prior Rule and Rule Effective November 1, 2019

V NSW and Class WS-V & B NSW, respectively. -All waters within the B. Everett Jordan Reservoir Watershed are within a designated Critical Water Supply Watershed and are subject to a special management strategy specified in ~~15A NCAC 02B~~ Rules .0262 through .0273 of this Subchapter.

(r) The ~~Schedule of Classifications and Water Quality Standards for the~~ Cape Fear River Basin Classification Schedule was amended effective September 1, 2009 with the reclassification of a portion of the Haw River [Index No. 16-(28.5)] from the Town of Pittsboro water supply intake, which is located approximately 0.15 mile west of U.S. 15/501, to a point 0.5 mile upstream of the Town of Pittsboro water supply intake from Class WS-IV to Class WS-IV CA.

(s) The ~~Schedule of Classifications and Water Quality Standards for the~~ Cape Fear River Basin Classification Schedule was amended effective March 1, 2012 with the reclassification of the portion of the Haw River [Index No. 16-(1)] from the City of Greensboro's intake, located approximately 650 feet upstream of Guilford County 2712, to a point 0.5 miles upstream of the intake from Class WS-V NSW to Class WS-IV CA NSW, and the portion of the Haw River [Index No. 16-(1)] from a point 0.5 miles upstream of the intake to a point 0.6 miles downstream of U.S. Route 29 from Class WS-V NSW to Class WS-IV NSW.

(t) The ~~Schedule of Classifications and Water Quality Standards for the~~ Cape Fear River Basin Classification Schedule was amended effective June 30, 2017 with the reclassification of a section of 18-(71) from upstream mouth of Toomers Creek to a line across the river between Lilliput Creek and Snows Cut from Class SC to Class SC Sw. -A site-specific management strategy is outlined in 15A NCAC 02B .0227.

(u) The Cape Fear River Basin Classification Schedule was amended effective September 1, 2019 with the reclassification of a portion of Sandy Creek [Index No. 17-16-(1)] (including tributaries) from a point 0.4 mile upstream of SR-2481 to a point 0.6 mile upstream of N.C. Hwy 22 from WS-III to WS-III CA. The reclassification resulted in an updated representation of the water supply watershed for the Sandy Creek reservoir.

*History Note:* Authority G.S. 143-214.1; 143-215.1; 143-215.3(a)(1);

*Eff. February 1, 1976;*

*Amended Eff. June 30, 2017; March 1, 2012; September 1, 2009; August 11, 2009; January 1, 2009; November 1, 2007; November 1, 2004; August 1, 2002; April 1, 1999; August 1, 1998; September 1, 1994; June 1, 1994; August 3, 1992; August 1, 1990-;*

*Readopted Eff. November 1, 2019.*

#### 15A NCAC 02B .0312 WHITE OAK RIVER BASIN

(a) ~~The Classifications assigned to the waters within the~~ White Oak River Basin are set forth in the White Oak River Basin Classification Schedule of Classifications and Water Quality Standards, which may be inspected in the following places:

~~(1) the internet at <http://h2o.enr.state.nc.us/esu/>; and~~

(1) the Internet at <https://deq.nc.gov/about/divisions/water-resources/water-planning/classification-standards/river-basin-classification>; and

(2) the following offices of the North Carolina Department of ~~Environment and Natural Resources~~ Environmental Quality:

(A) Washington Regional Office

~~943 Washington Square Mall~~

~~Washington, North Carolina;~~

(B) Wilmington Regional Office

~~127 Cardinal Drive Extension~~

~~Wilmington, North Carolina; and~~

(C) Division of Water ~~Quality Resources~~

~~Central Office~~

~~512 North Salisbury Street~~

~~Raleigh, North Carolina.~~

(b) The White Oak River Basin ~~Schedule of Classification and Water Quality Standards Schedule~~ was amended effective:

(1) December 13, 1979 see Paragraph (c);

(2) June 1, 1988 see Paragraph (d);

(3) January 1, 1990 see Paragraph (e);

(4) August 1, 1990 see Paragraph (f);

## APPENDIX A:

### Tracked Changes Between Prior Rule and Rule Effective November 1, 2019

- (5) August 1, 1991 see Paragraph (g);
  - (6) June 1, 1992 see Paragraph (h);
  - (7) December 1, 1992 see Paragraph (i);
  - (8) November 1, 2007 see Paragraph (j);
  - (9) July 1, 2011 see Paragraph (k).
- (c) The ~~Schedule of Classifications and Water Quality Standards for the~~ White Oak River Basin ~~has been~~ Classification Schedule was amended effective December 13, 1979 with the reclassification of a portion of the White Oak River Restricted Area (Index No. 20-32) and a portion of the Newport River (Morehead City and Beaufort Harbors Restricted Area) [Index No. 21-(31)] from Class SC to Class SA.
- (d) The ~~Schedule of Classifications and Water Quality Standards for the~~ White Oak River Basin ~~has been~~ Classification Schedule was amended effective June 1, 1988 with the reclassification of unnamed waters as follows:
- (1) a portion of the Roosevelt Natural Area Swamp, which drains to Bogue Sound (20-36), from Class SA to Class C Sw ORW.
  - (2) another portion of the Roosevelt Natural Area Swamp, which drains to Bogue Sound (20-36), from Class SA to Class SA Sw ORW.
- (e) The ~~Schedule of Classifications and Water Quality Standards for the~~ White Oak River Basin ~~has been~~ Classification Schedule was amended effective January 1, 1990 as follows:
- (1) Intracoastal Waterway (Index No. 19-39) from northeastern boundary of Cape Fear River Basin to Daybeacon No. 17 including all unnamed bays, guts, and channels, except Rogers Bay and Mill Creek and Intracoastal Waterway (Index No. 19-41) from the northeast mouth of Goose Creek to the southwest mouth of Queen Creek were reclassified from Class SA to Class SA ORW.
  - (2) Bear Island ORW Area, which includes all waters within an area north of Bear Island defined by a line from the western most point on Bear Island to the northeast mouth of Goose Creek on the mainland, east to the southwest mouth of Queen Creek, then south to green marker No. 49, then northeast to the northern most point on Huggins Island, then southeast along the shoreline of Huggins Island to the southeastern most point of Huggins Island, then south to the northeastern most point on Dudley Island, then southwest along the shoreline of Dudley Island to the eastern tip of Bear Island to the western mouth of Foster Creek including Cow Channel were reclassified from Class SA to Class SA ORW.
  - (3) Bogue Sound (including Intracoastal Waterway from White Oak River Basin to Beaufort Inlet) ~~(Index No. 20-36)~~ from Bogue Inlet to a line across Bogue Sound from the southwest side of mouth of Gales Creek to Rock Point and all tributaries except Hunting Island Creek, Goose Creek, and Broad Creek were reclassified from Class SA to Class SA ORW.
  - (4) Core Sound (Index No. 21-35-7) from northern boundary of White Oak River Basin (a line from Hall Point to Drum Inlet) to Back Sound and all tributaries except Atlantic Harbor Restricted Area, Nelson Bay, Jarrett Bay, Williston Creek, Wade Creek and Middens Creek were reclassified from Class SA to Class SA ORW.
  - (5) Back Sound (Index No. 21-35) from a point on Shackleford Banks at lat. 34 degrees 40' 57" and long 76 degrees 37' 30" north to the western most point of Middle Marshes and along the northwest shoreline of Middle Marshes (to include all of Middle Marshes) to Rush Point on Harkers Island and along the southern shore of Harkers Island back to Core Sound and all tributaries were reclassified from Class SA to Class SA ORW.
- (f) The ~~Schedule of Classifications and Water Quality Standards for the~~ White Oak River Basin ~~has been~~ Classification Schedule was amended effective August 1, 1990 with the reclassification of a portion of the White Oak River [Index No. 20-(1)] from Spring Branch to Hunters Creek from Class C to Class C HQW.
- (g) The ~~Schedule of Classifications and Water Quality Standards for the~~ White Oak River Basin Classification Schedule was amended effective August 1, 1991 by adding the supplemental classification NSW (Nutrient Sensitive Waters) to all waters in the New River Drainage Area above a line running across the New River from Grey Point to a point of land approximately 2,200 yards downstream of the mouth of Duck Creek.
- (h) The ~~Schedule of Classifications and Water Quality Standards for the~~ White Oak River Basin Classification Schedule was amended effective June 1, 1992 with the reclassification of Peletier Creek (Index No. 20-36-11) from its source to Bogue Sound from Class SA to Class SB with the requirement that no discharges be allowed.

## APPENDIX A:

### Tracked Changes Between Prior Rule and Rule Effective November 1, 2019

- (i) ~~The Schedule of Classifications and Water Quality Standards for the~~ White Oak River Basin ~~has been~~ Classification Schedule was amended effective December 1, 1992 with the reclassification of the Atlantic Harbor Restricted Area (Index No. 21-35-7-2) from Class SC to Class SA ORW.
- (j) The ~~Schedule of Classifications and Water Quality Standards for the~~ White Oak River Basin ~~has been~~ Classification Schedule was amended effective November 1, 2007 with the reclassifications listed below, and the North Carolina Division of Water Quality Resources maintains a Geographic Information Systems data layer of these UWLs:
- (1) Theodore Roosevelt Maritime Swamp Forest near Roosevelt Natural Area Swamp [Index No. 20-36-9.5-(1)] was reclassified to Class WL UWL ~~as defined in 15A NCAC 02B .0101.~~
  - (2) Bear Island Maritime Wet Grassland near the Atlantic Ocean [Index No. 99-(4)] was reclassified to Class WL UWL ~~as defined in 15A NCAC 02B .0101.~~
- (k) The ~~Schedule of Classifications and Water Quality Standards for the~~ White Oak River Basin ~~has been~~ Classification Schedule was amended effective July 1, 2011 with the reclassification of a portion of Southwest Creek [Index No. 19-17-(0.5)] from a point approximately 0.5 mile upstream of Mill Run to Mill Run from Class C NSW to Class SC NSW, and another portion of Southwest Creek [Index No. 19-17-(6.5)] from Mill Run to New River from Class C HQW NSW to Class SC HQW NSW.

*History Note:* Authority G.S. 143-214.1; 143-215.1; 143-215.3(a)(1);  
Eff. February 1, 1976;  
Amended Eff. July 1, 2011; November 1, 2007; December 1, 1992; June 1, 1992; August 1, 1991;  
August 1, 1990-;  
Readopted Eff. November 1, 2019.

#### 15A NCAC 02B .0313 ROANOKE RIVER BASIN

~~(a) Effective February 1, 1976, the adopted classifications~~ (a) Classifications assigned to the waters within the Roanoke River Basin are set forth in the Roanoke River Basin Classification Schedule of Classifications and Water Quality Standards, which may be inspected at the following places:

- (1) the Internet at ~~http://h2o.enr.state~~ https://deq.nc.us/esu;/gov/about/divisions/water-resources/water-planning/classification-standards/river-basin-classification; and
- (2) the following offices of the North Carolina Department of ~~Environment and Natural Resources~~ Environmental Quality:
  - (A) Raleigh Regional Office  
~~3800 Barrett Drive~~  
~~Raleigh, North Carolina;~~
  - (B) Washington Regional Office  
~~943 Washington Square Mall~~  
~~Washington, North Carolina;~~
  - (C) Winston-Salem Regional Office  
~~585 Waughtown Street Winston Salem, 450 West Hanes Mill Road~~  
~~North Carolina-; and~~
  - (D) Division of Water Quality Resources  
~~Regional Office~~  
~~512 North Salisbury Street~~  
~~Raleigh, North Carolina.~~

(b) Unnamed ~~Streams. Such~~ streams entering Virginia are classified "C", except that all backwaters of John H. Kerr Reservoir and the North Carolina portion of streams tributary thereto not otherwise named or described shall carry the classification "B," and all backwaters of Lake Gaston and the North Carolina portion of streams tributary thereto not otherwise named or described shall carry the classification "C and B".

(c) The Roanoke River Basin ~~Schedule of Classification and Water Quality Standards~~ Schedule was amended effective:

- (1) May 18, 1977;
- (2) July 9, 1978;
- (3) July 18, 1979;
- (4) July 13, 1980;
- (5) March 1, 1983;
- (6) August 1, 1985;

**APPENDIX A:  
Tracked Changes Between Prior Rule and Rule Effective November 1, 2019**

- (7) February 1, 1986.
- (d) The ~~Schedule of Classifications and Water Quality Standards for the~~ Roanoke River Basin Classification Schedule was amended effective July 1, 1991 with the reclassification of Hyco Lake (Index No. 22-58) from Class C to Class B.
- (e) The ~~Schedule of Classifications and Water Quality Standards for the~~ Roanoke River Basin Classification Schedule was amended effective August 3, 1992 with the reclassification of all water supply waters (waters with a primary classification of WS-I, WS-II or WS-III). -These waters were reclassified to WS-I, WS-II, WS-III, WS-IV or WS-V as defined in the revised water supply protection rules; (15A NCAC ~~2B02B~~ .0100, .0200 and .0300), which became effective on August 3, 1992. In some cases, streams with primary classifications other than WS were reclassified to a WS classification due to their proximity and linkage to water supply waters. -In other cases, waters were reclassified from a WS classification to an alternate appropriate primary classification after being identified as downstream of a water supply intake or identified as not being used for water supply purposes.
- (f) The ~~Schedule of Classifications and Water Quality Standards for the~~ Roanoke River Basin Classification Schedule was amended effective August 1, 1998 with the reclassification of Cascade Creek (Camp Creek) [Index No. 22-12] and its tributaries from its source to the backwaters at the swimming lake from Class B to Class B ORW, and reclassification of Indian Creek [index No. 22-13] and its tributaries from its source to Window Falls from Class C to Class C ORW.
- (g) The ~~Schedule of Classifications and Water Quality Standards for the~~ Roanoke River Basin Classification Schedule was amended effective August 1, 1998 with the reclassification of Dan River and Mayo River WS-IV Protected Areas. The Protected Areas were reduced in size.
- (h) The ~~Schedule of Classifications and Water Quality Standards for the~~ Roanoke River Basin Classification Schedule was amended effective April 1, 1999 as follows:
- (1) Hyco River, including Hyco Lake below elevation 410 [Index No. 22-58-(0.5)] was reclassified from Class B to Class WS-V B.
  - (2) Mayo Creek (Maho Creek) ~~-(Mayo Reservoir)~~ [Index No. 22-58-15] was reclassified from its source to the dam of Mayo Reservoir from Class C to Class WS-V.
- (i) The ~~Schedule of Classifications and Water Quality Standards for the~~ Roanoke River Basin Classification Schedule was amended effective April 1, 2001 as follows:
- (1) Fullers Creek from source to a point 0.8 mile upstream of Yanceyville water supply dam [Index No. 22-56-4-(1)] was reclassified from Class WS-II to Class WS-III.
  - (2) Fullers Creek from a point 0.8 mile upstream of Yanceyville water supply dam to Yanceyville water supply dam [Index No. 22-56-4-(2)] was reclassified from Class WS-II CA to Class WS-III CA.
- (j) The ~~Schedule of Classifications and Water Quality Standards for the~~ Roanoke River Basin Classification Schedule was amended effective November 1, 2007 with the reclassification of Hanging Rock Hillside Seepage Bog near Cascade Creek [Index No. 22-12-(2)] to Class WL UWL ~~as defined in 15A NCAC 02B .0101~~. The Division of Water Quality Resources maintains a Geographic Information Systems data layer of the UWL.
- (k) The ~~Schedule of Classifications and Water Quality Standards for the~~ Roanoke River Basin Classification Schedule was amended effective July 3, 2012 as follows:
- (1)- a portion of the Dan River [Index No. 22-(39)] (including tributaries) from the City of Roxboro's intake, located approximately 0.7 mile upstream of NC Highway 62, to a point approximately 0.5 mile upstream of the City of Roxboro's intake from Class C to Class WS-IV CA.
  - (2)- a portion of the Dan River [Index No. 22-(39)] (including tributaries) from a point approximately 0.5 mile upstream of the City of Roxboro's intake to the North Carolina-Virginia state line from Class C to Class WS-IV.
- (l) The ~~Schedule of Classifications and Water Quality Standards for the~~ Roanoke River Basin isClassification Schedule was amended effective January 1, 2013 as follows:
- (1) a portion of the Roanoke River [Index No. 23-(26)] (including tributaries) from the Martin County Regional Water And Sewer Authority's intake, located approximately 0.3 mile upstream of US 13/US 17, to a point approximately 0.5 mile upstream of the Martin County Regional Water And Sewer Authority's intake from Class C to Class WS-IV CA.
  - (2) a portion of the Roanoke River [Index No. 23-(26)] (including tributaries) from a point approximately 0.5 mile upstream of the Martin County Regional Water And Sewer Authority's intake to a point approximately 1 mile downstream of Coniott Creek (Town Swamp) from Class C to Class WS-IV.



## APPENDIX A:

### Tracked Changes Between Prior Rule and Rule Effective November 1, 2019

*History Note:* Authority G.S. 143-214.1; 143-215.1; 143-215.3(a)(1);  
Eff. February 1, 1976;  
Amended Eff. January 1, 2013; July 3, 2012; November 1, 2007; April 1, 2001; April 1, 1999;  
August 1, 1998; August 3, 1992; July 1, 1991; February 1, 1986; August 1, 1985-;:  
Readopted Eff. November 1, 2019.

#### 15A NCAC 02B .0314 CHOWAN RIVER BASIN

~~(a) Places where the schedule may be inspected:~~

- ~~(1) Clerk of Court:  
Bertie County  
Chowan County  
Gates County  
Hertford County  
Northampton County~~

~~(2) (a) Classifications assigned to the waters within the Chowan River Basin are set forth in the Chowan River Basin Classification Schedule, which may be inspected in the following places:~~

~~(1) the Internet at <https://deq.nc.gov/about/divisions/water-resources/water-planning/classification-standards/river-basin-classification>; and~~

~~(2) the following offices of the North Carolina Department of ~~Environment, Health and Natural Resources~~ Environmental Quality:~~

- ~~(A) Raleigh Regional Office  
3800 Barrett Drive  
Raleigh, North Carolina;~~
- ~~(B) Washington Regional Office  
~~1502 North Market Street~~  
943 Washington Square Mall  
Washington, North Carolina; and~~
- ~~(C) Division of Water Resources  
Central Office  
512 North Salisbury Street  
Raleigh, North Carolina.~~

~~(b) Unnamed ~~Streams~~. Such streams entering Virginia are classified "C."~~

~~(c) All classifications assigned to the waters of the Chowan River Basin and referenced in (a) of this Rule are additionally classified as ~~nutrient sensitive waters~~ (Nutrient Sensitive Waters (NSW) in accordance with the provisions of Rule .0214 of this Subchapter.~~

~~(d) The Chowan River Basin ~~Schedule of Classification and Water Quality Standards~~ Schedule was amended effective August 1, 1985.~~

*History Note:* ~~Filed as an Emergency Amendment [(f)]~~ Eff. March 10, 1979, for a period of 120 days to expire on September 7, 1979;

*History Note:*

Authority G.S. 143-214.1; 143-215.1; 143-215.3(a)(1);  
Eff. February 1, 1976;  
Amended Eff. November 1, 1978; March 1, 1977;  
Emergency Amendment [(f)] Eff. March 10, 1979, for a period of 120 days to expire on September 7, 1979;  
Emergency Amendment [(f)] Made Permanent Eff. September 6, 1979;  
Amended Eff. August 1, 1985; January 1, 1985-;  
Readopted Eff. November 1, 2019.

#### 15A NCAC 02B .0315 NEUSE RIVER BASIN

~~(a) Effective February 1, 1976, the adopted classifications (a) Classifications assigned to the waters within the Neuse River Basin are set forth in the Neuse River Basin ~~Schedule of Classification and Water Quality Standards~~ Schedule, which may be inspected at the following places:~~

**APPENDIX A:**  
**Tracked Changes Between Prior Rule and Rule Effective November 1, 2019**

- (1) the Internet at <http://portal.ncdenr.org/web/wq/ps/esu/rules> <https://deq.nc.gov/about/divisions/water-resources/water-planning/classification-standards/river-basin-classification>; and
- (2) the following offices of the North Carolina Department of ~~Environment and Natural Resources~~Environmental Quality:
- (A) Raleigh Regional Office  
3800 Barrett Drive  
Raleigh, North Carolina;
  - (B) Washington Regional Office  
943 Washington Square Mall  
Washington, North Carolina;
  - (C) Wilmington Regional Office  
127 Cardinal Drive Extension  
Wilmington, North Carolina; and
  - (D) Division of Water ~~Quality~~Resources  
Central Office  
512 North Salisbury Street  
Raleigh, North Carolina.  
Central Office  
512 North Salisbury Street  
Raleigh, North Carolina.
- (b) The Neuse River Basin ~~Schedule of Classification and Water Quality Standards Schedule~~ was amended effective:
- (1) March 1, 1977 see Paragraph (c) of this Rule;
  - (2) December 13, 1979 see Paragraph (d) of this Rule;
  - (3) September 14, 1980 see Paragraph (e) of this Rule;
  - (4) August 9, 1981 see Paragraph (f) of this Rule;
  - (5) January 1, 1982 see Paragraph (g) of this Rule;
  - (6) April 1, 1982 see Paragraph (h) of this Rule;
  - (7) December 1, 1983 see Paragraph (i) of this Rule;
  - (8) January 1, 1985 see Paragraph (j) of this Rule;
  - (9) August 1, 1985 see Paragraph (k) of this Rule;
  - (10) February 1, 1986 see Paragraph (l) of this Rule;
  - (11) May 1, 1988 see Paragraph (m) of this Rule;
  - (12) July 1, 1988 see Paragraph (n) of this Rule;
  - (13) October 1, 1988 see Paragraph (o) of this Rule;
  - (14) January 1, 1990 see Paragraph (p) of this Rule;
  - (15) August 1, 1990;
  - (16) December 1, 1990 see Paragraph (q) of this Rule;
  - (17) July 1, 1991 see Paragraph (r) of this Rule;
  - (18) August 3, 1992;
  - (19) April 1, 1994 see Paragraph (t) of this Rule;
  - (20) July 1, 1996 see Paragraph (u) of this Rule;
  - (21) September 1, 1996 see Paragraph (v) of this Rule;
  - (22) April 1, 1997 see Paragraph (w) of this Rule;
  - (23) August 1, 1998 see Paragraph (x) of this Rule;
  - (24) August 1, 2002 see Paragraph (y) of this Rule;
  - (25) July 1, 2004 see Paragraph (z) of this Rule;
  - (26) November 1, 2007 see Paragraph (aa) of this Rule;
  - (27) January 15, 2011 see Paragraph (bb) of this Rule; and
  - (28) July 1, 2012 see Paragraph (cc) of this Rule.
- (c) The ~~Schedule of Classifications and Water Quality Standards for the~~ Neuse River Basin Classification Schedule was amended effective March 1, 1977 with the a total of 179 streams in the Neuse River Basin reclassified from Class D to Class C.

## APPENDIX A:

### Tracked Changes Between Prior Rule and Rule Effective November 1, 2019

- (d) The ~~Schedule of Classifications and Water Quality Standards for the~~ Neuse River Basin ~~has been~~ Classification Schedule was amended effective December 13, 1979 as follows: -Little River [Index No. 27-57-(21.5)] from source to the dam at Wake Forest Reservoir has been reclassified from Class A-II to Class A-II and B.
- (e) The ~~Schedule of Classifications and Water Quality Standards for the~~ Neuse River Basin ~~has been~~ Classification Schedule was amended effective September 14, 1980 as follows:- The Eno River from Durham County State Road 1003 to U.S Highway 501 [Index No. 27-2-(16)] was reclassified from Class C and B to Class A-II and B.
- (f) The ~~Schedule of Classifications and Water Quality Standards for the~~ Neuse River Basin Classification Schedule was amended effective August 9, 1981 to remove the swamp water designation from all waters designated SA in the Neuse River Basin.
- (g) The ~~Schedule of Classifications and Water Quality Standards for the~~ Neuse River Basin ~~has been~~ Classification Schedule was amended effective January 1, 1982 as follows:- The Trent River from the mouth of Brice Creek to the Neuse River [Index No. 27-101-(39)] was reclassified from Class SC Sw to Class SB Sw.
- (h) The ~~Schedule of Classifications and Water Quality Standards for the~~ Neuse River Basin ~~has been~~ Classification Schedule was amended effective April 1, 1982 as follows:
- (1) Longview Branch from source to Crabtree Creek [Index No. 27-33-(21)] was reclassified from Class C1 to Class C.
  - (2) Watson Branch from source to Walnut Creek [Index No. 27-34-(8)] was reclassified from Class C1 to Class C.
- (i) The ~~Schedule of Classifications and Water Quality Standards for the~~ Neuse River Basin Classification Schedule was amended effective December 1, 1983 to add the Nutrient Sensitive Waters classification to the entire river basin above Falls dam.
- (j) The ~~Schedule of Classifications and Water Quality Standards for the~~ Neuse River Basin ~~has been~~ Classification Schedule was amended effective January 1, 1985 as follows:- Nobel Canal from source to Swift Creek [Index No. 27-97-(2)] was reclassified from Class C1 to Class C.
- (k) The ~~Schedule of Classifications and Water Quality Standards for the~~ Neuse River Basin ~~has been~~ Classification Schedule was amended effective August 1, 1985 as follows:
- (1) Southeast Prong Beaverdam Creek from source to Beaverdam Creek [Index No. 27-33-15(2)] was reclassified from Class C1 to Class C.
  - (2) Pigeon House branch from source to Crabtree Creek [Index No. 27-33-(18)] was reclassified from Class C1 to Class C.
  - (3) Rocky Branch from source to Pullen Road [Index No. 27-34-6-(1)] was reclassified from Class C1 to Class C.
  - (4) Chavis Branch from source to Watson Branch [Index No. 27-37-8-1] was reclassified from Class C1 to Class C.
- (l) The ~~Schedule of Classifications and Water Quality Standards for the~~ Neuse River Basin ~~has been~~ Classification Schedule was amended effective February 1, 1986 to reclassify all Class A-I and Class A-II streams in the Neuse River Basin to WS-I and WS-III.
- (m) The ~~Schedule of Classifications and Water Quality Standards for the~~ Neuse River Basin Classification Schedule was amended effective May 1, 1988 to add the Nutrient Sensitive Waters classification to the waters of the Neuse River Basin below the Falls Lake dam.
- (n) The ~~Schedule of Classifications and Water Quality Standards for the~~ Neuse River Basin ~~has been~~ Classification Schedule was amended effective July 1, 1988 as follows:
- (1) Smith Creek [Index No. 27-23-(1)] from source to the dam at Wake Forest Reservoir has been reclassified from Class WS-III to WS-I.
  - (2) Little River [Index No. 27-57-(1)] from source to the N.C. Hwy. 97 Bridge near Zebulon including all tributaries has been reclassified from Class WS-III to WS-I.
  - (3) An unnamed tributary to Buffalo Creek just upstream of Robertson's Pond in Wake County from source to Buffalo Creek including Leo's Pond has been reclassified from Class C to B.
- (o) The ~~Schedule of Classifications and Water Quality Standards for the~~ Neuse River Basin ~~has been~~ Classification Schedule was amended effective October 1, 1988 as follows:
- (1) Walnut Creek (Lake Johnson, Lake Raleigh) [Index No. 27-34-(1)]. -Lake Johnson and Lake Raleigh have been reclassified from Class WS-III to Class WS-III B.
  - (2) Haw Creek (Camp Charles Lake) ~~(C)~~ [Index No. 27-86-3-7] from the backwaters of Camp Charles Lake to dam at Camp Charles Lake has been reclassified from Class C to Class B.

**APPENDIX A:  
Tracked Changes Between Prior Rule and Rule Effective November 1, 2019**

(p) The ~~Schedule of Classifications and Water Quality Standards for the~~ Neuse River Basin ~~has been~~ Classification Schedule was amended effective January 1, 1990 as follows:

- (1) Neuse-Southeast Pamlico Sound ORW Area which includes all waters within a line beginning at the southwest tip of Ocracoke Island, and extending north west along the Tar-Pamlico River Basin and Neuse River Basin boundary line to Lat. 35 degrees 06' 30", thence in a southwest direction to Ship Point and all tributaries, were reclassified from Class SA NSW to Class SA NSW ORW.
- (2) Core Sound (Index No. 27-149) from northeastern limit of White Oak River Basin (a line from Hall Point to Drum Inlet) to Pamlico Sound and all tributaries, except Thorofare, John Day Ditch were reclassified from Class SA NSW to Class SA NSW ORW.

(q) The ~~Schedule of Classifications and Water Quality Standards for the~~ Neuse River Basin Classification Schedule was amended effective December 1, 1990 with the reclassification of the following waters as described in (1) through (3) of this Paragraph.

- (1) Northwest Creek from its source to the Neuse River (Index No. 27-105) from Class SC Sw NSW to Class SB Sw NSW;
- (2) Upper Broad Creek [Index No. 27-106-(7)] from Pamlico County SR 1103 at Lees Landing to the Neuse River from Class SC Sw NSW to Class SB Sw NSW; and
- (3) Goose Creek [Index No. 27-107-(11)] from Wood Landing to the Neuse River from Class SC Sw NSW to Class SB Sw NSW.

(r) The ~~Schedule of Classifications and Water Quality Standards for the~~ Neuse River Basin Classification Schedule was amended effective July 1, 1991 with the reclassification of the Bay River [Index No. 27-150-(1)] within a line running from Flea Point to the Hammock, east to a line running from Bell Point to Darby Point, including Harper Creek, Tempe Gut, Moore Creek and Newton Creek, and excluding that portion of the Bay River landward of a line running from Poorhouse Point to Darby Point from Classes SC Sw NSW and SC Sw NSW HQW to Class SA NSW.

(s) The ~~Schedule of Classifications and Water Quality Standards for the~~ Neuse River Basin Classification Schedule was amended effective August 3, 1992 with the reclassification of all water supply waters (waters with a primary classification of WS-I, WS-II or WS-III). These waters were reclassified to WS-I, WS-II, WS-III, WS-IV or WS-V as defined in the revised water supply protection rules, (15A NCAC 02B .0100, .0200 and .0300), which became effective on August 3, 1992. -In some cases, streams with primary classifications other than WS were reclassified to a WS classification due to their proximity and linkage to water supply waters. -In other cases, waters were reclassified from a WS classification to an alternate appropriate primary classification after being identified as downstream of a water supply intake or identified as not being used for water supply purposes.

(t) The ~~Schedule of Classifications and Water Quality Standards for the~~ Neuse River Basin Classification Schedule was amended effective April 1, 1994 as follows:

- (1) Lake Crabtree [Index No. 27-33-(1)] was reclassified from Class C NSW to Class B NSW.
- (2) The Eno River from Orange County State Road 1561 to Durham County State Road 1003 [Index No. 27-10-(16)] was reclassified from Class WS-IV NSW to Class WS-IV B NSW.
- (3) Silver Lake (Index No. 27-43-5) was reclassified from Class WS-III NSW to Class WS-III B NSW.

(u) The ~~Schedule of Classifications and Water Quality Standards for the~~ Neuse River Basin Classification Schedule was amended effective July 1, 1996 with the reclassification of Austin Creek [Index Nos. 27-23-3-(1) and 27-23-3-(2)] from its source to Smith Creek from classes WS-III NSW and WS-III NSW CA to class C NSW.

(v) The ~~Schedule of Classifications and Water Quality Standards for the~~ Neuse River Basin Classification Schedule was amended effective September 1, 1996 with the reclassification of an unnamed tributary to Hannah Creek (Tuckers Lake) [Index No. 27-52-6-0.5] from Class C NSW to Class B NSW.

(w) The ~~Schedule of Classifications and Water Quality Standards for the~~ Neuse River Basin Classification Schedule was amended effective April 1, 1997 with the reclassification of the Neuse River (including tributaries) from mouth of Marks Creek to a point 1.3 miles downstream of Johnston County State Road 1908 to class WS-IV NSW and from a point 1.3 miles downstream of Johnston County State Road 1908 to the Johnston County Water Supply intake (located 1.8 miles downstream of Johnston County State Road 1908) to class WS-IV CA NSW [Index Nos. 27-(36) and 27-(38.5)].

(x) The ~~Schedule of Classifications and Water Quality Standards for the~~ Neuse River Basin Classification Schedule was amended effective August 1, 1998 with the revision of the Critical Area and Protected Area boundaries surrounding the Falls Lake water supply reservoir. The revisions to these boundaries are the result of the US Army Corps of Engineers raising the lake's normal pool elevation. -The result of these revisions is the Critical and Protected Area boundaries (classifications) may extend further upstream than the current designations. -The Critical Area for a WS-IV reservoir is defined as 0.5 miles and draining to the normal pool elevation. -The Protected Area for a WS-IV

**APPENDIX A:  
Tracked Changes Between Prior Rule and Rule Effective November 1, 2019**

reservoir is defined as 5 miles and draining to the normal pool elevation. -The normal pool elevation of the Falls Lake reservoir has changed from 250.1 feet mean sea level (msl) to 251.5 feet msl.

(y) The ~~Schedule of Classifications and Water Quality Standards for the~~ Neuse River Basin Classification Schedule was amended effective August 1, 2002 with the reclassification of the Neuse River [portions of Index No. 27-(56)], including portions of its tributaries, from a point 0.7 mile downstream of the mouth of Coxes Creek to a point 0.6 mile upstream of Lenoir County proposed water supply intake from Class C NSW to Class WS-IV NSW and from a point 0.6 mile upstream of Lenoir County proposed water supply intake to Lenoir proposed water supply intake from Class C NSW to Class WS-IV CA NSW.

(z) The ~~Schedule of Classifications and Water Quality Standards for the~~ Neuse River Basin Classification Schedule was amended effective July 1, 2004 with the reclassification of the Neuse River (including tributaries in Wake County) [Index Nos. 27-(20.7), 27-21, 27-21-1] from the dam at Falls Lake to a point 0.5 mile upstream of the Town of Wake Forest Water Supply Intake (former water supply intake for Burlington Mills Wake Finishing Plant) from Class C NSW to Class WS-IV NSW and from a point 0.5 mile upstream of the Town of Wake Forest proposed water supply intake to Town of Wake Forest proposed water supply intake [Index No. 27-(20.1)] from Class C NSW to Class WS-IV NSW CA. -Fantasy Lake [Index No. 27 -57-3-1-1], a former rock quarry within a WS-II NSW water supply watershed, was reclassified from Class WS-II NSW to Class WS-II NSW CA.

(aa) The ~~Schedule of Classifications and Water Quality Standards for the~~ Neuse River Basin Classification Schedule was amended effective November 1, 2007 with the reclassification of the entire watershed of Deep Creek (Index No. 27-3-4) from source to Flat River from Class WS-III NSW to Class WS-III ORW NSW.

(bb) The ~~Schedule of Classifications and Water Quality Standards for the~~ Neuse River Basin is Classification Schedule was amended effective January 15, 2011 with the reclassification of all Class C NSW waters and all Class B NSW waters upstream of the dam at Falls Reservoir from Class C NSW and Class B NSW to Class WS-V NSW and Class WS-V & B NSW, respectively. All waters within the Falls Watershed are within a designated Critical Water Supply Watershed and are subject to a special management strategy specified in Rules ~~15A NCAC 02B-.0275~~ through .0283 of this Subchapter.

(cc) The ~~Schedule of Classifications and Water Quality Standards for the~~ Neuse River Basin is Classification Schedule was amended effective July 1, 2012 as follows:

- (1) Johnston County owned quarry near Little River [Index No. 27-57-(20.2)] from Class C NSW to Class WS-IV NSW CA. -The Division of Water Quality Resources maintains a Geographic Information Systems data layer of this quarry;
- (2) a portion of the Neuse River [Index Number 27-(41.7)] from a point approximately 1.4 miles downstream of Gar Gut to a point approximately 1.7 miles upstream of Bawdy Creek from Class WS-V NSW to Class WS-IV NSW; and
- (3) a portion of the Neuse River [Index No. 27-(49.5)] from a point approximately 0.5 mile upstream of S.R. 1201 (Johnston County intake) to S.R. 1201 (Johnston County intake) from Class WS-IV NSW to Class WS-IV NSW CA.

*History Note: Authority G.S. 143-214.1; 143-215.1; 143-215.3(a)(1);  
Eff. February 1, 1976;*

*Amended Eff. November 1, 2007; July 1, 2004 (see SL 2001-361); August 1, 2002; August 1, 1998;  
April 1, 1997; September 1, 1996; July 1, 1996; April 1, 1994; August 3, 1992; July 1, 1991;  
Amended Eff. January 15, 2011 (this permanent rule replaces the temporary rule approved by the  
RRC on December 16, 2010);  
Amended Eff. July 1, 2012-;  
Readopted Eff. November 1, 2019.*

**15A NCAC 02B .0316 TAR-PAMLICO RIVER BASIN**

(a) ~~The Classifications assigned to the waters within the~~ Tar-Pamlico River Basin are set forth in the Tar-Pamlico River Basin Classification Schedule of Classifications and Water Quality Standards, which may be inspected at the following places:

- (1) ~~the internet at <http://h2o.enr.state.nc.us/esu/>; and~~
- (1) ~~the Internet at <https://deq.nc.gov/about/divisions/water-resources/water-planning/classification-standards/river-basin-classification>; and~~
- (2) ~~the following offices of the~~ North Carolina Department of ~~Environment and Natural Resources~~ Environmental Quality:

## APPENDIX A:

### Tracked Changes Between Prior Rule and Rule Effective November 1, 2019

- (A) Raleigh Regional Office
  - ~~3800 Barrett Drive~~
  - ~~Raleigh, North Carolina;~~
- (B) Washington Regional Office
  - ~~943 Washington Square Mall~~
  - ~~Washington, North Carolina;~~ and
- (C) Division of Water Quality Resources
  - ~~Central Office~~
  - ~~512 North Salisbury Street~~
  - ~~Raleigh, North Carolina.~~

(b) ~~Unnamed Streams.~~ All drainage canals not noted in the schedule are classified "C Sw," except the main drainage canals to Pamlico Sound and its bays which are classified "SC."

(c) The Tar-Pamlico River Basin ~~Schedule of Classification and Water Quality Standards~~Schedule was amended effective:

- (1) March 1, 1977;
- (2) November 1, 1978;
- (3) June 8, 1980;
- (4) October 1, 1983;
- (5) June 1, 1984;
- (6) August 1, 1985;
- (7) February 1, 1986;
- (8) August 1, 1988;
- (9) January 1, 1990;
- (10) August 1, 1990;
- (11) August 3, 1992;
- (12) April 1, 1994;
- (13) January 1, 1996;
- (14) September 1, 1996;
- (15) October 7, 2003;
- (16) June 1, 2004;
- (17) November 1, 2007.

(d) The ~~Schedule of Classifications and Water Quality Standards for the~~ Tar-Pamlico River Basin Classification Schedule was amended effective August 1, 1988 as follows:

~~(1)~~ Tar River (Index No. 28-94) from a point 1.2 miles downstream of Broad Run to the upstream side of Tranters Creek from Class C to Class B.

(e) The ~~Schedule of Classifications and Water Quality Standards for the~~ Tar-Pamlico River Basin Classification Schedule was amended effective January 1, 1990 by the reclassification of Pamlico River and Pamlico Sound [Index No. 29-(27)] which includes all waters within a line beginning at Juniper Bay Point and running due south to Lat. 35° 18' 00", long. 76° 13' 20", thence due west to lat. 35° 18' 00", long 76° 20' 00", thence northwest to Shell Point and including Shell Bay, Swanquarter and Juniper Bays and their tributaries, but excluding the Blowout, Hydeland Canal, Juniper Canal and Quarter Canal were reclassified from Class SA and SC to SA ORW and SC ORW.

(f) The ~~Schedule of Classifications and Water Quality Standards for the~~ Tar-Pamlico River Basin Classification Schedule was amended effective January 1, 1990 by adding the supplemental classification NSW (Nutrient Sensitive Waters) to all waters in the basin from source to a line across Pamlico River from Roos Point to Persimmon Tree Point.

(g) The ~~Schedule of Classifications and Water Quality Standards for the~~ Tar-Pamlico River Basin Classification Schedule was amended effective August 3, 1992 with the reclassification of all water supply waters (waters with a primary classification of WS-I, WS-II or WS-III). These waters were reclassified to WS-I, WS-II, WS-III, WS-IV or WS-V as defined in the revised water supply protection rules, (15A NCAC ~~2B02B~~ .0100, .0200 and .0300), which became effective on August 3, 1992. In some cases, streams with primary classifications other than WS were reclassified to a WS classification due to their proximity and linkage to water supply waters. In other cases, waters were reclassified from a WS classification to an alternate appropriate primary classification after being identified as downstream of a water supply intake or identified as not being used for water supply purposes.

## APPENDIX A:

### Tracked Changes Between Prior Rule and Rule Effective November 1, 2019

- (h) The ~~Schedule of Classifications and Water Quality Standards for the Tar-Pamlico River Basin Classification Schedule~~ was amended effective April 1, 1994 with the reclassification of Blounts Creek from Herring Run to Blounts Bay [Index No. 29-9-1-(3)] from Class SC NSW to Class SB NSW.
- (i) The ~~Schedule of Classifications and Water Quality Standards for the Tar-Pamlico River Basin Classification Schedule~~ was amended effective January 1, 1996 with the reclassification of Tranters Creek [Index Numbers 28-103- (4.5), 28-103- (13.5), 28-103- (14.5) and 28-103-~~(16.5)~~] from a point 1.5 miles upstream of Turkey Swamp to the City of Washington's former auxiliary water supply intake, including tributaries, from Class WS-IV Sw NSW and Class WS-IV CA Sw NSW to Class C Sw NSW.
- (j) The ~~Schedule of Classifications and Water Quality Standards for the Tar-Pamlico River Basin Classification Schedule~~ was amended effective September 1, 1996 with the addition of Huddles Cut (previously unnamed in the schedule) classified as SC NSW with an Index No. of 29-25.5.
- (k) The ~~Schedule of Classifications and Water Quality Standards for the Tar-Pamlico River Basin Classification Schedule~~ was temporarily amended effective October 7, 2003 and permanently amended June 1, 2004 with the reclassification of a portion of Swift Creek [Index Number 28-78-(0.5)] and a portion of Sandy Creek [Index Number 28-78-1-(19)] from Nash County SR 1004 to Nash County SR 1003 from Class C NSW to Class C ORW NSW, and the waters that drain to these two creek -portions to include only the ORW management strategy as represented by "+". -The "+" symbol ~~as used in this paragraph~~ means that all undesignated waterbodies that drain to the portions of the two creeks referenced in this Paragraph shall comply with ~~Paragraph (c) of Rule .0225(c)~~ of this Subchapter in order to protect the designated waters as per Rule .0203 of this Subchapter and to protect outstanding resource values found in the designated waters as well as in the undesignated waters that drain to the designated waters.
- (l) -The ~~Schedule of Classifications and Water Quality Standards for the Tar-Pamlico River Basin Classification Schedule~~ was amended effective November 1, 2007 with the reclassifications listed below, and the North Carolina Division of Water ~~Quality Resources~~ maintains a Geographic Information Systems data layer of these UWLs.
- (1) Goose Creek Tidal Freshwater Marsh along the confluence of -Goose Creek [Index No. 29-33] and the Pamlico River [Index No. 29-(27)], along Flatty Creek [Index No. 29-11-4] a length of the Pamlico River shoreline [Index No. 29-(27)] was reclassified to Class WL UWL ~~as defined in 15A NCAC 02B .0101-.~~
  - (2) Mallard Creek Tidal Freshwater Marsh along Mallard Creek [Index No. 29-13-(1)] 0.2 miles above its confluence with the Pamlico River to Class WL UWL ~~as defined in 15A NCAC 02B .0101.~~

*History Note:* Authority G.S. 143-214.1; 143-215.1; 143-215.3(a)(1);  
Eff. February 1, 1976;  
Amended Eff. August 1, 2003 (see S.L. 2003-433, s.1); September 1, 1996; January 1, 1996; April 1, 1994; August 3, 1992; August 1, 1990;  
Temporary Amendment Eff. October 7, 2003;  
Amended Eff. November 1, 2007; June 1, 2004-;  
Readopted Eff. November 1, 2019.

#### 15A NCAC 02B .0317 PASQUOTANK RIVER BASIN

- (a) ~~The lassifications assigned to the waters within the Pasquotank River Basin are set forth in the Pasquotank River Basin Classification Schedule of Classifications and Water Quality Standards, which~~ may be inspected at the following places:
- (1) the Internet at ~~http://h2o.enr.state~~https://deq.nc.us/esu/; and gov/about/divisions/water-resources/water-planning/classification-standards/river-basin-classification; and
  - (2) the ~~following offices of the~~ North Carolina Department of ~~Environment and Natural Resources~~Environmental Quality:
    - (A) Washington Regional Office  
~~943 Washington Square Mall~~  
~~Washington, North Carolina; and~~
    - (B) Division of Water ~~Quality Resources~~  
~~Central Office~~  
~~512 North Salisbury Street~~  
~~Raleigh, North Carolina.~~
- (b) ~~Unnamed Streams.~~ All drainage canals not noted in the schedule are classified "C."

**APPENDIX A:  
Tracked Changes Between Prior Rule and Rule Effective November 1, 2019**

(c) The Pasquotank River Basin ~~Classification Schedule of Classifications and Water Quality Standards~~ was amended effective:

- (1) March 1, 1977;
- (2) May 18, 1977;
- (3) December 13, 1979;
- (4) January 1, 1985;
- (5) February 1, 1986;
- (6) January 1, 1990;
- (7) August 1, 1990;
- (8) August 3, 1992;
- (9) August 1, 1998;
- (10) August 1, 2000;
- (11) November 1, 2007.

(d) The ~~Schedule of Classifications and Water Quality Standards for the~~ Pasquotank River Basin Classification Schedule was amended effective January 1, 1990 by the reclassification of Alligator River [Index Nos. 30-16-(1) and 30-16-(7)] from source to U.S. Hwy. 64 and all tributaries except Swindells Canal, Florida Canal, New Lake, Fairfield Canal, Carters Canal, Dunbar Canal and Intracoastal Waterway (Pungo River - Alligator River Canal) were reclassified from C Sw and SC Sw to C Sw ORW and SC Sw ORW.

(e) The ~~Schedule of Classifications and Water Quality Standards for the~~ Pasquotank River Basin Classification Schedule was amended effective August 1, 1990 as follows:

- (1) Croatan Sound [Index No. 30-20-(1)] from a point of land on the southern side of mouth of Peter Mashoes Creek on Dare County mainland following a line eastward to Northwest Point on Roanoke Island and then from Northwest Point following a line west to Reeds Point on Dare County mainland was reclassified from Class SC to Class SB.
- (2) Croatan Sound [Index No. 30-20-(1.5)] from Northwest Point on Roanoke Island following a line west to Reeds Point on Dare County mainland to William B. Umstead Memorial Bridge was reclassified from Class SC to Class SA.

(f) The ~~Schedule of Classifications and Water Quality Standards for the~~ Pasquotank River Basin Classification Schedule was amended effective August 3, 1992 with the reclassification of all water supply waters (waters with a primary classification of WS-I, WS-II or WS-III). -These waters were reclassified to WS-I, WS-II, WS-III, WS-IV or WS-V as defined in the revised water supply protection rules, (15A NCAC ~~2B02B~~ .0100, .0200 and .0300), which became effective on August 3, 1992. -In some cases, streams with primary classifications other than WS were reclassified to a WS classification due to their proximity and linkage to water supply waters. -In other cases, waters were reclassified from a WS classification to an alternate appropriate primary classification after being identified as downstream of a water supply intake or identified as not being used for water supply purposes.

(g) The ~~Schedule of Classifications and Water Quality Standards for the~~ Pasquotank River Basin Classification Schedule was amended effective August 1, 1998 with the revision to the primary classification for a portion of the Pasquotank River [Index No. 30-3-(1.7)] from Class WS-IV to Class WS-V.

(h) The ~~Schedule of Classifications and Water Quality Standards for the~~ Pasquotank River Basin Classification Schedule was amended effective August 1, 2000 with the reclassification of Lake Phelps [Index No. 30-14-4-6-1] from Class C Sw to Class B Sw ORW.

(i) The ~~Schedule of Classifications and Water Quality Standards for the~~ Pasquotank River Basin Classification Schedule was amended effective November 1, 2007 with the reclassifications listed below, and the North Carolina Division of Water ~~Quality Resources~~ maintains a Geographic Information Systems data layer of these UWLs.

- (1) -Phelps Lake Natural Lake Shoreline near Phelps Lake [Index No. 30-14-4-6-1] was reclassified to Class WL UWL ~~as defined in 15A NCAC 02B-.0101.~~
- (2) Nags Head Woods near Buzzard Bay [Index No. 30-21-1] was reclassified to Class WL UWL ~~as defined in 15A NCAC 02B-.0101.~~

*History Note: Authority G.S. 143-214.1; 143-215.1; 143-215.3(a)(1);  
Eff. February 1, 1976;*

*Amended Eff. November 1, 2007; August 1, 2000; August 1, 1998; August 3, 1992; August 1, 1990;  
January 1, 1990; February 1, 1986-;*

*Readopted Eff. November 1, 2019.*