



Energy, Mineral
and Land Resources
ENVIRONMENTAL QUALITY

ROY COOPER
Governor

MICHAEL S. REGAN
Secretary

WILLIAM E. (TOBY) VINSON, JR.
Interim Director

February 1, 2018

LETTER OF APPROVAL

Atlantic Coast Pipeline, LLC
c/o Dominion Energy Transmission Inc.
Attn: Ms. Leslie Hartz - VP Pipeline Construction
707 East Main Street
Richmond, Virginia 23219

RE: Project Name: Dominion Energy Transmission Inc. on behalf of Atlantic Coast Pipeline
Acres Approved: 2,006
Project ID: NORTH-2018-004
Counties: Northampton, Halifax, Nash, Wilson, and Johnston
City: Multiple; Address: Linear – Multiple Roads
River Basin: Multiple, Stream Classification: Multiple
Submitted By: Scott Robinson, PE, Environmental Resources Management (ERM)
Dates Received by LQS: March 17, 2017, August 28, 2017, September 25, 2017, and
February 1, 2018 (Approved plans/specifications, reports, and
other descriptive matter received on multiple dates.)

Plan Type: Industrial

Dear Ms. Hartz:

This office has reviewed the subject erosion and sedimentation control plan. We find the plan to be acceptable and hereby issue this Letter of Approval. The enclosed Certificate of Approval must be posted at the job site. This plan approval shall expire three (3) years following the date of approval, if no land-disturbing activity has been undertaken, as is required by Title 15A NCAC 4B .0129.

Please be aware that your project will be covered by the enclosed NPDES Construction Stormwater General Permit NCG010000. Please become familiar with all the requirements and conditions of this permit in order to achieve compliance.

Title 15A NCAC 4B .0118(a) requires that a copy of the approved erosion control plan be on file at the job site. Also, this letter gives the notice required by G.S. 113A-61.1(a) of our right of periodic inspection to insure compliance with the approved plan.

Letter of Approval
Atlantic Coast Pipeline, LLC
February 1, 2018
Page 2 of 2

North Carolina's Sedimentation Pollution Control Act is performance-oriented, requiring protection of existing natural resources and adjoining properties. If, following the commencement of this project, the erosion and sedimentation control plan is inadequate to meet the requirements of the Sedimentation Pollution Control Act of 1973 (North Carolina General Statute 113A-51 through 66), this office may require revisions to the plan and implementation of the revisions to insure compliance with the Act.

Acceptance and approval of this plan is conditioned upon your compliance with Federal and State water quality laws, regulations, and rules. In addition, local city or county ordinances or rules may also apply to this land-disturbing activity. This approval does not supersede any other permit or approval.

Please note that this approval is based in part on the accuracy of the information conveyed in the Financial Responsibility Form, which you provided. You are requested to file an amended form if there is any change in the information included on the form. In addition, it would be helpful if you notify this office of the proposed starting date for this project. Please notify us if you plan to have a preconstruction conference.

Your cooperation is appreciated.

Sincerely,



William H. Denton, IV
Regional Engineer
DEMLR – Raleigh Regional Office

Enclosures: Certificate of Approval
NPDES Permit

cc: Mr. Richard B. Gangle, Dominion Energy – Electronic Copy
Mr. Scott A. Robinson, PE, ERM – Electronic Copy
Mr. Danny Smith, DWR Field and Operations Supervisor – Electronic Copy
DEMLR RRO file