

References

REFERENCES

- Andon, N. L. 1993. Molt-related changes in the gill ultrastructure of the decapod crustaceans, *Uca pugilator* and *Palaemonetes pugio*. M.S. Thesis University of North Carolina Wilmington. Wilmington, NC.
- Angley, W. 1983. Historical background for proposed Estuarine Sanctuary, Masonboro Island, New Hanover County. North Carolina Division of Coastal Management. 400 Commerce Ave. Morehead City, NC 28557.
- Atkinson, J., S. Lovelace, S. Ross, J. Taggart and D. Wojnowski. 1998. North Carolina National Estuarine Research Reserve management plan. NOAA Estuarine Reserves Division, 1305 East West Highway N/ORM5, Silver Spring, Maryland 20910.
- Bales, J.D. and S.C. Skrobialowski. 1994. Flow and salinity in West Neck Creek, Virginia, 1989-92, and salinity in North Landing River, North Carolina, 1991-92. Water-Resources Investigations Report:94-4067. USGS, Box 25286, Denver, CO 80225.
- Bates, J.H. 1985. The Heritage of Currituck County North Carolina 1985. Published by the Albemarle Genealogical Society, Inc. and the Currituck County Historical Society, Inc.. Hunter Publishing Company. Winston-Salem, NC.
- Biber, P.D., H. W. Paerl, C.L. Gallegos, W.J. Kenworthy, W.J. 2005. Evaluating indicators of seagrass stress to light, in: Bortone, S.A. (Ed.) (2005). Estuarine indicators. CRC Marine Science Series, pp. 193-209.
- Buerger, R., J. Taggart, et al. 1994. Understanding recreational impacts on Masonboro Island. Proc. of the 14th International Conference of the Coastal Society. Charleston, SC.
- Buerger, R., J. Hill, et al. 1995. The impact from recreational use on the physical features of Masonboro Island, NC., in B. L. Edge (ed.), Coastal Zone. Amer. Soc. Civil Engineers, pages 235-236.
- Buerger, R., J. Hill, et al. 2000. The impact of recreation on barrier islands: A case study on Masonboro Island. Coastal Management 28(3):249-259.
- Buerger, R., J. Hill, et al. 2003. Reemerging recreational use patterns on an undeveloped barrier island following the impact of hurricanes: A North Carolina case study. Society and Natural Resources 16(6):527-539.
- Buol, S.W., F.D. Hole and R.J. McCracken. 1980. Soil genesis and classification. The Iowa State University Press. Ames, Iowa.

References

- Caldwell, W.S. 2001. Hydrologic and salinity characteristics of Currituck Sound and selected tributaries in North Carolina and Virginia, 1998-99. United States Geological Survey, Water-Resources Investigations Report: 01-4097. USGS, Box 25286, Denver, CO 80225.
- Campbell, R.T. 2005. Storm Over Carolina: the Confederate Navy's Struggle for Eastern North Carolina. Published by Cumberland House Publishing, Inc. Nashville, TN.
- Carr, A.F. 1952. Handbook of Turtles. The Turtles of the United States, Canada, and Baja California. Ithaca, NY: Cornell Univ. Press, 542 pp.
- Carr, S.D., R.A. Tankersley, J.L. Hench, R.B. Forward, Jr. and R.A. Luetlich, Jr. 2004. Movement patterns and trajectories of ovigerous blue crabs *Callinectes sapidus* during the spawning migration. Estuarine, Coastal and Shelf Science 60(4):567-579.
- Carraway, R.J. and L.J. Priddy. 1983. Mapping of submerged grass beds in Core and Bogue Sounds, Carteret County, NC, by conventional aerial photography. CEIP report no: 20:1-86. North Carolina Department of Environment and Natural Resources, 1601 Mail Service Center, Raleigh, NC 27699-1601. 919-733-4984. <http://www.enr.state.nc.us/>.
- Cecelski, D. 2000. A Historian's Coast: Adventures into the Tidewater Past. Published by John F. Blair, Publisher. Winston-Salem, NC.
- Chambers, R.M., L.A. Meyerson, and K. Saltonstall. 1999. Expansion of *Phragmites australis* into tidal wetlands of North America. Aquatic Botany 64:261-273.
- Claassen, C. 1986. Shellfishing seasons in the prehistoric Southeastern United States. American Antiquity 51(1):21-37.
- Cleary, W.J. and P.E. Hosier. 1995. Morphology and stratigraphy of a transgressive barrier and associated estuarine system: Masonboro Island, North Carolina. Final Report to NOAA/OCRM for grant #NA82AA-o-CZ045. Office of Coastal Resource Management. 40 p.
- Cleary, W.J. and T.P. Marden. 2001. A Pictorial Atlas of North Carolina Inlets. Raleigh, NC. North Carolina Sea Grant, NC State University, 1575 Varsity Drive, Flex Building Module 1, Campus Box 8605, Raleigh, NC 27695. 919-515-2454. <http://www.ncseagrant.org/index.cfm>.
- Cline, J. D. 1992. Stomach analysis of spot and pinfish from a tidal creek, Masonboro Island, Thesis University of North Carolina Wilmington. Wilmington, NC.
- Colwell, P. B. 1983. Mammals of coastal islands of southeastern North Carolina. M.S. Thesis. University of North Carolina Wilmington. Wilmington, NC.
- Cooksey, C. and J. Hyland. 2007. Characterizing ecological condition and ecosystem stressors at NERRS. Poster presentation. NOAA – Center for Coastal and Environmental Health and Biomolecular Research. 219 Ft. Johnston Rd. Charleston, SC 29412. 843-762-8511. <http://www.chbr.noaa.gov/>.

References

- Coulliette, A.D. 2007. Characterization and source identification of microbial contaminants in North Carolina estuarine waters. Final GRF report. NOAA – Estuarine Reserves Division. Office of Ocean and Coastal Resource Management. NOAA Ocean Service. 1305 East West Highway. Silver Spring, MD 20910. 301-713-3155.
- Crouse, D.T. 1984. Loggerhead sea turtle nesting in North Carolina: Applications of an aerial survey. Biol. Conserv. 29:143-155.
- Davis Jr., E.B. 1972. A bird census of the dredge islands between Wrightsville Beach and Carolina Beach, North Carolina. Unpubl. independent study. Department of Biology. University of North Carolina Wilmington. Wilmington, NC.
- Davis, G.J. and M.M Brinson 1989. A survey of submersed aquatic vegetation of the Currituck Sound and the western Albemarle-Pamlico Estuarine System. Albemarle-Pamlico Estuarine Study Project No. 89-10. APNEP, 1601 Mail Service Center, Raleigh, NC, 27699-1601. 252-948-3825. www.apnep.org.
- Denault, Teri. 2007. Submersed aquatic vegetation mapping and monitoring. Summer intern final report to NCNERR. NCNERR, 101 Pivers Island Rd., Beaufort, NC 28516. 252-838-0883. www.nccoastalreserve.net
- Development Services Department. 2005. Population characteristics for the City of Wilmington, NC. Development Services Department, City of Wilmington, Post Office Box 1810, Wilmington, NC, 28402-1810. 910-341-3258. <http://www.wilmingtonnc.gov/>.
- Diaz, R. and R. Rosenberg. 1995. Marine benthic hypoxia: A review of its ecological effects and the behavioural responses of benthic macrofauna. Oceanography and Marine Biology: an annual review 33:245-303.
- Everhart, S. H. 1978. A comparison of natural and dredged material nesting site habitats of gull-billed terns, common terns and black skimmers in North Carolina. M.S. Thesis. North Carolina State University. Raleigh, NC.
- Ferguson, R.L., G.W. Thayer, and T.R. Rice. 1989. Marine primary producers. in F.J. and W. Vernberg (eds.) Functional Adaptations of Marine Organisms. Academic Press, New York, p 9-69.
- Ferguson, R.L., B.T. Pawlak and L.L. Wood. 1993. Flowering of the seagrass *Halodule wrightii* in North Carolina. Aquatic Botany, 46:91-98.
- Fiers, F. 1996. *Robertsonia glomerata* new species (Copepods: Harpacticoida) from a North Carolina estuarine salt marsh. Bull. Mar. Sci. 58(1):117-130.
- Fonseca, Mark, Paula E. Whitfield, Nina M. Kelly, and Susan S. Bell, 2001. Modeling seagrass landscape pattern and associated ecological attributes, Ecological Applications, 12(1):218-237.

References

- Freeman, D. 1989. The distribution and trophic significance of benthic microalgae in Masonboro Sound, North Carolina. M.S. Thesis. University of North Carolina Wilmington. Wilmington, N.C.
- Gale, J. 1982. Summary report on Currituck Sound. Unpubl. Report of the Water Resources Research Institute. North Carolina State University, Raleigh, N.C.
- Gannon, P. (2006a). "City Asks Firm to Pay \$196,605 for Sewage Spill." 09 November, 2006, The Wilmington Star News. Star-News, P.O. Box 840, Wilmington, NC 28402. 910-343-2000.
- Gannon, P. (2006b). "Sewage Overflows into Area Waterways." 09 November, 2006, The Wilmington Star News. Star-News, P.O. Box 840, Wilmington, NC 28402. 910-343-2000.
- Godfrey, P.J. and M.M. Godfrey. 1976. Barrier island ecology of Cape Lookout National Seashore and vicinity. North Carolina National Park Service Monograph Series, No. 9. Washington, D.C.
- Goldsmith, V. 1977. Wave climate models and shoreline wave energy distributions: Currituck Spit, Virginia-North Carolina. Coastal Processes and Resulting Forms of Sediment Accumulations. Currituck Spit, Virginia-North Carolina. Field Trip Guidebook. Society of Economic Paleontologists and Mineralogists and Department of Geological Oceanography. Pages 13.1-13.4. Virginia Institute of Marine Science, Gloucester Point, VA.
- Gormitz, V. 1995. Sea Level Rise: a review of recent past and near future trends. Earth Surf Process Land Forms 20(1):7-20.
- Gouveia, J. 1988. The timing of sexual differentiation in the loggerhead sea turtles (*Caretta caretta*), and predicting sex ratios in natural nests from nest temperatures. M.S. Thesis. University of North Carolina Wilmington. Wilmington, NC.
- Gouveia, J. F. and W. D. Webster. 1988. Nest temperatures and sex determination in the loggerhead sea turtle. Proc. of the Eighth Ann. Workshop on Sea Turtle Conservation and Biology NOAA Tech. Mem. NMSF-SEFC-214. NOAA and National Marine Fisheries Service. Miami, FL. p. 27-28.
- Grabowski, J.H., A.R. Hughes, D.L. Kimbro, and M.A. Dolan. 2005. How habitat setting influences restored oyster reef communities. Ecology 86(7):1926–1935.
- Graetz, K.E. 1973. Seacoast plants of the Carolinas: for conservation and beautification. North Carolina Sea Grant Publication UNC-SG-73-06. North Carolina Sea Grant, NC State University, 1575 Varsity Drive, Flex Building Module 1, Campus Box 8605, Raleigh, NC 27695. 919-515-2454. <http://www.ncseagrant.org/index.cfm>.
- Grand, L.F. and C.S. Vernia 2002. A preliminary checklist of fungi in the Nags Head Woods maritime forest in North Carolina. Castanea 67(3):324-328.

References

- Gregory, J.M. and J. Oerlemans 1998. Simulated future sea-level rise due to glacier melt based on regional and seasonally resolved temperature changes. Nature (391):474-476.
- Gregory, J.B., R.W. Litaker, and R.T. Noble. 2006. Rapid one-step quantitative reverse transcriptase PCR assay with competitive internal positive control for detection of Enteroviruses in environmental samples, Applied and Environmental Microbiology 72(6):3960-3967.
- Hancock, L. M. 1999. Relationship between marsh patch size and nekton distribution. Thesis. University of North Carolina Wilmington. Wilmington, North Carolina.
- Hawkes, L.A., A.C. Broderick, M.H. Godfrey and B.J. Godley. 2005. Status of nesting loggerhead turtles *Caretta caretta* at Bald Head Island (North Carolina, USA) after 24 years of intensive monitoring and conservation. Oryx 39(1):65-72.
- Hay, M. and J. Wells. 1988. Effects of feral horses on the production, distribution, abundance, and stability of salt marsh plants: Rachel Carson component of the National Estuarine Research Reserve. Final Report for NOAA grant NA87AA-D-CZ023. North Carolina Department of Environment and Natural Resources, 1601 Mail Service Center, Raleigh, NC 27699-1601. 919-733-4984. <http://www.enr.state.nc.us/>.
- Hentosh, D.L. 1995. Effects of beach nourishment on nesting sea turtles on Masonboro, NC. Wilmington, North Carolina, USA. Thesis. University of North Carolina Wilmington. Wilmington, NC.
- Hill, F., R.L. Davis, J.M. Carraway, M. Simpson, F. Loftin and C. Kell. 1975. Historic Carteret County, North Carolina: 1663-1975. Published by the Historic Society of Carteret County. Carteret County, NC.
- Holland, A. F., D.M. Sanger, C.P. Gawle, S.B. Lerberg, M.S. Santiago, G.H.M. Riekerk, L.E. Zimmerman, and G.I. Scott. 2004. Linkages between tidal creek ecosystems and the landscape and demographic attributes of their watersheds. Journal of Experimental Marine Biology and Ecology 298:151-178.
- Hosier, P.E. and W.J. Cleary. 1977a. A resource inventory of Masonboro Island, North Carolina. Unpub. Report, Department of Biology. University of North Carolina Wilmington. Wilmington, N.C.
- Hosier, P.E. and W.J. Cleary. 1977b. Cyclic geomorphic patterns of washover on a barrier island in southeastern North Carolina. Env. Geol. 2:23-31.
- Hoyt, J.H. 1967. Barrier island formation. Geological Society of America Bulletin 78:1125-1135.
- Inman, D.L. and R. Dolan. 1989. The Outer Banks of North Carolina: Budget of sediment and inlet dynamics along a migrating barrier system. Journal of Coastal Research 5(2):193-237.

References

Innes, A.E. 1992. Microhabitat segregation of juvenile fishes in a shallow water marsh. M.S. Thesis. University of North Carolina Wilmington. Wilmington, N.C.

Intergovernmental Panel on Climate Change. 2001. Climate change 2001: Synthesis report. Summary for policymakers. IPCC. Intergovernmental Panel on Climate Change, C/O World Meteorological Organization, 7bis Avenue de la Paix, C.P. 2300, CH-1211 Geneva 2, Switzerland. Phone: +41-22-730-8208/84. <http://www.ipcc.ch/index.htm>.

Jarrett, T. 2000. Impact of federal navigation and storm damage reduction projects on Masonboro Island, NC. United States Army Corps of Engineers, P.O. Box 1890, Wilmington, NC, 28402-1890.

Johnson, S.C. 1994. The feeding habits of the Florida pompano (*Trachinotus carolinus*) along Masonboro Island, North Carolina National Estuarine Research Reserve. Unpubl. independent study. University of North Carolina Wilmington. Wilmington, N.C. Edited by Johnny E. Lancaster. 1-13.

Kamler, J.F. and W.B. Ballard. 2002. A review of Native and Nonnative Red Foxes in North America. Wildlife Society Bulletin 30(2):370-379.

Kapraun, D.F. 1977. The genus *Polysiphonia* in North Carolina, USA. Bot. Mar. 20:313-331.

Kapraun, D.F. and F.W. Zechman. 1982. Seasonality and vertical zonation of benthic marine algae on a North Carolina coastal jetty. Bulletin of Marine Science 32(3):702-714.

Kapraun, D.F. and R.B. Searles. 1990. Planktonic bloom of an introduced species of *Polysiphonia* (*Ceramiales rhodophyta*) along the coast of North Carolina, USA. Proc. of the International Seaweed Symposium 13:269-274.

Kaufman, W., and O.H. Pilkey. 1983. The beaches are moving: The drowning of the American shoreline. 1-326. Duke University Press.

Kinsey, T.L. 1992. Avian utilization of intertidal habitats at Masonboro Island, North Carolina. M.S. Thesis. University of North Carolina Wilmington. Wilmington, NC.

Koch, E.W. 2001. Beyond light: physical, geological, and geochemical parameters as possible submerged aquatic vegetation habitat requirements. Estuaries 24(1):1-17.

Kochel, R.C., J.H. Kahn, R. Dolan, B.P. Hayden and P.F. May. 1985. U.S. mid-Atlantic barrier island geomorphology. Journal of Coastal Research 1(1):1-9.

Lancaster, J.E., R.J. Miltner and S.W. Ross. 1999. Annotated bibliography of research conducted in the North Carolina National Estuarine Research Reserve. Report to NCNERR. NCNERR, 101 Pivers Island Rd., Beaufort, NC 28516. 252-838-0883. www.nccoastalreserve.net.

References

- Laws, R.A., J. Hilterman, et al. 1999. Composition and biomass of microalgae from back-barrier marshes, Masonboro Island, NC: Impact of storm induced overwash. 15th Biennial International Conference, Estuarine Research Federation '99: Conference abstracts, New Orleans, LA.
- Lear, L. 1997. Rachel Carson, Witness for Nature. Henry Holt and Company, Inc..
- Leatherman, S.P. 1988. Barrier Island Handbook. College Park, MD, University of MD.
- Lee, R.E. 1974. Blackbeard the Pirate: A Reappraisal of His Life and Times. John F. Blair, Publisher, Winston-Salem, N.C.
- Leithold, E.L., S.W. Snyder, et al. 1991. Sediment dynamics of Currituck Sound. Baseline study and historical reconstruction to evaluate the impacts of future tidal inlet opening. NOAA Tech. Mem. NOS/MEMd NA89AA-D-CZ084. Washington, DC.
- Lindquist, D.G., M.V. Ogburn, et al. 1985. Fish utilization patterns on temperate rubble-mound jetties in North Carolina. Bull. Mar. Sci. 36:244-251.
- Love, D. 2007. Microbial source tracking viral indicators of fecal contamination in shellfish and estuarine water. Final GRF report. NOAA – Estuarine Reserves Division, Office of Ocean and Coastal Resource Management, NOAA Ocean Service, 1305 East West Highway, Silver Spring, MD 20910. 301-713-3155.
- Lower Cape Fear River Program. UNCW-Center for Marine Science. 5600 Marvin K. Moss Lane, Wilmington, NC 28409. 910-962-2354. <http://www.uncwil.edu/cmsr/aquaticceology/lcfrp>.
- Mallin, M.A., J.M. Burkholder, L.B. Cahoon and M.H. Posey. 2000a. North and South Carolina Coasts. Marine Pollution Bulletin 41(1-6):56-75.
- Mallin, M.A., K.E. Williams, E.C. Esham, and R.P. Lowe. 2000b. Effect of human development on bacterial water quality in coastal watersheds. Ecological Applications 10(4):1047-1056.
- Mallin, M.A., S.H. Ensign, M.R. McIver, G.C. Shank and P.K. Fowler. 2001. Demographic, landscape, and meteorological factors controlling the microbial pollution of coastal waters. Hydrobiologia 460:185-193.
- Mallin, M.A., M.R. McIver, et al. 2003. Environmental assessment of the Lower Cape Fear River System, 2002-2003. UNCW-Center for Marine Science. 5600 Marvin K. Moss Lane, Wilmington, NC 28409.
- Mallin, M.A., L.B. Cahoon, M.H. Posey, V.L. Johnson, D.C. Parsons, T.D. Alphin, B.R. Toothman, M.L. Ortwine, and J.F. Merritt. 2006. Environmental quality of Wilmington and New Hanover County watersheds 2004-2005. CMS Report 06-01. UNCW-Center for Marine Science. 5600 Marvin K. Moss Lane, Wilmington, NC 28409.

References

- Markham, K.W. 1989. Habitat and dietary relationships of marsh rabbits on coastal islands in southeastern North Carolina. M.S. Thesis. University of North Carolina Wilmington. Wilmington, NC.
- McCauley, R.H. 1945. The reptiles of Maryland and the District of Columbia. Privately printed, Hagerstown, Maryland, 194 pp.
- McGrath, G. 2006. "Wilmington to learn fate on sewers today State expected to sanction city; EPA still probing." 08 December, 2006, The Wilmington Star News. Star-News, P.O. Box 840, Wilmington, NC 28402. 910-343-2000.
- Mobley, J.A. 1994. Ship Ashore!: the U.S. Lifesavers of Coastal North Carolina. Published by the North Carolina Division of Archives and History. 4610 Mail Service Center, Raleigh, NC 27699-4610. 919-807-7280.
- Moorefield, T.P. 1978. Geologic processes and history of the Fort Fisher coastal area, North Carolina. M.S. Thesis. East Carolina University. Greenville, NC.
- Morehead, K.K. and M.M. Brinson. 1995. Response of wetlands to rising sea level in the lower coastal plain of North Carolina. Ecological Applications 5(1):261-271.
- Morton, R.A. and T.L. Miller. 2005. National Assessment Of Shoreline Change: Part 2 Historical Shoreline Changes And Associated Coastal Land Loss Along The U.S. Southeast Atlantic Coast. Open-File Report 2005-1401. USGS, Box 25286, Denver, CO 80225.
- Moundalexis, A.E., L.A. Leonard, et al. 1997. The effects of Hurricanes Bertha and Fran on the back barrier environments of Masonboro Island, NC. Estuarine Research Federation Meeting, Abstracts, Providence, RI.
- Moundalexis, A.E., R.A. Laws, et al. 1998. Aerial photographic survey of Hurricane induced alterations to Masonboro Island, NC. Crossing Disciplines/Crossing Boundaries: Research in the South Atlantic Bight, SECOR Program and Abstracts, Savannah, GA.
- National Oceanic and Atmospheric Administration/North Carolina Department of Natural Resources and Community Development. 1984. Final environmental impact statement and draft management plan for the proposed Masonboro Island Component of the North Carolina National Estuarine Sanctuary. U.S. Department of Commerce. Washington, D.C.
- National Oceanic and Atmospheric Administration, Center for Operational Oceanographic Products and Services. 1305 East-West Highway, Silver Spring, MD20910-3281. Phone: 301-713-2877 ext. 176. <http://tidesandcurrents.noaa.gov/index.shtml>.
- National Oceanic and Atmospheric Administration, Coastal Services Center, 2234 South Hobson Avenue, Charleston, SC 29405-2413, 843-740-1200, <http://www.csc.noaa.gov/>.

References

- National Oceanic and Atmospheric Administration, National Climatic Data Center, Federal Building, 151 Patton Avenue, Asheville NC 28801-5001. 828-271-4800.
<http://www.ncdc.noaa.gov/oa/ncdc.html>.
- Necaise, A.M.D., S.W. Ross, et al. 2005. Estuarine habitat evaluation measured by growth of juvenile summer flounder *Paralichthys dentatus* in a North Carolina estuary. Marine Ecology Progress Series 285:157-168.
- Needham, R.N. 1982. The ichthyofauna of subtidal holes in an intertidal *Spartina alterniflora* marsh. Unpubl. independent study. Department of Biology, University of North Carolina Wilmington. Wilmington, NC.
- Neville, A., D. Webster, et al. 1988. The effects of nest temperature on hatchling emergence in the loggerhead sea turtle (*Caretta caretta*). Pages 71-73, in B. S. Schroeder (ed.), Proc. of the Eighth Annual Workshop on Sea Turtle Conservation and Biology. NOAA Tech. Mem. NMFS-SEFC-214. Miami, FL.
- Niemi, G., D. Wardrop, R. Brooks, S. Anderson, V. Brady, H. Paerl, C. Rakocinski, M. Brouwer, B. Levinson and M. McDonald. 2004. Rationale for a new generation of indicators for coastal waters. Environ Health Perspect 112(9):979-986.
- Nixon, S.W. 1995. Coastal marine eutrophication: a definition, social causes, and future concerns. Ophelia 41:199-219.
- North Carolina Department of Cultural Resources. Queen Anne's Revenge Project. 109 East Jones Street, MSC 4601, Raleigh, NC 27699-4601. 919- 807-7385.
<http://www.ah.dcr.state.nc.us/qar/>.
- North Carolina Department of Environmental Health. Shellfish Sanitation and Recreational Water Quality Section. Marine Fisheries Building, Post Office Box 769, Morehead City, NC 28557-0769. (252) 726-6827.
http://www.deh.enr.state.nc.us/shellfish/Water_Monitoring/RWQweb/home.htm.
- North Carolina Division of Water Quality. 2004. Classifications and water quality standards applicable to surface water and wetlands of North Carolina. Division of Water Quality. North Carolina Administrative Code: 15A NCAC 02B .0200. Raleigh, NC.
- North Carolina Division of Water Quality. 2005. Cape Fear River basinwide water quality plan. Division of Water Quality, Planning Section, Basinwide Planning Unit. Published October 2005. Raleigh, NC.
- North Carolina Division of Water Quality. 2007. White Oak River basinwide water quality plan. Division of Water Quality, Planning Section, Basinwide Planning Unit. Published May 2007. Raleigh, NC.

References

North Carolina State Climate Office. Suite 240, Research III Building, 1005 Capability Drive, Centennial Campus, Box 7236, NC State University, Raleigh, NC 27695-7236. 877-718-5544. <http://www.nc-climate.ncsu.edu/>.

Ogburn, V.M. 1984. Feeding ecology and the role of algae in the diet of sheepshead (*Archosargus probatocephalus* Pisces: Sparidae) on two North Carolina jetties. M.S. Thesis University of North Carolina Wilmington. Wilmington, NC.

Paerl, H.W. and M.L.Fogel. 1994. Isotopic characterization of atmospheric nitrogen inputs as sources of enhanced primary production in coastal Atlantic Ocean waters. Marine Biology 119:635-645.

Paerl, H.W., J.L. Pinckney, J.M. Fear, and B.L. Peierls. 1998. Ecosystem responses to internal and watershed organic matter loading: Consequences for hypoxia in the eutrophying Neuse River Estuary, North Carolina, USA. Mar Ecol Prog Ser 166:17-25.

Paerl, H.W., J.D. Bales, L.W. Ausley, C.P. Buzzelli, L.B. Crowder, L.A. Eby, J.M. Fear, M. Go, B.L. Peierls, T.L. Richardson, and J.S. Ramus. 2001. Ecosystem impacts of three sequential hurricanes (Dennis, Floyd, and Irene) on the United States' largest lagoonal estuary, Pamlico Sound, NC. PNAS 98(10):5655–5660.

Parnell, J.F., D.M. DuMond, et al. 1986. Colonial waterbird habitats and nesting populations in North Carolina estuaries: 1983 survey. Technical Report D-86-3. U.S. Army Corps of Engineers Waterways Experiment Station. Vicksburg, MS. 1-78.

Pereira, S. 1983. Comparative feeding ecology of three sparids: *Diplodus holbrooki*, *Lagodon rhomboides*, and *Archosargus probatocephalus* from Masonboro Inlet jetties at Wrightsville Beach, N.C. Unpubl. independent study. Department of Biology, University of North Carolina Wilmington. Wilmington, NC.

Perry, L.K. 1992. Observations on stomach and intestine contents of two benthic bottom feeding fish. Unpublished honors paper. Department of Biology, University of North Carolina Wilmington. Wilmington, NC.

Peterson, C.H., and H.C. Summerson. 1992. Basin-scale coherence of population dynamics of an exploited marine invertebrate, the bay scallop: implications of recruitment limitation. Marine Ecology Progress Series 90:257-272.

Pilkey, O.H., and J.A. Cooper. 2004. Society and sea level rise. Science 303:1781-1782.

Posey, M.H., C.P. Powell, et al. 1993. Top down vs. bottom up control of benthic community composition on an intertidal tideflat. J. Exp. Mar. Biol. Ecol. 185:19-31.

Powers, Monica. 2005. Macroalgal growth on bivalve aquaculture netting enhances nursery habitat for mobile invertebrates and juvenile fish. Thesis. University of North Carolina at Chapel Hill. Chapel Hill, NC.

References

- Pyles, R.G. 1973. A quantitative study of the small mammals of Masonboro Island. Unpubl. independent study. Department of Biology, University of North Carolina Wilmington. Wilmington, NC.
- Redfield, A. C. 1958. The biological control of chemical factors in the environment. American Scientist 46:205–221.
- Rheinhardt, R.D. and M.C. Rheinhardt. 1997. Habitat-use of feral horses on Currituck Banks, North Carolina: Foraging ecology and management implications. Report to NCNERR, NCNERR, 101 Pivers Island Rd. Beaufort, NC 28516, 252-838-0883. www.nccoastalreserve.net
- Riggs, S. 2003. The Soundfront Series: Shoreline Erosion in North Carolina Estuaries. North Carolina Sea Grant Publication: UNC-SG-01-11, North Carolina Sea Grant, NC State University, 1575 Varsity Drive, Flex Building Module 1, Campus Box 8605, Raleigh, NC 27695, Phone: 919/515-2454. <http://www.ncseagrant.org/index.cfm>.
- Riley, Corey. 2006. NERRS Strategic Plan 2005-2010. NOAA Estuarine Reserves Division, 1305 East West Highway N/ORM5, Silver Spring, Maryland 20910.
- Rogers, S. and T.E. Skrabal. 2003. The Soundfront Series: Managing Erosion on Estuarine Shorelines. North Carolina Sea Grant Publication: UNC-SG-01-12, North Carolina Sea Grant, NC State University, 1575 Varsity Drive, Flex Building Module 1, Campus Box 8605, Raleigh, NC 27695, Phone: 919/515-2454. <http://www.ncseagrant.org/index.cfm>.
- Roman, C.T., W.A. Niering and R.S. Warren. 1984. Saltmarsh vegetation change in response to tidal restriction. Environmental Management 8:141-150.
- Ross, S.W. and J. Bichy. 2002. Checklist of the fishes documented from the Zeke's Island and Masonboro Island components of the North Carolina National Estuarine Research Reserve. National Estuarine Research Reserve Technical Report Series 2002:2. NOAA Estuarine Reserves Division, 1305 East West Highway N/ORM5, Silver Spring, Maryland 20910.
- Sagasti, A., L.C. Schaffner, and J.E. Duffy. 2001. Effects of periodic hypoxia on mortality, feeding and predation in an estuarine epifaunal community. Journal of Experimental Marine Biology and Ecology 258:257–283.
- Sault, M., W.J. Cleary, et al. 1999. Hurricane impacts and shoreline recovery along Masonboro Island, NC. Proceedings of Fourth International Symposium on Coastal Engineering and Science of Coastal Sediment Processes: Scales of Coastal Sediment Motion and Geomorphic Change. N.C. Kraus and W.G. McDougal (eds.). New York, New York, USA, American Society of Civil Engineers: 597-611.
- Schafale, M.P. and A.S. Weakley. 1990. Classification of the natural communities of North Carolina: Third approximation. The North Carolina Natural Heritage Program. 1601 Mail Service Center, Raleigh, NC 27699-1601. 919-715-4195.

References

- Schwartz, F.J. 1989. Biology and ecology of sea turtles frequenting North Carolina, p. 307-331. In: R.Y. George and A.W. Hulbert (eds.). North Carolina coastal oceanography symposium. NOAA-NURP Report 89-2.
- Seabergh, W.C. and L.J. Thomas. 2002. Weir jetties at coastal inlets: Part 2, case studies. Vicksburg, MS. US Army Engineer Research and Development Center.
- Smith, H.M. 1907. The fishes of North Carolina. North Carolina Economic Survey. Vol. 2. Published by E.M. Uzzell and Co., State Printers and Binders. Raleigh, NC.
- Smith, A.P. 1988. A characterization of beach use by birds in southeastern North Carolina. M.S. Thesis. University of North Carolina Wilmington. Wilmington, NC.
- Soil Conservation Service. 1977. Soil survey of New Hanover County, North Carolina. United States Department of Agriculture. Natural Resources Conservation Service, Attn: Legislative and Public Affairs Division, P.O. Box 2890, Washington, DC 20013.
- Soil Conservation Service. 1984. Soil Survey for Currituck County, North Carolina. United States Department of Agriculture. Natural Resources Conservation Service, Attn: Legislative and Public Affairs Division, P.O. Box 2890, Washington, DC 20013.
- Stanley, B. 1981. Successionality and seasonality of the reef fishes at Masonboro Inlet jetties, Wrightsville Beach, North Carolina. Unpubl. independent study. Department of Biology, University of North Carolina Wilmington. Wilmington, NC.
- Stanley, B. 1982. The seasonal variation of reef fishes at Masonboro Inlet jetties, Wrightsville Beach, NC. Unpubl. independent study. Department of Biology, University of North Carolina Wilmington. Wilmington, NC.
- Stein B.A., and S.R. Flack (eds). 1996 America's least wanted: alien species invasions of U.S. ecosystems. The Nature Conservancy Arlington, Virginia.
- Taggart, J. and K. Henderson. 1998. A field guide to the North Carolina National Estuarine Research Reserve: and other Coastal Reserve sites managed by the North Carolina Division of Coastal Management as the Coastal Reserve. North Carolina Division of Coastal Management, 400 Commerce Ave., Morehead City, NC 28557. 252-808-2808.
- Thompson III, W.E. 1996. Selective utilization of intertidal oyster beds by fishes in North Carolina with specific comparisons of length, numbers, and species richness. Unpubl. independent study. Department of Biology, University of North Carolina Wilmington. Wilmington, NC.
- Townsend, E.C. 1991. Depth distribution of the grass shrimp (*Palaemonetes pugio*) in two contrasting tidal creeks in North Carolina and Maryland. M.S. Thesis. University of North Carolina Wilmington. Wilmington, NC.

References

Troutman, H.E. 1982. Feeding habits and seasonal behavior of *Tautoga onitis* at Masonboro Jetties, Wrightsville Beach, N.C. Unpublished honors paper. Department of Biology, University of North Carolina Wilmington. Wilmington, NC.

Trudeau, M. 1992. Variations in pinfish (*Lagon rhomboides*) feeding according to substrate in a North Carolina estuary. Unpublished independent study. Department of Biology, University of North Carolina Wilmington. Wilmington, NC.

U.S. Army Corps of Engineers. 1980. Carolina Beach Inlet, North Carolina: Detailed Project Report on Improvement of Navigation. U.S. Army Corps of Engineers, Wilmington District. Wilmington, NC, P.O. Box 1890, Wilmington, NC, 28402-1890.

United States Geological Survey, Water Resources of the United States. USGS National Center, 12201 Sunrise Valley Drive, Reston, VA 20192, USA. 703-648-4000.

Walls Jr., O.K. 1968. Small mammal populations of Masonboro Island. Unpublished independent study. Department of Biology, University of North Carolina Wilmington. Wilmington, NC.

Warr, K.R. 1991. Time budget and foraging behavior of American oyster catchers (*Haematopus palliatus*) in southeastern North Carolina. M.S. Thesis. University of North Carolina Wilmington. Wilmington, NC.

Watson, A.D. 1992. Wilmington: Port of North Carolina. Published by the University of South Carolina Press. Columbia, SC.

Webster, W.D. and J.F. Gouveia 1988. Predicting hatchling sex ratios in loggerhead sea turtles (*Caretta caretta*) by incubation duration. Pages 127-128. in B. S. Schroeder (ed.). Proceedings of the Eighth Annual Workshop on Sea Turtle Conservation and Biology. NOAA Technical Memorandum. NMFS-SEFC-214. NOAA, National Marine Fisheries Service, Miami, FL.

Webster, W.D. 2005. Biological impacts. p. 31-55. in: Assessment of ocean beach vehicular use at Fort Fisher State Recreation Area Kure Beach, NC. Fort Fisher State Recreation Area, N.C. Division of Parks & Recreation, 1615 Mail Service Center, Raleigh, NC 27699. 919-733-4181.

Webster, W.D. and K.A. Cook. 2005. Intraseasonal nesting activity of loggerhead sea turtles (*Caretta caretta*) in southeastern North Carolina. Am. Midl. Nat 145:66-73.

White, Susan. 2006. NERRS Research and Monitoring Plan 2006-2011. NOAA Estuarine Reserves Division, 1305 East West Highway N/ORM5, Silver Spring, Maryland 20910.

Wicker, A.M. and K.M. Endres. 1995. Relationship between waterfowl and American coot abundance with submersed macrophytic vegetation in Currituck Sound, North Carolina. Estuaries 18(2):428-431.

References

Williams, I.M. and L.H. McEachern. 1973. Salt: that necessary article. Published by Isabel M. Williams and Leora H. McEachern. Wilmington, NC.

Windham, L. and R.G. Lathrop. 1999. Effects of *Phragmites australis* (Common reed) invasion on aboveground biomass and soil properties in brackish tidal marsh of Mullica River, New Jersey. Estuaries 22(4):927-935.

Zullo, V.A. 1984. Written communication of January 12, 1984, sent to OCM concerning the Masonboro Island estuary. Dept. of Earth Sciences, University of North Carolina Wilmington. Wilmington, NC.