Draft Stormwater Management Plan Town of Gibsonville NCS000405

March15, 2023 Rev.



Table of Contents

PART 1:	: INTRODUCTION	1
PART 2:	CERTIFICATION	2
PART 3	MS4 INFORMATION	3
3.1	Permitted MS4 Area	3
3.2	Existing MS4 Mapping.	
3.3	Receiving Waters	
3.4	MS4 Interconnection	4
3.5	Total Maximum Daily Loads (TMDLs)	4
3.6	Endangered and Threatened Species and Critical Habitat	
3.7	Industrial Facility Discharges	
3.8	Non-Stormwater Discharges	
3.9	Target Pollutants and Sources	
PART 4:	STORMWATER MANAGEMENT PROGRAM ADMINISTRATION	8
4.1	Organizational Structure	8
4.2	Program Funding and Budget	1
4.3	Shared Responsibility/Contracted Services	
4.4	Co-Permittees	
4.5	Measurable Goals for Program Administration	l
PART 5:	PUBLIC EDUCATION AND OUTREACH PROGRAM 12	1
PART 6:	PUBLIC INVOLVEMENT AND PARTICIPATION PROGRAM	7
PART 7:	ILLICIT DISCHARGE DETECTION AND ELIMINATION PROGRAM 18	3
PART 8:	CONSTRUCTION SITE RUNOFF CONTROL PROGRAM)
	POST-CONSTRUCTION SITE RUNOFF CONTROL PROGRAM	
PART 10	: POLLUTION PREVENTION AND GOOD HOUSEKEEPING PROGRAMS	7

List of Tables

Table 1:	Summary of MS4 Mapping
Table 2:	Summary of MS4 Receiving Waters
Table 3:	Summary of Approved TMDLs
Table 4:	Summary of Federally Listed Species/Habitat Impacted by Surface Water Quality
Table 5:	NPDES Stormwater Permitted Industrial Facilities
Table 6:	Non-Stormwater Discharges
<u>Table 7</u> :	Summary of Target Pollutants and Sources
Table 8:	Summary of Responsible Parties
Table 9:	Shared Responsibilities (N/A)
Table 10:	Co-Permittee Contact Information (N/A)
Table 11:	Program Administration BMPs
Table 12:	Summary of Target Pollutants & Audiences
Table 13:	Public Education and Outreach BMPs
Table 14:	Public Involvement and Participation BMPs
<u>Table 15</u> :	Illicit Discharge Detection and Elimination BMPs
Table 16: <i>(N/A)</i>	Qualifying Alternative Program Components for Construction Site Runoff Control Program
<u>Table 17</u> :	Construction Site Runoff Control BMPs
Table 18:	Qualifying Alternative Program(s) for Post-Construction Site Runoff Control Program (N/A)
Table 19:	Summary of Existing Post-Construction Program Elements (N/A)
Table 20:	Post Construction Site Runoff Control BMPs
<u>Table 21</u> :	Pollution Prevention and Good Housekeeping BMPs

PART 1: INTRODUCTION

The purpose of this Stormwater Management Plan (SWMP) is to establish and define the means by which the Town of Gibsonville will comply with its National Pollutant Discharge Elimination System (NPDES) Municipal Separate Storm Sewer System (MS4) Permit and the applicable provisions of the Clean Water Act to meet the federal standard of reducing pollutants in stormwater runoff to the maximum extent practicable.

This SWMP identifies the specific elements and minimum measures that the Town of Gibsonville will develop, implement, enforce, evaluate and report to the North Carolina Department of Environmental Quality (NCDEQ) Division of Energy, Minerals and Land Resources (DEMLR) in order to comply with the MS4 Permit number NCS000405 as issued by NCDEQ. This permit covers activities associated with the discharge of stormwater from the MS4 as owned and operated by the Town of Gibsonville and located within the corporate limits of the Town of Gibsonville.

In preparing this current SWMP, the Town of Gibsonville has evaluated its MS4, the permit requirements of it's MS4, and previous Comprehensive Stormwater Management Plans to develop a comprehensive 5-year SWMP that will meet the community's needs, address local water quality issues and provide the minimum measures necessary to comply with the permit. The SWMP will be evaluated and updated annually to ensure that the elements and minimum measures it contains continue to adequately provide for permit compliance and the community's needs.

Once the SWMP is approved by NCDEQ, all provisions contained and referenced in this SWMP, along with any approved modifications of the SWMP, are incorporated by reference into the permit and become enforceable parts of the permit. Any major changes to the approved SWMP will require resubmittal, review and approval by NCDEQ, and may require a new public comment period depending on the nature of the changes.

PART 2: CERTIFICATION

By my signature below I hereby certify, under penalty of law, that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete.

I am aware that there are significant penalties for submitting false information, including the possibility of fines and imprisonment for knowing violations.

I am also aware that the contents of this document shall become an enforceable part of the NPDES MS4

Permit, and that both the Division and the Environmental Protection Agency have NPDES MS4 Permit compliance and enforcement authority.

I am a ranking elected official.

✓ I am a principal executive officer for the permitted MS4.
 ☐ I am a duly authorized representative for the permitted MS4 and have attached the authorization made in writing by a principal executive officer or ranking elected official which specifies me as (check one):
 ☐ A specific individual having overall responsibility for stormwater matters.

☐ A specific position having overall responsibility for stormwater matters.

Signature: Ben Baxley

Print Ben Baxley

Name: Title: Town Manager

Signed this 15th day March of 20 23

PART 3: MS4 INFORMATION

3.1 Permitted MS4 Area

This SWMP applies throughout the corporate limits of the Town of Gibsonville, including all regulated activities associated with the discharge of stormwater from the MS4. The map below shows the corporate limits of Town of Gibsonville as of the date of this document.

Corporate Limits are shown on the Map Below in Red

3.2 Existing MS4 Mapping

The current MS4 mapping includes mapping of Storm drain piping, Streams, Pumpstations, Outfall Locations and Industrial Permitted sites.




Table 1: Summary of Current MS4 Mapping

Percent of MS4 Area Mapped**	100	%
No. of Major Outfalls* Mapped	18	total

^{*}An outfall is a point where the MS4 discharges from a pipe or other conveyance (e.g. a ditch) directly into surface waters. Major outfalls are required to be mapped to meet permit requirements. A major outfall is a 36-inch diameter pipe or discharge from a drainage area > 50-acres; and for industrial zoned areas a 12-inch diameter pipe or a drainage area ≥ 2 -acres.

3.3 Receiving Waters

The Town of Gibsonville MS4 is located within the Cape Fear River Basin and discharges directly into receiving waters as listed in Table 2 below. Applicable water quality standards listed below are compiled from the following NCDEQ sources:

- Waterbody Classification Map
- Impaired Waters and TMDL Map
- o Most recent NCDEQ Final 303(d) List

Table 2: Summary of MS4 Receiving Waters

Receiving Water Name	Stream Index	Water	303(d) Listed Parameter(s)
	/ AU Number	Quality	of Interest
		Classification	
Back Creek (Little Creek)	16-19-5	WS-V; NSW	NA
Ingle Branch	16-19-5-2	WS-V; NSW	NA
Unnamed Tributary to Back Creek (Little Creek)	16-19-5	WS-V; NSW	N/A
Unnamed Tributary to Michael's Branch	16-19-5-1	WS-V; NSW	N/A
Unnamed Tributary to Ingle Branch	16-19-5-2	WS-V; NSW	N/A
Unnamed Tributary to Travis Creek (Cable Branch)	16-12	WS-V; NSW	Benthos
Unnamed Tributary to Travis Creek	16-12	WS-V; NSW	Benthos

3.4 MS4 Interconnection

The Town of Gibsonville's MS4 is interconnected with the NCDOT MS4 within NCDOT owned right of ways.

3.5 Total Maximum Daily Loads (TMDLs)

The TMDL(s) listed in Table 3 below have been approved within the MS4 area, as determined by the map and list provided on the NCDEQ Modeling & Assessment Unit web page. The table also indicates

^{**} Gibsonville's entire stormwater system is mapped currently but due to rapid growth this is an ongoing tasks

whether the approved TMDL has a specific stormwater Waste Load Allocation (WLA) for any watershed directly receiving discharges from the permitted MS4, and whether a Water Quality Recovery Program has been implemented to address the WLA.

Table 3: Summary of Approved TMDLs

Water Body Name	TMDL Pollutant(s) of Concern	Stormwater	Water
to phosphile who as a grant of any	the special in this way with a second	Waste	Quality
Street or project of the	A STATE OF THE PERSON AS A PER	Load	Recovery
	A Committee of the comm	Allocation	Program
		(Y/N)	(Y/N)
Jordan Lake TMDL	Nitrogen, Phosphorus	N	Y

The Jordan Lake TMDL is the subject of extensive rulemaking, of which the Town of Gibsonville complies with and will comply with future rulemaking regarding.

3.6 Endangered and Threatened Species and Critical Habitat

Significant populations of threatened or endangered species and/or critical habitat are not identified within the regulated MS4 urbanized area. Based upon a review of the Endangered and Threatened Species and Species of Concern by County for North Carolina Map and Listed species believe to or known to occur in North Carolina map as provided by the U.S. Fish and Wildlife Service, the species listed in Table 4 have the potential to occur within the regulated MS4 urbanized area. Of those species listed, Table 4 summarizes the species that may be significantly impacted by the quality of surface waters within their habitat.

Table 4: Potential Federally Listed Species/Habitat Impacted by Surface Water Quality

Scientific Name	Common name	Species Group	Federal Listing Status
Helianthus Schweinitzil	Schweinitz's Sunflower	Flowering Plants	Endangered
Danus Plexippus	Monarch Butterfly	Insects	Candidate
Fusconaia Masoni	Atlantic Pigtoe	Clams	Proposed Threatened
Notropis Mekistocholas	Cape Fear Shiner	Fishes	Endangered

3.7 Industrial Facility Discharges

The Town of Gibsonville MS4 jurisdictional area includes the following industrial facilities which hold NPDES Industrial Stormwater Permits, as determined from the NCDEQ Maps & Permit Data web page.

Table 5: NPDES Stormwater Permitted Industrial Facilities

Permit Number	Facility Name	
NCS000405	Town of Gibsonville – Small MS4	

3.8 Non-Stormwater Discharges

The water quality impacts of non-stormwater discharges have been evaluated by the Town of Gibsonville as summarized in Table 6 below. The unpermitted non-stormwater flows listed as incidental do not significantly impact water quality. The Town of Gibsonville has evaluated residential and charity car washing and street washing for possible significant water quality impacts.

Street washing discharges are addressed under the Pavement Management Program in Part 10 of this SWMP. The Division has not required that other non-stormwater flows be specifically controlled by the Town of Gibsonville.

Wash water associated with car washing that does not contain detergents or does not discharge directly into the MS4 is considered incidental. However, these types of non-stormwater discharges that do contain detergents have been evaluated by the Town of Gibsonville to determine whether they may significantly impact water quality. Currently runoff from car washing in The Town of Gibsonville would be considered incidental.

Table 6: Non-Stormwater Discharges

Non-Stormwater Discharge	Water Quality Impacts
Water line and fire hydrant flushing	Incidental
Landscape irrigation	Incidental
Diverted stream flows	Incidental
Rising groundwater	Incidental
Uncontaminated groundwater infiltration	Incidental
Uncontaminated pumped groundwater	Incidental
Uncontaminated potable water sources	Incidental
Foundation drains	Incidental
Air conditioning condensate	Incidental
Irrigation waters	Incidental
Springs	Incidental
Water from crawl space pumps	Incidental
Footing drains	Incidental
Lawn watering	Incidental
Residential and charity car washing	Possible
Flows from riparian habitats and wetlands	Incidental
Dechlorinated swimming pool discharges	Incidental
Street wash water	Possible
Flows from firefighting activities	Incidental

3.9 Target Pollutants and Sources

In addition to those target pollutants identified below, the Town of Gibsonville is not aware of other significant water quality issues within the permitted MS4 area.

The education program will target total suspended solids and nutrient loading because turbidity, sedimentation, and nutrients are the pollutants of concern in downstream waters. In addition, floatables, trash, and debris will also be targeted. The education program will also address the proper use and disposal of typical household chemicals, garden chemicals, and used motor oil.

Table 7 below summarizes the water quality pollutants identified throughout Part 3 of this SWMP, the likely activities/sources/targeted audiences attributed to each pollutant and identifies the associated SWMP program(s) that address each. In addition, the Town of Gibsonville has evaluated schools, homeowners and businesses as target audiences that are likely to have significant stormwater impacts.

Table 7: Summary of Target Pollutants and Sources

Target Pollutant(s)	Likely Source(s)/Target Audience(s)	SWMP Program Addressing
		Target Pollutant(s)/Audience(s)
Litter	Residents, Businesses, Schools	Public Education & Outreach
Sediment		Public Education & Outreach
Nitrogen and Phosphorous	Fertilizer/Residents	Public Education & Outreach

PART 4: STORMWATER MANAGEMENT PROGRAM ADMINISTRATION

4.1 Organizational Structure




Table 8: Summary of Responsible Parties

Position	Name	Phone No.	Fax No.	Email
Town Manager	Ben Baxley	336-449-4144	336-449-4196	bbaxley@gibsonville.net
Town Clerk	Gina Griffeth	336-449-4144	336-449-4196	ggriffeth@gibsonville.net
Public Works Director	Rob Elliot	336-449-7188		relliott@gibsonville.net
Town Planner	Brandon Parker	336-449-4144	336-449-4196	planning@gibsonville.net
Town Attorney	Bob Giles	336-228-0501		Robert@smithgileslaw.com
City / Stormwater Engineer	Josh Johnson, P.E.	(336) 226-5534	(336) 226-3034	josh@awck.com
Stormwater Coordinator	Phil Ross	(336)226-5534	(336) 226-3034	pross@awck.com

General contacts for stormwater should be referred to Ben Baxley & Josh Johnson

Designated Stormwater Administrator – Josh Johnson, P.E. – Contracted.

SWMP Component	Responsible Position	Staff Name	Department	
Stormwater Program Administration	Town Manager Stormwater Engineer	See Table 8	Administration	
SWMP Management	Town Manager Stormwater Engineer	See Table 8	Administration	
Public Education & Outreach	Town Manager Stormwater Coordinator	See Table 8	Administration	
Public Involvement & Participation	Town Manager Stormwater Coordinator	See Table 8	Administration	
Illicit Discharge Detection & Elimination	Town Manager Stormwater Engineer	See Table 8	Administration	
Construction Site Runoff Control	Town Manager Stormwater Engineer	See Table 8	Administration	
Post-Construction Stormwater Management	Town Manager Stormwater Manager	See Table 8	Administration	
Pollution Prevention/Good Housekeeping for Municipal Operations	Town Manager Stormwater Engineer Public Works Director	See Table 8	Administration Public Works	
Municipal Facilities Operation & Maintenance Program	Town Manager Stormwater Engineer Public Works Director	See Table 8	Administration Public Works	
Spill Response Program	Town Manager Stormwater Engineer Public Works Director	See Table 8	Administration Public Works	
MS4 Operation & Maintenance Program	Town Manager Stormwater Engineer Public Works Director	See Table 8	Administration Public Works	
Municipal SCM Operation & Maintenance Program	Town Manager Stormwater Engineer Public Works Director	See Table 8	Administration Public Works	
Pesticide, Herbicide & Fertilizer Management Program	Town Manager Stormwater Engineer Public Works Director	See Table 8	Administration Public Works	

Vehicle & Equipment	Town Manager	See Table 8	Administration
Cleaning Program	Stormwater Engineer		Public Works
Citating 1 Togram	Public Works Director		
Pavement Management	Town Manager	See Table 8	Administration
Program	Stormwater Engineer		Public Works
Tiogram	Public Works Director		
Total Maximum Daily	Town Manager	See Table 8	Administration
Load (TMDL)	Stormwater Engineer		
` ,			
Requirements			

4.2 Program Funding and Budget

In accordance with the issued permit, the Town of Gibsonville shall maintain adequate funding and staffing to implement and manage the provisions of the SWMP and comply with the requirements of the NPDES MS4 Permit. The budget includes the permit administering and compliance fee, which is billed by the Division annually.

The Town of Gibsonville funds it's Stormwater Programs through a Stormwater Fee. The Town collects a flat fee of \$1.50/month from all utility users. This fee produces \$66,000 annually (2021-2022 budget). The Town uses its budget to pay for its Water Quality Programs including its NPDES Phase II and Jordan Lake Programs.

The Town has also used excess funding from the stormwater fund to fund other stormwater or water quality projects. This includes investigating drainage complaints from residents and investigating potential inflow/infiltration/exfiltration between the collections system and the MS4.

4.3 Shared Responsibility/Contracted Services

The Town of Gibsonville implements 5 of the 6 minimum control measures, with the 6th measure being construction site runoff controls which is implemented through NC DEMLR's Erosion and Sediment Control program.

The Town of Gibsonville contracts with Stormwater Smart for assistance with Public Education and Public Involvement and Outreach. Stormwater Smart is not directly responsible for any items but rather assists the Town of Gibsonville.

The Town of Gibsonville contracts engineering services with Alley, Williams, Carmen, and King, Inc. Alley, Williams, Carmen, and King is not directly responsible for any items but rather assists the Town of Gibsonville.

4.4 Co-Permittees

The are no other entities applying for co-permittee status under the NPDES MS4 permit number NCS000405 for the Town of Gibsonville. Table 10 summarizes contact information for each co-permittee.

4.5 Measurable Goals for Program Administration

The Town of Gibsonville will manage and report the following Best Management Practices (BMPs) for the administration of the Stormwater Management Program.

Permit	1.6: Permit Renewal Application	1		
Ref.	Measures to submit a permit renew NPDES MS4 permit.	val application no later that	n 180 days prior to the ex	piration date of the
ВМР	A	В	C	D
No.	Description of BMP	Measurable Goal(s)	Schedule for Implementation	Annual Reporting Metric
1.	Permit Renewal Application			
	Submit a permit renewal application and Draft SWMP no later than 180 prior to permit expiration	1. Draft SWMP applicable to the proceeding 5 years following permit reissuance.	1. Permit Year 5	1. Yes/No
		2. Certify the stormwater permit renewal application (Permit renewal application form and Draft SWMP for the next 5-year permit cycle) and submit to NCDEQ at least 180 days prior to permit expiration.	2. Permit Year 5	2. Date of permit renewa application submittal
Permit Ref.	2.1.1 Review Adequate Funding Review adequate funding and staff requirements of the permit.			SWMP and meet the
ВМР	Α	В	С	D
No.	Description of BMP	Measurable Goal(s)	Schedule for Implementation	Annual Reporting Metric
2.	Review Adequate Funding and Staff	fing needs.		
	Confirm that the program is adequately funded and staffed.	1. Verify adequate funding in the Town's Budget	1. Permit Year 1-5	1. Adequate/Inadequate
Permit	2.1.2 Program Implementation Measures to evaluate the performannually. Results shall be used by	y the permittee to modify		
Ref.	accomplish the intent of the Stori	inwater rrogram.		
	accomplish the intent of the Stor	B	C	D
Ref. BMP No.			C Schedule for Implementation	D Annual Reporting Metric
ВМР	A	В	Schedule for	Annual Reporting

Permit Ref.	2.2 Minimum Control Measur Maintain written procedures for specific action steps, schedules,	implementing the six minim	um control measures (M s for implementing the N	CM's), which identify ACM's.	
ВМР	A	В	C	D	
No.	Description of BMP	Measurable Goal(s)	Schedule for Implementation	Annual Reporting Metric	
4.	Procedures for implementing the Minimum Control Measures (MCM's)				
		1. Create all requires written procedures for implementing the six MCM's	1. Permit Year 1	1. Yes/No	
		2. Review and update all written procedures as needed	2. Permit Year 2-5	1. Yes/No	

PART 5: PUBLIC EDUCATION AND OUTREACH PROGRAM

The Town of Gibsonville will implement a Public Education and Outreach Program to distribute educational materials to the community or conduct equivalent outreach activities about the impacts of storm water discharges on water bodies and steps the public can take to reduce pollutants in storm water runoff.

The target audiences and identified pollutants listed in Part 3.9 of this SWMP, which will be addressed by the Public Education and Outreach Program, are summarized in Table 12 below. In addition, the Town of Gibsonville is required to inform businesses and the general public of the hazards associated with illicit discharges, illegal dumping and improper disposal of waste.

Table 12: Summary of Target Pollutants & Audiences

Target Pollutants/Sources	Target Audience(s)
Litter	Residents, Businesses, Schools
Sediment	Residents, Businesses
Nitrogen and Phosphorous	Fertilizer/Residents

The Town of Gibsonville will manage, implement, and report the following public education and outreach BMPs.

The Town partners with Stormwater SMART, an education and outreach organization hosted by the Piedmont Triad Regional Council (PTRC). Stormwater SMART is a cooperative group that is funded by several Piedmont municipalities. It was created in 2005 to provide education and outreach for MS4 Permittees (like Mebane) and concentrates on direct education of school children and residents.

Piedmont Triad Regional Council Stormwater Smart Danica Heflin 1398 Carrollton Crossing Drive, Kernersville, NC 27284 (336) 904-0300

Permit Ref.	3.2.2 and 3.2.4: Outreach to Tar Measures to identify the specific el share educational materials to the c stormwater discharges on water bor permittee shall provide educational table 12 above; and shall document elements implemented locally or the	ements and implementation community or conduct equition dies and how the public call information to identified the extent of exposure of	ivalent outreach activitien reduce pollutants in starget audiences on pollutants in action pollutants in action media, event or action in action i	es about the impacts of cormwater runoff. The utants/sources identified in
ВМР	A	В	C	D
No.	Description of BMP	Measurable Goal(s)	Schedule for Implementation	Annual Reporting Metric
5.	Maintain a Stormwater education pl	an	- Ampiementation	Wittie
	Maintain education plan. Include in Plan the BMPs, schedule, targeted audiences, and measurable goals. Summarize plan and implementation progress in each annual report	1.Maintain Public Education and Engagement Plan, documenting the existing outreach and education program implemented by Town staff, including process for identifying target audiences for each pollutant and source.	1. Annually Permit Years 1-5	1. Yes/No
).	Educational Stormwater Mailers, Br	ochures, and Posters		
	Distribute Public Education Materials to identified user groups. Materials may be supplied through outside Stormwater information sources.	1. Distribute public education materials, at public events, schools, in mailings and upon request.	1. Annually Permit Years 1-5	Report number of educational materials distributed.
Permit Ref.	2.1.7, 3.2.3 and 3.6.5(c): Web Site Measures to provide a web site desi including ordinances, or other regul mechanisms, providing the legal aut and SWMP. The web page shall als design standards, checklists and/or of	gned to convey the progra atory mechanisms, or a list thority necessary to imple so provide developers with	st identifying the ordinar ment and enforce the rec	nces or other regulatory quirements of the permit
ВМР	A	В	C	D
lo.	Description of BMP	Measurable Goal(s)	Schedule for Implementation	Annual Reporting Metric
•0	Town's Stormwater Webpage		Implementation	17ACU IC
	Update and maintain the Town's Stormwater Webpage.	1. Verify Town's stormwater webpage is current.	1. Annually Permit Years 1-5	1 Yes, No, Partial

_				
BMP	A	В	С	D
No.	Description of BMP	Measurable Goal(s)	Schedule for Implementation	Annual Reporting Metric
8.	Helpline/ Hotline		- 	
	All stormwater related calls will be forwarded to the Town Manager who will then distribute the information to appropriate employees.	1. Maintain Hotline	1. Continuously Permit Years 1- 5	1. Total annual number of calls
9.	Festivals, Local Fairs and Events			
	Participate in local festivals annually by providing a stormwater information booth starting. Provide bilingual messages on the importance of clean water and on specific activities that can be carried out to help keep stormwater clean.	Distribute education information and interact with the public.	1. Annually Permit Years 1-5	1. Report number of Events and individuals contacted.

PART 6: PUBLIC INVOLVEMENT AND PARTICIPATION PROGRAM

This SWMP identifies the minimum elements and implementation of a Public Involvement and Participation Program that complies with applicable State, Tribal and local public notice requirements. The Town of Gibsonville will manage, implement and report the following public involvement and participation BMPs.

Permit Ref.	3.3.1: Public Input Mechanisms for public involvement t	hat provide for input on stor	mwater issues and the storm	water program.
BMP	A	В	C	D
No.	Description of BMP	Measurable Goal(s)	Schedule for Implementation	Annual Reporting Metric
10.	Public Stormwater Program Meeting	ng		11200110
	A public meeting will be held Bi -annually to discuss the implementation of the permit. This meeting will provide the public with the opportunity to be involved with the stormwater program.	1. Hold a public meeting to solicit information about the Town's Stormwater Program	1. Permit Years 2 and 4	1. Date of Event
Permit Ref.	3.3.2: Volunteer Opportunities Measures to provide volunteer opp			
	A	В	С	D
BMP No.	Description of BMP	Measurable Goal(s)	Schedule for Implementation	Annual Reporting Metric
11.	Volunteer Stormwater Program		•	
	The Town will promote various volunteer stormwater programs annually. These may include Big Sweep, Adopt-A-Stream programs, and Storm Drain Stenciling.	1. Hold one event per year in the community.	1.Fall and Spring Permit Years 1-5	1. Number of Events
12.	Helpline / Hotline			
	All stormwater related calls will be forwarded to the Town Manager who will then distribute the information to appropriate	Maintain the stormwater administration helpline to receive public	1. Annually	1. Yes / No

PART 7: ILLICIT DISCHARGE DETECTION AND ELIMINATION PROGRAM

The Town of Gibsonville will develop, manage, implement, document, report and enforce an Illicit Discharge Detection and Elimination Program which shall, at a minimum, include the following illicit discharge detection and elimination BMPs.

Permit Ref.	3.4.1: MS4 Map Measures to develop, update and n conveyances, flow direction, majo			
BMP	A	В	C	D
No.	Description of BMP	Measurable Goal(s)	Schedule for Implementation	Annual Reporting Metric
13.	Storm sewer system map showing o	utfalls and the receiving bo		
	Maintain system map in support of inspection program. The map will note outfalls and receiving body of water for each outfall.	Maintain mapping as System changes.	1.Continuously, with updates made annually.	1. Yes / No
Permit Ref.	3.4.2: Regulatory Mechanism Measures to provide an IDDE ordi prohibit, detect, and eliminate illic including enforcement procedures	it connections and dischar		
ВМР	A	В	C	D
No.	Description of BMP	Measurable Goal(s)	Schedule for Implementation	Annual Reporting Metric
14.	Review Illicit Discharge Ordinan	ice		
	Maintain adequate ordinance or other	1. Maintain and enforce	1. Biannually Permit Years 2 & 4	1. Yes / No
	legal authorities to prohibit illicit connections and discharges and enforce the approved IDDE program.	public ordinances. Update, if necessary, to maintain legal authority.	7 01 mile 7 00 10 2 00 1	
Permit Ref.	legal authorities to prohibit illicit connections and discharges and enforce the approved IDDE program. 3.4.3: IDDE Plan Measures to maintain and impleme dumping and any non-stormwater of The plan shall provide standard program. a) Locate priority	Update, if necessary, to maintain legal authority. Int a written IDDE Plan to discharges identified as sign cedures and documentation areas likely to have illicitive.	detect and address illicit of gnificant contributors of poon to: t discharges,	0 '
	legal authorities to prohibit illicit connections and discharges and enforce the approved IDDE program. 3.4.3: IDDE Plan Measures to maintain and impleme dumping and any non-stormwater of The plan shall provide standard program. a) Locate priority b) Conduct routing	Update, if necessary, to maintain legal authority. Int a written IDDE Plan to discharges identified as signedures and documentation areas likely to have illicine dry weather outfall inspectors.	detect and address illicit of gnificant contributors of poon to: t discharges, sections,	0 '
	legal authorities to prohibit illicit connections and discharges and enforce the approved IDDE program. 3.4.3: IDDE Plan Measures to maintain and impleme dumping and any non-stormwater of The plan shall provide standard pro a) Locate priority b) Conduct routin c) Identify illicit	Update, if necessary, to maintain legal authority. Int a written IDDE Plan to discharges identified as sign cedures and documentation areas likely to have illicine dry weather outfall inspections.	detect and address illicit of gnificant contributors of poon to: t discharges, sections, ces,	0 '
	legal authorities to prohibit illicit connections and discharges and enforce the approved IDDE program. 3.4.3: IDDE Plan Measures to maintain and impleme dumping and any non-stormwater of The plan shall provide standard profit by Conduct routing c) Identify illicit d) Eliminate the standard profit of the plan shall provide standard profit by Conduct routing c) Identify illicit d) Eliminate the standard profit of the plan shall provide standard	Update, if necessary, to maintain legal authority. Int a written IDDE Plan to discharges identified as signedures and documentation areas likely to have illicine dry weather outfall inspectors.	detect and address illicit of gnificant contributors of poon to: t discharges, sections, ces,	

ВМР	A limit has a	В	C	D	
No.	Description of BMP	Measurable Goal(s)	Schedule for Implementation	Annual Reporting Metric	
15.	Inspection/detection program to dete	ect dry weather flows at M	S4 outfalls.		
	Maintain written procedures and/or SOPs for detecting and tracing the sources of illicit discharges and for removing the sources or reporting the sources to the State to be properly permitted.	1.Maintain IDDE Plan. Review and update IDDE Plan as needed.	1. Annually Permit Years 1-5	1.Yes/ No	
16.	Stream walks/ Dry weather testing and Outfall Inspections	1.Inspect 20% outfalls	1.Annually Permit Years 1-5	1. Number of outfalls inspected for year	
Permit Ref.	3.4.4: IDDE Tracking Measures for tracking and document was observed, the results of the invectosed, the issuance of enforcement	estigation, any follow-up	of the investigation, the	date the investigation w	
ВМР	A	В	C	D	
No.	Description of BMP	Measurable Goal(s)	Schedule for Implementation	Annual Reporting Metric	
17.	Establish/ Maintain a tracking system for managing reported problem areas.				
	Document the date of investigations, any enforcement action(s) or remediation that occurred	1. Maintain IDDE investigation records, notices of violations and compliance and other program records.	1. Continuously	Number of IDDE Investigations for year	
Permit Ref.	3.4.5: Staff IDDE Training Measures to provide training for mu responsibilities, may observe an illic include how to identify and report il training event shall be documented,	cit discharge, illicit conne licit discharges, illicit co	ection, illegal dumping or nections, illegal dumping	spills. Training shall ag and spills. Each staff	
BMP	A	В	C	D	
lo.	Description of BMP	Measurable Goal(s)	Schedule for Implementation	Annual Reporting Metric	
8.	Train employees on how to inspect for	r illicit connections			
	Conduct in person or virtual training for appropriate municipal staff on detecting and reporting illicit connections and discharges.	1. Conduct employee training and document attendance.	1. Annually Permit Years 1-5	1. Report number of staff who completed IDDE training.	

Permit Ref.	3.4.6: IDDE Reporting Measures for the public and staff to be publicized to facilitate reporting personnel.			
DIAD	A	В	C	D
BMP No.	Description of BMP	Measurable Goal(s)	Schedule for Implementation	Annual Reporting Metric
19.	Maintain Program to report discha	rges to personnel and the p	ublic	
	Maintain and publicize reporting mechanism(s) for the public to report illicit connections and discharges	Maintain reporting helpline and email address.	1. Annually Permit Years 1-5	1. Yes / No

PART 8: CONSTRUCTION SITE RUNOFF CONTROL PROGRAM

In accordance with 15A NCAC 02H .0153, the Town of Gibsonville relies upon the North Carolina Sedimentation Pollution Control Act (SPCA) of 1973 as a qualifying alternative program to meet a portion of the NPDES MS4 Permit requirements for construction site runoff control measures. The SPCA requirements include reducing pollutants in stormwater runoff from construction activities that result in land disturbance of greater than or equal to one acre and includes any construction activity that is part of a larger common plan of development that would disturb one acre or more.

The contact information for the responsible party for Construction Site Runoff Controls within the Town of Gibsonville is:

NC Sedimentation and Erosion Control Program Winston-Salem Regional Office Tamera Eplin, P.E. Regional Environmental Engineer 450 west Hanes Mill Rd., Suite 300, Winston Salem, NC 27105-7407

Phone: 336/776-9800

www.deq.nc.gov

The Town of Gibsonville implements minimal BMP's regarding NC Sedimentation and Erosion Control due to lack of legal authority. All calls regarding erosion control are to be referred to NC DEQ as noted above.

Permit Ref.	3.5.6: Public Input Measures to provide and promote a erosion and sedimentation problem	means for the public to r	notify the appropriate auth	norities of observed
	A	В	С	D
BMP No.	Description of BMP	Measurable Goal(s)	Schedule for Implementation	Annual Reporting Metric
20.	Municipal Staff Training			
	Train municipal staff who receive calls from the public on the protocols for referral and tracking of construction site runoff control complaints.	1. Train municipal staff on proper handling of construction site runoff control complaints.	1. Annually Permit Years 1-5	1. Number of staff trained.

PART 9: POST-CONSTRUCTION SITE RUNOFF CONTROL PROGRAM

The Town of Gibsonville operates a Post Construction Site Runoff Control Program that regulates stormwater runoff from new development and redevelopment projects that disturb greater than or equal to one acre, including projects less than one acre that are part of a larger common plan of development or sale, that are located within the Town of Gibsonville and discharge into the MS4. These elements are designed to minimize water quality impacts utilizing a combination of structural Stormwater Control Measures (SCMs) and/or non-structural BMPs appropriate for the community and ensure adequate long-term operation and maintenance of SCMs.

The Town also operates a high-density water supply watershed program that is handled similarly to its Post Construction runoff program but which includes reduced triggers and more stringent regulations.

The Town's post construction ordinance is contained in Section 157 of its Code of Ordinances. The Town maintains a stormwater design manual that is deemed equal or more stringent than the NC DEQ BMP Manual.

The annual reporting metrics for the post construction program are provided in Table 20: Post Construction Site Runoff Control BMPs below.

Permit Ref.	3.6.5(a), 3.6.5(b), and 4.1.3: Mini Measures to document activities ov information to accurately describe	er the course of the fiscal	year (July 1 – June 30) i	
BMP	A	В	C	D
No.	Description of BMP	Measurable Goal(s)	Schedule for Implementation	Annual Reporting Metric
21.	Standard Reporting			
	Implement standardized tracking, documentation, inspections and reporting mechanisms to compile appropriate data for the annual self-	1. Track number of low density and high density plan reviews performed.	1. Continuously Permit Years 1-5	1. Number of plan reviews performed for low density and high density.
	assessment process. Data shall be provided for each Post-Construction/ Qualifying Alternative Program	2. Track number of low density and high density plans approved.	2. Continuously Permit Years 1-5	2. Number of plan approvals issued for low density and high density.

Table 2	20: Post Construction Site Runoff (
	being implemented as listed in Tables 18 and 19.	3. Maintain a current inventory of low density projects and constructed SCMs including SCM type or low density location and last inspection date.	3. Continuously Permit Years 1-5	3. Summary of number and type of SCMs added to the inventory; and number of low density projects constructed.
		4. Track number of SCM inspections performed.	4. Continuously Permit Years 1-5	4. Number of SCM inspections.
		5. Track number and type of enforcement actions taken.	5. Continuously Permit Years 1-5	5. Number of enforcement actions issued.
Ref.	Measures to maintain adequate legal designs and proposals for new development of the designs and designs and designs and designs and designs and designs are designed on the design and designs are designed on the design and designs and design and desig	elopment and redevelopme	ent to determine whether	r adequate stormwater
	plans, inspection reports, monitorin with the Post-Construction Stormw inspecting at reasonable times any discharges to determine whether the	ater Management Program facilities, equipment, pract	nation deemed necessar n, and (c) enter private prices, or operations related	y to evaluate compliance property for the purpose of ted to stormwater
RMP	plans, inspection reports, monitorin with the Post-Construction Stormw inspecting at reasonable times any	g results, and other informater Management Program facilities, equipment, pract	nation deemed necessar n, and (c) enter private prices, or operations related	y to evaluate compliance property for the purpose of ted to stormwater
BMP No.	plans, inspection reports, monitorin with the Post-Construction Stormw inspecting at reasonable times any discharges to determine whether the Program.	g results, and other informater Management Program facilities, equipment, practere is compliance with the	nation deemed necessar n, and (c) enter private p ices, or operations relat Post-Construction Stor C Schedule for	y to evaluate compliance property for the purpose of sed to stormwater mwater Management D Annual Reporting
	plans, inspection reports, monitorin with the Post-Construction Stormw inspecting at reasonable times any discharges to determine whether the Program. A	g results, and other informater Management Program facilities, equipment, practere is compliance with the B Measurable Goal(s)	nation deemed necessar n, and (c) enter private pices, or operations relate Post-Construction Stor	y to evaluate compliance property for the purpose of sed to stormwater mwater Management

Permit								
Ref.	Measures to maintain plan review and approval authority, standards and procedures to: (a) Require Federal, State, and local government projects to comply with Post-Construction Program requirements throughout the entire MS4 permitted area, unless the entity is subject to its own NPDES MS4 permit or a qualifying alternative program, (b) Conduct site plan reviews of all new development and redeveloped sites that disturb greater than or equal to one acre, and sites that disturb less than one acre that are part of a larger common plan of development or sale for compliance with 15A NCAC 02H .1017 and the qualifying alternative programs that apply within your jurisdiction, (c) Ensure that each project has an Operation and Maintenance Agreement that complies with 15A NCAC 02H .1050(12), (d) Ensure that each project has recorded deed restrictions and protective covenants, that require the project to be maintained consistent with approved plans, and (f) Ensure that each SCM and associated maintenance accesses be protected in a permanent recorded easement per 15A NCAC 02H 1050 (9) and (10).							
BMP	A	В	C	D				
No.	Description of BMP	Measurable Goal(s)	Schedule for Implementation	Annual Reporting Metric				
23.	Review standards and policies that ensure structural BMPs continue to be in conformance with the state's Stormwater Management Design Manual							
	Review local standards to remain in compliance with the NC DWQ BMP Manual. Additional measures and techniques may be added to the local ordinance as they are investigated.	Add additional Measures as needed	1. Annually Permit Years 1-5	Report any BMP manual measures added annually.				
24.	Review maintenance standards and inspection program to ensure that on-site controls continue to function as designed.							
	Review the maintenance standards and inspection program for local onsite controls.	Add additional Measures as needed	1. Annually Permit Years 1-5	1. Report the number of inspections annually				
25.	Maintain the education program cre	ated for land developers ar	d the public.					
	Provide educational materials and training for developers.	Maintain stormwater permitting guidance document for developers and designers.	1. Continuous Permit Years 1-5	1. Report changes to the permitting guidance document made annually.				

Table 2	0: Post Construction Site Runoff (Control BMPs		100 0 3000		
Permit Ref.	rmit 3.6.4: Inspections and Enforcement					
ВМР	A	В	C	D		
No.	Description of BMP	Measurable Goal(s)	Schedule for Implementation	Annual Reporting Metric		
26.	Inspections and long-term maintenance of Stormwater Control Measures (SCMs)					
	Maintain an inspection and maintenance plan for SCM's. Annual SCM Inspections performed by a qualified professional. SCM maintenance and inspections will be reviewed by the Town during the permit cycle.	1. Maintain and receive SCM inspection reports and follow up on the functioning status of SCM's	1. Annually Permit Years 1-5	1. Report number of sites with SCMs Report number of sites where SCM inspections have been received Report SCM		
27.	Operation and Maintenance Plan					
	Require submittal of operation and maintenance plan(s) prior to certificate of occupancy and maintain records of each plan.	1. Require submittal of operation and maintenance plan(s) prior to certificate of occupancy and maintain records of each plan.	1. Continuously Permit Years 1-5	1. Report number of sites with newly approved operation and maintenance plan(s).		

Permit Ref.	3.6.6: Fecal Coliform Reduction Measures to control, to the maximum extent practicable, sources of fecal coliform per 15A NCAC 02H .1017(7). At a minimum, the program shall include: (a) A pet waste management component, which may be achieved by revising an existing litter ordinance, and (b) An on-site domestic wastewater treatment system component, if applicable, which may be coordinated with local county health department, to ensure proper operation and maintenance of such systems.					
ВМР	A	В	С	D		
No.	Description of BMP Measurable Goal(s) Schedule for Implementation Metric					
28.	Pet Waste Stations at Parks					
	Provide Pet waste stations at Town owned parks as needed	Maintain Pet Waste Stations in Town owned parks	1. Continuously Permit Years 1-5	1. Report the number of Waste stations the Town maintains.		
29.	Coordinate with the county health department on fecal coliform contamination caused by onsite					
	wastewater treatment systems. Coordinate with the county health	1. Contact County Health	1. Annually	1. Report the number of		
	department on a program to minimize the potential for fecal coliform contamination by ensuring proper operation and maintenance of on-site wastewater treatment systems.	Department to inquire about failing systems	Permit Years 1-5	failed systems connected to the Town's wastewater system.		

PART 10: POLLUTION PREVENTION AND GOOD HOUSEKEEPING PROGRAMS

This SWMP provides a comprehensive pollution prevention and good housekeeping strategy for the Town of Gibsonville municipal facilities and operations. Pollution prevention and good housekeeping is accomplished through the implementation of seven required programs, which collectively address the ultimate goal of preventing or reducing pollutant runoff from municipal operations such as parks and open space maintenance, fleet and building maintenance, new construction and land disturbances, and municipal storm sewer system maintenance.

Pollution prevention and good housekeeping for municipal operations includes the following programs:

- 1. Municipal Facilities Operation and Maintenance Program
- 2. Spill Response Program
- 3. MS4 Operation and Maintenance Program
- 4. Municipal SCM Operation and Maintenance Program
- 5. Pesticide, Herbicide and Fertilizer Management Program
- 6. Vehicle and Equipment Maintenance Program
- 7. Pavement Management Program

The Town of Gibsonville will manage, implement and report the pollution prevention and good housekeeping BMPs as specified in Table 21 below for each required program.

Permit Ref.	1: Pollution Prevention and Good Housekeeping BMPs 3.7.1: Municipal Facilities Operation and Maintenance Program Measures to manage facilities that are owned and operated by the permittee and have the potential for generating polluted stormwater runoff. The permittee shall maintain a current inventory of municipal facilities; perform facility inspections and routine maintenance; establish specific frequencies, schedules, and standard documentation; provide staff training on general stormwater awareness and implementing pollution prevention and good housekeeping practices.				
BMP	A	В	C	D	
No.	Description of BMP	Measurable Goal(s)	Schedule for Implementation	Annual Reporting Metric	
30.	Maintain Inventory and O&M Manual of Municipal Facilities and Operations				
	Document the existing inspection and maintenance program for municipal facilities and operations that are determined to be potential sources of polluted runoff.	1.Document and maintain municipal facility inspections, including any corrective action.	1.Annually Permit Years 1-5	1.Yes / No	
31.	Inspect Municipal Facilities and Operations for sources of polluted runoff.	Inspect Municipal Facilities	1.Annually Permit Years 1- 5	1.Report Number of facilities inspected.	

Permit Ref.	3.7.2: Spill Response Program Measures for facilities and operations that store and/or use materials that have the potential to contaminate stormw runoff if spilled. The permittee shall maintain written spill response procedures and train staff on spill response procedures.					
ВМР	A	В	C	D		
No.	Description of BMP	Measurable Goal(s)	Schedule for Implementation	Annual Reporting Metric		
32.	Spill Response Procedures					
	Maintain spill response procedures for municipal facilities and operations owned and operated by the permittee that have been determined by the permittee to have significant potential for generating polluted stormwater runoff.	Maintain Town-wide spill and site-specific response procedures.	1. Annually Permit Years 1-5	1. Yes / No		
33.	Staff Training		I.			
	Train Staff on proper procedures and protocol to handle spills	1. Conduct employee training and	1. Annually Permit Years 1-5	1. Number of staff who completed PPGH		
	3.7.3: MS4 Operation and Maintenan			training		
	Measures to minimize pollutants in the maintenance staff training on stormwate collection system including catch basin documentation.	nce Program stormwater collection syste er awareness and pollution p s and conveyances; and esta	prevention, perform MS4 in ablish specific frequencies,	ovide operation and enspections, maintain the schedules, and standard		
Permit Ref.	Measures to minimize pollutants in the maintenance staff training on stormwate collection system including catch basin	nce Program stormwater collection syste er awareness and pollution p	prevention, perform MS4 in ablish specific frequencies,	ovide operation and inspections, maintain the schedules, and standard		
Ref. BMP	Measures to minimize pollutants in the maintenance staff training on stormwate collection system including catch basin documentation.	nce Program stormwater collection syste er awareness and pollution p s and conveyances; and esta	prevention, perform MS4 in ablish specific frequencies,	ovide operation and enspections, maintain the schedules, and standard		
Ref.	Measures to minimize pollutants in the maintenance staff training on stormwate collection system including catch basin documentation. A	nce Program stormwater collection syste er awareness and pollution p s and conveyances; and esta B Measurable Goal(s)	C Schedule for Implementation	ovide operation and inspections, maintain the schedules, and standard D Annual Reporting		
BMP	Measures to minimize pollutants in the maintenance staff training on stormwate collection system including catch basin documentation. A Description of BMP	nce Program stormwater collection syste er awareness and pollution p s and conveyances; and esta B Measurable Goal(s)	C Schedule for Implementation	ovide operation and inspections, maintain the schedules, and standard D Annual Reporting		

Permit Ref.						
BMP	A	В	C	D Annual Reporting Metric		
No.	Description of BMP	Measurable Goal(s)	Schedule for Implementation			
35.	O&M for municipally owned or ma	intained structural stormwa	ter controls			
	Maintain an inspection, inventory, and maintenance program for SCMs owned and operated by the municipality.	1. Inspect and maintain SCMs so that they are function properly as designed	1. Annually Permit Years 1-5	1. Report number of municipal SCMs Inspected		
Permit Ref.	3.7.5: Pesticide, Herbicide and Fertilizer Management Program Measures to minimize water quality impacts from the use of landscape chemicals. The permittee shall provide routine pollution prevention and chemical use, storage and handling training, and shall ensure compliance with permits and applicator certifications.					
BMP	A	В	С	D		
No.	Description of BMP	Measurable Goal(s)	Schedule for Implementation	Annual Reporting Metric		
36.	Pesticide, Herbicide and Fertilizer Application Management					
	Manage Staff Pesticide license and follow all requirements to safely handle and apply pesticides,	1. Review staff license that they are up to date	1. Annually Permit Years 1-5	Report number of staff with license		
	herbicides, and fertilizers.	2.Provide training for staff on the use of chemicals	2. Annually Permit Years 1-5	2.Report number of staff that attended training and type of training.		
Permit Ref.	3.7.6: Vehicle and Equipment Maintenance Program Measures to prevent and minimize contamination of stormwater runoff from areas used for municipal vehicle and equipment maintenance and/or cleaning. The permittee shall ensure that municipal industrial facilities subject to NPDES industrial permitting comply with those permit requirements, provide routine pollution prevention training to staff, perform routine inspections, and establish specific frequencies, schedules, and documentation.					
ВМР	A	В	С	D		
No.	Description of BMP	Measurable Goal(s)	Schedule for Implementation	Annual Reporting		
37.	Vehicle Washing and Maintenance Program Implementation Metric					
	Document and maintain procedures to prevent or minimize contamination of stormwater runoff from all areas used for vehicle and equipment	1. Maintain procedures for vehicle and equipment cleaning operations and update, if necessary.	1. Annually Permit Years 1-5	1. Yes/ No		

cleaning

Permit Ref.	3.7.7: Pavement Management Program Measures to reduce pollutants in stormwater runoff from municipally owned streets, roads, and parking lots within the permittee's corporate limits. The permittee shall implement measures to control litter, leaves, debris, particulate and fluid pollutants associated with vehicles, and establish specific frequencies, schedules, and documentation.				
BMP No.	A	В	C	D	
	Description of BMP	Measurable Goal(s)	Schedule for Implementation	Annual Reporting Metric	
38.	Streets, Roads, and Public Parking l	Lots Maintenance Program			
	Implement and maintain BMPs to reduce polluted stormwater runoff from municipally owned streets, roads, and public parking lots within the corporate limits as fiscally feasible.	1.Evaluate options to implement BMPs to reduce polluted stormwater runoff from municipally owned streets, roads, and public parking lots. Factors for evaluation are water quality benefits, technical feasibility, safety, and fiscal responsibility.	1. Permit Year 1.	1. Yes /No	
		2.Create program for reducing polluted stormwater runoff from municipally owned streets, roads, and public parking lots.	2. Permit Year 2.	2.Yes / No	
		3.Implement program for reducing polluted stormwater runoff from municipally owned streets, roads, and public parking lots.	3.Permit Years 3-5.	3. Yes/ No	