# ANNUAL MONITORING REPORT YEAR 2 (2007) (Contract Number D05015-3)

**BROGDEN ROAD BUFFER RESTORATION SITE JOHNSTON COUNTY, NORTH CAROLINA** 

**Prepared for:** 

NORTH CAROLINA DEPARTMENT OF ENVIRONMENT AND NATURAL RESOURCES ECOSYSTEM ENHANCEMENT PROGRAM RALEIGH, NORTH CAROLINA



#### **Prepared by:**



Natural Resources Restoration & Conservation

Restoration Systems, L.L.C. 1101 Haynes Street, Suite 107 Raleigh, North Carolina 27604

And



ARCADIS G&M of North Carolina, Inc. 801 Corporate Center Drive, Suite 300 Raleigh, North Carolina 27607

August 2007

#### **EXECUTIVE SUMMARY**

Restoration Systems, LLC (Restoration Systems) has completed riparian buffer restoration at the Brogden Road Buffer Restoration Site (hereafter referred to as the "Site") to assist the North Carolina Ecosystem Enhancement Program (EEP) in fulfilling restoration goals in the region. The Site is located approximately 0.25 mile south of Smithfield, in Johnston County. This portion of Johnston County is located centrally within Neuse River Basin 14-digit Targeted Local Watershed 03020201140010.

The Site encompasses approximately 15 acres immediately adjacent to unnamed tributaries to the Neuse River. A total of 15 Buffer Mitigation Units, resulting from 15 acres of buffer restoration, were completed in January 2006.

Prior to restoration, Site land use consisted of agricultural fields utilized for row crop production. Site stream banks were characterized by little or no vegetation and extensive erosion. Excessive runoff during storms from nearby Interstate 95 appeared to have exacerbated stream bank erosion problems caused by previous onsite land use.

Site reforestation, consisting of a Mesic Pine Flatwoods community, was implemented within the entire 15-acre Site. The primary goals of this buffer restoration project focused on reforestation of the Site with native species to 1) improve water quality; 2) enhance flood attenuation; 3) reduce sedimentation/siltation; 4) increase channel bank stability; 5) filter and reduce pollutants prior to entering the Neuse River; 6) serve as a wildlife corridor by providing connectivity to forested areas adjacent to the Site; 7) provide increased habitat for aquatic and terrestrial wildlife; 8) increase organic matter, carbon export, and woody debris in the stream corridor; 9) restore shade to open waters; 10) increase potential for freshwater mussel recruitment; 11) enhance macroinvertebrate species populations in the channel; 12) augment the existing Mesic Pine Flatwoods Natural Community documented by the North Carolina Natural Heritage Program (NCNHP) just northeast of the Site; and 13) expand potential red-cockaded woodpecker (*Picoides borealis*) foraging habitat for populations documented by the North Carolina Natural Heritage Program (NCNHP) approximately 0.3 mile and 0.9 mile northeast of the Site.

As a whole, the densities of four vegetation plots across the Site were above the required 320 stems/acre with an average of 1,032 tree stems per acre in the Second Monitoring Year (Year 2007). All individual vegetation plots met success criteria and had good species diversity with 6 to 11 Character Tree Species present within each plot. Average stems per acre nearly doubled across the Site compared to 2006 monitoring data; however, species diversity decreased slightly.

# **TABLE OF CONTENTS**

1.0	INTRODUCTION	. 1
2.0	VEGETATION MONITORING PROGRAM	.4
	2.1 Vegetation Success Criteria	.4
	2.2 Vegetation Sampling Results and Comparison to Success Criteria	. 6
3.0	CONCLUSIONS	. 6
4.0	REFERENCES	. 8

# LIST OF TABLES

Table 1.	Character Tree Species	4
Table 2.	2007 Vegetation Monitoring Data and Results	7

## LIST OF FIGURES

Figure 1.	Site Location	2
Figure 2.	Monitoring Plan	5

## APPENDICES

Appendix A. Vegetation Plot Photographs Appendix B. Wildlife Observations

#### BROGDEN ROAD BUFFER RESTORATION SITE ANNUAL MONITORING REPORT YEAR 2 (2007) JOHNSTON COUNTY, NORTH CAROLINA

#### **1.0 INTRODUCTION**

Restoration Systems, LLC (Restoration Systems) has completed riparian buffer restoration at the Brogden Road Buffer Restoration Site (hereafter referred to as the "Site") to assist the North Carolina Ecosystem Enhancement Program (EEP) in fulfilling restoration goals in the region. The Site is located approximately 0.25 mile south of Smithfield, in Johnston County (Figure 1).

The Site conservation easement encompasses 15 acres immediately adjacent to unnamed tributaries to the Neuse River within subbasin 03-04-02 of the Neuse River Basin. The Site is part of United States Geological Survey Catalog Unit 03020201 of the South Atlantic/Gulf Region and is encompassed within a watershed that has been targeted for restoration needs (Targeted Local Watershed 03020201140010) (NCWRP 2002).

A Detailed Buffer Restoration Plan was completed for the Site in July 2005. The plan outlined methods designed to reforest the entire 15-acre Site with native species. Prior to implementation, the entire Site was composed of row-crop agriculture. The following implemented activities provide 15 Buffer Mitigation Units as requested under the EEP Request for Proposal (RFP) 16-D05015 dated October 22, 2004:

- Restoration of approximately 15 acres of riparian buffer through planting with native forest species.
- Protection of the Site in perpetuity with a conservation easement which is held by the State of North Carolina.

The primary goals of this buffer restoration project focused on reforestation of the entire 15-acre Site with native species to 1) improve water quality; 2) enhance flood attenuation; 3) reduce sedimentation/siltation; 4) increase channel bank stability; 5) filter and reduce pollutants prior to entering the Neuse River; 6) serve as a wildlife corridor by providing connectivity to forested areas adjacent to the Site; 7) provide increased habitat for aquatic and terrestrial wildlife; 8) increase organic matter, carbon export, and woody debris in the stream corridor; 9) restore shade to Site open waters; 10) increase potential for appropriate mussel habitat; 11) enhance characteristic macroinvertebrate species populations in the channel; 12) augment the existing Mesic Pine Flatwoods Natural Community documented by the North Carolina Natural Heritage Program (NCNHP) just northeast of the Site; and 13) expand potential red-cockaded woodpecker (*Picoides borealis*) foraging habitat for populations documented by the NCNHP approximately 0.3 mile and 0.9 mile northeast of the Site.



The primary goals were accomplished by:

- 1. Removing non-point sources of pollution associated with agricultural production including a) cessation of broadcasting fertilizer, pesticides, and other agricultural materials into and adjacent to Site streams and b) providing a vegetative buffer adjacent to streams to treat surface runoff.
- 2. Reducing sedimentation in onsite and downstream receiving waters through a) reduction of bank erosion associated with agricultural practices, b) filter surface runoff from adjacent land and reduce particulate matter deposited into area waterways, and c) planting a forested buffer adjacent to Site streams.
- 3. Promoting floodwater attenuation by revegetating Site floodplains thereby promoting increased frictional resistance on floodwaters crossing Site floodplains.
- 4. Providing wildlife habitat including a forested riparian corridor.

As constructed, the Site provides 15 acres of riparian buffer restoration (15 Buffer Mitigation Units).

On July 1, 2005, EEP contracted with Restoration Systems to complete restoration of the Site. A Detailed Buffer Restoration Plan was completed for the project in July 2005. Upon completion of the detailed plan, Bruton Nurseries and Landscapes planted the Site during the first week of January 2006. Axiom Environmental, Inc. completed an As-built Mitigation Report in April 2006.

Information on project managers, owners, and contractors follows:

Owner Information Restoration Systems, L.L.C. George Howard and John Preyer 1101 Haynes Street, Suite 107 Raleigh, North Carolina 27604 (919) 755-9490

Planting Contractor Information
Bruton Nurseries and Landscapes
Charlie Bruton
PO Box 1197
Fremont, North Carolina 27830

Year Two Monitoring Firm Information ARCADIS G&M of North Carolina, Inc. Ben Furr and Keven Duerr 801 Corporate Center Drive, Suite 300 Raleigh, NC 27607

Brogden Road Buffer Restoration Site Annual Monitoring Report

## 2.0 VEGETATION MONITORING PROGRAM

Monitoring procedures for vegetation were designed in accordance with *Stream Mitigation Guidelines* (USACE et al. 2003) and the *Draft Internal Guidance for Vegetation Monitoring Plans for NCWRP Riparian Buffer and Wetland Restoration Projects* (undated). A general discussion of the plant community restoration monitoring program is provided. Monitoring of restoration efforts will be performed for a minimum of 5 years or until success criteria are fulfilled. The locations of monitoring plots are depicted in Figure 2.

Quantitative second year sampling was conducted on August 10, 2007. Future quantitative vegetation sampling will be performed between June 1 and September 30 of each monitoring year for five years or until the vegetation success criteria are achieved. Four sample transects were installed within planted areas of the Site shortly after replanting to equally represent the Site (Figure 2). Each transect is 300 feet in length and 8 feet in width (0.055 acre). In each sample plot, vegetation parameters monitored include species composition and species density. Visual observations of the percent cover of shrub and herbaceous species were also noted. Photographs of the 4 vegetation plots are included in Appendix A.

#### 2.1 Vegetation Success Criteria

Success criteria have been established to verify that the vegetation component is dependent upon density and growth of "Character Tree Species." Character Tree Species include planted species, those observed in forest stands near the Site, and those listed in the Mesic Pine Flatwood community descriptions from *Classification of the Natural Communities of North Carolina* (Schafale and Weakley 1990). All planted canopy tree species and those identified in Schafale and Weakley (1990) will be utilized to define "Character Tree Species" as termed in the success criteria.

Planted Species	Examples of Mesic Pine Flatwood Species*				
River Birch (Betula nigra)	Mockernut Hickory (Carya alba)				
Loblolly Pine (Pinus taeda)	Sand Hickory (Carya pallida)				
White Oak (Quercus alba)	Sweetgum (Liquidambar styraciflua)				
Southern Red Oak (Quercus falcata)	Longleaf Pine (Pinus palustris)				
Swamp Chestnut Oak (Quercus michauxii)	Bluejack Oak (Quercus incana)				
Water Oak (Quercus nigra)	Post Oak (Quercus stellata)				
Cherrybark Oak (Quercus pagoda)	Blackjack Oak (Quercus marilandica)				
Willow Oak (Quercus phellos)	Black Gum (Nyssa sylvatica)				
Northern Red Oak (Quercus rubra)	Flowering Dogwood (Cornus florida)				

#### Table 1. Character Tree Species

\* Species described in Schafale and Weakley (1990) and observed in adjacent sites; this is not a comprehensive list.

page 4



Vegetation success criteria for the Site will be the existence of an overall density of at least 320 stems per acre five years after the initial planting. Additional seedlings are expected to be recruited to the Site from adjacent forested communities. These individuals may also be counted in the overall success rate for the Site provided they are native hardwood tree species.

If vegetation success criteria are not achieved based on average density calculations from combined plots over the entire restoration area, supplemental planting may be performed with Character Tree Species. Supplemental planting will be performed as needed until achievement of vegetation success criteria.

No quantitative sampling requirements are proposed for herb assemblages as part of the vegetation success criteria. Development of floodplain forests over several decades will dictate the success in recruitment and establishment of desired understory and groundcover populations. Visual estimates of the percent cover of herbaceous species will be noted and documented through periodic photographs. Photographs of the vegetation plots are included in Appendix A.

## 2.2 Vegetation Sampling Results and Comparison to Success Criteria

Quantitative sampling of vegetation was conducted on August 10, 2007. Results are provided in Table 2. Vegetation success criteria for year 2 (320 stems per acre) were exceeded for the 2007 annual monitoring year with 1,032 tree stems per acre across the Site. All individual vegetation plots met success criteria and had good species diversity with 6 to 11 Character Tree Species present within each plot.

#### 3.0 CONCLUSIONS

In summary, as a whole, vegetation plots across the Site were above the required 320 stems/acre with an average of 1,032 tree stems per acre in the Second Monitoring Year (Year 2007). All individual vegetation plots met success criteria and had good species diversity with 6 to 11 Character Tree Species present within each plot. The average number of stems per acre nearly doubled across the Site compared to 2006 monitoring data, however, species diversity decreased slightly.

Documented animal species that utilize the developing wetland ecosystem are listed in Appendix B.

# TABLE 22007 VEGETATION MONITORING DATA AND RESULTS

Note: Each plot totals 0.055 acre is size.

Community	Mesic Pine Flatwoods						
Species*	Plot 1	Plot 2	Plot 3	Plot 4	Total Stems for Plots 1-4	Total Stems/Acre	Total Stems/Acre Counting Towards Success Criteria**
Character Tree Species (count toward success)							
Acer rubrum (red maple)		1			1	5	5
Betula nigra (river birch)	5	3		4	12	54	54
Liquidambar styraciflua (sweetgum)	3	4			7	32	32
Pinus taeda (loblolly pine)	5	8	6	4	23	104	104
Prunus serotina (black cherry)	2				2	9	9
Quercus alba (white oak)	6	7	5	9	27	122	122
Quercus falcata (southern red oak)		5	1	4	10	45	45
Quercus michauxii (swamp chestnut oak)	4	2		24	30	135	135
Quercus nigra (water oak)	1	2	2	6	11	50	50
Quercus pagoda (cherrybark oak)	1	4		3	8	36	36
Quercus phellos (willow oak)	5	14	2	8	29	131	131
Quercus rubra (northern red oak)	17	12	19	19	67	302	302
Species that Don't Count Toward Success							
Crataegus sp. (hawthorne)		2			2	9	0
Rhus copallina (winged sumac)		2			2	9	0
Sambucus canadensis (elderbrry)	2				2	9	0
Baccharis halimifolia (eastern baccharis)	40	24	19	32	115	518	0
Ligustrum sinense (chinese privet)		1			1	5	0
TOTAL STEMS/PLOT	91	91	54	113	349	1571	1022
TOTAL STEMS/PLOT COUNTING TOWARDS							
SUCCESS CRITERIA	49	62	35	81			
TOTAL STEMS/ACRE COUNTING TOWARDS							
SUCCESS CRITERIA	891	1127	636	1473			

\* Planted species are in bold.

#### 4.0 REFERENCES

- North Carolina Wetlands Restoration Program (NCWRP). 2002. North Carolina Wetlands Restoration Program Neuse River Basin Watershed Restoration Plan. North Carolina Department of Environment and Natural Resources, Raleigh.
- North Carolina Wetlands Restoration Program (NCWRP). Undated. Draft Internal Guidance for Vegetation Monitoring Plans for NCWRP Riparian Buffer and Wetland Restoration Projects. North Carolina Department of Environment and Natural Resources, Raleigh, North Carolina.
- Schafale, M.P., A.S. Weakley. 1990. Classification of the Natural Communities of North Carolina: Third Approximation, NC Natural Heritage Program, Division of Parks and Recreation, NC DEM, Raleigh NC.
- United States Army Corps of Engineers (USACE), United States Environmental Protection Agency (USEPA), North Carolina Wildlife Resources Commission (NCWRC), Natural Resources Conservation Service (NRCS), and North Carolina Division of Water Quality (NCDWQ). 2003. Stream Mitigation Guidelines. State of North Carolina.

# APPPENDIX A VEGETATION PLOT PHOTOGRAPHS

Brogden Road Buffer Restoration Site Year 2 (2007) Annual Monitoring Report Vegetation Plot Photographs Taken August 2007





Plot 1



Plot 3



# APPPENDIX B WILDLIFE OBSERVATIONS

WILDLIFE OBSERVED AT BROGDEN ROAD RESTORATION SITE					
August 2007					
BIRDS*					
Common Name	Scientific Name				
Red-tailed Hawk	Buteo jamaicensis				
Common Crow	Corvus brachyrhynchos				
Chipping Sparrow	Spizella passerina				
Morning Dove	Zenaida macroura				
Prairie Warbler	Dendroica discolor				
Eastern Towhee	Pipilo erythrophthalmus				
Common Grackle	Quiscalus quiscula				
*Bird list: <u>The Sibley Guide to Birds</u> by David Allen Sibley. National Audubon Society.					
2000. Chanticleer Press, Inc.					
Observation incidental to other fieldwork					