

**Rockwell Pastures Site
Stanly County, North Carolina
Year 5 Annual Monitoring Report
Monitoring Year 2013**



**NCDENR EEP
1652 Mail Service Center
Raleigh, NC 27699-1652**

**Monitoring Year: 2013
Measurement Year 5
As-Built Date: 2009
NCEEP Project ID Number D-000624**

November 2013

Prepared by:



WK Dickson and Co., Inc.
720 Corporate Center Drive
Raleigh, NC 27607

Phone Number: (919) 782 - 0495
Fax Number: (919) 677 - 2050

Project Manager: Daniel Ingram

Submitted by:



Environmental Banc & Exchange
909 Capability Drive, Suite 3100
Raleigh, NC 27606

Phone Number: (919) 829 - 9909
Fax Number: (919) 829 - 9913

Project Manager: Norton Webster, PWS

**ROCKWELL PASTURES SITE
2013 ANNUAL MONITORING REPORT**

TABLE OF CONTENTS

I. EXECUTIVE SUMMARY/PROJECT ABSTRACT	1
II. PROJECT BACKGROUND	2
A. Project Goals and Objectives	2
B. Project Restoration Components	2
C. Location and Setting	7
D. Project History and Background	9
E. Monitoring Plan View	9
III. PROJECT CONDITION AND MONITORING RESULTS	13
A. Vegetation Assessment	13
1. Soil Data	13
2. Vegetative Problem Areas	13
3. Stem Counts	14
4. Vegetation Plot Photos	14
B. Stream Assessment	14
1. Problem Areas Plan View	15
2. Problem Areas Summary Table	15
3. Representative Stream Problem Areas Photos Section	16
4. Fixed Photo Station Photos	16
5. Stability Assessment	16
6. Quantitative Morphology	19
C. Wetland Assessment	39
IV. METHODOLOGY	39
A. Vegetation Methodology	39
B. Stream Methodology	40
C. Wetland Methodology	40
V. RECOMMENDATIONS AND CONCLUSIONS	41

LIST OF FIGURES

Figure 1. Vicinity Map	8
Figure 2. Site Overview Map	12

TABLES

Table 1. Project Restoration Components	6
Table 2. Project Activity and Reporting History	9
Table 3. Project Contacts Table.....	10
Table 4a. Project Background Table (Project Information)	10
Table 4b. Project Background Table (Reach Information)	11
Table 5. Verification of Bankfull Events	15
Table 6. Categorical Stream Feature Visual Stability Assessment.....	16
Table 7. Baseline Morphology and Hydraulic Summary	20
Table 8. Morphology and Hydraulic Monitoring Summary.....	34
Table 9. Wetland Criteria Attainment	39
Table 10. Rockwell Pastures Vegetation Monitoring Summary 2009 to 2013	42
Table 11. Rockwell Pastures Hydrology Monitoring Summary 2009 to 2013	43
Table 12. Rockwell Pastures Crest Gauge Monitoring Summary 2009 to 2013.....	43

APPENDICES

Appendix A Vegetation Raw Data

- A-1 Vegetation Survey Data Tables
- A-2 Vegetation Problem Area Photos
- A-3 Vegetation Monitoring Plot Photos

Appendix B Geomorphologic Raw Data

- B-1 Current Conditions Plan View
- B-2 Table B.1 Stream Problem Areas Summary Table
- B-3 Representative Stream Problem Area Photos
- B-4 Stream Photo Station Photos
- B-5 Table B.2 Qualitative Visual Stability Assessment
- B-6 Annual Overlays of Cross Section Plots
- B-7 Annual Overlays of Longitudinal Plots

Appendix C Wetland Raw Data

- C-1 Table C.1 Precipitation Data Table
- C-2 2012 Precipitation for Rockwell Pastures Site
- C-3 Wetland Hydrographs
- C-4 Table C.2 Hydrologic Monitoring Results
- C-5 Raw Well and Crest Gauge Data

I. EXECUTIVE SUMMARY/PROJECT ABSTRACT

The Rockwell Pastures Stream and Wetland Restoration Site includes the restoration and enhancement of 18,044 linear feet of stream on ten unnamed tributaries, and 1.7 acres of wetland restoration within the parcels owned by Charles R. Dennis and his wife, Dennis Farms Inc., Deese Family LP, and Reece Vane Deese and his wife. The site is located six miles southeast of Albemarle in Stanly County. The project Site lies within the USGS hydrologic unit (HUC) 03040104010020 in the Yadkin River Basin.

This Annual Monitoring Report presents the data from two hydrology monitoring stations, 27 vegetation monitoring plots, three manual crest gauges, three auto crest gauges, a manual rain gauge, an auto-logging rain gauge, 24 stream cross sections, and photo reference locations, as required by the approved Restoration Plan for the site.

The 2013 vegetation monitoring for Rockwell Pastures utilized the Ecosystem Enhancement Program's (EEP) Carolina Vegetation Survey (CVS) protocol for recording vegetation. This report summarizes the vegetation observations. Planted-stem survival for Monitoring Year 5 for all 27 Vegetation Plots (VP) at Rockwell Pastures was above the final success criterion of 260 trees per acre at the end of Monitoring Year 5. The average stem density (excluding live stakes) across all vegetation plots was 559 stems per acre. Few volunteer tree species were noted during Monitoring Year 5.

One vegetation problem area was noted during Monitoring Year 4. Invasive Chinese privet was observed along portions of UT 4 and UT 7. This problem area has continued to be observed during Monitoring Year 5; however, the invasive species pose no threat to achieving the vegetation success criteria. The Rockwell Pastures Site has met the final vegetative success criteria as specified in the Restoration Plan.

Throughout the Year 5 monitoring season, the restored stream channel remained stable and continued to provide the intended habitat and hydrologic functions. All monitored cross sections show little adjustment in stream dimension, and the site has achieved the stream stability success criteria specified in the Restoration Plan. No areas of concern were observed along the stream channels.

In 2013, AW1 and AW2 hydrology monitoring gauges recorded hydroperiods of 82 and 41 percent of the growing season, respectively, meeting the success criteria of seven percent of the growing season specified in the Restoration Plan. Overall, the site was within the range of hydrologic conditions expected in non-riparian wetland seeps.

II. PROJECT BACKGROUND

A. Project Goals and Objectives

The goal of this project is to provide functional uplift to the watershed by restoring or enhancing stream, wetland, and riparian areas within the watershed. The mitigation actions improve water quality, ecological function, and habitat, and include:

- Removing excess nutrients and sediment through the use of vegetative buffers,
- Increasing dissolved oxygen concentrations through the use of in-stream structures and the turbulence they produce in pools,
- Stabilizing the stream bank using natural channel design techniques,
- Improving substrate through the use of structures and the elimination of major sediment sources from the stream,
- Creating habitat diversity by introducing woody structures such as log vanes and/or root wads,
- Reducing temperature by restoring canopy in the buffer areas,
- Reconnecting streams to their adjacent floodplains and wetlands,
- Raising groundwater levels in adjacent streams by raising adjacent channel bed elevation,
- Removing/plugging ditches used to drain historic wetlands,
- Enhancing infiltration by re-grading and ripping wetlands,
- Breaking up soils historically compacted by cattle to allow the groundwater to come to the surface and wetland vegetation to flourish,
- Improving crossings by replacing pipes and/or stabilizing outfalls,
- Controlling the invasive exotics by removing them during construction,
- Preserving stable on-site streams, wetlands, and riparian buffers draining into the enhancement/restoration reaches,
- Excluding livestock with fencing, and
- Re-vegetating the stream banks, wetlands, and riparian areas to improve bio-diversity and ecology.

B. Project Restoration Components

All ten stream reaches are located six miles southeast of Albemarle in Stanly County within the parcels owned by Charles R. Dennis and his wife, Dennis Farms Inc., Deese Family LP, and Reece Vane Deese and his wife. The existing stream channels had low sinuosity and varying levels of incision due to historic channelization.

UT 1 – Unnamed Tributary 1 is a second order stream that is located centrally within the project site. This channel had failing banks, and was moderately to severely incised for most of its length. Just below its confluence with UT 4, the area was primarily open with active pastures and a short stretch (375 feet) of sparse woody vegetation at the bottom of the project. The portion of UT 1 above the confluence with UT 4 was located within active agricultural fields. Almost the entire UT 1 stream reach was historically straightened and channelized.

In order to provide functional uplift to UT 1, it was divided into four types of treatment. The uppermost portion (Sta. 100+00 – 102+92) was treated using Enhancement Level II to establish stability. Most of the remaining length of UT 1 was treated using Priority I restoration since the stream was incised and was historically straightened. The priority 1 restoration technique was

used to re-connect the stream with its historical floodplain, and to restore the functions of the riparian buffer. An exception was taken with the approach of the lowest portion (approximately 409 feet) that was not incised and had a thin wooded buffer. This area was treated using Enhancement Level II, which included some minor bank grading. The other exception was the reach along the upper portion just above the main farm road where property constraints will only allow the use of buffer planting, benches and grade control structures to provide an improved cross section and bedform (profile) step/pool features. This concession to the landowners was necessary to secure the entire stream corridor. Enhancement Level I credit was proposed in this section. The UT1 sections with buffer widths less than 50 feet do not contribute to the stream mitigation unit yield, and are included in the project only for continuity between restored sections.

UT 2 – UT 2 is a small, first order, perennial stream based on the 1:24,000USGS Topographic Map. This unnamed tributary had similar existing conditions as UT 1. This stream reach is fed by an existing farm pond and is a Rosgen Bc type channel. This stream does not appear to have been relocated, and has a fairly stable and natural morphology with a boulder substrate. UT 2 had a great amount of sedimentation and was heavily impacted by livestock. Aquatic life characteristics of a perennial stream exist within UT 2. Right-hand (gilled) snails, mayflies, bullfrog tadpoles, and minnows were found within this stream reach. Due to livestock access, the herbaceous stream buffer was severely degraded.

To provide functional uplift to UT 2, the Enhancement Level II approach was taken (Sta. 200+ 00 – 206 + 35). A fenced buffer has been provided to exclude livestock from the stream. The 50-foot stream buffer was planted with native forest vegetation.

UT 3 – UT 3 is a first order stream that has both perennial and intermittent portions. This stream reach was heavily impacted by livestock, and the buffer was primarily herbaceous vegetation. The short, upper portion of the stream is intermittent, and was an incised Rosgen E type channel. The lower portion of UT 3 was alternately incised and sedimented, and had failing banks. The entire perennial section of UT 3 appeared to be historically straightened.

The Priority I restoration technique was used on UT 3 to provide functional uplift. UT 3 was re-connected with its historical floodplain, and a functional riparian buffer was planted. Additionally, livestock was excluded from the stream by fencing the easement.

UT 4 – UT 4 is a first order stream based on the 1:24,000 USGS Topographic Map. The upper portion of the stream is impounded by three small ponds that are fed by a perennial spring. Below the ponds, the upper portion of the stream is relatively stable; however, it is overgrown with invasive species such as Chinese privet (*Ligustrum sinense*) and multiflora rose (*Rosa multiflora*). This portion of the stream has an appropriate riffle-pool sequence. The middle portion of UT4 has been impacted by silviculture. Except for a section of approximately 200 feet, the stream is extremely over-wide (width-to-depth ratio of approximately 79 ft/ft) and braided in most areas. This has resulted in unstable banks, as the stream appears to frequently “wander” across the valley floor. It appeared to have been heavily altered, and the buffer had recently been removed. The area where a power line crosses the stream was excluded from the project site. Above this area is a small riparian wetland with mostly herbaceous vegetation. The lower portion of the stream had been straightened and altered based on topographic and visual observation. Most of the banks were severely unstable as a result of the redirection of the channel. A strong and

unstable head-cut separated the lower portion and middle portions of UT4. It appeared to have been historically straightened. The buffers also had been cleared recently, leaving mostly sparse, new-growth vegetation. The geomorphic assessment of the lower portion of UT4 revealed that the stream was incised, and was unstable because of the straightening and other alterations.

The uppermost portion of UT 4 includes three small spring-fed ponds. The stream was restored through these ponds by partially removing the dam structure, and allowing the stream channel to be re-established in the pond bottom. The approach was to establish the lowest, presumably flat, portions of the existing pond bottoms as the flood plain, and to create a channel with the appropriate dimension, pattern, and profile. This approach minimized sediment loss and rapidly re-established the stream and riparian corridor. Immediately below the ponds and for a short section just above and below the existing road, the stream channel was stable with undercut banks and an appropriate riffle/pool sequence. However, there were invasive species that were removed and replanted with native tree species. As such, this treatment was considered to be Enhancement Level II. Between the above reaches, there was a reach that had been impacted by the farmer on numerous occasions using earth-moving equipment. This reach has multiple threads in some locations and the main part of the stream switches channels, or forms new channels from time to time (i.e. the streams are laterally unstable). The reaches also had excessively wide width to depth ratios, and were overly shallow in areas with bedrock. This area received a combination of Restoration and Enhancement Level I treatment by blocking the multi-threaded areas, building benches using single or double wing deflectors, and adding appropriate bed-form features using log and rock vanes. The goal of this approach was to recreate a single thread channel with an appropriate width to depth ratio that is laterally stable and has better formed riffle-pool complexes. This will greatly improve habitat and reduce sedimentation. From station 436+37 to 449+26, the stream was incised and highly eroded; therefore, it was restored using Priority I stream restoration techniques. UT 4 was also placed back into its natural valley as it enters the Reese property.

UT 5 and UT 6 – These small, intermittent streams are located in agricultural fields. Since these systems are relatively small, it was anticipated that they could be stabilized by re-establishing a woody riparian buffer. As such, Enhancement Level II was performed on these streams. Providing a riparian buffer to the intermittent portions of the above streams will protect the downstream areas by removing sedimentation sources, and by providing shading to reduce temperature. The stream banks along UT 5 and UT 6 were unstable due to agriculture and mowing down to the stream edges. A forested buffer will provide filtering for sediments, and shading to reduce temperatures.

UT 7 – This stream reach is bound by an agricultural field and cutover forest along most of its upper portion above the confluence with UT 6. The banks were unstable due to the lack of vegetation, resulting in heavy sedimentation. UT 7 is also bounded by agricultural fields and open pasture to just below its confluence with UT 6. Below the confluence, the stream becomes perennial based on a NCDWQ score of 33. The entire length of the stream appeared to have been straightened. The upper portion was incised with failing banks. The lower portion was heavily sedimented just before it entered the valley bottom. UT 7 was heavily impacted by livestock access and hoof shear.

Priority I Restoration and Enhancement Level II were performed on UT 7 to provide biological uplift. Proper dimensions, pattern, and profile were restored on UT 7 because it had been

historically straightened. A riparian buffer was planted to protect the downstream areas by removing sedimentation sources, and to provide shading to reduce temperature. The UT 7 stream reach was also fenced to exclude livestock.

UT 8 –This stream was determined to be an intermittent channel with a stream rating score of 29.75, and a drainage area of 0.02 square miles (13.9 acres). Approximately 83 feet of restoration were added to tie the existing tributary into UT 1, and additional easement was added above the restoration to add approximately 402 feet of Enhancement Level II treatment.

UT 9 – This stream was determined to be a perennial channel with a stream rating score of 50.5, and a drainage area of 0.06 square miles (38.3 acres). The existing stream does not lie within the protective conservation easement; however, a restoration section of stream 152 feet in length was added within the easement to tie UT 9 into the relocated UT 1.

UT 10 – This stream was determined to be a perennial channel with a stream rating score of 48.25, and a drainage area of 0.11 square miles (69.5 acres). This channel discharges directly from an existing farm pond. Approximately 24 feet of existing stream was located within the protective conservation easement, and a total of 103 feet of stream restoration was added within the easement to tie UT 10 into the relocated UT 1.

Additional details regarding the restoration components of the project are provided in **Table 1**.

**Table 1. Project Restoration Components
Rockwell Pastures Site/Project Number D-000624**

Project Stream	Existing Length (feet)	Constructed Length (feet)	Restoration		Enhancement Level I		Enhancement Level II		Wetland Restoration (acres)
			(feet)	Station	(feet)	Station	(feet)	Station	
UT 1	6,580	7,224	5,620	103+32 to 107+68 116+71 to 140+29 140+54 to 144+72 144+97 to 147+45 147+85 to 157+68 158+03 to 169+80	181	114+50 to 116+31	701	100+00 to 102+92 169+80 to 171+95 172+20 to 174+14	1.7
UT 2	635	635	---	---	---		635	200+00 to 206+35	---
UT 3	717	872	872	300+00 to 308+72	---		---	---	---
UT 4	3,952	4,884	3,332	400+00 to 407+49 411+00 to 415+06 (R/EI) 417+73 to 421+99 (R/EI) 422+19 to 433+00 (R/EI) 433+00 to 449+26	956	411+00 to 415+06 (R/EI) 417+73 to 421+99 (R/EI) 422+19 to 433+00 (R/EI)	596	407+49 to 411+00 415+06 to 416+34 416+56 to 417+73	---
UT 5	1,075	1,086	---	---	---	---	1,086	500+00 to 510+86	---
UT 6	1,174	1,184	---	---	---	---	1,184	600+00 to 611+84	---
UT 7	1,313	1,419	689	707+30 to 709+36 709+83 to 714+39	---	---	730	700+00 to 707+30	---
UT 8	485	485	83	0+00 to 0+83	---	---	402	N/A	---
UT 9 ¹	---	152	152	0+00 to 1+52	---	---	---	---	---
UT 10	24	103	103	0+00 to 1+03	---	---	---	---	---
Total Site	15,955	18,044	10,851	---	1,137	---	5,334	---	1.7
Total SMUs	---	---	10,851	---	758	---	2,133	---	---
Total WMUs	---	---	---	---	---	---	---	---	1.7

¹UT 9 - Existing length lies outside of Project Easement

C. Location and Setting

The Rockwell Pastures Stream and Wetland Restoration Site is located six miles southeast of Albemarle in Stanly County (**Figure 1**). Rockwell Pastures lies within the Yadkin Basin, North Carolina Division of Water Resources (DWR) sub-basin 03-07-08, and is in local HUC 03040104010020. The project area is located in the Carolina Slate Belt sub-ecoregion of the Piedmont ecoregion. The site contains ten unnamed tributaries (UT1, UT2, UT3, UT4, UT5, UT6, UT7, UT8, UT9, and UT10) to David's Creek/Lake Tillery. Lake Tillery is listed as DWR class Water Supply (WS-IV, CA) waters. The ten unnamed tributaries are considered to be WS-IV streams.




Figure 1.
 Vicinity Map
 Stanly County, NC

0 0.5 1 2
 Miles
 1 in = 1 mile



D. Project History and Background

Construction of the Rockwell Pastures Site was completed in May 2009. Following the completion of construction, the As-Built cross sections were installed and surveyed the same month. Year 1 monitoring took place in November 2009. Additional details regarding the timeline of the project are provided in **Table 2** below.

The project was designed by Kimley-Horn and Associates, Inc. Construction was performed by RFG Construction, Inc. Monitoring activities for Years 1, 2, 3, 4 and 5 were performed by WK Dickson and Co., Inc. Additional information regarding contractors is shown in **Table 3**.

The site is bound by agricultural fields and pastureland. Additional information regarding the project site is included in **Tables 4a** and **b**.

E. Monitoring Plan View

A series of monitoring devices have been installed on-site. Twenty-four individual cross-sections were located. Cross-sections were plotted from left to right facing downstream. Each cross-section is also a designated photographic point that is photographed annually. Twenty-seven vegetation-monitoring plots were randomly located within the riparian buffer of the Rockwell Pastures Stream Site. Two automatic HOBO groundwater gauges and two reference HOBO automatic groundwater gauges were installed to measure hydrology success of the wetland restoration area. One manual and one automatic rain gauge were installed to record rainfall onsite. Three manual crest gauges and three automatic crest gauges were installed to record bankfull events on stream reaches UT 1 and UT 4. The locations of all monitoring devices are shown on Current Conditions Plan View in **Appendix B**.

Table 2. Project Activity and Reporting History
Rockwell Pastures Site/Project Number D-000624

Activity or Report	Data Collection Complete	Actual Completion or Delivery
Restoration Plan	NA	August 2008
Final Design	NA	October 2008
Construction	NA	May 1 st 2009
Mitigation Plan / As-Built (Year 0 Monitoring – baseline)	May 2009	May 2009
Year 1 Monitoring	November 2009	November 2009
Year 2 Monitoring	July 2010	September 2010
Year 3 Monitoring	August 2011	October 2011
Year 4 Monitoring	October 2012	November 2012
Year 5 Monitoring	September 2013	September 2013

Table 3. Project Contacts Table
Rockwell Pastures/Project Number D-000624

Designer	Kimley-Horn and Associates, Inc. 3001 Weston Parkway Cary, NC 27513 Todd St. John, P.E., LEED AP (919) 677-2000
Project Manager:	
Construction and Seeding Contractor	RFG Construction, Inc 1907 Cambridge Dr Kinston, North Carolina 28504 (252) 523-2405 Robert Grady, President
Planting Contractor	Superior Wildlife Services 2105 Sparre Dr Kinston , North Carolina 28504 Robert Cato (252) 939-0465
Full Delivery Provider	Environmental Banc & Exchange, LLC 909 Capability Drive, Suite 3100 Raleigh, NC 27606 (919) 829-9909
Project Manager:	Norton Webster, PWS
Monitoring Performers	WK Dickson and Co., Inc. 720 Corporate Center Drive Raleigh, NC 27607 (919) 782-0495
Project Manager:	Daniel Ingram

Table 4a. Project Background Table (Project Information)
Rockwell Pastures/Project Number D-000624

Physiographic Region	Piedmont
Ecoregion	Carolina Slate Belt
Cowardian Classification	R ¾ SB 3F
Dominant Soil Types	Tatum, Oakboro, Badin, Kirsey
Reference Site ID	On-Site Reference
USGS HUC for Project	3040104
USGS HUC for Reference	3040104
NCDWQ Sub-basin for Project	03-07-08
NCDWQ Sub-basin for Reference	03-07-08
NCDWQ Classification for Project	WS-IV
NCDWQ Classification for Reference	WS-IV
Any Portion of any project segment 303d listed?	No
Any portion of any project segment upstream of a 303d listed segment?	No
Reasons for 303d listing or stressor	NA
Percent of project easement fenced	~ 45%

Table 4b. Project Background Table (Reach Information) Rockwell Pastures/Project Number D-000624														
Reach ID	UT 1 Upper	UT 1 Middle	UT 1 Lower	UT 2	UT 3	UT 4 Upper	UT 4 Middle	UT 4 Lower	UT 5	UT 6	UT 7	UT 8	UT 9	UT 10
Stream Order	1	2	2	1	1	1	1	1	1	1	1	1	1	1
Drainage Area (mi ²)	0.09	0.75	1.12	0.13	0.15	0.11	0.28	0.42	0.07	0.02	0.05	0.02	0.06	0.11
Entrenchment Ratio	---	3.9	4.9	3.1	2.4	2.7	---	10.7	3.6	2.6	2	NA	NA	NA
A _{bkf}	---	12.4	20.7	4.8	6.5	4.2	---	9.9	5	0.9	1	NA	NA	NA
W _{bkf}	---	8.9	18.2	8.3	6.3	7.3	---	7.4	5	2.5	2.8	NA	NA	NA
Width/Depth Ratio	12.7	6.4	16	14.3	6.1	12.6	---	5.5	5	6.6	8	NA	NA	NA
K	1.01	1.02	1.01	1.00	1.04	1.05	1.03	1.02	1.00	1.00	1.01	NA	NA	NA
Rosgen Classification of As-Built	B5	E5	C4	B4c	E4	C4	F4	E4b	E6	E4/E5	B5	NA	NA	NA
Dominant Soil Types	Tatum	Oakboro	Oakboro	Badin	Enon	Badin	Kirsey	Oakboro	Badin	Kirsey	Kirsey	Oakboro	Oakboro	Oakboro
NCDWQ Classification	WS-IV	WS-IV	WS-IV	WS-IV	WS-IV	WS-IV	WS-IV	WS-IV	WS-IV	WS-IV	WS-IV	NA	NA	NA




Figure 2.
Rockwell Pastures Site
Site Overview Map
Stanly County, NC



0 400 800 1,600
Feet
1 in = 800 feet

Legend

- Easement Boundary
- Restored Wetland
- Restored Streams

III. PROJECT CONDITION AND MONITORING RESULTS

Monitoring results are discussed below. Rockwell Pastures Site annual vegetation monitoring was conducted on September 4, 5, 23 and 24, 2013 by WK Dickson and Co., Inc personnel.

A. VEGETATION ASSESSMENT

Planted zones related to the stream restoration consist of the riparian buffer zone and the stream banks. The riparian buffer zone initiates at the top of the bank, and continues out perpendicular to the immediate channel following the general pattern of the meandering channel. The planted stream bank initiates at the normal base flow elevation, and extends to the top of bank or interface with the floodplain.

The success of riparian and vegetation planting will be gauged by stem counts of planted species. Stem counts of more than 320 trees per acre after three years, and 260 trees per acre after five years will be considered successful. Photos that are taken at established photos points should indicate maturation of the riparian vegetation community.

The “CVS-EEP Protocol for Recording Vegetation” was utilized during the As-Built (Baseline) and annual vegetation monitoring. A qualitative visual assessment of vegetation was also performed throughout the entire project area. Twenty-seven vegetation plots measuring 100 square meters were monitored. Vegetation observations were also recorded at cross sections, problem areas, and representative locations. Representative photographs of vegetation conditions were recorded throughout the project area ([Appendix A-3](#)).

1. Soil Data

The project area is located in the Carolina Slate Belt sub-ecoregion of the Piedmont ecoregion. This sub-region extends from southern Virginia, across the Carolinas, and into a small part of eastern Georgia. The mineral-rich metavolcanic and metasedimentary rocks with slatey cleavage tend to be finer-grained and less metamorphosed than other parts of the Piedmont, and are somewhat less resistant to erosion. In North Carolina, some parts of the region are more rugged and hilly. Trellised drainage patterns also occur in parts of the region. The volcanic-sedimentary rock formations include volcanic slates, basic and acid tuffs, breccias, and interbedded flows. The volcanic slates are deeply weathered in places, forming clay and shale, and the soils generally have high silt contents. Georgeville and Herndon soils (fine, kaolinitic, thermic Typic Hapludults) are common.

The NRCS soil survey for Stanly County maps the following soils within the site: Badin channery silt loam, Ewon very strong loam, Kirksey silt loam, Oakboro silt loam, Tatum gravelly loam, and Tatum channery silt clay.

2. Vegetative Problem Areas

Overall, the site appears to have good vegetation along the stream channel and floodplains. Few areas of exposed banks and floodplains were observed during Monitoring Year 5. The only vegetation problem areas noted during Monitoring Year 4 activities consisted of Chinese privet along UT 4 and UT 7. In Year 5, Chinese privet was observed to be present, but not common, on

downstream portions of UT 4 along the right banks adjacent to the pine-forest (VPA 17). It is common along UT 7 (VPA 25).

The vegetation problem areas are shown on the Current Conditions Plan View Maps, which are provided in **Appendix B, B-1**.

3. Stem Counts

Planted-stem survival for Monitoring Year 5 for all 27 Vegetation Plots (VP) at Rockwell Pastures was above the final success criteria of 260 trees per acre at the end of Monitoring Year 5. The plot density ranged from 364 stems per acre for VP #2 to 809 stems per acre in VP #26. The average stem density (excluding live stakes) across all vegetation plots was 559 stems per acre. Volunteer species were observed in only a few plots during Monitoring Year 5. Volunteer species observed include green ash (*Fraxinus pennsylvanica*), silky dogwood (*Cornus amomum*), and red maple (*Acer rubrum*). These volunteers pose no competition to the planted stems, but additional volunteer species should be expected in the future. The Rockwell Pastures site has met the final success criteria specified in the Restoration Plan.

A few invasive species were observed, including tree of heaven (*Ailanthus altissima*), Johnson grass (*Sorghum halepense*), Chinese privet (*Ligustrum sinense*), multiflora rose (*Rosa multiflora*), tall fescue (*Schedonorus phoenix*), morning glory (*Ipomoea* spp.), Japanese clover (*Kummerowia striata*), and Japanese honeysuckle (*Lonicera japonica*). The Johnson grass and Chinese privet are common in a few areas of the project. The other invasive species had a limited presence during this monitoring year.

4. Vegetation Plot Photos

Appendix A contains a vegetation photo log.

B. STREAM ASSESSMENT

WK Dickson and Co., Inc. personnel performed annual monitoring activities at the Rockwell Pastures Site during September 2013. During the field visits, qualitative observations were recorded regarding the condition of the stream restoration project. Cross section and longitudinal surveys were also performed at the time of this visit. Twenty-four cross sections and approximately 4,400 linear feet of stream profile was surveyed. Profile on UT 1 was surveyed from station 121+02 to 144+75. Approximately 350 linear feet were surveyed on UT 3 from station 303+05 to 306+50. UT 4 profile survey was performed from station 433+00 to 447+00, and UT 7 was surveyed from 711+48 to 714+39. Photographs were taken at all permanent photo points. Banks were stable with no severe bank erosion. Stream problem areas are described in **Appendix B, Table B.1**.

Hydrologic Assessment

The occurrence of bankfull events within the monitoring period is documented by the use of manual crest gauges and auto-recording crest gauges. The three crest gauges will record the highest watermark between site visits. Two crest gauges were installed on stream reach UT 1 at the upper portion (Sta. 131+00) and on the lower portion (Sta. 164+20). The third crest gauge was installed on UT 4 near station 438+20. The gauges were checked and downloaded every three months to document high flows. The auto-recording crest gauges are used to determine the date

and time of each bankfull event. Digital images are used to document the occurrence of debris lines and sediment deposition on the floodplain during monitoring site visits.

During the 2013 monitoring season, three crest gauges were monitored to determine if there were any out-of-bank flow events on the Rockwell Pastures Site (**Table 5**). Twenty six bankfull events were documented during the 2013 monitoring season on Crest Gauge 1. All three crest gauges experienced bankfull events during the month of April. The largest stream flow documented for Year 5 by the onsite crest gauges was recorded by Crest Gauge 1, which occurred on June 27 and was 1.57 feet above the bankfull stage. Crest Gauge 2 experienced its largest bankfull event during the same rain event, which was recorded at 0.76 feet above bankfull stage. Crest Gauge 3 malfunctioned, and was only operable from March 29 to May 15. Crest gauge data are presented in **Appendix C** along with the precipitation data.

Table 5. Verification of Bankfull Events Rockwell Pastures Site/Project Number D-000624						
Month Recorded	Crest Gauge 1		Crest Gauge 2		Crest Gauge 3 [†]	
	Max Height (feet)	Number of Occurrences	Max Height (feet)	Number of Occurrences	Max Height (feet)	Number of Occurrences
January	0.65	1	0.24	1	0.00	0
February	0.49	2	0.40	3	0.00	0
March	0.16	3	0.00	0	0.00	0
April	0.70	2	0.00	0	0.50	1
May	0.00	0	0.00	0	0.00	0
June	1.57	8	0.76	1	---	---
July	1.26	8	0.40	3	---	---
August	0.81	1	0.15	1	---	---
September*	0.47	1	0.00	0	---	---
October	---	---	---	---	---	---
November	---	---	---	---	---	---
December	---	---	---	---	---	---
Total Occurrences		26		9		1

*Data collection ended 23 September

[†]CG3 was lost; the last reading was on 15 May

1. Problem Areas Plan View

An assessment of the stability of the channel was performed in September 2013 by WK Dickson and Co., Inc. No areas of concern were observed. The four problem areas identified in Year 4 have been resolved. The three areas of minor erosion observed in Year 4 have been corrected by vegetation growth that has stabilized the stream banks, and the debris jam that had blocked a culvert was removed. The Current Conditions Plan View in **Appendix B, Section B-1** reflects that no stream problem areas were observed in Year 5.

2. Problem Areas Summary Table

The Problem Areas Table Summary is located in **Appendix B** as **Table B.1**.

3. Representative Stream Problem Areas Photos Section

Appendix B, Section B-3 is reserved for representative photos of each type of stream problem area. However, no photos are presented for Year 5 because no stream problem areas were observed.

4. Fixed Photo Station Photos

Photos from various photo stations were collected on September 23 and 24, 2013 during the annual stream walk. These photos are included in **Appendix B, Section B-4**.

5. Stability Assessment

A visual qualitative assessment was performed to inspect channel facets, meanders, bed, banks, and installed structures. This visual assessment was confirmed and enhanced with a quantitative assessment of the physical stream survey. The goal of this assessment is to provide a percentage of the features listed in **Table 6** that are stable.

Table 6. Categorical Stream Feature Visual Stability Assessment Rockwell Pastures Site/Project Number D-000624						
Feature	Reach UT 1 (6,916 feet)					
	Initial	MY-01	MY-02	MY-03	MY-04	MY-05
A. Riffles	100%	99%	100%	100%	100%	100%
B. Pools	100%	100%	98%	98%	98%	98%
C. Thalweg	100%	100%	100%	100%	100%	100%
D. Meanders	100%	100%	100%	100%	100%	100%
E. Bed General	100%	100%	100%	100%	100%	100%
F. Bank Condition	100%	100%	95%	95%	95%	95%
G. Rock/Log Vanes	100%	100%	100%	100%	100%	100%
H. Wads and Boulders	100%	100%	100%	100%	100%	100%
Reach UT 2 (635 feet)						
Feature	Initial	MY-01	MY-02	MY-03	MY-04	MY-05
A. Riffles	100%	100%	100%	100%	100%	100%
B. Pools	100%	100%	100%	100%	100%	100%
C. Thalweg	100%	100%	100%	100%	100%	100%
D. Meanders	100%	100%	100%	100%	100%	100%
E. Bed General	100%	100%	100%	100%	100%	100%
F. Bank Condition	100%	100%	100%	100%	100%	100%
G. Rock/Log Vanes	100%	100%	100%	100%	100%	100%
H. Wads and Boulders	100%	100%	100%	100%	100%	100%

Table 6 (Continued). Categorical Stream Feature Visual Stability Assessment						
Rockwell Pastures Site/Project Number D-000624						
Reach UT 3 (872 feet)						
Feature	Initial	MY-01	MY-02	MY-03	MY-04	MY-05
A. Riffles	100%	100%	100%	100%	100%	100%
B. Pools	100%	100%	100%	100%	100%	100%
C. Thalweg	100%	100%	100%	100%	100%	100%
D. Meanders	100%	100%	100%	100%	100%	100%
E. Bed General	100%	100%	100%	100%	100%	100%
F. Bank Condition	100%	100%	100%	100%	100%	100%
G. Rock/Log Vanes	100%	100%	100%	100%	100%	100%
H. Wads and Boulders	100%	100%	100%	100%	100%	100%
Reach UT 4 (4,934 feet)						
Feature	Initial	MY-01	MY-02	MY-03	MY-04	MY-05
A. Riffles	100%	100%	100%	100%	100%	100%
B. Pools	100%	100%	100%	100%	100%	100%
C. Thalweg	100%	100%	100%	100%	100%	100%
D. Meanders	100%	100%	100%	100%	99%	100%
E. Bed General	100%	100%	100%	100%	100%	100%
F. Bank Condition	100%	100%	93%	95%	93%	95%
G. Rock/Log Vanes	100%	100%	100%	100%	100%	100%
H. Wads and Boulders	100%	100%	100%	100%	100%	100%
Reach UT 5 (1,086 feet)						
Feature	Initial	MY-01	MY-02	MY-03	MY-04	MY-05
A. Riffles	100%	100%	100%	100%	100%	100%
B. Pools	100%	100%	100%	100%	100%	100%
C. Thalweg	100%	100%	100%	100%	100%	100%
D. Meanders	100%	100%	100%	100%	100%	100%
E. Bed General	100%	100%	100%	100%	100%	100%
F. Bank Condition	100%	100%	100%	100%	100%	100%
G. Rock/Log Vanes	100%	100%	100%	100%	100%	100%
H. Wads and Boulders	100%	100%	100%	100%	100%	100%
Reach UT 6 (1,184 feet)						
Feature	Initial	MY-01	MY-02	MY-03	MY-04	MY-05
A. Riffles	100%	100%	100%	100%	100%	100%
B. Pools	100%	100%	100%	100%	100%	100%
C. Thalweg	100%	100%	100%	100%	100%	100%
D. Meanders	100%	100%	100%	100%	100%	100%
E. Bed General	100%	100%	100%	100%	100%	100%
F. Bank Condition	100%	100%	100%	100%	100%	100%
G. Rock/Log Vanes	100%	100%	100%	100%	100%	100%
H. Wads and Boulders	100%	100%	100%	100%	100%	100%

Table 6 (Continued). Categorical Stream Feature Visual Stability Assessment Rockwell Pastures Site/Project Number D-000624						
Reach UT 7 (1,419 feet)						
Feature	Initial	MY-01	MY-02	MY-03	MY-04	MY-05
A. Riffles	100%	100%	100%	100%	100%	100%
B. Pools	100%	100%	100%	100%	100%	100%
C. Thalweg	100%	100%	100%	100%	100%	100%
D. Meanders	100%	100%	100%	100%	100%	100%
E. Bed General	100%	100%	100%	100%	100%	100%
F. Bank Condition	100%	100%	100%	100%	100%	100%
G. Rock/Log Vanes	100%	100%	100%	100%	100%	100%
H. Wads and Boulders	100%	100%	100%	100%	100%	100%
Reach UT 8 (83 feet)						
Feature	Initial	MY-01	MY-02	MY-03	MY-04	MY-05
A. Riffles	100%	100%	100%	100%	100%	100%
B. Pools	100%	100%	100%	100%	100%	100%
C. Thalweg	100%	100%	100%	100%	100%	100%
D. Meanders	100%	100%	100%	100%	100%	100%
E. Bed General	100%	100%	100%	100%	100%	100%
F. Bank Condition	100%	100%	100%	100%	100%	100%
G. Rock/Log Vanes	100%	100%	100%	100%	100%	100%
H. Wads and Boulders	100%	100%	100%	100%	100%	100%
Reach UT 9 (152 feet)						
Feature	Initial	MY-01	MY-02	MY-03	MY-04	MY-05
A. Riffles	100%	100%	100%	100%	100%	100%
B. Pools	100%	100%	100%	100%	100%	100%
C. Thalweg	100%	100%	100%	100%	100%	100%
D. Meanders	100%	100%	100%	100%	100%	100%
E. Bed General	100%	100%	100%	100%	100%	100%
F. Bank Condition	100%	100%	100%	100%	100%	100%
G. Rock/Log Vanes	100%	100%	100%	100%	100%	100%
H. Wads and Boulders	100%	100%	100%	100%	100%	100%
Reach UT 10 (103 feet)						
Feature	Initial	MY-01	MY-02	MY-03	MY-04	MY-05
A. Riffles	100%	100%	100%	100%	100%	100%
B. Pools	100%	100%	100%	100%	100%	100%
C. Thalweg	100%	100%	100%	100%	100%	100%
D. Meanders	100%	100%	100%	100%	100%	100%
E. Bed General	100%	100%	100%	100%	100%	100%
F. Bank Condition	100%	100%	100%	100%	100%	100%
G. Rock/Log Vanes	100%	100%	100%	100%	100%	100%
H. Wads and Boulders	100%	100%	100%	100%	100%	100%

6. Quantitative Morphology

The following tables (**Table 7** and **Table 8**) summarize the quantitative data collected from the cross-sectional and longitudinal stream survey. These data were analyzed and summarized, and then compared with as-built data. The Quantitative Morphology Tables illustrate the degree of departure, if any, of the current channel from the baseline data. **Tables 7** and **8** were compiled from the cross-section and profile raw data and plots located in **Appendix B**.

Table 7. Baseline Morphology and Hydraulic Summary

Table 7. Baseline Morphology and Hydraulic Summary Rockwell Pastures Site/Project Number D-000624 Reach UT1 UPPER																		
Parameter	USGS Gage Data			Regional Curve Interval			Pre-Existing Condition			Project Reference Stream			Design			As-Built		
	Min	Max	Med	Min	Max	Med	Min	Max	Med	Min	Max	Med	Min	Max	Med	Min	Max	Med
Dimension																		
BF Width (ft)	*	*	*	*	*	4.2	*	*	*	*	*	7.3	*	*	6.3	*	*	6.3
BF Cross Sectional Area (ft ²)	*	*	*	*	*	4.2	*	*	*	*	*	4.2	*	*	3.1	*	*	3.1
BF Mean Depth (ft)	*	*	*	*	*	0.7	*	*	*	*	*	0.6	*	*	0.5	*	*	0.5
BF Max Depth (ft)	*	*	*	*	*	*	*	*	*	*	*	1.1	*	*	0.8	*	*	0.8
Width/Depth Ratio	*	*	*	*	*	6.1	*	*	*	*	*	12.6	*	*	12.7	*	*	12.7
Entrenchment Ratio	*	*	*	*	*	*	*	*	*	*	*	2.7	*	*	17.6	*	*	17.6
Wetted Perimeter (ft)	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Hydraulic Radius (ft)	*	*	*	*	*	*	*	*	0.59	*	*	*	*	*	*	*	*	*
Pattern																		
Channel Beltwidth (ft)	*	*	*	*	*	*	*	*	*	3.2	5.7	4.4	12.6	31.5	22.1	12.6	31.5	22.1
Radius of Curvature (ft)	*	*	*	*	*	*	*	*	*	5.3	12.6	9	15.8	18.9	17.3	15.8	18.9	17.3
Meander Wavelength (ft)	*	*	*	*	*	*	*	*	*	10.2	17	13.6	56.7	88.2	72.5	56.7	88.2	72.5
Meander Width Ratio	*	*	*	3	5	4	*	*	*	0.4	0.8	0.6	2	5	3.5	2	5	3.5
Profile																		
Riffle Length (ft)	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Riffle Slope (ft)	*	*	*	*	*	*	*	*	*	0.006	0.049	0.0279	0.024	0.032	0.028	0.024	0.032	0.028
Pool Length (ft)	*	*	*	*	*	*	*	*	*			4.1			11.7			11.7
Pool-to-Pool Spacing (ft)	*	*	*	3	6	4.5	*	*	*	17.6	24.1	20.8	25.2	37.8	31.5	25.2	37.8	31.5
Substrate																		
d50 (mm)	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
d84 (mm)	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Additional Reach Parameters																		
Valley Length (ft)	*			*		*	*	*	*	*	*	*	*	*	*	*	*	*
Channel Length (ft)	*			*		*	*	*	3400	*	*	*	*	*	3077	*	*	3077
Sinuosity	*			*		1	1.05	1.01	*	*	1.05	1.02	1.14	1.08	1.02	1.14	1.08	
Water Surface Slope (ft/ft)	*			*		*	*	0.017	*	*	0.0156	*	*	0.016	*	*	0.016	
BF Slope (ft/ft)	*			*		*	*	*	*	*	*	*	*	*	*	*	*	0.017
Rosgen Classification	*			C/E		B5			C4			B5		B5				
*Habitat Index	*			*		*			*			*			*			
*Macrobenthos	*			*		*			*			*		*				
*Macrobenthos	*			*		*			*			*		*				

*Historical documents necessary to provide this information were unavailable at the time of the report submission

Note: As-Built data comes from the As-Built drawings and Mitigation Plan.

Table 7. Baseline Morphology and Hydraulic Summary
Rockwell Pastures Site/Project Number D-000624
Reach UT1 MIDDLE

Parameter	USGS Gage Data			Regional Curve Interval			Pre-Existing Condition			Project Reference Stream			Design			As-Built		
				Min	Max	Med	Min	Max	Med	Min	Max	Med	Min	Max	Med	Min	Max	Med
Dimension																		
BF Width (ft)	*	*	*	*	*	10.5	*	*	8.9	*	*	7.3	*	*	15	*	*	15
BF Cross Sectional Area (ft ²)	*	*	*	*	*	17.6	*	*	12.4	*	*	4.2	*	*	15.8	*	*	15.8
BF Mean Depth (ft)	*	*	*	*	*	1.4	*	*	1.4	*	*	0.6	*	*	1.1	*	*	1.1
BF Max Depth (ft)	*	*	*	*	*	*	*	*	1.8	*	*	1.1	*	*	1.5	*	*	1.5
Width/Depth Ratio	*	*	*	*	*	7.7	*	*	6.4	*	*	12.6	*	*	14.3	*	*	14.3
Entrenchment Ratio	*	*	*	*	*	*	*	*	3.9	*	*	2.7	*	*	10.5	*	*	10.5
Wetted Perimeter (ft)	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Hydraulic Radius (ft)	*	*	*	*	*	*	*	*	1.18	*	*	*	*	*	*	*	*	*
Pattern																		
Channel Beltwidth (ft)	*	*	*	*	*	*	*	*	*	3.2	5.7	4.4	45	75	60	45	75	60
Radius of Curvature (ft)	*	*	*	*	*	*	*	*	*	5.3	12.6	9	37.5	45	41.3	37.5	45	41.3
Meander Wavelength (ft)	*	*	*	*	*	*	*	*	*	10.2	17	13.6	135	210	172.5	135	210	172.5
Meander Width Ratio	*	*	*	3	5	4	*	*	*	0.4	0.8	0.6	3	5	4	3	5	4
Profile																		
Riffle Length (ft)	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Riffle Slope (ft)	*	*	*	*	*	*	*	*	0.006	0.049	0.0279	0.011	0.014	0.012	0.011	0.014	0.012	
Pool Length (ft)	*	*	*	*	*	*	*	*	9.4	*	*	4.1	*	*	23.9	*	*	23.9
Pool-to-Pool Spacing (ft)	*	*	*	*	*	*	35.9	65.4	54.6	17.6	24.1	20.8	45	90	67.5	45	90	67.5
Substrate																		
d50 (mm)	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
d84 (mm)	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Additional Reach Parameters																		
Valley Length (ft)	*			*			*	*	*	*	*	*	*	*	*	*	*	*
Channel Length (ft)	*			*			*	*	1900	*	*	*	*	*	2050	*	*	2050
Sinuosity	*			*			1	1.09	1.02	*	*	1.05	1	1.15	1.09	1	1.15	1.09
Water Surface Slope (ft/ft)	*			*			*	*	0.009	*	*	0.0156	*	*	0.007	*	*	0.007
BF Slope (ft/ft)	*			*			*	*	*	*	*	*	*	*	*	*	*	*
Rosgen Classification	*			C/E			E5			C4			C4			C4		
*Habitat Index	*			*			*			*			*			*		
*Macrobenthos	*			*			*			*			*			*		
*Macrobenthos	*			*			*			*			*			*		

*Historical documents necessary to provide this information were unavailable at the time of the report submission

Note: As-Built data comes from the As-Built drawings and Mitigation Plan.

Table 7. Baseline Morphology and Hydraulic Summary
Rockwell Pastures Site/Project Number D-000624
Reach UT1 LOWER

Parameter	USGS Gage Data			Regional Curve Interval			Pre-Existing Condition			Project Reference Stream			Design			As-Built		
				Min	Max	Med	Min	Max	Med	Min	Max	Med	Min	Max	Med	Min	Max	Med
Dimension																		
BF Width (ft)	*	*	*	*	*	11.4	*	*	18.2	*	*	7.3	*	*	16.6	*	*	16.6
BF Cross Sectional Area (ft ²)	*	*	*	*	*	19.9	*	*	20.7	*	*	4.2	*	*	18.9	*	*	18.9
BF Mean Depth (ft)	*	*	*	*	*	1.5	*	*	1.1	*	*	0.6	*	*	1.1	*	*	1.1
BF Max Depth (ft)	*	*	*	*	*	*	*	*	2	*	*	1.1	*	*	1.6	*	*	1.6
Width/Depth Ratio	*	*	*	*	*	7.8	*	*	16	*	*	12.6	*	*	14.6	*	*	14.6
Entrenchment Ratio	*	*	*	*	*	*	*	*	4.9	*	*	2.7	*	*	12.4	*	*	12.4
Wetted Perimeter (ft)	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Hydraulic Radius (ft)	*	*	*	*	*	*	*	*	1.09	*	*	*	*	*	*	*	*	*
Pattern																		
Channel Beltwidth (ft)	*	*	*	*	*	*	15.5	19.8	17.7	3.2	5.7	4.4	49.8	83	66.4	49.8	83	66.4
Radius of Curvature (ft)	*	*	*	*	*	*	41.1	130.5	121.3	5.3	12.6	9	41.5	49.8	45.7	41.5	49.8	45.7
Meander Wavelength (ft)	*	*	*	*	*	*	*	*	267	10.2	17	13.6	149.4	232.4	190.9	149.4	232.4	190.9
Meander Width Ratio	*	*	*	3	5	4	0.9	1.1	1	0.4	0.8	0.6	3	5	4	3	5	4
Profile																		
Riffle Length (ft)	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Riffle Slope (ft)	*	*	*	*	*	*	0.012	0.063	0.037	0.006	0.049	0.0279	0.013	0.017	0.015	0.013	0.017	0.015
Pool Length (ft)	*	*	*	*	*	*	*	*	20.3	*	*	4.1	*	*	26.8	*	*	26.8
Pool-to-Pool Spacing (ft)	*	*	*	*	*	*	68.8	179.7	104.1	17.6	24.1	20.8	49.8	99.8	74.7	49.8	99.8	74.7
Substrate																		
d50 (mm)	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
d84 (mm)	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Additional Reach Parameters																		
Valley Length (ft)	*			*			*	*	*	*	*	*	*	*	*	*	*	*
Channel Length (ft)	*			*			*	*	1873	*	*	*	*	*	1530	*	*	1530
Sinuosity	*			*			1	1.02	1.01	*	*	1.05	*	*	1.08	*	*	1.08
Water Surface Slope (ft/ft)	*			*			*	*	0.009	*	*	0.0156	*	*	0.009	*	*	0.009
BF Slope (ft/ft)	*			*			*	*	*	*	*	*	*	*	*	*	*	*
Rosgen Classification	*			C/E			C4			C4			C4		C4		C4	
*Habitat Index	*			*			*			*			*		*		*	
*Macrobenthos	*			*			*			*			*		*		*	
*Macrobenthos	*			*			*			*			*		*		*	

*Historical documents necessary to provide this information were unavailable at the time of the report submission

Note: As-Built data comes from the As-Built drawings and Mitigation Plan.

Table 7. Baseline Morphology and Hydraulic Summary

Rockwell Pastures Site/Project Number D-000624

Reach UT2

Parameter	USGS Gage Data			Regional Curve Interval			Pre-Existing Condition			Project Reference Stream			Design			As-Built		
	Min	Max	Med	Min	Max	Med	Min	Max	Med	Min	Max	Med	Min	Max	Med	Min	Max	Med
Dimension																		
BF Width (ft)	*	*	*	*	*	4.9	*	*	8.3	*	*	7.3						
BF Cross Sectional Area (ft ²)	*	*	*	*	*	5.4	*	*	4.8	*	*	4.2						
BF Mean Depth (ft)	*	*	*	*	*	0.8	*	*	0.6	*	*	0.6						
BF Max Depth (ft)	*	*	*	*	*	*	*	*	1.1	*	*	1.1						
Width/Depth Ratio	*	*	*	*	*	6.3	*	*	14.3	*	*	12.6						
Entrenchment Ratio	*	*	*	*	*	*	*	*	3.1	*	*	2.7						
Wetted Perimeter (ft)	*	*	*	*	*	*	*	*	*	*	*	*						
Hydraulic Radius (ft)	*	*	*	*	*	*	*	*	0.55	*	*	*						
Pattern																		
Channel Beltwidth (ft)	*	*	*	*	*	*	7.3	9.5	8.4	3.2	5.7	4.4						
Radius of Curvature (ft)	*	*	*	*	*	*	9.9	42.3	23.7	5.3	12.6	9						
Meander Wavelength (ft)	*	*	*	*	*	*	54.1	56.2	55.2	10.2	17	13.6						
Meander Width Ratio	*	*	*	3	5	4	0.9	1.1	1	0.4	0.8	0.6						
Profile																		
Riffle Length (ft)	*	*	*	*	*	*	*	*	*	*	*	*						
Riffle Slope (ft)	*	*	*	*	*	*	0.016	0.09	0.045	0.006	0.049	0.0279						
Pool Length (ft)	*	*	*	*	*	*	*	*	8	*	*	4.1						
Pool-to-Pool Spacing (ft)	*	*	*	*	*	*	10	41.5	24.6	17.6	24.1	20.8						
Substrate																		
d50 (mm)	*	*	*	*	*	*	*	*	*	*	*	*						
d84 (mm)	*	*	*	*	*	*	*	*	*	*	*	*						
Additional Reach Parameters																		
Valley Length (ft)	*			*			*	*	*	*	*	*						
Channel Length (ft)	*				*		*	*	634	*	*	*						
Sinuosity	*				*		*	*	1	*	*	1.05						
Water Surface Slope (ft/ft)	*				*		*	*	0.028	*	*	0.0156						
BF Slope (ft/ft)	*				*		*	*	*	*	*	*						
Rosgen Classification	*			C/E			B4c			C4								
*Habitat Index	*			*			*			*								
*Macrofauna	*			*			*			*								
*Macrobenthos	*			*			*			*								

*Historical documents necessary to provide this information were unavailable at the time of the report submission

Table 7. Baseline Morphology and Hydraulic Summary
Rockwell Pastures Site/Project Number D-000624
Reach UT3

Parameter	USGS Gage Data			Regional Curve Interval			Pre-Existing Condition			Project Reference Stream			Design			As-Built		
				Min	Max	Med	Min	Max	Med	Min	Max	Med	Min	Max	Med	Min	Max	Med
Dimension																		
BF Width (ft)	*	*	*	*	*	5.3	*	*	6.3	*	*	7.3	*	*	8.6	*	*	8.6
BF Cross Sectional Area (ft ²)	*	*	*	*	*	5.9	*	*	6.5	*	*	4.2	*	*	5.8	*	*	5.8
BF Mean Depth (ft)	*	*	*	*	*	0.8	*	*	1	*	*	0.6	*	*	0.7	*	*	0.7
BF Max Depth (ft)	*	*	*	*	*	*	*	*	1.4	*	*	1.1	*	*	1.1	*	*	1.1
Width/Depth Ratio	*	*	*	*	*	6.4	*	*	6.1	*	*	12.6	*	*	12.7	*	*	12.7
Entrenchment Ratio	*	*	*	*	*	*	*	*	2.4	*	*	2.7	*	*	27.3	*	*	27.3
Wetted Perimeter (ft)	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Hydraulic Radius (ft)	*	*	*	*	*	*	*	*	0.86	*	*	*	*	*	*	*	*	*
Pattern																		
Channel Beltwidth (ft)	*	*	*	*	*	*	5.3	6.4	5.8	3.2	5.7	4.4	25.8	43	34.4	25.8	43	34.4
Radius of Curvature (ft)	*	*	*	*	*	*	1.8	19.4	9.9	5.3	12.6	9	21.5	25.8	23.7	21.5	25.8	23.7
Meander Wavelength (ft)	*	*	*	*	*	*	33.7	47.4	40.5	10.2	17	13.6	77.4	120.4	98.9	77.4	120.4	98.9
Meander Width Ratio	*	*	*	3	5	4	0.8	1	0.9	0.4	0.8	0.6	3	5	4	3	5	4
Profile																		
Riffle Length (ft)	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Riffle Slope (ft)	*	*	*	*	*	*	*	*	0.15	0.006	0.049	0.0279	0.016	0.021	0.018	0.016	0.021	0.018
Pool Length (ft)	*	*	*	*	*	*	*	*	11.5	*	*	4.1	*	*	16.4	*	*	16.4
Pool-to-Pool Spacing (ft)	*	*	*	*	*	*	*	*	26	17.6	24.1	20.8	25.8	51.6	38.7	25.8	51.6	38.7
Substrate																		
d50 (mm)	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
d84 (mm)	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Additional Reach Parameters																		
Valley Length (ft)	*			*			*	*	*	*	*	*	*	*	*	*	*	*
Channel Length (ft)	*			*			*	*	716	*	*	*	*	*	872	*	*	872
Sinuosity	*			*			*	*	1.04	*	*	1.05	*	*	1.18	*	*	1.18
Water Surface Slope (ft/ft)	*			*			*	*	0.013	*	*	0.0156	*	*	0.01	*	*	0.01
BF Slope (ft/ft)	*			*			*	*	*	*	*	*	*	*	*	*	*	0.012
Rosgen Classification	*			C/E			E4			C4			C5			C5		
*Habitat Index	*			*			*			*			*			*		
*Macrobenthos	*			*			*			*			*			*		
*Macrobenthos	*			*			*			*			*			*		

*Historical documents necessary to provide this information were unavailable at the time of the report submission

Note: As-Built data comes from the As-Built drawings and Mitigation Plan.

Table 7. Baseline Morphology and Hydraulic Summary
Rockwell Pastures Site/Project Number D-000624
Reach UT4 UPPER

Parameter	USGS Gage Data			Regional Curve Interval			Pre-Existing Condition			Project Reference Stream			Design			As-Built		
				Min	Max	Med	Min	Max	Med	Min	Max	Med	Min	Max	Med	Min	Max	Med
Dimension																		
BF Width (ft)	*	*	*	*	*	4.5	*	*	7.3	*	*	7.3	*	*	7.4	*	*	7.4
BF Cross Sectional Area (ft ²)	*	*	*	*	*	4.7	*	*	4.2	*	*	4.2	*	*	4.2	*	*	4.2
BF Mean Depth (ft)	*	*	*	*	*	0.7	*	*	0.6	*	*	0.6	*	*	0.6	*	*	0.6
BF Max Depth (ft)	*	*	*	*	*	*	*	*	1.1	*	*	1.1	*	*	0.9	*	*	0.9
Width/Depth Ratio	*	*	*	*	*	6.2	*	*	12.6	*	*	12.6	*	*	12.9	*	*	12.9
Entrenchment Ratio	*	*	*	*	*	*	*	*	2.7	*	*	2.7	*	*	5	*	*	5
Wetted Perimeter (ft)	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Hydraulic Radius (ft)	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Pattern																		
Channel Beltwidth (ft)	*	*	*	*	*	*	3.2	5.7	4.4	3.2	5.7	4.4	22.2	37	29.6	22.2	37	29.6
Radius of Curvature (ft)	*	*	*	*	*	*	5.3	12.6	9	5.3	12.6	9	18.5	22.2	20.4	18.5	22.2	20.4
Meander Wavelength (ft)	*	*	*	*	*	*	10.2	17	13.6	10.2	17	13.6	66.6	103.6	85.1	66.6	103.6	85.1
Meander Width Ratio	*	*	*	3	5	4	0.4	0.8	0.6	0.4	0.8	0.6	3	5	4	3	5	4
Profile																		
Riffle Length (ft)	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Riffle Slope (ft)	*	*	*	*	*	*	0.006	0.049	0.0279	0.006	0.049	0.0279	0.028	0.037	0.032	0.028	0.037	0.032
Pool Length (ft)	*	*	*	*	*	*	*	*	4.1	*	*	4.1	*	*	14	*	*	14
Pool-to-Pool Spacing (ft)	*	*	*	*	*	*	17.6	24.1	20.8	17.6	24.1	20.8	22.2	44.4	33.3	22.2	44.4	33.3
Substrate																		
d50 (mm)	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
d84 (mm)	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Additional Reach Parameters																		
Valley Length (ft)	*			*			*	*	*	*	*	*	*	*	*	*	*	*
Channel Length (ft)	*			*			*	*	*	*	*	*	*	*	1506	*	*	1506
Sinuosity	*			*			*	*	1.05	*	*	1.05	1.02	1.15	1.06	1.02	1.15	1.06
Water Surface Slope (ft/ft)	*			*			*	*	0.0156	*	*	0.0156	*	*	0.019	*	*	0.019
BF Slope (ft/ft)	*			*			*	*	*	*	*	*	*	*	*	*	*	*
Rosgen Classification	*			C/E			C4			C4			C4			C4		
*Habitat Index	*			*			*			*			*			*		
*Macrobenthos	*			*			*			*			*			*		
*Macrobenthos	*			*			*			*			*			*		

*Historical documents necessary to provide this information were unavailable at the time of the report submission

Note: As-Built data comes from the As-Built drawings and Mitigation Plan.

Table 7. Baseline Morphology and Hydraulic Summary
Rockwell Pastures Site/Project Number D-000624
Reach UT4 MIDDLE

Parameter	USGS Gage Data			Regional Curve Interval			Pre-Existing Condition			Project Reference Stream			Design			As-Built		
				Min	Max	Med	Min	Max	Med	Min	Max	Med	Min	Max	Med	Min	Max	Med
Dimension																		
BF Width (ft)	*	*	*	*	*	6.9	*	*	*	*	*	7.3	*	*	10.7	*	*	10.7
BF Cross Sectional Area (ft ²)	*	*	*	*	*	9.1	*	*	*	*	*	4.2	*	*	9.1	*	*	9.1
BF Mean Depth (ft)	*	*	*	*	*	1	*	*	*	*	*	0.6	*	*	0.9	*	*	0.9
BF Max Depth (ft)	*	*	*	*	*	*	*	*	*	*	*	1.1	*	*	1.4	*	*	1.4
Width/Depth Ratio	*	*	*	*	*	6.9	*	*	*	*	*	12.6	*	*	12.6	*	*	12.6
Entrenchment Ratio	*	*	*	*	*	*	*	*	*	*	*	2.7	*	*	9.1	*	*	9.1
Wetted Perimeter (ft)	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Hydraulic Radius (ft)	*	*	*	*	*	*	*	*	0.33	*	*	*	*	*	*	*	*	*
Pattern																		
Channel Beltwidth (ft)	*	*	*	*	*	*	*	*	*	3.2	5.7	4.4	32.1	53.5	42.8	32.1	53.5	42.8
Radius of Curvature (ft)	*	*	*	*	*	*	*	*	*	5.3	12.6	9	26.8	32.1	29.4	26.8	32.1	29.4
Meander Wavelength (ft)	*	*	*	*	*	*	*	*	*	10.2	17	13.6	96.3	149.8	123.1	96.3	149.8	123.1
Meander Width Ratio	*	*	*	3	5	4	*	*	*	0.4	0.8	0.6	3	5	4	3	5	4
Profile																		
Riffle Length (ft)	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Riffle Slope (ft)	*	*	*	*	*	*	*	*	*	0.006	0.049	0.0279	0.022	0.029	0.025	0.022	0.029	0.025
Pool Length (ft)	*	*	*	*	*	*	*	*	*	*	*	4.1	*	*	21.2	*	*	21.2
Pool-to-Pool Spacing (ft)	*	*	*	*	*	*	*	*	*	17.6	24.1	20.8	32.1	64.2	48.2	32.1	64.2	48.2
Substrate																		
d50 (mm)	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
d84 (mm)	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Additional Reach Parameters																		
Valley Length (ft)	*			*			*	*	*	*	*	*	*	*	*	*	*	*
Channel Length (ft)	*			*			*	*	2100	*	*	*	*	*	2131	*	*	2131
Sinuosity	*			*			*	*	1.03	*	*	1.05	1	1.12	1.04	1	1.12	1.04
Water Surface Slope (ft/ft)	*			*			*	*	0.015	*	*	0.0156	*	*	0.014	*	*	0.014
BF Slope (ft/ft)	*			*			*	*	*	*	*	*	*	*	*	*	*	*
Rosgen Classification	*			C/E			F4			C4			C4			C4		
*Habitat Index	*			*			*			*			*			*		
*Macrobenthos	*			*			*			*			*			*		
*Macrobenthos	*			*			*			*			*			*		

*Historical documents necessary to provide this information were unavailable at the time of the report submission

Note: As-Built data comes from the As-Built drawings and Mitigation Plan.

Table 7. Baseline Morphology and Hydraulic Summary
Rockwell Pastures Site/Project Number D-000624
Reach UT4 LOWER

Parameter	USGS Gage Data			Regional Curve Interval			Pre-Existing Condition			Project Reference Stream			Design			As-Built		
				Min	Max	Med	Min	Max	Med	Min	Max	Med	Min	Max	Med	Min	Max	Med
Dimension																		
BF Width (ft)	*	*	*	*	*	8.2	*	*	7.4	*	*	7.3	*	*	12	*	*	12
BF Cross Sectional Area (ft ²)	*	*	*	*	*	11.9	*	*	9.9	*	*	4.2	*	*	11.3	*	*	11.3
BF Mean Depth (ft)	*	*	*	*	*	1.1	*	*	1.3	*	*	0.6	*	*	0.9	*	*	0.9
BF Max Depth (ft)	*	*	*	*	*	*	*	*	1.7	*	*	1.1	*	*	1.5	*	*	1.5
Width/Depth Ratio	*	*	*	*	*	7.2	*	*	5.5	*	*	12.6	*	*	12.8	*	*	12.8
Entrenchment Ratio	*	*	*	*	*	*	*	*	10.7	*	*	2.7	*	*	13.6	*	*	13.6
Wetted Perimeter (ft)	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Hydraulic Radius (ft)	*	*	*	*	*	*	*	*	1.11	*	*	*	*	*	*	*	*	*
Pattern																		
Channel Beltwidth (ft)	*	*	*	*	*	*	*	*	*	3.2	5.7	4.4	36	60	48	36	60	48
Radius of Curvature (ft)	*	*	*	*	*	*	*	*	*	5.3	12.6	9	30	36	33	30	36	33
Meander Wavelength (ft)	*	*	*	*	*	*	*	*	*	10.2	17	13.6	108	168	138	108	168	138
Meander Width Ratio	*	*	*	3	5	4	*	*	*	0.4	0.8	0.6	3	5	4	3	5	4
Profile																		
Riffle Length (ft)	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Riffle Slope (ft)	*	*	*	*	*	*	*	*	*	0.006	0.049	0.0279	0.018	0.025	0.021	0.018	0.025	0.021
Pool Length (ft)	*	*	*	*	*	*	*	*	6.5	*	*	4.1	*	*	22.9	*	*	22.9
Pool-to-Pool Spacing (ft)	*	*	*	*	*	*	*	*	*	17.6	24.1	20.8	36	72	54	36	72	54
Substrate																		
d50 (mm)	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
d84 (mm)	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*
Additional Reach Parameters																		
Valley Length (ft)	*			*			*	*	*	*	*	*	*	*	*	*	*	*
Channel Length (ft)	*			*			*	*	1135	*	*	*	*	*	1306	*	*	1306
Sinuosity	*			*			1	1.04	1.02	*	*	1.05	1.09	1.2	1.1	1.09	1.2	1.1
Water Surface Slope (ft/ft)	*			*			*	*	0.012	*	*	0.0156	*	*	0.012	*	*	0.012
BF Slope (ft/ft)	*			*			*	*	*	*	*	*	*	*	*	*	*	*
Rosgen Classification	*			C/E			E4b			C4			C4			C4		
*Habitat Index	*			*			*			*			*			*		
*Macrobenthos	*			*			*			*			*			*		
*Macrobenthos	*			*			*			*			*			*		

*Historical documents necessary to provide this information were unavailable at the time of the report submission

Note: As-Built data comes from the As-Built drawings and Mitigation Plan.

Table 7. Baseline Morphology and Hydraulic Summary

Rockwell Pastures Site/Project Number D-000624

Reach UT5

Parameter	USGS Gage Data			Regional Curve Interval			Pre-Existing Condition			Project Reference Stream			Design			As-Built		
	Min	Max	Med	Min	Max	Med	Min	Max	Med	Min	Max	Med	Min	Max	Med	Min	Max	Med
Dimension																		
BF Width (ft)	*	*	*	*	*	3.8	*	*	5	*	*	7.3						
BF Cross Sectional Area (ft ²)	*	*	*	*	*	3.5	*	*	5	*	*	4.2						
BF Mean Depth (ft)	*	*	*	*	*	0.6	*	*	1	*	*	0.6						
BF Max Depth (ft)	*	*	*	*	*	*	*	*	1.4	*	*	1.1						
Width/Depth Ratio	*	*	*	*	*	5.9	*	*	5	*	*	12.6						
Entrenchment Ratio	*	*	*	*	*	*	*	*	3.6	*	*	2.7						
Wetted Perimeter (ft)	*	*	*	*	*	*	*	*	*	*	*	*						
Hydraulic Radius (ft)	*	*	*	*	*	*	*	*	0.82	*	*	*						
Pattern																		
Channel Beltwidth (ft)	*	*	*	*	*	*	*	*	*	3.2	5.7	4.4						
Radius of Curvature (ft)	*	*	*	*	*	*	*	*	*	5.3	12.6	9						
Meander Wavelength (ft)	*	*	*	*	*	*	*	*	*	10.2	17	13.6						
Meander Width Ratio	*	*	*	3	5	4	*	*	*	0.4	0.8	0.6						
Profile																		
Riffle Length (ft)	*	*	*	*	*	*	*	*	*	*	*	*						
Riffle Slope (ft)	*	*	*	*	*	*	*	*	*	0.006	0.049	0.0279						
Pool Length (ft)	*	*	*	*	*	*	*	*	*	*	*	4.1						
Pool-to-Pool Spacing (ft)	*	*	*	*	*	*	*	*	*	17.6	24.1	20.8						
Substrate																		
d50 (mm)	*	*	*	*	*	*	*	*	*	*	*	*						
d84 (mm)	*	*	*	*	*	*	*	*	*	*	*	*						
Additional Reach Parameters																		
Valley Length (ft)	*			*			*	*	*	*	*	*						
Channel Length (ft)	*				*		*	*	1075	*	*	*						
Sinuosity	*				*		*	*	1	*	*	1.05						
Water Surface Slope (ft/ft)	*				*		*	*	0.019	*	*	0.0156						
BF Slope (ft/ft)	*				*		*	*	*	*	*	*						
Rosgen Classification	*			C/E			E6			C4								
*Habitat Index	*			*			*			*								
*Macrofauna	*			*			*			*								
*Macrobenthos	*			*			*			*								

*Historical documents necessary to provide this information were unavailable at the time of the report submission

Table 7. Baseline Morphology and Hydraulic Summary

Rockwell Pastures Site/Project Number D-000624

Reach UT6

Parameter	USGS Gage Data			Regional Curve Interval			Pre-Existing Condition			Project Reference Stream			Design			As-Built		
	Min	Max	Med	Min	Max	Med	Min	Max	Med	Min	Max	Med	Min	Max	Med	Min	Max	Med
Dimension																		
BF Width (ft)	*	*	*	*	*	2.2	*	*	2.5	*	*	7.3						
BF Cross Sectional Area (ft ²)	*	*	*	*	*	1.5	*	*	0.9	*	*	4.2						
BF Mean Depth (ft)	*	*	*	*	*	0.4	*	*	0.4	*	*	0.6						
BF Max Depth (ft)	*	*	*	*	*	*	*	*	0.6	*	*	1.1						
Width/Depth Ratio	*	*	*	*	*	5.2	*	*	6.6	*	*	12.6						
Entrenchment Ratio	*	*	*	*	*	*	*	*	2.6	*	*	2.7						
Wetted Perimeter (ft)	*	*	*	*	*	*	*	*	*	*	*	*						
Hydraulic Radius (ft)	*	*	*	*	*	*	*	*	0.34	*	*	*						
Pattern																		
Channel Beltwidth (ft)	*	*	*	*	*	*	*	*	*	3.2	5.7	4.4						
Radius of Curvature (ft)	*	*	*	*	*	*	*	*	*	5.3	12.6	9						
Meander Wavelength (ft)	*	*	*	*	*	*	*	*	*	10.2	17	13.6						
Meander Width Ratio	*	*	*	3	5	4	*	*	*	0.4	0.8	0.6						
Profile																		
Riffle Length (ft)	*	*	*	*	*	*	*	*	*	*	*	*						
Riffle Slope (ft)	*	*	*	*	*	*	*	*	*	0.006	0.049	0.0279						
Pool Length (ft)	*	*	*	*	*	*	*	*	*	*	*	4.1						
Pool-to-Pool Spacing (ft)	*	*	*	*	*	*	*	*	*	17.6	24.1	20.8						
Substrate																		
d50 (mm)	*	*	*	*	*	*	*	*	*	*	*	*						
d84 (mm)	*	*	*	*	*	*	*	*	*	*	*	*						
Additional Reach Parameters																		
Valley Length (ft)	*			*			*	*	*	*	*	*						
Channel Length (ft)	*			*			*	*	1174	*	*	*						
Sinuosity	*			*			*	*	1	*	*	1.05						
Water Surface Slope (ft/ft)	*			*			*	*	0.016	*	*	0.0156						
BF Slope (ft/ft)	*			*			*	*	*	*	*	*						
Rosgen Classification	*			C/E			E4/E5			C4								
*Habitat Index	*			*			*			*								
*Macrofauna	*			*			*			*								
*Macrobenthos	*			*			*			*								

*Historical documents necessary to provide this information were unavailable at the time of the report submission

Table 7. Baseline Morphology and Hydraulic Summary
Rockwell Pastures Site/Project Number D-000624
Reach UT7

Parameter	USGS Gage Data			Regional Curve Interval			Pre-Existing Condition			Project Reference Stream			Design			As-Built			
				Min	Max	Med	Min	Max	Med	Min	Max	Med	Min	Max	Med	Min	Max	Med	
Dimension																			
BF Width (ft)	*	*	*	*	*	3.3	*	*	2.8	*	*	7.3	*	*	6	*	*	6	
BF Cross Sectional Area (ft ²)	*	*	*	*	*	2.8	*	*	1	*	*	4.2	*	*	2.8	*	*	2.8	
BF Mean Depth (ft)	*	*	*	*	*	0.6	*	*	0.4	*	*	0.6	*	*	0.5	*	*	0.5	
BF Max Depth (ft)	*	*	*	*	*	*	*	*	*	0.7	*	*	1.1	*	*	0.8	*	*	0.8
Width/Depth Ratio	*	*	*	*	*	5.7	*	*	8	*	*	12.6	*	*	12.8	*	*	12.8	
Entrenchment Ratio	*	*	*	*	*	*	*	*	2	*	*	2.7	*	*	7.5	*	*	7.5	
Wetted Perimeter (ft)	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
Hydraulic Radius (ft)	*	*	*	*	*	*	*	*	0.29	*	*	*	*	*	*	*	*	*	
Pattern																			
Channel Beltwidth (ft)	*	*	*	*	*	*	*	*	*	3.2	5.7	4.4	18	30	24	18	30	24	
Radius of Curvature (ft)	*	*	*	*	*	*	*	*	*	5.3	12.6	9	15	18	16.5	15	18	16.5	
Meander Wavelength (ft)	*	*	*	*	*	*	*	*	*	10.2	17	13.6	54	84	69	54	84	69	
Meander Width Ratio	*	*	*	3	5	4	*	*	*	0.4	0.8	0.6	3	5	4	3	5	4	
Profile																			
Riffle Length (ft)	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
Riffle Slope (ft)	*	*	*	*	*	*	*	*	*	0.006	0.049	0.0279	0.015	0.02	0.017	0.015	0.02	0.017	
Pool Length (ft)	*	*	*	*	*	*	*	*	*	2.9	*	4.1	*	*	11.5	*	*	11.5	
Pool-to-Pool Spacing (ft)	*	*	*	*	*	*	*	*	*	17.6	24.1	20.8	18	36	27	18	36	27	
Substrate																			
d50 (mm)	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
d84 (mm)	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
Additional Reach Parameters																			
Valley Length (ft)	*			*			*	*	*	*	*	*	*	*	*	*	*	*	
Channel Length (ft)	*			*			*	*	1333	*	*	*	*	*	709	*	*	709	
Sinuosity	*			*			*	*	1	*	*	1.05	1.07	1.15	1.13	1.07	1.15	1.13	
Water Surface Slope (ft/ft)	*			*			*	*	0.018	*	*	0.0156	*	*	0.01	*	*	0.01	
BF Slope (ft/ft)	*			*			*	*	*	*	*	*	*	*	*	*	*	0.011	
Rosgen Classification	*			C/E			B			C4			C			C			
*Habitat Index	*			*			*			*			*			*			
*Macrobenthos	*			*			*			*			*			*			
*Macrobenthos	*			*			*			*			*			*			

*Historical documents necessary to provide this information were unavailable at the time of the report submission

Note: As-Built data comes from the As-Built drawings and Mitigation Plan.

Table 7. Baseline Morphology and Hydraulic Summary
Rockwell Pastures Site/Project Number D-000624
Reach UT8

Parameter	USGS Gage Data			Regional Curve Interval			Pre-Existing Condition			Project Reference Stream			Design			As-Built		
	Min	Max	Med	Min	Max	Med	Min	Max	Med	Min	Max	Med	Min	Max	Med	Min	Max	Med
Dimension																		
BF Width (ft)	*	*	*	*	*	*	**	**	**	*	*	7.3	**	**	**	**	**	**
BF Cross Sectional Area (ft ²)	*	*	*	*	*	*	**	**	**	*	*	4.2	**	**	**	**	**	**
BF Mean Depth (ft)	*	*	*	*	*	*	**	**	**	*	*	0.6	**	**	**	**	**	**
BF Max Depth (ft)	*	*	*	*	*	*	**	**	**	*	*	1.1	**	**	**	**	**	**
Width/Depth Ratio	*	*	*	*	*	*	**	**	**	*	*	12.6	**	**	**	**	**	**
Entrenchment Ratio	*	*	*	*	*	*	**	**	**	*	*	2.7	**	**	**	**	**	**
Wetted Perimeter (ft)	*	*	*	*	*	*	**	**	**	*	*	*	**	**	**	**	**	**
Hydraulic Radius (ft)	*	*	*	*	*	*	**	**	**	*	*	*	**	**	**	**	**	**
Pattern																		
Channel Beltwidth (ft)	*	*	*	*	*	*	**	**	**	3.2	5.7	4.4	**	**	**	**	**	**
Radius of Curvature (ft)	*	*	*	*	*	*	**	**	**	5.3	12.6	9	**	**	**	**	**	**
Meander Wavelength (ft)	*	*	*	*	*	*	**	**	**	10.2	17	13.6	**	**	**	**	**	**
Meander Width Ratio	*	*	*	*	*	*	**	**	**	0.4	0.8	0.6	**	**	**	**	**	**
Profile																		
Riffle Length (ft)	*	*	*	*	*	*	**	**	**	*	*	*	**	**	**	**	**	**
Riffle Slope (ft)	*	*	*	*	*	*	**	**	**	0.006	0.049	0.0279	**	**	**	**	**	**
Pool Length (ft)	*	*	*	*	*	*	**	**	**	*	*	4.1	**	**	**	**	**	**
Pool-to-Pool Spacing (ft)	*	*	*	*	*	*	**	**	**	17.6	24.1	20.8	**	**	**	**	**	**
Substrate																		
d50 (mm)	*	*	*	*	*	*	**	**	**	*	*	*	**	**	**	**	**	**
d84 (mm)	*	*	*	*	*	*	**	**	**	*	*	*	**	**	**	**	**	**
Additional Reach Parameters																		
Valley Length (ft)	*			*			**	**	**	*	*	*	**	**	**	**	**	**
Channel Length (ft)	*			*			**	**	**	*	*	*	**	**	83	**	**	83
Sinuosity	*			*			**	**	**	*	*	1.05	**	**	**	**	**	**
Water Surface Slope (ft/ft)	*			*			**	**	**	*	*	0.0156	**	**	0.036	**	**	0.036
BF Slope (ft/ft)	*			*			**	**	**	*	*	*	**	**	**	**	**	**
Rosgen Classification	*			C/E			**			C4			**			**		
*Habitat Index	*			*			**			*			**			**		
*Macrobenthos	*			*			**			*			**			**		
*Macrobenthos	*			*			**			*			**			**		

*Historical documents necessary to provide this information were unavailable at the time of the report submission

**UT8, UT9, and UT10 data documents needed to complete Table VII. were unavailable at the time of the report submission.

Note: As-Built data comes from the As-Built drawings and Mitigation Plan.

Table 7. Baseline Morphology and Hydraulic Summary
Rockwell Pastures Site/Project Number D-000624
Reach UT9

Parameter	USGS Gage Data			Regional Curve Interval			Pre-Existing Condition			Project Reference Stream			Design			As-Built		
	Min	Max	Med	Min	Max	Med	Min	Max	Med	Min	Max	Med	Min	Max	Med	Min	Max	Med
Dimension																		
BF Width (ft)	*	*	*	*	*	*	**	**	**	*	*	7.3	**	**	**	**	**	**
BF Cross Sectional Area (ft ²)	*	*	*	*	*	*	**	**	**	*	*	4.2	**	**	**	**	**	**
BF Mean Depth (ft)	*	*	*	*	*	*	**	**	**	*	*	0.6	**	**	**	**	**	**
BF Max Depth (ft)	*	*	*	*	*	*	**	**	**	*	*	1.1	**	**	**	**	**	**
Width/Depth Ratio	*	*	*	*	*	*	**	**	**	*	*	12.6	**	**	**	**	**	**
Entrenchment Ratio	*	*	*	*	*	*	**	**	**	*	*	2.7	**	**	**	**	**	**
Wetted Perimeter (ft)	*	*	*	*	*	*	**	**	**	*	*	*	**	**	**	**	**	**
Hydraulic Radius (ft)	*	*	*	*	*	*	**	**	**	*	*	*	**	**	**	**	**	**
Pattern																		
Channel Beltwidth (ft)	*	*	*	*	*	*	**	**	**	3.2	5.7	4.4	**	**	**	**	**	**
Radius of Curvature (ft)	*	*	*	*	*	*	**	**	**	5.3	12.6	9	**	**	**	**	**	**
Meander Wavelength (ft)	*	*	*	*	*	*	**	**	**	10.2	17	13.6	**	**	**	**	**	**
Meander Width Ratio	*	*	*	*	*	*	**	**	**	0.4	0.8	0.6	**	**	**	**	**	**
Profile																		
Riffle Length (ft)	*	*	*	*	*	*	**	**	**	*	*	*	**	**	**	**	**	**
Riffle Slope (ft)	*	*	*	*	*	*	**	**	**	0.006	0.049	0.0279	**	**	**	**	**	**
Pool Length (ft)	*	*	*	*	*	*	**	**	**	*	*	4.1	**	**	**	**	**	**
Pool-to-Pool Spacing (ft)	*	*	*	*	*	*	**	**	**	17.6	24.1	20.8	**	**	**	**	**	**
Substrate																		
d50 (mm)	*	*	*	*	*	*	**	**	**	*	*	*	**	**	**	**	**	**
d84 (mm)	*	*	*	*	*	*	**	**	**	*	*	*	**	**	**	**	**	**
Additional Reach Parameters																		
Valley Length (ft)	*			*			**	**	**	*	*	*	**	**	**	**	**	**
Channel Length (ft)	*			*			**	**	**	*	*	*	**	**	152	**	**	152
Sinuosity	*			*			**	**	**	*	*	1.05	**	**	**	**	**	**
Water Surface Slope (ft/ft)	*			*			**	**	**	*	*	0.0156	**	**	0.01	**	**	0.01
BF Slope (ft/ft)	*			*			**	**	**	*	*	*	**	**	**	**	**	**
Rosgen Classification	*			C/E			**			C4			**					
*Habitat Index	*			*			**			*			**					
*Macrobenthos	*			*			**			*			**					
*Macorbenthos	*			*			**			*			**					

*Historical documents necessary to provide this information were unavailable at the time of the report submission

**UT8, UT9, and UT10 data documents needed to complete Table VII. were unavailable at the time of the report submission.

Note: As-Built data comes from the As-Built drawings and Mitigation Plan.

Table 7. Baseline Morphology and Hydraulic Summary
Rockwell Pastures Site/Project Number D-000624
Reach UT10

Parameter	USGS Gage Data			Regional Curve Interval			Pre-Existing Condition			Project Reference Stream			Design			As-Built		
	Min	Max	Med	Min	Max	Med	Min	Max	Med	Min	Max	Med	Min	Max	Med	Min	Max	Med
Dimension																		
BF Width (ft)	*	*	*	*	*	*	**	**	**	*	*	7.3	**	**	**	**	**	**
BF Cross Sectional Area (ft ²)	*	*	*	*	*	*	**	**	**	*	*	4.2	**	**	**	**	**	**
BF Mean Depth (ft)	*	*	*	*	*	*	**	**	**	*	*	0.6	**	**	**	**	**	**
BF Max Depth (ft)	*	*	*	*	*	*	**	**	**	*	*	1.1	**	**	**	**	**	**
Width/Depth Ratio	*	*	*	*	*	*	**	**	**	*	*	12.6	**	**	**	**	**	**
Entrenchment Ratio	*	*	*	*	*	*	**	**	**	*	*	2.7	**	**	**	**	**	**
Wetted Perimeter (ft)	*	*	*	*	*	*	**	**	**	*	*	*	**	**	**	**	**	**
Hydraulic Radius (ft)	*	*	*	*	*	*	**	**	**	*	*	*	**	**	**	**	**	**
Pattern																		
Channel Beltwidth (ft)	*	*	*	*	*	*	**	**	**	3.2	5.7	4.4	**	**	**	**	**	**
Radius of Curvature (ft)	*	*	*	*	*	*	**	**	**	5.3	12.6	9	**	**	**	**	**	**
Meander Wavelength (ft)	*	*	*	*	*	*	**	**	**	10.2	17	13.6	**	**	**	**	**	**
Meander Width Ratio	*	*	*	*	*	*	**	**	**	0.4	0.8	0.6	**	**	**	**	**	**
Profile																		
Riffle Length (ft)	*	*	*	*	*	*	**	**	**	*	*	*	**	**	**	**	**	**
Riffle Slope (ft)	*	*	*	*	*	*	**	**	**	0.006	0.049	0.0279	**	**	**	**	**	**
Pool Length (ft)	*	*	*	*	*	*	**	**	**	*	*	4.1	**	**	**	**	**	**
Pool-to-Pool Spacing (ft)	*	*	*	*	*	*	**	**	**	17.6	24.1	20.8	**	**	**	**	**	**
Substrate																		
d50 (mm)	*	*	*	*	*	*	**	**	**	*	*	*	**	**	**	**	**	**
d84 (mm)	*	*	*	*	*	*	**	**	**	*	*	*	**	**	**	**	**	**
Additional Reach Parameters																		
Valley Length (ft)	*			*			**	**	**	*	*	*	**	**	**	**	**	**
Channel Length (ft)	*			*			**	**	**	*	*	*	**	**	103	**	**	103
Sinuosity	*			*			**	**	**	*	*	1.05	**	**	**	**	**	**
Water Surface Slope (ft/ft)	*			*			**	**	**	*	*	0.0156	**	**	0.005	**	**	0.005
BF Slope (ft/ft)	*			*			**	**	**	*	*	*	**	**	**	**	**	**
Rosgen Classification	*			C/E			**			C4			**			**		
*Habitat Index	*			*			**			*			**			**		
*Macrobenthos	*			*			**			*			**			**		
*Macorbenthos	*			*			**			*			**			**		

*Historical documents necessary to provide this information were unavailable at the time of the report submission

**UT8, UT9, and UT10 data documents needed to complete Table VII. were unavailable at the time of the report submission.

Note: As-Built data comes from the As-Built drawings and Mitigation Plan.

Table 8. Morphology and Hydraulic Monitoring Summary

Parameter	Cross-Section 1						Cross-Section 2						Cross-Section 3						Cross-Section 4						Cross-Section 5						Cross-Section 6					
	106+33 Riffle						106+78 Pool						120+45 Riffle						121+02 Pool						130+05 Riffle						130+64 Pool					
Dimension																																				
BF Width (ft)	4.4	3.1	4.2	3.4	3.9	3.0	9.1	6.9	5.8	5.9	7.3	7.1	5.4	5.8	4.5	4.6	4.7	3.6	7.9	6.8	6.3	6.1	9.4	9.6	7.0	7.1	9.7	7.6	6.3	5.5	22.0	17.3	16.8	20.3	16.4	19.9
Floodprone Width (ft)	10.9	7.1	10.2	8.3	8.2	9.3	19.2	16.1	12.2	14.3	14.2	15.2	36.8	37.0	39.9	39.5	42.4	43.9	64.8	56.1	62.4	50.1	54.9	56.9	63.8	83.9	84.6	84.5	84.5	83.8	80.2	79.9	80.3	80.1	80.0	80.0
BF Cross Sectional Area (ft ²)	1.8	1.1	1.9	1.3	1.7	1.3	7.6	5.5	3.7	4.5	4.7	4.9	1.5	1.4	1.3	1.4	1.5	1.4	8.6	8.2	8.8	8.0	6.0	6.3	2.6	3.3	4.2	3.6	2.6	2.8	10.5	8.9	9.0	10.3	8.4	9.5
BF Mean Depth (ft)	0.4	0.3	0.5	0.4	0.4	0.4	0.8	0.8	0.6	0.8	0.6	0.7	0.3	0.2	0.3	0.3	0.3	0.4	0.7	0.7	0.6	0.6	0.6	0.7	0.4	0.5	0.4	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
BF Max Depth (ft)	0.8	0.6	0.8	0.7	0.7	0.9	1.6	1.4	1.1	1.1	1.1	1.2	0.5	0.6	0.6	0.6	0.6	0.6	1.8	1.6	1.7	1.5	1.5	1.5	0.8	1.2	1.3	1.2	1.2	2.1	1.6	1.6	1.5	1.5	1.6	
Width/Depth Ratio	10.5	8.8	9.1	8.5	9.0	7.0	10.9	8.6	9.1	7.6	11.3	10.1	20.3	23.2	15.9	15.3	14.8	9.4	19.8	15.5	25.6	18.6	14.9	14.6	19.2	15.1	22.3	15.6	14.9	10.9	46.3	33.4	31.5	39.7	31.9	41.4
Entrenchment Ratio	2.9	2.3	2.4	3.0	2.1	3.1	2.1	2.3	2.1	2.4	2.0	2.2	6.8	6.4	8.8	8.5	9.1	12.3	5.0	5.0	4.2	4.7	5.8	5.9	9.1	11.8	8.7	11.1	13.5	15.1	3.6	4.6	4.8	3.9	4.9	4.0
Wetted Perimeter (ft)	4.9	3.4	4.6	3.7	4.3	3.7	9.9	7.4	6.3	6.2	7.7	7.5	5.6	6.0	4.7	5.1	4.9	4.0	14.1	12.5	16.2	11.7	10.4	10.7	7.3	7.6	10.3	8.8	6.9	6.7	23.0	18.3	17.4	21.0	17.2	20.8
Hydraulic Radius (ft)	0.4	0.3	0.4	0.4	0.4	0.3	0.8	0.7	0.6	0.7	0.6	0.7	0.3	0.2	0.3	0.3	0.3	0.3	0.6	0.7	0.5	0.5	0.6	0.4	0.4	0.4	0.4	0.4	0.4	0.5	0.5	0.5	0.5	0.5		
Substrate																																				
d50 (mm)	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
d84 (mm)	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*		
Reach UT1-Upper																																				
Parameter	MY-00 (2009) As-Built						MY-01 (2009)						MY-02 (2010)						MY-03 (2011)						MY-04 (2012)						MY-05 (2013)					
Pattern																																				
Channel Beltwidth (ft)	12.6	31.5	22.1				13.0	34.0	25.0				13.5	34.4	24.6				13.5	34.4	24.6				13.5	34.4	24.6				13.5	34.4	24.6			
Radius of Curvature (ft)	15.8	18.9	17.3				8.7	21.5	12.3				3.5	34.8	14.4				3.5	34.8	14.4				3.5	34.8	14.4				3.5	34.8	14.4			
Meander Wavelength (ft)	56.7	88.2	72.5				51.1	73.8	62.7				52.2	79.6	64.7				52.2	79.6	64.7				52.2	79.6	64.7				52.2	79.6	64.7			
Meander Width Ratio	2.0	5.0	3.5				2.0	3.0	2.5				1.9	4.9	3.5				1.9	4.9	3.5				1.9	4.9	3.5				1.9	4.9	3.5			
Profile																																				
Riffle Length (ft)	*	*	*				8.0	32.0	20.2				8.1	33.1	20.3				6.0	39.4	18.3				7.6	30.5	18.6				4.0	31.4	15.8			
Riffle Slope (ft)	0.024	0.032	0.028				0.006	0.050	0.023				0.010	0.053	0.035				0.007	0.052	0.031				0.008	0.054	0.032				0.000	0.078	0.026			
Pool Length (ft)	*	*	*				9.9	21.5</td																												

Table 8. Morphology and Hydraulic Monitoring Summary
Rockwell Pastures Site/Project Number D-000624

Reach UT1-Lower		MY-00 (2009) As-Built			MY-01 (2009)			MY-02 (2010)			MY-03 (2011)			MY-04 (2012)			MY-05 (2013)			
Parameter		Min	Max	Med		Min	Max	Med		Min	Max	Med		Min	Max	Med		Min	Max	Med
Pattern																				
Channel Beltwidth (ft)	47.4	79.0	63.2		32.0	62.0	48.0		36.0	61.0	47.4		36.0	61.0	47.4		36.0	61.0	47.4	
Radius of Curvature (ft)	39.5	47.4	43.5		18.8	45.9	29.9		18.5	49.7	30.2		18.5	49.7	30.2		18.5	49.7	30.2	
Meander Wavelength (ft)	142.2	221.2	181.7		122.4	147.9	134.2		112.9	145.4	133.6		112.9	145.4	133.6		112.9	145.4	133.6	
Meander Width Ratio	3.0	5.0	4.0						2.4	4.1	3.2		2.4	4.1	3.2		2.4	4.1	3.2	
Profile																				
Riffle Length (ft)	*	*	*		*	*	*		31.3	55.1	42.4		18.1	50.4	33.9		7.0	48.9	28.9	
Riffle Slope (ft)	0.012	0.016	0.014		0.012	0.016	0.014		0.006	0.045	0.025		0.015	0.063	0.032		0.017	0.052	0.035	
Pool Length (ft)	*	*	*		*	*	*		20.1	41.7	31.6		24.4	54.6	37.6		26.8	69.3	47.5	
Pool-to-Pool Spacing (ft)	47.4	94.8	71.1		47.4	94.8	71.1		57.9	85.9	73.1		41.1	89.7	69.5		52.3	98.7	77.6	
Additional Reach Parameters																				
Valley Length (ft)		*				995.5			995			968.4			969.6			1050.5		
Channel Length (ft)		*				1106.8			1092			1091.2			1115			1235		
Sinuosity		1.09				1.11			1.09			1.10			1.10			1.20		
Water Surface Slope (ft/ft)		0.0078				0.0079			NA			NA			0.0072			0.0088		
BF Slope (ft/ft)		0.0085				0.0084			0.0070			0.0082			0.0710			0.0088		
Rosgen Classification		C4				C4			C4			C4			C4			C4		
*Habitat Index																				
*Macrobenthos																				

*Historical documents necessary to provide this information were unavailable at the time of the report submission

**Typically a flood prone width and entrenchment ratio are not calculated for a pool cross section.

Table 8. Morphology and Hydraulic Monitoring Summary
Rockwell Pastures Site/Project Number D-000624

Parameter	Cross-Section 7						Cross-Section 8						Cross-Section 9						Cross-Section 10						Cross-Section 11						Cross-Section 12													
	143+32 Riffle						143+73 Pool						152+52 Riffle						153+01 Pool						163+83 Riffle						164+28 Pool													
Dimension																																												
BF Width (ft)	14.9	18	14.8	16.1	17.7	16.1	23.5	30.5	23.8	22.0	24.9	23.4	15.3	14.9	14.8	15.2	17.2	15.0	20.2	19.9	21.7	22.4	20.4	23.3	16.9	17.3	17.4	17.1	16.8	15.4	20.7	22.2	25.1	27.9	25.1	25.9								
Floodprone Width (ft)	56.1	56.1	56.2	55.8	56.5	56.2	58.5	58.6	58.7	58.8	58.4	59.2	57.8	57.8	57.9	58.0	57.6	57.8	57.6	57.7	57.7	57.7	57.7	57.4	58.7	58.4	58.6	56.7	57.6	58.1	61.8	61.9	61.8	61.0	62.0	61.7								
BF Cross Sectional Area (ft ²)	15.2	15.9	14.7	15.7	15.4	14.9	31.3	35.6	33.1	28.6	26.1	33.8	14.3	17.7	19.7	21.8	20.2	20.6	26.5	26.4	27.3	23.6	21.1	23.6	20.8	20.8	21.1	21.8	19.8	16.5	27.2	26.7	28.6	28.9	25.6	26.6								
BF Mean Depth (ft)	1.0	0.9	1.0	1.0	0.9	0.9	1.3	1.2	1.4	1.3	1.0	1.4	0.9	1.2	1.3	1.3	1.2	1.4	1.3	1.3	1.3	1.1	1.0	1.0	1.2	1.2	1.2	1.3	1.2	1.1	1.3	1.2	1.1	1.0	1.0	1.0								
BF Max Depth (ft)	1.6	1.7	1.8	1.8	1.8	1.7	3.3	3.0	3.3	3.1	3.1	3.2	1.5	2.1	2.4	2.6	2.4	2.6	3.0	3.1	3.2	2.8	2.8	3.0	2.0	2.2	2.1	2.1	2.1	2.0	3.2	2.8	2.8	2.9	2.7	2.7								
Width/Depth Ratio	14.7	20.3	15.0	16.6	20.4	17.3	17.7	26.2	17.1	23.5	23.7	16.2	16.4	12.5	11.1	13.3	14.7	11.0	15.4	14.9	17.2	21.2	19.6	23.1	13.8	14.3	14.3	13.5	14.3	14.4	15.7	18.5	22.1	27.0	24.6	25.3								
Entrenchment Ratio	3.8	3.1	3.8	3.5	3.2	3.5	2.5	1.9	2.5	2.7	2.3	2.5	3.8	3.9	3.9	3.8	3.3	3.8	2.8	2.9	2.7	2.6	2.8	2.5	3.5	3.4	3.4	3.3	3.4	3.8	3.0	2.8	2.5	2.2	2.5	2.4								
Wetted Perimeter (ft)	15.4	18.5	15.4	16.9	18.5	16.7	24.7	31.8	25.0	23.5	27.6	24.8	15.7	15.9	16.1	18.2	18.4	16.6	21.4	21.3	23.5	24.3	21.9	25.1	17.5	18.1	18.0	17.9	17.5	16.1	21.9	23.5	26.1	29.0	26.4	27.3								
Hydraulic Radius (ft)	1.0	0.9	1.0	0.9	0.8	0.9	1.3	1.1	1.3	1.2	0.9	1.4	0.9	1.1	1.2	1.2	1.1	1.2	1.2	1.2	1.2	1.0	1.0	0.9	1.2	1.1	1.2	1.1	1.0	1.2	1.1	1.1	1.0	1.0	1.0									
Substrate																																												
d50 (mm)	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*			
d84 (mm)	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*			
Reach UT3																																												
Parameter	MY-00 (2009) As-Built						MY-01 (2009)						MY-02 (2010)						MY-03 (2011)						MY-04 (2012)						MY-05 (2013)													
Pattern																																												
Channel Beltwidth (ft)	25.8	43.0	34.4				24.5	33.0	30.0				27.2	33.5	30.4				26.3	33.3	30.3				26.3	33.3	30.3				26.3	33.3	30.3											
Radius of Curvature (ft)	21.5	25.8	23.7				12.7	18.1	14.9				12.0	19.4	15.5				12.4	18.7	15.8				12.4	18.7	15.8				12.4	18.7	15.8											
Meander Wavelength (ft)	77.4	120.4	98.9				68.8	78.3	72.4				70.0	78.9	72.7				70.2	78.4	72.5				70.2	78.4	72.5				70.2	78.4	72.5											
Meander Width Ratio	3.0	5.0	4.0				2.3	2.6	2.4				3.0	3.6	3.3				3.3	4.2	3.8				3.3	4.2	3.8				3.3	4.2	3.8											
Profile																																												
Riffle Length (ft)	*	*	*				17.8	30.0	23.6				13.0	36.3	22.1				17.2	25.8	20.8																							

Table 8. Morphology and Hydraulic Monitoring Summary
Rockwell Pastures Site/Project Number D-000624

Parameter	Cross-Section 13						Cross-Section 14						Cross-Section 15						Cross-Section 16						Cross-Section 17						Cross-Section 18									
	404+41 Riffle						405+00 Pool						414+43 Pool						414+65 Riffle						428+98 Riffle						429+80 Pool									
Dimension																																								
BF Width (ft)	7.2	5.4	5.7	6.7	6.7	5.2	11.2	9.6	9.1	9.3	11.2	8.6	8.3	9.0	7.3	7.0	8.5	6.5	9.9	9.9	9.9	10.7	13.5	10.1	9.6	10.1	9.7	9.4	9.8	11.9	20.4	19.7	22.6	19.1	22.5	20.1				
Floodprone Width (ft)	39.8	40.0	40.1	38.5	40.1	38.8	49.0	50.0	48.3	48.7	48.3	47.1	45.1	45.2	45.1	39.1	45.0	45.4	51.4	51.4	51.4	51.6	51.8	51.7	57.8	60.5	64.3	61.0	61.0	62.8	61.0	59.0	52.0	52.9	60.9	54.8				
BF Cross Sectional Area (ft ²)	2.7	2.7	2.7	2.8	2.4	2.1	10.4	14.0	8.1	10.2	9.8	8.2	8.4	7.3	6.9	6.4	6.9	5.9	7.8	7.8	7.9	7.8	7.1	6.2	8.4	7.5	9.0	7.1	8.3	7.6	17.9	17.5	16.6	15.6	15.2	14.7				
BF Mean Depth (ft)	0.4	0.5	0.5	0.4	0.4	0.4	0.9	0.8	0.9	0.9	0.9	1.0	1.0	0.8	0.9	0.9	0.8	0.9	0.6	0.6	0.6	0.7	0.5	0.6	0.6	0.7	0.7	0.8	0.8	0.6	0.9	0.9	0.7	0.8	0.7	0.7				
BF Max Depth (ft)	0.9	0.9	0.9	0.9	0.8	0.9	2.2	2.3	2.1	2.0	2.0	1.9	1.8	1.6	1.4	1.3	1.2	1.3	1.4	1.5	1.5	1.5	1.3	1.3	1.5	1.8	1.9	1.7	1.8	2.3	2.1	1.9	1.8	1.7	1.8					
Width/Depth Ratio	19.3	10.8	12.1	15.9	18.9	12.7	12.0	21.2	9.5	13.3	12.8	9.0	8.1	11.1	7.7	7.6	10.5	7.2	21.6	24.5	25.2	17.1	25.7	16.4	20.7	13.6	16.5	12.5	11.6	18.7	23.3	22.1	30.8	23.5	33.4	27.5				
Entrenchment Ratio	5.5	7.4	7.1	5.7	6.0	7.4	4.4	2.9	5.5	4.2	4.3	5.5	5.5	5.0	6.2	5.6	5.3	7.0	4.0	3.7	3.7	4.4	3.8	5.1	4.4	6.0	5.3	6.5	6.2	5.3	3.0	3.0	2.3	2.8	2.7	2.7				
Wetted Perimeter (ft)	7.6	5.8	6.0	7.1	6.9	5.7	12.6	18.5	10.2	12.8	12.3	9.8	9.7	10.3	8.0	8.3	9.1	7.4	13.3	14.4	14.6	12.6	13.9	10.6	13.7	11.1	13.1	10.6	11.3	12.9	21.5	20.4	23.3	19.6	23.1	21.1				
Hydraulic Radius (ft)	0.4	0.5	0.4	0.4	0.3	0.4	0.8	0.8	0.8	0.8	0.8	0.9	0.7	0.9	0.8	0.8	0.6	0.5	0.5	0.6	0.6	0.7	0.7	0.7	0.6	0.8	0.9	0.7	0.8	0.7	0.7	0.7	0.7	0.7	0.7	0.7				
Substrate																																								
d50 (mm)	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*				
d84 (mm)	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*				
Reach UT4																																								
Parameter	MY-00 (2009) As-Built						MY-01 (2009)						MY-02 (2010)						MY-03 (2011)						MY-04 (2012)						MY-05 (2013)									
Pattern																																								
Channel Beltwidth (ft)	36.0	60.0	48.0				37.0	52.0	40.0			43.2	54.0	47.0			43.2	54.0	47.0			43.2	54.0	47.0			43.2	54.0	47.0			43.2	54.0	47.0						
Radius of Curvature (ft)	30.0	36.0	33.0				13.8	40.7	23.2			17.8	53.9	28.5			17.8	53.9	28.5			17.8	53.9	28.5			17.8	53.9	28.5			17.8	53.9	28.5						
Meander Wavelength (ft)	108.0	168.0	138.0				101.3	125.3	114.1			98.3	173.9	115.4			98.3	173.9	115.4			98.3	173.9	115.4			98.3	173.9	115.4			98.3	173.9	115.4						
Meander Width Ratio	3.0	5.0	4.0				2.5	3.1	2.9			3.5	4.4	3.9			3.5	4.4	3.9			3.5	4.4	3.9			3.5	4.4	3.9			3.5	4.4	3.9						
Profile																																								
Riffle Length (ft)	*	*	*				26.6	55.7	39.7			17.3	57.3	33.6			27.4	63.5	27.0			14.3	51.3	27.7			6.7	46.1	21.5											
Riffle Slope (ft)	0.018	0.025	0.0																																					

Table 8. Morphology and Hydraulic Monitoring Summary
Rockwell Pastures Site/Project Number D-000624

Parameter	Cross-Section 19						Cross-Section 20						Cross-Section 21						Cross-Section 22						Cross-Section 23						Cross-Section 24					
	437+73 Riffle						438+12 Pool						711+05 Riffle						711+48 Pool						300+94 Riffle						301+12 Pool					
Dimension																																				
BF Width (ft)	13.6	14	13.1	13.5	13.7	13.4	7.9	7.5	6.7	6.9	15.7	13.1	7.2	6.3	6.7	7.0	7.1	7.7	10.9	8.0	9.2	7.9	9.2	9.0	9.4	9.4	9.2	9.3	8.4	8.9	10.5	9.8	10.6	11.2	10.6	12.6
Floodprone Width (ft)	59.4	59.3	59.5	58.9	59.5	59.7	62.2	62.3	57.5	54.5	55.2	56.1	74.0	74.0	74.2	73.8	73.9	74.2	61.5	61.4	61.8	61.5	61.5	61.4	43.8	43.5	44.0	43.7	43.6	42.9	43.3	41.0	40.1	38.9	36.7	38.4
BF Cross Sectional Area (ft ²)	13.3	13.4	11.3	12.6	10.4	9.3	22.4	22.7	12.9	12.2	11.9	10.2	2.8	2.6	2.7	3.3	2.7	2.7	5.8	5.6	7.3	6.6	6.6	6.8	6.7	6.4	6.3	5.0	5.4	6.3	11.5	9.7	12.6	8.4	8.2	10.7
BF Mean Depth (ft)	1.0	1.0	0.9	0.7	0.8	0.7	0.8	0.8	0.8	0.5	0.8	0.8	0.4	0.4	0.4	0.4	0.4	0.4	0.5	0.7	0.6	0.7	0.7	0.8	0.7	0.7	0.7	0.6	0.7	0.7	0.9	0.7	0.7	0.8	0.9	
BF Max Depth (ft)	1.7	1.7	1.5	1.6	1.4	1.4	2.5	2.6	1.8	1.6	1.5	1.6	0.7	0.7	0.7	0.8	0.8	0.8	1.7	1.7	1.8	1.7	1.6	1.7	1.2	1.3	1.3	1.1	1.2	1.1	2.7	2.1	2.0	1.6	1.5	1.6
Width/Depth Ratio	13.8	14.6	15.2	14.9	18.1	19.4	37.7	37	22.7	43	20.6	16.8	18.5	14.8	16.6	16.2	18.6	21.8	20.6	11.0	21.9	14.2	13.0	12.0	13.2	13.9	13.4	13.6	12.8	12.4	14.4	21.2	27.1	14.8	13.8	14.8
Entrenchment Ratio	4.4	4.2	4.5	4.4	4.3	4.4	2.1	2.1	3.4	7.9	3.5	4.3	10.2	11.9	11.0	10.5	10.4	9.7	5.6	7.8	4.9	6.3	6.6	6.8	4.6	4.6	4.8	4.7	4.1	4.8	3.4	2.9	2.2	3.5	3.4	3.1
Wetted Perimeter (ft)	14.1	14.5	13.5	14.0	14.1	15.8	30.2	30.1	18.1	24.7	16.6	15.8	7.5	6.4	6.9	7.5	7.3	8.1	12.0	9.2	13.8	12.1	10.3	11.7	9.8	10.1	9.6	9.7	8.9	9.3	14.5	15.6	19.8	12.1	11.5	13.9
Hydraulic Radius (ft)	0.9	0.9	0.8	0.7	0.7	0.6	0.7	0.8	0.7	0.5	0.7	0.6	0.4	0.4	0.4	0.4	0.4	0.3	0.5	0.6	0.5	0.5	0.6	0.7	0.6	0.7	0.7	0.6	0.7	0.8	0.6	0.6	0.7	0.7	0.8	
Substrate																																				
d50 (mm)	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
d84 (mm)	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	
Reach UT7																																				
Parameter	MY-00 (2009) As-Built						MY-01 (2009)						MY-02 (2010)						MY-03 (2011)						MY-04 (2012)						MY-05 (2013)					
Pattern																																				
Channel Beltwidth (ft)	18.0	30.0	24.0				16.0	27.0	22.0				19.5	24.0	21.3				19.5	24.0	21.3				19.5	24.0	21.3				19.5	24.0	21.3			
Radius of Curvature (ft)	15.0	18.0	16.5				7.5	21.4	13.1				9.3	21.1	13.5				9.3	21.1	13.5				9.3	21.1	13.5				9.3	21.1	13.5			
Meander Wavelength (ft)	54.0	84.0	69.0				43.4	53.7	50.6				44.9	72.7	53.3				44.9	72.7	53.3				44.9	72.7	53.3				44.9	72.7	53.3			
Meander Width Ratio	2.3	3.5	2.9				2.0	2.4	2.3				2.9	3.6	3.2				2.9	3.6	3.2				2.9	3.6	3.2				2.9	3.6	3.2			
Profile																																				
Riffle Length (ft)	*	*	*				13.2	28.4	18.0				5.9	23.5	14.0				3.3	14.4	9.8				3.6	35.5	11.0				2.7	21.1	13.0			
Riffle Slope (ft)	0.015	0.020	0.017				0.030	0.061	0.049				0.011	0.045	0.024				0.024	0.058	0.032				0.020	0.063	0.034				0.018	0.				

C. WETLAND ASSESSMENT

The non-riparian wetland restoration consists of 1.7 acres of non-riparian wetlands. The plan targets the restoration of a non-riparian low elevation seep. Based on the location of the restoration site, the main source of hydrology is from seepage and overland flow. The wetland restoration area at this site was designed to be a combination of Piedmont/mountain bottomland forest, Piedmont/mountain levee forest, and Piedmont/low mountain alluvial forest communities.

As stated in the Restoration Plan, the hydrology success criterion for the site is to restore wetland hydrology at the site so that the water table will remain within 12 inches of the soil surface for at least seven percent of the growing season continuously (approximately 16 days). The growing season is from March 27 to November 5. Based on a daily minimum temperature greater than 28 degrees Fahrenheit occurring in five of ten years, the growing season for Stanly County is 222 days long. On-site gauge data will be compared to gauge data from a reference wetland in growing seasons with less than normal rainfall. In periods of low rainfall, if a restoration gauge hydroperiod exceeds the reference gauge hydroperiods, and both exceed five percent of the growing season, then the gauge will be deemed successful.

Two automated HOBO groundwater gauges, one tipping bucket rain gauge, and one funnel rain gauge were installed prior to the beginning of the first growing season. Two additional automated groundwater gauges were installed in a reference wetland. Groundwater gauges are installed to a minimum depth of 40 inches below the ground surface. The monitoring protocol for the site specifies that automated monitoring stations will be downloaded and checked for malfunctions on a quarterly basis. During quarterly site visits, manual groundwater gauges are read, crest gauge readings are taken, and cumulative rainfall totals are collected from the on-site rain gauges.

Both automated HOBO groundwater gauges have met the success criteria for the 2013 growing season (**Table 9**). AW1 and AW2 met the seven percent hydrology success criteria by recording hydroperiods of 82 and 41 percent of the growing season, respectfully. Precipitation data for Albemarle, North Carolina and the on-site rain gauge are provided in the groundwater gauge data tables in **Appendix C**. Albemarle precipitation data was provided by the State Climate Office.

Table 9. Wetland Criteria Attainment Rockwell Pastures Site/Project Number D-000624						
Tract	Gauge ID	Gauge Hydrology Threshold Met?	Tract Mean	Vegetation Plot ID	Vegetation Survival Threshold Met?	Tract Mean
1	AW1	Yes	100%	27	Yes	100%
	AW2	Yes				

IV. METHODOLOGY

A. VEGETATION METHODOLOGY

The following methodology was used for stem count and vegetation monitoring. Twenty-seven vegetation plots were marked out to measure ten meters by ten meters or five meters by twenty meters (100 square meters), depending on the buffer width. All planted stems in the plots are marked with flagging tape and a PVC marker pole. Photo documentation of each plot was recorded. All vegetation plot data and inventories were conducted per the 2006 CVS-EEP Level II Protocol for Recording Vegetation (EEP 2006).

B. STREAM METHODOLOGY

The stream monitoring activities included longitudinal survey, cross-sectional surveys, detailed stream walk analysis, problem area identification, hydrology monitoring and photo documentation.

Longitudinal Profile

A longitudinal profile will be measured annually throughout the five-year monitoring period. The profile will be measured along a representative length of restored channel. Measurements will include thalweg, water surface, bankfull, and top of low bank. Each of these measurements will be taken at the head of each feature, for example, shallow, pool, and the max pool depth. The survey will be tied to a permanent benchmark.

Cross Sections

Two permanent cross sections will be installed per 1,000 linear feet of stream restoration work, with one located at a riffle and one located at a pool. Each cross section will be marked on both banks with permanent pins to establish the exact transect used. A common benchmark will be used for cross sections to facilitate easy comparison of year-to-year data. The annual cross-section survey will include points measured at all breaks in slope, including top of bank, bankfull, inner berm, edge of water, and thalweg, if the features are present. Riffle cross sections will be classified using the Rosgen stream classification system.

Hydrology

The occurrence of bankfull events within the monitoring period will be documented by the use of manual crest gauges, auto-logging crest gauges, and photographs. The three crest gauges will record the highest watermark between site visits, and the gauges will be checked quarterly to document high flows. Digital images will be used to document the occurrence of debris lines and sediment deposition on the floodplain during monitoring site visits.

Photo Reference Stations

Photographs will be used to subjectively evaluate channel aggradation or degradation, bank erosion, success of riparian vegetation and effectiveness of erosion control measures.

C. WETLAND METHODOLOGY

Two automated HOBO groundwater gauges, one tipping bucket rain gauge, and one funnel rain gauge were installed prior to the beginning of the first growing season. Two additional automated groundwater gauges were installed in a reference wetland. Groundwater gauges are installed to a minimum depth of 40 inches below the ground surface. The monitoring protocol for the site specifies that automated monitoring stations will be downloaded and checked for malfunctions on a quarterly basis. During quarterly site visits, manual groundwater gauges are read, crest gauge readings are taken, and cumulative rainfall totals are collected from the on-site rain gauges.

Automated Gauges

HOBO automatic groundwater gauges record water table elevations four times daily at 06:00, 12:00, 18:00, and 24:00. These automatic gauges employ pressure sensors that record water elevation above the bottom of the sensor (with atmospheric pressure compensation). The calibration water table depth is recorded at quarterly downloads. To determine wetland

hydroperiods, the automatically recorded data are compared to the calibration data to determine a standard correction factor between the calibration gauge and the automatic gauge for each location. The standard correction factor is applied to correct daily readings. The corrected daily readings are used to determine wetland hydroperiods.

Data Interpretation

Wetland hydroperiods are calculated for four daily water table depth elevations. A hydroperiod is calculated if the water table is equal to or less than 12 inches below ground surface for at least 24 hours. If a gauge falls below -12 inches for four consecutive readings (24 hours) then the hydroperiod ends at the last reading within 12 inches of the ground surface. If a gauge falls below -12 inches for only three readings then maintains a reading above -12 inches for a minimum of 24 hours, the hydroperiod is calculated continuously. This methodology accounts for minor technical malfunctions experienced by the automatic gauges.

V. RECOMMENDATIONS AND CONCLUSIONS

The Rockwell Pastures Site remained stable through Monitoring Year 5. All stream problem areas recorded in Year 4 have been resolved. All structures and banks appeared to be stable and in good condition. The Rockwell Pastures Site has met the stream stability success criteria as specified in the Restoration Plan.

High planted-stem densities were found for all the vegetation plots at the Rockwell Pastures Site. Stem densities were well above the final success criteria of 260 stems per acre at the end of Monitoring Year 5. The average stem density (excluding live stakes) across all vegetation plots was 559 stems per acre. Few volunteer tree species were noted during Monitoring Year 5. Invasive Chinese privet was observed along portions of UT 4 and UT 7; however, these problem areas do not inhibit the site from achieving the vegetation success criteria. The Rockwell Pastures Site has met the final vegetative success criteria as specified in the Restoration Plan. No remedial actions are recommended.

Both automated HOBO groundwater gauges met the success criteria for the 2013 growing season. AW1 and AW2 met the seven percent hydrology success criteria with 82 and 41 percent of the growing season displaying jurisdictional wetland hydrology (saturation within 12 inches of the soil surface), respectively. The Rockwell Pastures Site has met the final wetland success criteria as specified in the Restoration Plan.

Table 10. Rockwell Pastures Vegetation Monitoring Summary 2009 to 2013

Plot	Stems/Acre					
	As-Built	2009	2010	2011	2012	2013
	Year 1	Year 2	Year 3	Year 4	Year 5	
1	648	567	526	567	445	445
2	769	769	567	567	567	364
3	850	850	728	728	607	607
4	769	769	688	607	526	567
5	648	607	647	647	486	405
6	688	688	647	607	607	607
7	648	607	607	607	607	607
8	445	445	364	405	364	405
9	648	688	688	688	688	647
10	648	607	647	445	486	405
11	769	688	647	647	647	647
12	728	728	728	688	647	647
13	728	728	688	769	526	526
14	728	728	688	688	688	688
15	728	688	688	647	607	647
16	526	486	445	364	405	405
17	688	647	607	607	567	567
18	809	809	647	647	607	607
19	526	486	445	445	405	405
20	648	607	567	567	567	486
21	688	688	688	688	688	688
22	607	526	486	486	486	445
23	648	607	647	647	647	647
24	648	607	607	567	526	526
25	688	688	688	647	688	647
26	809	769	809	809	809	809
27	769	769	728	647	647	647
Average	685	661	627	609	575	559

Table 11. Rockwell Pastures Hydrology Monitoring Summary 2009 to 2013

Max Hydroperiod (Growing Season March 27 - November 5, 222 days)					
Success Criterion: 7 percent = 15 Consecutive Days					
Gauge	Max Consecutive Hydroperiod (percent of growing season)				
	2009	2010	2011	2012	2013
AW1	12	9	15	7	82
AW2	14	14	10	9	41
Reference Gauges					
RAW1	5	13	11	0	0
RAW2	2	5	8	7	10

Table 12. Rockwell Pastures Crest Gauge Monitoring Summary 2009 to 2013

		Number of Bankfull Events	Maximum Height Above Bankfull (feet)
2009	CG1	9	1.75
	CG2	10	
	CG3	7	
2010	CG1	8	2.34
	CG2	7	
	CG3	9	
2011	CG1	14	1.6
	CG2	7	
	CG3	8	
2012	CG1	13	0.85
	CG2	2	
	CG3	1	
2013	CG1	26	1.57
	CG2	9	
	CG3	1	

References:

- Lee, Michael T., Peet, Robert K., Roberts, Steven D., Wentworth, Thomas R. (2006). CVS-EEP Protocol for Recording Vegetation Version 4.0. Retrieved October 30, 2006, from:
<http://www.nceep.net/business/monitoring/veg/datasheets.htm>
- North Carolina Ecosystem Enhancement Program. November 2006. *Content, Format and Data Requirements for EEP Monitoring Reports*
- Radford, A.E., H.E. Ahles and F.R. Bell. 1968. *Manual of the Vascular Flora of the Carolinas*. The University of North Carolina Press, Chapel Hill, North Carolina.

APPENDIX A

1. Vegetation Survey Data Tables

Table A.1 CVS Entrytool Metadata

Report Prepared By	Kelly Roth				
Date Prepared	9/27/2013 8:43				
database name	Year 5 Rockwell_cvs-eep-entrytool-v2.2.6.mdb				
database location	I:\Projects\EBX\2009000800RA\Documents\Monitoring Reports\2013\Vegetation				
computer name	WKD1728				
file size	45154304				
DESCRIPTION OF WORKSHEETS IN THIS DOCUMENT-----					
Metadata	Description of database file, the report worksheets, and a summary of project(s) and project data.				
Proj, planted	Each project is listed with its PLANTED stems per acre, for each year. This excludes live stakes.				
Proj, total stems	Each project is listed with its TOTAL stems per acre, for each year. This includes live stakes, all planted stems, and all natural/volunteer stems.				
Plots	List of plots surveyed with location and summary data (live stems, dead stems, missing, etc.).				
Vigor	Frequency distribution of vigor classes for stems for all plots.				
Vigor by Spp	Frequency distribution of vigor classes listed by species.				
Damage	List of most frequent damage classes with number of occurrences and percent of total stems impacted by each.				
Damage by Spp	Damage values tallied by type for each species.				
Damage by Plot	Damage values tallied by type for each plot.				
Planted Stems by Plot and Spp	A matrix of the count of PLANTED living stems of each species for each plot; dead and missing stems are excluded.				
PROJECT SUMMARY-----					
Project Code	624				
project Name	Rockwell Pasture				
Description	Project is full delivery site provided to EEP by EBX. Site consist of stream restoration and wetland restoration in Stanly County				
River Basin	Cape Fear				
length(ft)					
stream-to-edge width (ft)					
area (sq m)					
Required Plots (calculated)					
Sampled Plots	0				

Table A.2 Vigor by Species – Rockwell Pastures (Year 5 Monitoring)

Species	4	3	2	1	0	Missing	Unknown
<i>Asimina triloba</i>			4			1	
<i>Betula nigra</i>	1	21	9			2	
<i>Carya ovata</i>			7			8	
<i>Cephalanthus occidentalis</i>		3	5				
<i>Cornus amomum</i>			1				
<i>Cornus florida</i>	1	6	14	3		4	
<i>Diospyros virginiana</i>	3	7	6			3	
<i>Fraxinus pennsylvanica</i>		5	61	3		3	
<i>Nyssa sylvatica</i>			1			1	
<i>Quercus falcata</i>	1	18	52			5	
<i>Quercus nigra</i>		4	19	1		6	
<i>Quercus palustris</i>		2	2				
<i>Quercus phellos</i>	1	31	38			5	
<i>Sambucus canadensis</i>		2	3			2	
<i>Quercus</i>			1				
<i>Platanus occidentalis</i>	9	15	13				
TOT:	16	16	114	236	7		40

Table A.3 Damage by Plot – Rockwell Pastures (Year 5 Monitoring)

Damage	Count	Percent Of Stems
(no damage)	404	97.8
Insects	3	0.7
Mowing	2	0.5
Unknown	1	0.2
Deer	1	0.2
Cut	1	0.2
(other damage)	1	0.2

Table A.4 Damage by Species - Rockwell Pastures (Year 5 Monitoring)

Species	All Damage Categories (no damage)	Cut	Deer	Insects	Mowing	Unknown	(other damage)
<i>Asimina triloba</i>	5	5					
<i>Betula nigra</i>	33	33					
<i>Carya ovata</i>	15	15					
<i>Cephalanthus occidentalis</i>	8	8					
<i>Cornus amomum</i>	1		1				
<i>Cornus florida</i>	28	28					
<i>Diospyros virginiana</i>	19	18				1	
<i>Fraxinus pennsylvanica</i>	72	70	1	1			
<i>Nyssa sylvatica</i>	2	2					
<i>Platanus occidentalis</i>	37	36		1			
<i>Quercus</i>	1	1					
<i>Quercus falcata</i>	76	74		1	1		
<i>Quercus nigra</i>	30	29			1		
<i>Quercus palustris</i>	4	4					
<i>Quercus phellos</i>	75	74				1	
<i>Sambucus canadensis</i>	7	7					
TOT: 16	413	404	1	1	3	2	1

Table A.5 Stem Count by Plot and Species – Rockwell Pastures (Year 5 Monitoring)

Species	Total Planted Stems	# plots	avg# stems	Year 5																												
				Plot 000624-01-0001-year:5	Plot 000624-01-0002-year:5	Plot 000624-01-0003-year:5	Plot 000624-01-0004-year:5	Plot 000624-01-0005-year:5	Plot 000624-01-0006-year:5	Plot 000624-01-0007-year:5	Plot 000624-01-0008-year:5	Plot 000624-01-0009-year:5	Plot 000624-01-0010-year:5	Plot 000624-01-0011-year:5	Plot 000624-01-0012-year:5	Plot 000624-01-0013-year:5	Plot 000624-01-0014-year:5	Plot 000624-01-0015-year:5	Plot 000624-01-0016-year:5	Plot 000624-01-0017-year:5	Plot 000624-01-0018-year:5	Plot 000624-01-0019-year:5	Plot 000624-01-0020-year:5	Plot 000624-01-0021-year:5	Plot 000624-01-0022-year:5	Plot 000624-01-0023-year:5	Plot 000624-01-0024-year:5	Plot 000624-01-0025-year:5	Plot 000624-01-0026-year:5	Plot 000624-01-0027-year:5		
Asimina triloba	4	2	2																													
Betula nigra	31	13	2.38	2	2	4	2	4	1	1	2	1	1	1	1	2	2	2	2	2	2	3	3	5								
Carya ovata	7	5	1.4		2	1	1		1													2										
Cephalanthus occidentalis	8	4	2	2																									2			
Cornus amomum	1	1	1																													
Cornus florida	24	10	2.4	3					2	2	4	2	2								1	3	4	1								
Diospyros virginiana	16	8	2			4	1				4									2	1	2	1	1								
Fraxinus pennsylvanica	69	19	3.63	2	1	2	6	3	3	6	1	7		3	3	1	1	7	1	3	5	10	4									
Nyssa sylvatica	1	1	1																1													
Platanus occidentalis	37	12	3.08	2	2	1		4	1					3	5					1	2		4	6	6							
Quercus	1	1	1																	1												
Quercus falcata	71	20	3.55	2	2	1	2	3	2	2	5	2	3	7	7			6	4	8	5	3	2	4	1							
Quercus nigra	24	11	2.18	1			2	1	3	4	2	3		1						5	1		1									
Quercus palustris	4	4	1	1															1			1		1								
Quercus phellos	70	21	3.33	1	7	2	1	2		3	1	4	1	1	11	3	1	4	1		7	3	4	1	7	5						
Sambucus canadensis	5	4	1.25	1		1																1		2								
16	373	16		11	9	15	14	10	15	15	10	16	10	16	16	13	17	16	10	14	15	10	12	17	11	16	13	20	16			
Stems per Acre				445	364	607	567	405	607	607	405	647	405	647	647	647	526	688	647	405	567	607	405	486	688	445	647	526	647	809	647	
																																559

Table A.6. Vegetation Problem Areas Summary

Rockwell Pastures Site/Project No. D-000624			
Feature Issue	Location	Suspected Cause	Photo Number
Presence of invasive species	UT 4 and UT 7	Chinese privet (<i>Ligustrum sinense</i>) present, but not common, on UT 4 and common on UT 7	VPA 1 and VPA 2

APPENDIX A

2. Vegetation Problem Area Photos



VPA1. Invasive species present, but not common, along UT4.



VPA2. Invasive species present and common along UT7.

APPENDIX A

3. Vegetation Monitoring Plot Photos



Vegetation Plot # 1



Vegetation Plot # 2



Vegetation Plot # 3



Vegetation Plot # 4



Vegetation Plot # 5



Vegetation Plot # 6



Vegetation Plot # 7



Vegetation Plot # 8



Vegetation Plot # 9



Vegetation Plot # 10



Vegetation Plot # 11



Vegetation Plot # 12



Vegetation Plot # 13



Vegetation Plot # 14



Vegetation Plot # 15



Vegetation Plot # 16



Vegetation Plot # 17



Vegetation Plot # 18



Vegetation Plot # 19



Vegetation Plot # 20



Vegetation Plot # 21



Vegetation Plot # 22



Vegetation Plot # 23



Vegetation Plot # 24



Vegetation Plot # 25



Vegetation Plot # 26



Vegetation Plot # 27

APPENDIX B

1. Current Conditions Plan View

Figure B-1a.
Rockwell Pastures Site
Current Conditions Map
Reach: UT 1
Stanly County, NC





Figure B-1b.
Rockwell Pastures Site
Current Conditions Map
Reach: UT 1
Stanly County, NC



- Legend**
- ★ Well & CG Locations
 - Cross-Sections
 - Restored Streams
 - ▨ Veg Plots
 - Restored Wetland
 - Easement Boundary



- Structure Conditions**
- Stable and Functional
 - Stable and Not Functional
 - Unstable and Functional
 - Unstable and Not Functional

Riparian Buffer Conditions

Invasive Species	Target Community		
	Present	Marginal	Absent
Absent	No Fill		
Present			
Common			





Figure B-1c.
Rockwell Pastures Site
Current Conditions Map
Reach: UT 1
Stanly County, NC



- Legend**
- Well & CG Locations
 - Cross-Sections
 - Restored Streams
 - Easement Boundary
 - Restored Wetland
 - Veg Plots
- Stream Structures**
- Wing Deflector
 - RockCross Vane With Valley Blocks
 - Constructed Riffle
 - Rock Cross Vane
 - Log Cross Vane
 - Rock A Vane
 - Boulder Sill
- Structure Conditions**
- Stable and Functional
 - Stable and Not Functional
 - Unstable and Functional
 - Unstable and Not Functional

Invasive Species	Riparian Buffer Conditions		
	Target Community		
Absent	Present	Marginal	Absent
Present			
Common			

Figure B-1d.
Rockwell Pastures Site
Current Conditions Map
Reach: UT 1 / UT 10
Stanly County, NC







Figure B-1e.
Rockwell Pastures Site
Current Conditions Map
Reach: UT 1
Stanly County, NC



- Legend**
- Well & CG Locations
 - Cross-Sections
 - Restored Streams
 - Easement Boundary
 - Restored Wetland
 - Veg Plots

- Stream Structures**
- Wing Deflector
 - RockCross Vane With Valley Blocks
 - Constructed Riffle
 - Rock Cross Vane
 - Log Cross Vane
 - Rock A Vane
 - Boulder Sill

- Structure Conditions**
- Stable and Functional
 - Stable and Not Functional
 - Unstable and Functional
 - Unstable and Not Functional

Invasive Species	Riparian Buffer Conditions		
	Target Community		
Absent	Present	Marginal	Absent
Present			
Common			

Figure B-1f.
Rockwell Pastures Site
Current Conditions Map
Reach: UT 1 / UT 2
Stanly County, NC






Figure B-1g.
Rockwell Pastures Site
Current Conditions Map
Reach: UT 3
Stanly County, NC




- Legend**
- Well & CG Locations
 - Restored Streams
 - Cross-Sections
 - Easement Boundary
 - Restored Wetland
 - Veg Plots
- Stream Structures**
- Wing Deflector
 - RockCross Vane With Valley Blocks
 - Constructed Riffle
 - Rock Cross Vane
 - Log Cross Vane
 - Rock A Vane
 - Boulder Sill
- Structure Conditions**
- Stable and Functional
 - Stable and Not Functional
 - Unstable and Functional
 - Unstable and Not Functional

Invasive Species	Riparian Buffer Conditions		
	Target Community		
Absent	Present	Marginal	Absent
Present			
Common			

Figure B-1h.
Rockwell Pastures Site
Current Conditions Map
Reach: UT 4
Stanly County, NC



- Legend**
- ★ Well & CG Locations
 - Cross-Sections
 - Restored Streams
 - Easement Boundary
 - Veg Plots
 - Restored Wetland



- Structure Conditions**
- Stable and Functional
 - Stable and Not Functional
 - Unstable and Functional
 - Unstable and Not Functional

Riparian Buffer Conditions

	Target Community		
	Present	Marginal	Absent
Absent	No Fill		
Present			
Common			

Invasive Species





Figure B-1i.
Rockwell Pastures Site
Current Conditions Map
Reach: UT 4
Stanly County, NC




- Legend**
- Well & CG Locations
 - Cross-Sections
 - Restored Streams
 - Veg Plots
 - Restored Wetland
 - Easement Boundary

- Stream Structures**
- Wing Deflector
 - RockCross Vane With Valley Blocks
 - Constructed Riffle
 - Rock Cross Vane
 - Log Cross Vane
 - Rock A Vane
 - Boulder Sill

- Structure Conditions**
- Stable and Functional
 - Stable and Not Functional
 - Unstable and Functional
 - Unstable and Not Functional

Invasive Species	Riparian Buffer Conditions		
	Target Community		
Absent	Present	Marginal	Absent
Present			
Common			


Figure B-1j.
Rockwell Pastures Site
Current Conditions Map
Reach: UT 4
Stanly County, NC



Legend

- ★ Well & CG Locations
- Cross-Sections
- Restored Streams
- Veg Plots
- Restored Wetland
- Easement Boundary

Stream Structures



Structure Conditions

- Stable and Functional
- Stable and Not Functional
- Unstable and Functional
- Unstable and Not Functional

Riparian Buffer Conditions

	Target Community		
	Present	Marginal	Absent

Absent	No Fill	Yellow	Red
Present	Yellow	Yellow	Red
Common	Red	Red	Red




Figure B-1k.
Rockwell Pastures Site
Current Conditions Map
Reach: UT 5
Stanly County, NC



Figure B-11.
Rockwell Pastures Site
Current Conditions Map
Reach: UT 6 / UT 7
Stanly County, NC





Figure B-1m.
Rockwell Pastures Site
Current Conditions Map
Reach: UT 7 / UT 8/ UT 9
Stanly County, NC



- Legend**
- ★ Well & CG Locations
 - Cross-Sections
 - Restored Streams
 - ▨ Veg Plots
 - Restored Wetland
 - Easement Boundary




- Structure Conditions**
- Stable and Functional
 - Stable and Not Functional
 - Unstable and Functional
 - Unstable and Not Functional

Riparian Buffer Conditions

	Target Community		
	Present	Marginal	Absent
Absent	No Fill		
Present			
Common			

Invasive Species

	Present	Marginal	Absent
Absent	No Fill		
Present			
Common			



APPENDIX B

2. Stream Problem Area Table

Table B.1. Stream Problem Areas Summary
Rockwell Pastures Site/Project No. D-000624

Feature Issue	Station Numbers	Suspected Cause	Photo Number
No Stream Problem Areas			

Rockwell Pastures Stream Monitoring Year 5 - 2013 doesn't have any stream problem areas.

APPENDIX B

3. Stream Problem Area Photos

Rockwell Pastures Stream Monitoring Year 5 - 2013 doesn't have any stream problem areas; therefore no pictures are in this section.

APPENDIX B

5. Table B.2 Qualitative Visual Stability Assessment

Table B.2a. Visual Morphological Stability Assessment
Rockwell Pastures Site/Project No. D-000624
Reach UT 1 (6,916 feet)

Feature Category	Metric (per As-built and reference baselines)	(# Stable) Number Performing as Intended	Total number per As-built	Total Number / feet in unstable state ¹	% Perform in Stable Condition ²	Feature Perform. Mean or Total ³
A. Riffles	1. Present?*	112	113	NA	99%	
	2. Armor stable (e.g. no displacement)?	113	113	NA	100%	
	3. Facet grade appears stable?	112	113	NA	99%	
	4. Minimal evidence of embedding/fining?	113	113	NA	100%	
	5. Length appropriate?	113	113	NA	100%	100%
B. Pools	1. Present? (e.g. not subject to sever aggrad.or migrat?) ⁴	114	114	NA	100%	
	2. Sufficiently deep (Max Pool D:Mean Bkf>1.6?)	114	114	NA	100%	
	3. Length appropriate?	112	114	NA	98%	98%
C. Thalweg	1. Upstream of meander bend (run/inflection) centering? ⁵	57	57	NA	100%	
	2. Downstream of meander (glide/inflection) centering? ⁵	56	56	NA	100%	100%
D. Meanders	1. Outer bend in state of limited/controlled erosion?	111	113	NA	98%	
	2. Of those eroding, # w/concomitant point bar formation?	1	113	NA	1%	
	3. Apparent Rc within spec?	112	113	NA	99%	
	4. Sufficient floodplain access and relief?	113	113	NA	100%	100%
E. Bed General	1. General channel bed aggradation areas (bar formation)	2	NA	15	100%	
	2. Channel bed degradation - areas of increasing down-cutting or head cutting?	1	NA	10	100%	100%
F. Bank ⁶	1. Actively eroding, wasting or slumping bank	NA	NA	NA	100%	95%
G. Vanes	1. Free of back or arm scour?	49	49	NA	100%	
	2. Height appropriate?	49	49	NA	100%	
	3. Angle and geometry appear appropriate?	49	49	NA	100%	
	4. Free of piping or other structural failures?	49	49	NA	100%	100%
H. Wads/ Boulders	1. Free of scour?	NA	NA.	NA	100%	
	2. Footing stable?	NA	NA	NA	100%	100%

Table B.2b. Visual Morphological Stability Assessment
Rockwell Pastures Site/Project No. D-000624
Reach UT 3 (872 feet)

Feature Category	Metric (per As-built and reference baselines)	(# Stable) Number Performing as Intended	Total number per As-built	Total Number / feet in unstable state ¹	% Perform in Stable Condition ²	Feature Perform. Mean or Total ³
A. Riffles	1. Present?"	20	20	NA	100%	
	2. Armor stable (e.g. no displacement)?	20	20	NA	100%	
	3. Facet grade appears stable?	20	20	NA	100%	
	4. Minimal evidence of embedding/fining?	20	20	NA	100%	
	5. Length appropriate?	20	20	NA	100%	100%
B. Pools	1. Present? (e.g. not subject to sever aggrad.or migrat?) ⁴	20	20	NA	100%	
	2. Sufficiently deep (Max Pool D:Mean Bkf>1.6?)	20	20	NA	100%	
	3. Length appropriate?	20	20	NA	100%	100%
C. Thalweg	1. Upstream of meander bend (run/inflection) centering? ⁵	10	10	NA	100%	
	2. Downstream of meander (glide/inflection) centering? ⁵	10	10	NA	100%	100%
D. Meanders	1. Outer bend in state of limited/controlled erosion?	20	20	NA	100%	
	2. Of those eroding, # w/concomitant point bar formation?	0	20	NA	0%	
	3. Apparent Rc within spec?	20	20	NA	100%	
	4. Sufficient floodplain access and relief?	20	20	NA	100%	100%
E. Bed General	1. General channel bed aggradation areas (bar formation)	NA	NA	NA	100%	
	2. Channel bed degradation - areas of increasing down-cutting or head cutting?	NA	NA	NA	100%	100%
F. Bank ⁶	1. Actively eroding, wasting or slumping bank	NA	NA	NA	100%	100%
G. Vanes	1. Free of back or arm scour?	8	8	NA	100%	
	2. Height appropriate?	8	8	NA	100%	
	3. Angle and geometry appear appropriate?	8	8	NA	100%	
	4. Free of piping or other structural failures?	8	8	NA	100%	100%
H. Wads/ Boulders	1. Free of scour?	NA	NA.	NA	100%	
	2. Footing stable?	NA	NA	NA	100%	100%

Table B.2c. Visual Morphological Stability Assessment
Rockwell Pastures Site/Project No. D-000624
Reach UT 4 (4934 feet)

Feature Category	Metric (per As-built and reference baselines)	(# Stable) Number Performing as Intended	Total number per As-built	Total Number / feet in unstable state ¹	% Perform in Stable Condition ²	Feature Perform. Mean or Total ³
A. Riffles	1. Present? ⁴	49	49	NA	100%	
	2. Armor stable (e.g. no displacement)?	49	49	NA	100%	
	3. Facet grade appears stable?	49	49	NA	100%	
	4. Minimal evidence of embedding/fining?	49	49	NA	100%	
	5. Length appropriate?	49	49	NA	100%	100%
B. Pools	1. Present? (e.g. not subject to sever aggrad.or migrat?) ⁴	69	69	NA	100%	
	2. Sufficiently deep (Max Pool D:Mean Bkf>1.6?	69	69	NA	100%	
	3. Length appropriate?	69	69	NA	100%	100%
C. Thalweg	1. Upstream of meander bend (run/inflection) centering? ⁵	25	25	NA	100%	
	2. Downstream of meander (glide/inflection) centering? ⁵	24	24	NA	100%	100%
D. Meanders	1. Outer bend in state of limited/controlled erosion?	47	49	NA	100%	
	2. Of those eroding, # w/concomitant point bar formation?	NA	NA	NA	100%	
	3. Apparent Rc within spec?	49	49	NA	100%	
	4. Sufficient floodplain access and relief?	49	49	NA	100%	100%
E. Bed General	1. General channel bed aggradation areas (bar formation)	NA	NA	NA	100%	
	2. Channel bed degradation - areas of increasing down-cutting or head cutting?	NA	NA	NA	100%	100%
F. Bank ⁶	1. Actively eroding, wasting or slumping bank	NA	NA	NA	100%	95%
G. Vanes	1. Free of back or arm scour?	52	52	NA	100%	
	2. Height appropriate?	52	52	NA	100%	
	3. Angle and geometry appear appropriate?	52	52	NA	100%	
	4. Free of piping or other structural failures?	52	52	NA	100%	100%
H. Wads/ Boulders	1. Free of scour?	NA	NA.	NA	100%	
	2. Footing stable?	NA	NA	NA	100%	100%

Table B.2d. Visual Morphological Stability Assessment
Rockwell Pastures Site/Project No. D-000624
Reach UT 7 (1419 feet)

Feature	Metric (per As-built and reference baselines)	(# Stable)	Total	Total	%	Feature
A. Riffles	1. Present? ⁴	23	23	NA	100%	
	2. Armor stable (e.g. no displacement)?	23	23	NA	100%	
	3. Facet grade appears stable?	23	23	NA	100%	
	4. Minimal evidence of embedding/fining?	23	23	NA	100%	
	5. Length appropriate?	23	23	NA	100%	100%
B. Pools	1. Present? (e.g. not subject to sever aggrad.or migrat?) ⁴	25	25	NA	100%	
	2. Sufficiently deep (Max Pool D:Mean Bkf>1.6?)	25	25	NA	100%	
	3. Length appropriate?	25	25	NA	100%	100%
C. Thalweg	1. Upstream of meander bend (run/inflection) centering? ⁵	11	11	NA	100%	
	2. Downstream of meander (glide/inflection) centering? ⁵	12	12	NA	100%	100%
D. Meanders	1. Outer bend in state of limited/controlled erosion?	23	23	NA	100%	
	2. Of those eroding, # w/concomitant point bar formation?	NA	NA	NA	100%	
	3. Apparent Rc within spec?	23	23	NA	100%	
	4. Sufficient floodplain access and relief?	23	23	NA	100%	100%
E. Bed General	1. General channel bed aggradation areas (bar formation)	NA	NA	NA	100%	
	2. Channel bed degradation - areas of increasing down-cutting or head cutting?	NA	NA	NA	100%	100%
F. Bank ⁶	1. Actively eroding, wasting or slumping bank	NA	NA	NA	100%	100%
G. Vanes	1. Free of back or arm scour?	8	8	NA	100%	
	2. Height appropriate?	8	8	NA	100%	
	3. Angle and geometry appear appropriate?	8	8	NA	100%	
	4. Free of piping or other structural failures?	8	8	NA	100%	100%
H. Wads/ Boulders	1. Free of scour?	NA	NA.	NA	100%	
	2. Footing stable?	NA	NA	NA	100%	100%

Table B.2e. Visual Morphological Stability Assessment
Rockwell Pastures Site/Project No. D-000624
Reach UT 8 (83 feet)

Feature Category	Metric (per As-built and reference baselines)	(# Stable) Number Performing as Intended	Total number per As-built	Total Number / feet in unstable state ¹	% Perform in Stable Condition ²	Feature Perform. Mean or Total ³
A. Riffles	1. Present? ⁴	5	5	NA	100%	
	2. Armor stable (e.g. no displacement)?	5	5	NA	100%	
	3. Facet grade appears stable?	5	5	NA	100%	
	4. Minimal evidence of embedding/fining?	5	5	NA	100%	
	5. Length appropriate?	5	5	NA	100%	100%
B. Pools	1. Present? (e.g. not subject to sever aggrad.or migrat?) ⁴	4	4	NA	100%	
	2. Sufficiently deep (Max Pool D:Mean Bkf>1.6?)	4	4	NA	100%	
	3. Length appropriate?	4	4	NA	100%	100%
C. Thalweg	1. Upstream of meander bend (run/inflection) centering? ⁵	3	3	NA	100%	
	2. Downstream of meander (glide/inflection) centering? ⁵	2	2	NA	100%	100%
D. Meanders	1. Outer bend in state of limited/controlled erosion?	5	5	NA	100%	
	2. Of those eroding, # w/concomitant point bar formation?	NA	NA	NA	100%	
	3. Apparent Rc within spec?	5	5	NA	100%	
	4. Sufficient floodplain access and relief?	5	5	NA	100%	100%
E. Bed General	1. General channel bed aggradation areas (bar formation)	NA	NA	NA	100%	
	2. Channel bed degradation - areas of increasing down-cutting or head cutting?	NA	NA	NA	100%	100%
F. Bank ⁶	1. Actively eroding, wasting or slumping bank	NA	NA	NA	100%	100%
G. Vanes	1. Free of back or arm scour?	NA	NA	NA	100%	
	2. Height appropriate?	NA	NA	NA	100%	
	3. Angle and geometry appear appropriate?	NA	NA	NA	100%	
	4. Free of piping or other structural failures?	NA	NA	NA	100%	100%
H. Wads/ Boulders	1. Free of scour?	NA	NA.	NA	100%	
	2. Footing stable?	NA	NA	NA	100%	100%

Table B.2f. Visual Morphological Stability Assessment
Rockwell Pastures Site/Project No. D-000624
Reach UT 9 (152 feet)

Feature Category	Metric (per As-built and reference baselines)	(# Stable) Number Performing as Intended	Total number per As-built	Total Number / feet in unstable state ¹	% Perform in Stable Condition ²	Feature Perform. Mean or Total ³
A. Riffles	1. Present? ⁴	6	6	NA	100%	
	2. Armor stable (e.g. no displacement)?	6	6	NA	100%	
	3. Facet grade appears stable?	6	6	NA	100%	
	4. Minimal evidence of embedding/fining?	6	6	NA	100%	
	5. Length appropriate?	6	6	NA	100%	100%
B. Pools	1. Present? (e.g. not subject to sever aggrad.or migrat?) ⁴	5	5	NA	100%	
	2. Sufficiently deep (Max Pool D:Mean Bkf>1.6?)	5	5	NA	100%	
	3. Length appropriate?	5	5	NA	100%	100%
C. Thalweg	1. Upstream of meander bend (run/inflection) centering? ⁵	3	3	NA	100%	
	2. Downstream of meander (glide/inflection) centering? ⁵	3	3	NA	100%	100%
D. Meanders	1. Outer bend in state of limited/controlled erosion?	6	6	NA	100%	
	2. Of those eroding, # w/concomitant point bar formation?	NA	NA	NA	100%	
	3. Apparent Rc within spec?	6	6	NA	100%	
	4. Sufficient floodplain access and relief?	6	6	NA	100%	100%
E. Bed General	1. General channel bed aggradation areas (bar formation)	NA	NA	NA	100%	
	2. Channel bed degradation - areas of increasing down-cutting or head cutting?	NA	NA	NA	100%	100%
F. Bank ⁶	1. Actively eroding, wasting or slumping bank	NA	NA	NA	100%	100%
G. Vanes	1. Free of back or arm scour?	NA	NA	NA	100%	
	2. Height appropriate?	NA	NA	NA	100%	
	3. Angle and geometry appear appropriate?	NA	NA	NA	100%	
	4. Free of piping or other structural failures?	NA	NA	NA	100%	100%
H. Wads/ Boulders	1. Free of scour?	NA	NA.	NA	100%	
	2. Footing stable?	NA	NA	NA	100%	100%

Table B.2g. Visual Morphological Stability Assessment
Rockwell Pastures Site/Project No. D-000624
Reach UT 10 (103 feet)

Feature Category	Metric (per As-built and reference baselines)	(# Stable) Number Performing as Intended	Total number per As-built	Total Number / feet in unstable state ¹	% Perform in Stable Condition ²	Feature Perform. Mean or Total ³
A. Riffles	1. Present? ⁴	6	6	NA	100%	
	2. Armor stable (e.g. no displacement)?	6	6	NA	100%	
	3. Facet grade appears stable?	6	6	NA	100%	
	4. Minimal evidence of embedding/fining?	6	6	NA	100%	
	5. Length appropriate?	6	6	NA	100%	100%
B. Pools	1. Present? (e.g. not subject to sever aggrad.or migrat?) ⁴	5	5	NA	100%	
	2. Sufficiently deep (Max Pool D:Mean Bkf>1.6?)	5	5	NA	100%	
	3. Length appropriate?	5	5	NA	100%	100%
C. Thalweg	1. Upstream of meander bend (run/inflection) centering? ⁵	3	3	NA	100%	
	2. Downstream of meander (glide/inflection) centering? ⁵	3	3	NA	100%	100%
D. Meanders	1. Outer bend in state of limited/controlled erosion?	6	6	NA	100%	
	2. Of those eroding, # w/concomitant point bar formation?	NA	NA	NA	100%	
	3. Apparent Rc within spec?	6	6	NA	100%	
	4. Sufficient floodplain access and relief?	6	6	NA	100%	100%
E. Bed General	1. General channel bed aggradation areas (bar formation)	NA	NA	NA	100%	
	2. Channel bed degradation - areas of increasing down-cutting or head cutting?	NA	NA	NA	100%	100%
F. Bank ⁶	1. Actively eroding, wasting or slumping bank	NA	NA	NA	100%	100%
G. Vanes	1. Free of back or arm scour?	NA	NA	NA	100%	
	2. Height appropriate?	NA	NA	NA	100%	
	3. Angle and geometry appear appropriate?	NA	NA	NA	100%	
	4. Free of piping or other structural failures?	NA	NA	NA	100%	100%
H. Wads/ Boulders	1. Free of scour?	NA	NA.	NA	100%	
	2. Footing stable?	NA	NA	NA	100%	100%

APPENDIX B


6. Annual Overlays of Cross Section Plots



Left bank



Right bank




Reach ID	UT 1
Cross Sectional Area	1.3
Bankfull Width	3.0
Mean Depth	0.4
Wetted Perimeter	3.7
Hydraulic Radius	0.3
Width:Depth Ratio	7.0



Left bank



Right bank




Reach ID	UT 1
Cross Sectional Area	4.9
Bankfull Width	7.1
Mean Depth	0.7
Wetted Perimeter	7.5
Hydraulic Radius	0.7
Width:Depth Ratio	10.1



Left bank



Right bank




Reach ID	UT 1
Cross Sectional Area	1.4
Bankfull Width	3.6
Mean Depth	0.4
Wetted Perimeter	4.0
Hydraulic Radius	0.3
Width:Depth Ratio	9.4



Left bank



Right bank




Reach ID	UT 1
Cross Sectional Area	6.3
Bankfull Width	9.6
Mean Depth	0.7
Wetted Perimeter	10.7
Hydraulic Radius	0.6
Width:Depth Ratio	14.6



Left bank



Right bank




Reach ID	UT 1
Cross Sectional Area	2.8
Bankfull Width	5.5
Mean Depth	0.5
Wetted Perimeter	6.7
Hydraulic Radius	0.4
Width:Depth Ratio	10.9



Left bank



Right bank




Reach ID	UT 1
Cross Sectional Area	9.5
Bankfull Width	19.9
Mean Depth	0.5
Wetted Perimeter	20.8
Hydraulic Radius	0.5
Width:Depth Ratio	41.4



Left bank



Right bank




Reach ID	UT 1
Cross Sectional Area	14.9
Bankfull Width	16.1
Mean Depth	0.9
Wetted Perimeter	16.7
Hydraulic Radius	0.9
Width:Depth Ratio	17.3



Left bank



Right bank




Reach ID	UT 1
Cross Sectional Area	33.8
Bankfull Width	23.4
Mean Depth	1.4
Wetted Perimeter	24.8
Hydraulic Radius	1.4
Width:Depth Ratio	16.2



Left bank



Right bank




Reach ID	UT 1
Cross Sectional Area	20.6
Bankfull Width	15.0
Mean Depth	1.4
Wetted Perimeter	16.6
Hydraulic Radius	1.2
Width:Depth Ratio	11.0



Left bank



Right bank




Reach ID	UT 1
Cross Sectional Area	23.6
Bankfull Width	23.3
Mean Depth	1.0
Wetted Perimeter	25.1
Hydraulic Radius	0.9
Width:Depth Ratio	23.1



Left bank



Right bank




Reach ID	UT 1
Cross Sectional Area	16.5
Bankfull Width	15.4
Mean Depth	1.1
Wetted Perimeter	16.1
Hydraulic Radius	1.0
Width:Depth Ratio	14.4



Left bank



Right bank




Reach ID	UT 1
Cross Sectional Area	26.6
Bankfull Width	25.9
Mean Depth	1.0
Wetted Perimeter	27.3
Hydraulic Radius	1.0
Width:Depth Ratio	25.3



Left bank



Right bank




Reach ID	UT 4
Cross Sectional Area	2.1
Bankfull Width	5.2
Mean Depth	0.4
Wetted Perimeter	5.7
Hydraulic Radius	0.4
Width:Depth Ratio	12.7



Left bank



Right bank




Reach ID	UT 4
Cross Sectional Area	8.2
Bankfull Width	8.6
Mean Depth	1.0
Wetted Perimeter	9.8
Hydraulic Radius	0.8
Width:Depth Ratio	9.0



Left bank



Right bank




Reach ID	UT 4
Cross Sectional Area	5.9
Bankfull Width	6.5
Mean Depth	0.9
Wetted Perimeter	7.4
Hydraulic Radius	0.8
Width:Depth Ratio	7.2



Left bank



Right bank




Reach ID	UT 4
Cross Sectional Area	6.2
Bankfull Width	10.1
Mean Depth	0.6
Wetted Perimeter	10.6
Hydraulic Radius	0.6
Width:Depth Ratio	16.4



Left bank



Right bank




Reach ID	UT 4
Cross Sectional Area	7.6
Bankfull Width	11.9
Mean Depth	0.6
Wetted Perimeter	12.9
Hydraulic Radius	0.6
Width:Depth Ratio	18.7



Left bank



Right bank




Reach ID	UT 4
Cross Sectional Area	14.7
Bankfull Width	20.1
Mean Depth	0.7
Wetted Perimeter	21.1
Hydraulic Radius	0.7
Width:Depth Ratio	27.5



Left bank



Right bank




Reach ID	UT 4
Cross Sectional Area	9.3
Bankfull Width	13.4
Mean Depth	0.7
Wetted Perimeter	15.8
Hydraulic Radius	0.6
Width:Depth Ratio	19.4



Left bank



Right bank




Reach ID	UT 4
Cross Sectional Area	10.2
Bankfull Width	13.1
Mean Depth	0.8
Wetted Perimeter	15.8
Hydraulic Radius	0.6
Width:Depth Ratio	16.8



Left bank



Right bank




Reach ID	UT 7
Cross Sectional Area	2.7
Bankfull Width	7.7
Mean Depth	0.4
Wetted Perimeter	8.1
Hydraulic Radius	0.3
Width:Depth Ratio	21.8



Left bank



Right bank




Reach ID	UT 7
Cross Sectional Area	6.8
Bankfull Width	9.0
Mean Depth	0.8
Wetted Perimeter	11.7
Hydraulic Radius	0.6
Width:Depth Ratio	12.0



Left bank



Right bank




Reach ID	UT 4
Cross Sectional Area	6.3
Bankfull Width	8.9
Mean Depth	0.7
Wetted Perimeter	9.3
Hydraulic Radius	0.7
Width:Depth Ratio	12.4



Left bank




Right bank



Reach ID	UT 3
Cross Sectional Area	10.7
Bankfull Width	12.6
Mean Depth	0.9
Wetted Perimeter	13.9
Hydraulic Radius	0.8
Width:Depth Ratio	14.8


Rockwell Pastures
UT-1 Station 121+02 - 144+75


Initial Survey (-4 ft Offset) Year 1 Year 2 Year 3 Year 4 Year 5 LTB RTB Water Srf




Rockwell Pastures
UT 3 Station 303+05 - 306+50

Initial Survey (-4 ft Offset) Year 1 Year 2 Year 3 Year 4 Year 5 LTB RTB Water Srf







APPENDIX C

1. Precipitation Data Table

Table C.1 Precipitation Data Table

Month	Average	Normal Limits		Albemarle Precipitation	On-Site Manual Rain Gauge
		30 Percent	70 Percent		
January	4.44	3.03	5.60	3.19	**
February	3.70	2.41	4.59	3.64	**
March	4.98	3.29	5.97	2.62	***
April	3.29	2.16	4.43	5.04	**
May	4.34	2.92	5.21	2.88	8.30
June	4.25	2.62	6.14	7.81	**
July	5.05	2.68	5.73	10.13	**
August	4.12	2.78	5.34	3.29	**
September	4.43	2.30	6.34	0.97*	10.00
October	3.54	1.68	4.03		
November	3.27	2.16	4.13		
December	3.30	2.11	3.93		
Total	48.71	30.14	61.44	39.57	18.30


* Rainfall Data thru September 24

** No On-site Download

*** Manual Rain Gauge funnel was replaced.


APPENDIX C

2. 2013 Precipitation for Rockwell Pastures Site



APPENDIX C

3. Wetland Hydrographs



APPENDIX C

4. Table C.2 Hydrologic Monitoring Results

Table C.2 Hydrologic Monitoring Results

2013 Max Hydroperiod (Growing Season 27-Mar through 5-Nov, 222 days) Well Data for 27-Mar through 22-September Success Criterion 7% = 15 Consecutive Days					
Gauge	Consecutive		Cumulative		Occurrences
	Days	Percent of growing Season	Days	Percent of growing Season	
AW1	181	82	181	82	1
AW2	91	41	153	69	5
RAW1	0	0	0	0	0
RAW2	22	10	66	30	13

Table C.3 Annual Summary of Hydrologic Monitoring Results

Rockwell Pastures Project Summary Well Data					
Max Hydroperiod (Growing Season 27-Mar through 5-Nov, 222					
Success Criterion 7% = 15 Consecutive Days					
Gauge	Max Consecutive Hydroperiod				
	(percent of growing season)				
	2009	2010	2011	2012	2013
AW1	12	9	15	7	82
AW2	14	14	10	9	41
RAW1	5	13	11	0	0
RAW2	2	5	8	7	10

APPENDIX C

5. Raw Well and Crest Gauge Data

Date	Time	Water Level (inches)						CG1	CG2	CG3	On-site Manual Raingauge	On-site Auto Raingauge	On-site Monthly Total	Weatherstation Rainfall Data	
		RP AW1	RP AW2	RP RAW1	RP RAW2									Albemarle Daily Rainfall	Albemarle Monthly Rainfall
1-Jan-2013	06:00:00	-5.28	-3.56	-35.38	-39.44									0.00	
1-Jan-2013	12:00:00	-5.23	-3.71	-35.34	-39.99										
1-Jan-2013	18:00:00	-5.40	-3.08	-34.15	-39.26										
1-Jan-2013	24:00:00	-5.38	-2.61	-33.68	-40.02										
2-Jan-2013	06:00:00	-5.42	-1.37	-33.58	-39.30									0.57	
2-Jan-2013	12:00:00	-5.32	-1.17	-33.50	-39.98										
2-Jan-2013	18:00:00	-5.50	-1.53	-33.94	-39.30										
2-Jan-2013	24:00:00	-5.22	-1.58	-33.80	-39.72										
3-Jan-2013	06:00:00	-5.30	-1.85	-33.86	-39.27									0.02	
3-Jan-2013	12:00:00	-5.29	-1.93	-33.97	-39.84										
3-Jan-2013	18:00:00	-5.36	-2.11	-34.16	-39.18										
3-Jan-2013	24:00:00	-5.27	-2.20	-34.02	-39.81										
4-Jan-2013	06:00:00	-5.29	-2.18	-34.12	-39.45									0.00	
4-Jan-2013	12:00:00	-5.16	-2.29	-34.18	-39.57										
4-Jan-2013	18:00:00	-5.42	-2.42	-34.44	-39.19										
4-Jan-2013	24:00:00	-5.23	-2.54	-34.38	-40.26										
5-Jan-2013	06:00:00	-5.11	-2.43	-34.46	-39.20									0.00	
5-Jan-2013	12:00:00	-5.15	-2.53	-34.90	-39.66										
5-Jan-2013	18:00:00	-5.52	-2.74	-34.57	-39.19										
5-Jan-2013	24:00:00	-5.30	-2.53	-34.50	-39.82										
6-Jan-2013	06:00:00	-5.33	-2.41	-34.40	-39.15									0.00	
6-Jan-2013	12:00:00	-5.33	-2.45	-34.33	-39.68										
6-Jan-2013	18:00:00	-5.47	-2.51	-34.37	-39.34										
6-Jan-2013	24:00:00	-5.23	-2.62	-34.34	-40.00										
7-Jan-2013	06:00:00	-5.32	-2.80	-34.42	-39.70									0.03	
7-Jan-2013	12:00:00	-5.14	-2.78	-34.43	-39.67										
7-Jan-2013	18:00:00	-5.54	-2.98	-34.76	-39.22										
7-Jan-2013	24:00:00	-5.21	-2.71	-34.62	-39.72										
8-Jan-2013	06:00:00	-5.20	-2.87	-34.64	-39.60									0.00	
8-Jan-2013	12:00:00	-5.33	-3.02	-34.74	-40.00										
8-Jan-2013	18:00:00	-5.50	-2.98	-34.69	-39.32										
8-Jan-2013	24:00:00	-5.33	-2.98	-34.58	-39.78										
9-Jan-2013	06:00:00	-5.27	-2.86	-34.63	-39.43									0.00	
9-Jan-2013	12:00:00	-5.14	-2.86	-34.51	-39.63										
9-Jan-2013	18:00:00	-5.46	-2.95	-34.73	-39.10										
9-Jan-2013	24:00:00	-5.17	-2.93	-34.46	-39.85										
10-Jan-2013	06:00:00	-5.23	-2.97	-34.48	-39.69									0.00	
10-Jan-2013	12:00:00	-5.17	-2.87	-34.45	-39.75										
10-Jan-2013	18:00:00	-5.33	-2.97	-34.66	-39.28										
10-Jan-2013	24:00:00	-5.18	-2.97	-34.60	-39.67										
11-Jan-2013	06:00:00	-5.17	-2.81	-34.49	-39.36									0.16	
11-Jan-2013	12:00:00	-5.16	-2.21	-33.89	-39.56										
11-Jan-2013	18:00:00	-5.15	-2.44	-34.09	-39.16										
11-Jan-2013	24:00:00	-5.20	-2.50	-34.03	-39.70										
12-Jan-2013	06:00:00	-5.28	-2.57	-34.07	-39.79									0.00	
12-Jan-2013	12:00:00	-5.29	-2.61	-34.03	-39.78										
12-Jan-2013	18:00:00	-5.32	-2.62	-34.14	-39.27										
12-Jan-2013	24:00:00	-5.20	-2.54	-33.95	-39.69										
13-Jan-2013	06:00:00	-5.12	-2.53	-33.91	-39.45									0.00	
13-Jan-2013	12:00:00	-5.15	-2.55	-33.96	-39.60										

Date	Time	Water Level (inches)						CG1	CG2	CG3	On-site Manual Raingauge	On-site Auto Rainguage	On-site Monthly Total	Weatherstation Rainfall Data	
		RP AW1	RP AW2	RP RAW1	RP RAW2									Albemarle Daily Rainfall	Albemarle Monthly Rainfall
13-Jan-2013	18:00:00	-5.42	-2.66	-34.27	-39.30										
13-Jan-2013	24:00:00	-5.11	-2.59	-33.98	-39.57										
14-Jan-2013	06:00:00	-5.14	-2.68	-34.08	-39.61									0.01	
14-Jan-2013	12:00:00	-5.12	-2.61	-34.07	-39.56										
14-Jan-2013	18:00:00	-5.32	-2.65	-34.12	-39.36										
14-Jan-2013	24:00:00	-5.14	-2.68	-34.00	-39.70										
15-Jan-2013	06:00:00	-5.03	-2.63	-33.95	-39.61								0.00		
15-Jan-2013	12:00:00	-5.00	-2.13	-33.68	-39.26										
15-Jan-2013	18:00:00	-5.18	-2.41	-33.88	-38.97										
15-Jan-2013	24:00:00	-5.05	-2.35	-33.79	-39.62										
16-Jan-2013	06:00:00	-5.14	-2.31	-33.79	-39.37								0.04		
16-Jan-2013	12:00:00	-5.09	-2.06	-33.47	-39.49										
16-Jan-2013	18:00:00	-5.15	-2.00	-33.49	-39.37										
16-Jan-2013	24:00:00	-5.14	-1.91	-33.67	-39.63										
17-Jan-2013	06:00:00	-5.12	-1.76	-33.40	-39.37								0.37		
17-Jan-2013	12:00:00	-5.12	-1.16	-33.38	-39.67										
17-Jan-2013	18:00:00	-5.10	0.07	-33.20	-38.94										
17-Jan-2013	24:00:00	-4.97	0.07	-32.99	-40.00										
18-Jan-2013	06:00:00	24.62	1.88	-33.07	-38.60								0.00		
18-Jan-2013	12:00:00	12.47	0.20	-33.49	-39.57										
18-Jan-2013	18:00:00	7.27	-0.82	-33.86	-39.48										
18-Jan-2013	24:00:00	4.69	-0.97	-33.66	-36.20										
19-Jan-2013	06:00:00	2.84	-1.06	-33.60	-33.06								0.00		
19-Jan-2013	12:00:00	1.18	-1.25	-33.71	-30.78										
19-Jan-2013	18:00:00	-0.54	-1.51	-33.85	-25.15										
19-Jan-2013	24:00:00	-1.43	-1.21	-33.59	-15.56										
20-Jan-2013	06:00:00	-2.63	-1.37	-33.67	-12.78								0.00		
20-Jan-2013	12:00:00	-3.35	-1.35	-33.60	-11.88										
20-Jan-2013	18:00:00	-4.54	-1.70	-33.89	-11.56										
20-Jan-2013	24:00:00	-4.90	-1.48	-33.58	-12.12										
21-Jan-2013	06:00:00	-5.24	-1.54	-33.62	-11.71								1.30		
21-Jan-2013	12:00:00	-5.27	-1.70	-33.66	-12.19										
21-Jan-2013	18:00:00	-5.42	-1.76	-33.88	-12.10										
21-Jan-2013	24:00:00	-5.23	-1.79	-33.74	-12.56										
22-Jan-2013	06:00:00	-5.09	-1.69	-33.60	-12.13								0.07		
22-Jan-2013	12:00:00	-5.17	-1.89	-33.62	-13.06										
22-Jan-2013	18:00:00	-5.40	-2.03	-33.86	-12.74										
22-Jan-2013	24:00:00	-5.28	-2.08	-33.89	-13.39										
23-Jan-2013	06:00:00	-5.20	-2.17	-33.86	-13.32								0.00		
23-Jan-2013	12:00:00	-5.20	-2.39	-34.32	-13.92										
23-Jan-2013	18:00:00	-5.48	-2.25	-33.94	-13.83										
23-Jan-2013	24:00:00	-5.32	-2.15	-33.88	-14.37										
24-Jan-2013	06:00:00	-5.21	-2.07	-33.78	-14.07								0.00		
24-Jan-2013	12:00:00	-5.27	-2.26	-33.95	-14.58										
24-Jan-2013	18:00:00	-5.41	-2.49	-34.06	-14.89										
24-Jan-2013	24:00:00	-5.26	-2.43	-33.96	-15.56										
25-Jan-2013	06:00:00	-5.23	-2.51	-34.06	-15.73								0.00		
25-Jan-2013	12:00:00	-5.34	-2.77	-34.81	-16.00										
25-Jan-2013	18:00:00	-5.38	-2.35	-34.01	-15.63										
25-Jan-2013	24:00:00	-5.35	-1.91	-33.61	-16.02										

Date	Time	Water Level (inches)						CG1	CG2	CG3	On-site Manual Raingauge	On-site Auto Rainguage	On-site Monthly Total	Weatherstation Rainfall Data	
		RP AW1	RP AW2	RP RAW1	RP RAW2									Albemarle Daily Rainfall	Albemarle Monthly Rainfall
26-Jan-2013	06:00:00	-5.27	-2.07	-33.72	-15.62									0.00	
26-Jan-2013	12:00:00	-5.42	-2.37	-34.01	-16.15										
26-Jan-2013	18:00:00	-5.50	-1.91	-33.60	-16.44										
26-Jan-2013	24:00:00	-5.33	-2.01	-33.86	-15.88										
27-Jan-2013	06:00:00	-5.29	-2.21	-33.94	-15.73									0.00	
27-Jan-2013	12:00:00	-5.36	-2.43	-34.01	-16.16										
27-Jan-2013	18:00:00	-5.58	-2.37	-33.98	-16.38										
27-Jan-2013	24:00:00	-5.41	-2.26	-33.96	-16.90										
28-Jan-2013	06:00:00	-5.48	-2.36	-33.97	-16.70									0.15	
28-Jan-2013	12:00:00	-5.47	-2.26	-33.88	-16.88										
28-Jan-2013	18:00:00	-5.56	-2.35	-34.07	-17.05										
28-Jan-2013	24:00:00	-5.46	-2.29	-33.95	-17.20										
29-Jan-2013	06:00:00	-5.29	-2.15	-33.78	-17.01									0.00	
29-Jan-2013	12:00:00	-5.35	-2.25	-33.83	-17.28										
29-Jan-2013	18:00:00	-5.52	-2.29	-33.98	-17.05										
29-Jan-2013	24:00:00	-5.08	-2.03	-33.66	-17.12										
30-Jan-2013	06:00:00	-5.08	-2.05	-33.62	-16.99									0.00	
30-Jan-2013	12:00:00	-5.27	-2.12	-33.77	-16.90										
30-Jan-2013	18:00:00	-5.16	-1.99	-33.68	-16.39										
30-Jan-2013	24:00:00	-5.20	-2.02	-33.71	-16.26										
31-Jan-2013	06:00:00	-4.99	-0.56	-33.11	-10.93									0.47	
31-Jan-2013	12:00:00	-5.08	-0.86	-33.48	-9.58										
31-Jan-2013	18:00:00	-5.18	-1.19	-33.76	-9.73										
31-Jan-2013	24:00:00	-5.04	-1.39	-33.73	-10.98									3.19	
1-Feb-2013	06:00:00	-5.06	-1.47	-33.60	-11.13									0.00	
1-Feb-2013	12:00:00	-5.09	-1.73	-33.70	-11.89										
1-Feb-2013	18:00:00	-5.27	-1.97	-34.01	-11.70										
1-Feb-2013	24:00:00	-5.08	-2.02	-33.88	-12.31										
2-Feb-2013	06:00:00	-5.06	-2.14	-33.89	-12.39									0.00	
2-Feb-2013	12:00:00	-5.24	-2.42	-34.32	-12.78										
2-Feb-2013	18:00:00	-5.40	-2.17	-33.88	-12.36										
2-Feb-2013	24:00:00	-5.27	-2.23	-33.92	-12.74										
3-Feb-2013	06:00:00	-5.36	-2.17	-33.90	-12.43									0.00	
3-Feb-2013	12:00:00	-5.20	-2.14	-33.82	-12.94										
3-Feb-2013	18:00:00	-5.44	-2.37	-34.01	-12.63										
3-Feb-2013	24:00:00	-5.18	-2.32	-33.84	-13.26										
4-Feb-2013	06:00:00	-5.17	-2.31	-33.88	-13.12									0.00	
4-Feb-2013	12:00:00	-5.17	-2.45	-33.95	-13.42										
4-Feb-2013	18:00:00	-5.50	-2.69	-34.12	-13.47										
4-Feb-2013	24:00:00	-5.16	-2.32	-33.88	-13.64										
5-Feb-2013	06:00:00	-5.27	-2.43	-33.84	-13.53									0.00	
5-Feb-2013	12:00:00	-5.15	-2.47	-33.80	-13.94										
5-Feb-2013	18:00:00	-5.32	-2.59	-33.98	-13.59										
5-Feb-2013	24:00:00	-4.98	-2.33	-33.74	-13.87										
6-Feb-2013	06:00:00	-5.05	-2.39	-33.70	-13.72									0.00	
6-Feb-2013	12:00:00	-5.11	-2.59	-33.79	-14.31										
6-Feb-2013	18:00:00	-5.38	-2.78	-34.03	-14.55										
6-Feb-2013	24:00:00	-5.17	-2.69	-33.89	-14.98										
7-Feb-2013	06:00:00	-5.16	-2.71	-33.94	-14.65									0.00	
7-Feb-2013	12:00:00	-5.21	-2.81	-34.07	-15.46										

Date	Time							On-site Manual Raingauge	On-site Auto Rainguage	On-site Monthly Total	Weatherstation Rainfall Data	
		RP AW1	RP AW2	RP RAW1	RP RAW2	CG1	CG2				Albemarle Daily Rainfall	Albemarle Monthly Rainfall
7-Feb-2013	18:00:00	-5.33	-2.81	-34.06	-15.45							
7-Feb-2013	24:00:00	-5.21	-2.60	-33.82	-15.22							
8-Feb-2013	06:00:00	-5.20	-1.05	-33.35	-12.72					0.00		
8-Feb-2013	12:00:00	-5.11	-1.07	-33.55	-8.71							
8-Feb-2013	18:00:00	-5.27	-1.36	-33.79	-8.72							
8-Feb-2013	24:00:00	-5.23	-1.49	-33.73	-10.15							
9-Feb-2013	06:00:00	-5.15	-1.61	-33.68	-10.35					0.00		
9-Feb-2013	12:00:00	-5.14	-1.81	-33.74	-11.28							
9-Feb-2013	18:00:00	-5.41	-2.13	-34.08	-11.35							
9-Feb-2013	24:00:00	-5.20	-2.06	-33.95	-11.88							
10-Feb-2013	06:00:00	-5.16	-2.15	-33.86	-11.67					0.00		
10-Feb-2013	12:00:00	-5.22	-2.30	-33.94	-12.12							
10-Feb-2013	18:00:00	-5.46	-2.41	-34.14	-11.92							
10-Feb-2013	24:00:00	-5.27	-2.26	-33.98	-12.07							
11-Feb-2013	06:00:00	-5.15	-1.34	-33.54	-10.69					0.66		
11-Feb-2013	12:00:00	-5.33	-1.36	-33.48	-11.40							
11-Feb-2013	18:00:00	-5.30	-1.30	-33.71	-8.19							
11-Feb-2013	24:00:00	-5.22	-1.23	-33.64	-8.80							
12-Feb-2013	06:00:00	-5.18	-1.42	-33.68	-9.61					0.05		
12-Feb-2013	12:00:00	-5.14	-1.48	-33.61	-10.41							
12-Feb-2013	18:00:00	-5.30	-1.75	-33.95	-10.51							
12-Feb-2013	24:00:00	-5.09	-1.64	-33.74	-10.87							
13-Feb-2013	06:00:00	-5.11	-1.45	-33.52	-10.88					0.17		
13-Feb-2013	12:00:00	-5.06	-1.22	-33.53	-9.51							
13-Feb-2013	18:00:00	-5.24	-1.34	-33.59	-9.78							
13-Feb-2013	24:00:00	-5.11	-1.21	-33.55	-9.94							
14-Feb-2013	06:00:00	-4.97	-1.33	-33.54	-10.10					0.05		
14-Feb-2013	12:00:00	-5.04	-1.51	-33.61	-10.89							
14-Feb-2013	18:00:00	-5.38	-1.88	-33.94	-11.38							
14-Feb-2013	24:00:00	-5.05	-1.63	-33.61	-11.36							
15-Feb-2013	06:00:00	-5.11	-1.85	-33.60	-11.40					0.00		
15-Feb-2013	12:00:00	-5.11	-1.89	-33.64	-11.67							
15-Feb-2013	18:00:00	-5.34	-2.11	-33.97	-11.74							
15-Feb-2013	24:00:00	-5.09	-1.94	-33.72	-11.74							
16-Feb-2013	06:00:00	-5.26	-2.09	-33.85	-11.82					0.00		
16-Feb-2013	12:00:00	-5.16	-1.97	-33.58	-12.25							
16-Feb-2013	18:00:00	-5.21	-1.19	-33.43	-9.52							
16-Feb-2013	24:00:00	-5.08	-1.17	-33.37	-8.19							
17-Feb-2013	06:00:00	-5.06	-1.21	-33.41	-8.90					0.00		
17-Feb-2013	12:00:00	-5.14	-1.45	-33.68	-10.03							
17-Feb-2013	18:00:00	-5.30	-1.71	-33.79	-10.52							
17-Feb-2013	24:00:00	-5.20	-1.75	-33.72	-10.89							
18-Feb-2013	06:00:00	-5.17	-1.81	-33.77	-11.06					0.00		
18-Feb-2013	12:00:00	-5.34	-2.29	-34.43	-11.60							
18-Feb-2013	18:00:00	-5.39	-2.07	-33.91	-11.46							
18-Feb-2013	24:00:00	-5.26	-1.89	-33.80	-11.76							
19-Feb-2013	06:00:00	-4.99	-1.77	-33.66	-11.04					0.00		
19-Feb-2013	12:00:00	-5.21	-1.96	-33.73	-11.60							
19-Feb-2013	18:00:00	-5.32	-1.31	-33.61	-9.12							
19-Feb-2013	24:00:00	-5.41	-1.35	-33.79	-7.69							

Date	Time							On-site Manual Raingauge	On-site Auto Rainguage	On-site Monthly Total	Weatherstation Rainfall Data	
		RP AW1	RP AW2	RP RAW1	RP RAW2	CG1	CG2				Albemarle Daily Rainfall	Albemarle Monthly Rainfall
20-Feb-2013	06:00:00	-5.06	-1.12	-33.48	-8.14						0.61	
20-Feb-2013	12:00:00	-5.03	-1.30	-33.54	-8.89							
20-Feb-2013	18:00:00	-5.39	-1.72	-33.88	-9.33							
20-Feb-2013	24:00:00	-5.11	-1.78	-33.77	-9.64							
21-Feb-2013	06:00:00	-5.18	-1.66	-33.70	-9.54						0.00	
21-Feb-2013	12:00:00	-5.21	-1.93	-33.77	-10.27							
21-Feb-2013	18:00:00	-5.40	-2.09	-34.01	-10.60							
21-Feb-2013	24:00:00	-5.24	-2.06	-33.86	-10.90							
22-Feb-2013	06:00:00	-5.10	-1.87	-33.71	-11.29						0.00	
22-Feb-2013	12:00:00	-5.18	-0.91	-33.29	-9.01							
22-Feb-2013	18:00:00	-5.23	-1.10	-33.61	-6.55							
22-Feb-2013	24:00:00	-3.66	-0.83	-33.48	-5.61							
23-Feb-2013	06:00:00	1.61	-0.76	-33.43	-5.80						0.00	
23-Feb-2013	12:00:00	3.54	-0.59	-33.20	-5.18							
23-Feb-2013	18:00:00	27.71	0.81	-33.32	-4.36							
23-Feb-2013	24:00:00	23.93	-0.11	-33.58	-3.24							
24-Feb-2013	06:00:00	15.36	-0.61	-33.64	-3.82						0.00	
24-Feb-2013	12:00:00	9.36	-0.82	-33.52	-4.28							
24-Feb-2013	18:00:00	5.80	-1.24	-33.83	-4.27							
24-Feb-2013	24:00:00	3.64	-1.17	-33.77	-5.34							
25-Feb-2013	06:00:00	1.13	-1.16	-33.55	-5.94						0.96	
25-Feb-2013	12:00:00	-1.28	-1.40	-33.64	-6.93							
25-Feb-2013	18:00:00	-1.93	-1.47	-33.86	-6.60							
25-Feb-2013	24:00:00	-1.91	-1.42	-33.64	-7.05							
26-Feb-2013	06:00:00	-2.23	-1.42	-33.70	-6.78						0.55	
26-Feb-2013	12:00:00	-2.18	-0.95	-33.19	-7.26							
26-Feb-2013	18:00:00	28.98	2.74	-33.05	-3.24							
26-Feb-2013	24:00:00	27.66	0.58	-33.56	-3.61							
27-Feb-2013	06:00:00	25.13	-0.35	-33.47	-3.07						0.59	
27-Feb-2013	12:00:00	21.56	-0.75	-33.56	-3.76							
27-Feb-2013	18:00:00	16.12	-1.06	-33.80	-4.08							
27-Feb-2013	24:00:00	12.97	-1.15	-33.83	-4.63							
28-Feb-2013	06:00:00	10.96	-1.10	-33.59	-5.01						0.00	
28-Feb-2013	12:00:00	9.44	-1.09	-33.48	-5.92							
28-Feb-2013	18:00:00	7.72	-1.36	-33.71	-6.40							
28-Feb-2013	24:00:00	6.53	-1.42	-33.77	-7.06						3.64	
1-Mar-2013	06:00:00	5.40	-1.29	-33.54	-6.70						0.00	
1-Mar-2013	12:00:00	4.46	-1.43	-33.64	-7.14							
1-Mar-2013	18:00:00	3.74	-1.67	-33.79	-7.04							
1-Mar-2013	24:00:00	3.26	-1.59	-33.70	-7.34							
2-Mar-2013	06:00:00	2.63	-1.51	-33.49	-7.00						0.00	
2-Mar-2013	12:00:00	2.05	-1.60	-33.67	-7.36							
2-Mar-2013	18:00:00	1.46	-1.67	-33.67	-7.88							
2-Mar-2013	24:00:00	1.36	-1.42	-33.53	-7.74							
3-Mar-2013	06:00:00	0.70	-1.46	-33.49	-7.77						0.00	
3-Mar-2013	12:00:00	0.44	-1.53	-33.55	-8.54							
3-Mar-2013	18:00:00	-0.10	-1.91	-33.90	-8.66							
3-Mar-2013	24:00:00	0.04	-1.76	-33.74	-9.12							
4-Mar-2013	06:00:00	-0.44	-1.83	-33.66	-8.80						0.00	
4-Mar-2013	12:00:00	-0.91	-1.93	-33.76	-9.56							

Date	Time							On-site Manual Raingauge	On-site Auto Rainguage	On-site Monthly Total	Weatherstation Rainfall Data	
		RP AW1	RP AW2	RP RAW1	RP RAW2	CG1	CG2				Albemarle Daily Rainfall	Albemarle Monthly Rainfall
4-Mar-2013	18:00:00	-1.51	-2.20	-33.91	-9.87							
4-Mar-2013	24:00:00	-1.34	-2.18	-33.98	-10.51							
5-Mar-2013	06:00:00	-1.37	-1.95	-33.77	-10.21					0.00		
5-Mar-2013	12:00:00	-1.42	-1.95	-33.68	-10.53							
5-Mar-2013	18:00:00	-1.28	-1.57	-33.44	-10.63							
5-Mar-2013	24:00:00	-0.74	-1.66	-33.65	-9.86							
6-Mar-2013	06:00:00	-0.22	-1.22	-33.52	-6.91					0.00		
6-Mar-2013	12:00:00	0.06	-1.05	-33.43	-7.65							
6-Mar-2013	18:00:00	-0.06	-1.41	-33.74	-8.55							
6-Mar-2013	24:00:00	0.00	-1.61	-33.78	-9.51							
7-Mar-2013	06:00:00	-0.31	-1.67	-33.66	-9.75					0.36		
7-Mar-2013	12:00:00	-0.72	-1.83	-33.66	-10.63							
7-Mar-2013	18:00:00	-1.40	-2.03	-33.96	-10.59							
7-Mar-2013	24:00:00	-1.15	-2.06	-33.97	-11.24							
8-Mar-2013	06:00:00	-1.34	-1.89	-33.80	-10.75					0.00		
8-Mar-2013	12:00:00	-1.40	-2.14	-33.77	-11.43	0.00	0.40	0.00				
8-Mar-2013	18:00:00	-1.96	-2.35	-34.03	-11.22							
8-Mar-2013	24:00:00	-1.87	-2.44	-34.15	-11.24							
9-Mar-2013	06:00:00	-2.06	-2.23	-33.72	-11.79					0.00		
9-Mar-2013	12:00:00	-2.24	-2.36	-33.82	-11.48							
9-Mar-2013	18:00:00	-2.54	-2.60	-34.10	-11.96							
9-Mar-2013	24:00:00	-1.87	-2.47	-33.97	-11.62							
10-Mar-2013	06:00:00	-1.99	-2.39	-33.85	-11.89					0.00		
10-Mar-2013	12:00:00	-2.02	-2.41	-33.77	-11.82							
10-Mar-2013	18:00:00	-2.29	-2.61	-34.08	-12.08							
10-Mar-2013	24:00:00	-1.75	-2.48	-34.02	-11.67							
11-Mar-2013	06:00:00	-1.92	-2.36	-33.74	-12.25					0.00		
11-Mar-2013	12:00:00	-1.81	-2.45	-33.71	-12.24							
11-Mar-2013	18:00:00	-1.97	-2.63	-33.89	-12.18							
11-Mar-2013	24:00:00	-1.15	-2.41	-33.80	-11.88							
12-Mar-2013	06:00:00	-1.26	-1.93	-33.48	-4.70					0.55		
12-Mar-2013	12:00:00	22.74	-0.86	-33.38	-5.04							
12-Mar-2013	18:00:00	25.67	-0.46	-33.64	-5.80							
12-Mar-2013	24:00:00	23.41	-1.07	-33.65	-5.80							
13-Mar-2013	06:00:00	20.22	-1.11	-33.56	-6.14					0.00		
13-Mar-2013	12:00:00	17.30	-1.37	-33.58	-5.94							
13-Mar-2013	18:00:00	15.30	-1.73	-33.88	-6.85							
13-Mar-2013	24:00:00	14.18	-1.82	-33.85	-6.54							
14-Mar-2013	06:00:00	12.46	-1.77	-33.78	-6.98					0.00		
14-Mar-2013	12:00:00	11.36	-1.88	-33.74	-7.04							
14-Mar-2013	18:00:00	10.26	-2.12	-34.06	-7.82							
14-Mar-2013	24:00:00	10.26	-2.02	-34.06	-7.76							
15-Mar-2013	06:00:00	9.62	-2.05	-33.82	-8.17					0.00		
15-Mar-2013	12:00:00	9.19	-2.08	-33.74	-8.06							
15-Mar-2013	18:00:00	8.66	-2.38	-34.13	-8.65							
15-Mar-2013	24:00:00	9.11	-2.18	-34.07	-8.59							
16-Mar-2013	06:00:00	8.93	-1.99	-33.70	-9.15					0.00		
16-Mar-2013	12:00:00	8.51	-2.14	-33.77	-8.96							
16-Mar-2013	18:00:00	7.97	-2.42	-33.94	-9.90							
16-Mar-2013	24:00:00	7.96	-2.39	-34.02	-9.79							

Date	Time	Water Level (inches)						CG1	CG2	CG3	On-site Manual Raingauge	On-site Auto Rainguage	On-site Monthly Total	Weatherstation Rainfall Data	
		RP AW1	RP AW2	RP RAW1	RP RAW2									Albemarle Daily Rainfall	Albemarle Monthly Rainfall
17-Mar-2013	06:00:00	7.42	-2.13	-33.72	-10.20									0.00	
17-Mar-2013	12:00:00	6.90	-2.24	-33.66	-10.45										
17-Mar-2013	18:00:00	6.05	-2.67	-34.06	-10.99										
17-Mar-2013	24:00:00	6.02	-2.49	-34.02	-10.57										
18-Mar-2013	06:00:00	5.30	-2.49	-33.92	-11.13									0.00	
18-Mar-2013	12:00:00	5.06	-2.55	-33.82	-11.04										
18-Mar-2013	18:00:00	4.91	-2.55	-33.85	-11.00										
18-Mar-2013	24:00:00	5.71	-2.00	-33.46	-4.09										
19-Mar-2013	06:00:00	26.27	0.20	-33.36	-5.19									0.45	
19-Mar-2013	12:00:00	24.34	-0.89	-33.46	-5.58										
19-Mar-2013	18:00:00	22.38	-1.41	-33.89	-6.07										
19-Mar-2013	24:00:00	20.90	-1.51	-33.76	-6.04										
20-Mar-2013	06:00:00	18.89	-1.53	-33.66	-6.27									0.00	
20-Mar-2013	12:00:00	17.46	-1.60	-33.60	-6.02										
20-Mar-2013	18:00:00	15.95	-1.99	-33.89	-6.33										
20-Mar-2013	24:00:00	16.26	-1.94	-33.95	-6.02										
21-Mar-2013	06:00:00	15.90	-1.75	-33.55	-6.63									0.00	
21-Mar-2013	12:00:00	14.86	-1.91	-33.60	-6.74										
21-Mar-2013	18:00:00	13.56	-2.29	-33.98	-7.12										
21-Mar-2013	24:00:00	13.04	-2.27	-34.06	-6.79										
22-Mar-2013	06:00:00	11.87	-2.17	-33.92	-7.47									0.00	
22-Mar-2013	12:00:00	11.03	-2.47	-34.03	-7.53										
22-Mar-2013	18:00:00	10.18	-2.65	-34.21	-8.17										
22-Mar-2013	24:00:00	10.39	-2.63	-34.16	-8.40										
23-Mar-2013	06:00:00	9.85	-2.53	-33.98	-9.09									0.00	
23-Mar-2013	12:00:00	9.66	-2.60	-33.91	-8.68										
23-Mar-2013	18:00:00	9.12	-2.45	-33.94	-9.54										
23-Mar-2013	24:00:00	9.47	-2.54	-33.91	-9.18										
24-Mar-2013	06:00:00	9.38	-2.24	-33.70	-8.68									0.00	
24-Mar-2013	12:00:00	9.77	-1.19	-33.34	-3.73										
24-Mar-2013	18:00:00	28.78	0.61	-33.28	-3.58										
24-Mar-2013	24:00:00	28.25	-0.09	-33.49	-3.31										
25-Mar-2013	06:00:00	27.55	-0.92	-33.46	-3.90									1.08	
25-Mar-2013	12:00:00	27.04	-1.03	-33.48	-4.59										
25-Mar-2013	18:00:00	26.42	-1.17	-33.73	-5.38										
25-Mar-2013	24:00:00	25.03	-1.29	-33.67	-4.86										
26-Mar-2013	06:00:00	23.87	-1.22	-33.56	-5.55									0.00	
26-Mar-2013	12:00:00	22.81	-1.36	-33.58	-5.72										
26-Mar-2013	18:00:00	21.53	-1.55	-33.74	-6.12										
26-Mar-2013	24:00:00	20.35	-1.66	-33.76	-5.97										
27-Mar-2013	06:00:00	19.14	-1.57	-33.62	-6.48									0.00	
27-Mar-2013	12:00:00	18.42	-1.71	-33.73	-6.37										
27-Mar-2013	18:00:00	17.45	-1.88	-33.95	-6.91										
27-Mar-2013	24:00:00	17.21	-1.95	-33.97	-6.66										
28-Mar-2013	06:00:00	16.50	-1.85	-33.73	-7.08									0.00	
28-Mar-2013	12:00:00	16.08	-1.91	-33.68	-6.86										
28-Mar-2013	18:00:00	15.50	-2.26	-34.03	-7.47										
28-Mar-2013	24:00:00	15.48	-2.18	-34.06	-7.46										
29-Mar-2013	06:00:00	14.75	-2.02	-33.76	-8.18									0.00	
29-Mar-2013	12:00:00	14.32	-2.05	-33.80	-8.07										

Date	Time							On-site Manual Raingauge	On-site Auto Rainguage	On-site Monthly Total	Weatherstation Rainfall Data	
		RP AW1	RP AW2	RP RAW1	RP RAW2	CG1	CG2				Albemarle Daily Rainfall	Albemarle Monthly Rainfall
29-Mar-2013	18:00:00	14.05	-2.25	-34.04	-8.64							
29-Mar-2013	24:00:00	14.57	-2.24	-33.97	-8.79							
30-Mar-2013	06:00:00	14.18	-2.05	-33.73	-7.98					0.18		
30-Mar-2013	12:00:00	13.94	-1.54	-33.48	-7.81							
30-Mar-2013	18:00:00	14.22	-1.91	-33.78	-8.85							
30-Mar-2013	24:00:00	14.92	-1.85	-33.68	-9.12							
31-Mar-2013	06:00:00	14.94	-1.67	-33.60	-4.10					0.00		
31-Mar-2013	12:00:00	27.77	-1.00	-33.35	-5.22							
31-Mar-2013	18:00:00	27.46	-0.92	-33.64	-5.83							
31-Mar-2013	24:00:00	26.40	-1.13	-33.61	-5.72						2.62	
1-Apr-2013	06:00:00	25.18	-1.04	-33.41	-4.34						0.69	
1-Apr-2013	12:00:00	28.60	-0.47	-33.34	-5.05							
1-Apr-2013	18:00:00	27.61	-1.05	-33.76	-5.36							
1-Apr-2013	24:00:00	26.52	-1.22	-33.68	-5.04							
2-Apr-2013	06:00:00	24.94	-1.18	-33.41	-5.34						0.00	
2-Apr-2013	12:00:00	23.59	-1.29	-33.54	-5.13							
2-Apr-2013	18:00:00	22.55	-1.60	-33.83	-5.84							
2-Apr-2013	24:00:00	21.85	-1.57	-33.83	-5.97							
3-Apr-2013	06:00:00	20.86	-1.58	-33.66	-6.36						0.00	
3-Apr-2013	12:00:00	19.94	-1.59	-33.66	-5.67							
3-Apr-2013	18:00:00	19.02	-1.87	-33.98	-6.19							
3-Apr-2013	24:00:00	18.64	-1.78	-33.95	-6.22							
4-Apr-2013	06:00:00	18.16	-1.61	-33.67	-6.73						0.00	
4-Apr-2013	12:00:00	17.54	-1.75	-33.66	-6.37							
4-Apr-2013	18:00:00	17.88	-1.16	-33.36	-3.82							
4-Apr-2013	24:00:00	29.05	1.82	-33.12	-3.19							
5-Apr-2013	06:00:00	28.73	0.34	-33.34	-3.52						0.85	
5-Apr-2013	12:00:00	28.21	-0.56	-33.32	-3.27							
5-Apr-2013	18:00:00	27.44	-1.00	-33.61	-3.81							
5-Apr-2013	24:00:00	26.76	-1.03	-33.53	-3.74							
6-Apr-2013	06:00:00	25.54	-0.93	-33.34	-4.33						0.00	
6-Apr-2013	12:00:00	24.40	-0.99	-33.24	-4.57							
6-Apr-2013	18:00:00	23.20	-1.31	-33.62	-5.42							
6-Apr-2013	24:00:00	22.60	-1.30	-33.58	-5.36							
7-Apr-2013	06:00:00	21.82	-1.30	-33.49	-5.73						0.00	
7-Apr-2013	12:00:00	21.23	-1.25	-33.48	-5.55							
7-Apr-2013	18:00:00	20.45	-1.54	-33.72	-6.25							
7-Apr-2013	24:00:00	20.22	-1.43	-33.59	-6.20							
8-Apr-2013	06:00:00	19.79	-1.29	-33.43	-6.91						0.00	
8-Apr-2013	12:00:00	19.24	-1.37	-33.41	-6.61							
8-Apr-2013	18:00:00	18.67	-1.72	-33.67	-7.06							
8-Apr-2013	24:00:00	18.60	-1.61	-33.68	-7.27							
9-Apr-2013	06:00:00	18.14	-1.64	-33.58	-7.81						0.00	
9-Apr-2013	12:00:00	17.83	-1.48	-33.38	-7.62							
9-Apr-2013	18:00:00	17.28	-1.88	-33.77	-8.46							
9-Apr-2013	24:00:00	17.28	-1.84	-33.79	-8.52							
10-Apr-2013	06:00:00	17.38	-1.59	-33.48	-9.10						0.00	
10-Apr-2013	12:00:00	17.06	-1.59	-33.47	-9.25							
10-Apr-2013	18:00:00	16.50	-2.08	-33.86	-9.72							
10-Apr-2013	24:00:00	16.87	-2.09	-33.95	-9.88							

Date	Time							On-site Manual Raingauge	On-site Auto Rainguage	On-site Monthly Total	Weatherstation Rainfall Data	
		RP AW1	RP AW2	RP RAW1	RP RAW2	CG1	CG2				Albemarle Daily Rainfall	Albemarle Monthly Rainfall
11-Apr-2013	06:00:00	16.70	-1.91	-33.65	-10.54						0.00	
11-Apr-2013	12:00:00	16.44	-1.85	-33.56	-10.30							
11-Apr-2013	18:00:00	16.07	-2.20	-33.95	-10.84							
11-Apr-2013	24:00:00	16.46	-2.08	-33.91	-10.76							
12-Apr-2013	06:00:00	16.21	-1.87	-33.62	-3.61						0.53	
12-Apr-2013	12:00:00	28.38	0.81	-33.07	-5.83							
12-Apr-2013	18:00:00	26.90	-0.70	-33.41	-7.28							
12-Apr-2013	24:00:00	24.82	-1.10	-33.55	-7.17							
13-Apr-2013	06:00:00	23.60	-0.91	-33.23	-8.01						0.00	
13-Apr-2013	12:00:00	22.46	-1.05	-33.25	-8.34							
13-Apr-2013	18:00:00	21.04	-1.43	-33.70	-9.01							
13-Apr-2013	24:00:00	20.16	-1.60	-33.86	-9.01							
14-Apr-2013	06:00:00	19.28	-1.34	-33.50	-9.34						0.00	
14-Apr-2013	12:00:00	18.58	-1.39	-33.52	-9.45							
14-Apr-2013	18:00:00	17.81	-1.81	-33.98	-9.75							
14-Apr-2013	24:00:00	17.26	-1.49	-33.71	-9.96							
15-Apr-2013	06:00:00	17.10	-1.52	-33.56	-10.02						0.10	
15-Apr-2013	12:00:00	16.82	-1.47	-33.46	-10.03							
15-Apr-2013	18:00:00	16.00	-1.76	-33.76	-10.47							
15-Apr-2013	24:00:00	15.43	-1.69	-33.72	-10.44							
16-Apr-2013	06:00:00	14.80	-1.45	-33.44	-10.83						0.04	
16-Apr-2013	12:00:00	14.62	-1.39	-33.37	-10.77							
16-Apr-2013	18:00:00	14.00	-1.81	-33.76	-11.43							
16-Apr-2013	24:00:00	13.73	-1.84	-33.94	-11.02							
17-Apr-2013	06:00:00	13.57	-1.51	-33.59	-11.46						0.00	
17-Apr-2013	12:00:00	13.44	-1.69	-33.68	-11.59							
17-Apr-2013	18:00:00	13.25	-1.88	-34.02	-12.21							
17-Apr-2013	24:00:00	12.90	-1.84	-33.98	-12.02							
18-Apr-2013	06:00:00	12.46	-1.70	-33.79	-12.37						0.00	
18-Apr-2013	12:00:00	12.26	-1.61	-33.67	-12.45							
18-Apr-2013	18:00:00	11.82	-2.01	-34.09	-13.30							
18-Apr-2013	24:00:00	11.59	-2.00	-34.24	-12.79							
19-Apr-2013	06:00:00	11.18	-1.85	-33.91	-13.39						0.00	
19-Apr-2013	12:00:00	11.78	-1.64	-33.91	-13.06							
19-Apr-2013	18:00:00	11.47	-1.93	-34.16	-7.42							
19-Apr-2013	24:00:00	13.37	-0.93	-33.17	-7.03							
20-Apr-2013	06:00:00	14.52	-0.85	-33.13	-9.40						0.12	
20-Apr-2013	12:00:00	13.15	-1.10	-33.26	-9.94							
20-Apr-2013	18:00:00	11.70	-1.47	-33.62	-11.47							
20-Apr-2013	24:00:00	10.56	-1.81	-33.84	-11.42							
21-Apr-2013	06:00:00	9.98	-1.51	-33.65	-12.08						0.00	
21-Apr-2013	12:00:00	9.54	-1.69	-33.73	-11.97							
21-Apr-2013	18:00:00	8.93	-1.93	-34.20	-13.17							
21-Apr-2013	24:00:00	8.58	-2.01	-34.37	-13.10							
22-Apr-2013	06:00:00	8.29	-1.85	-34.20	-13.51						0.00	
22-Apr-2013	12:00:00	8.47	-1.76	-34.09	-13.39							
22-Apr-2013	18:00:00	8.21	-2.26	-34.80	-14.59							
22-Apr-2013	24:00:00	7.86	-2.43	-35.27	-14.43							
23-Apr-2013	06:00:00	7.56	-2.25	-34.88	-14.78						0.00	
23-Apr-2013	12:00:00	7.61	-2.17	-34.73	-14.47							

Date	Time	Water Level (inches)						CG1	CG2	CG3	On-site Manual Raingauge	On-site Auto Rainguage	On-site Monthly Total	Weatherstation Rainfall Data	
		RP AW1	RP AW2	RP RAW1	RP RAW2									Albemarle Daily Rainfall	Albemarle Monthly Rainfall
23-Apr-2013	18:00:00	7.30	-2.37	-34.86	-15.68										
23-Apr-2013	24:00:00	7.26	-2.51	-35.39	-15.38										
24-Apr-2013	06:00:00	7.13	-2.11	-34.85	-15.72									0.00	
24-Apr-2013	12:00:00	7.16	-2.19	-34.67	-15.81										
24-Apr-2013	18:00:00	6.78	-2.74	-35.58	-16.84										
24-Apr-2013	24:00:00	6.20	-2.57	-35.86	-16.45										
25-Apr-2013	06:00:00	5.98	-2.21	-35.06	-17.16								0.00		
25-Apr-2013	12:00:00	5.26	-2.41	-35.18	-17.50										
25-Apr-2013	18:00:00	4.55	-2.93	-36.38	-18.73										
25-Apr-2013	24:00:00	3.68	-3.13	-37.34	-18.69										
26-Apr-2013	06:00:00	3.49	-2.86	-36.53	-19.18								0.00		
26-Apr-2013	12:00:00	3.22	-2.97	-36.31	-19.66										
26-Apr-2013	18:00:00	2.45	-3.86	-37.94	-21.14										
26-Apr-2013	24:00:00	1.72	-4.11	-39.17	-21.03										
27-Apr-2013	06:00:00	1.57	-3.67	-37.54	-21.26								0.00		
27-Apr-2013	12:00:00	1.63	-3.70	-36.83	-21.51										
27-Apr-2013	18:00:00	1.36	-4.18	-37.43	-22.12										
27-Apr-2013	24:00:00	1.03	-3.94	-37.13	-22.34										
28-Apr-2013	06:00:00	1.38	-3.83	-36.50	-22.82								0.00		
28-Apr-2013	12:00:00	1.62	-4.03	-36.12	-22.29										
28-Apr-2013	18:00:00	1.70	-3.83	-35.57	-2.13										
28-Apr-2013	24:00:00	29.11	4.09	-32.88	-1.72										
29-Apr-2013	06:00:00	29.24	2.37	-32.99	-2.73								2.71		
29-Apr-2013	12:00:00	29.26	0.73	-33.14	-2.94										
29-Apr-2013	18:00:00	28.61	-0.52	-33.55	-3.36										
29-Apr-2013	24:00:00	27.66	-0.79	-33.43	-3.13										
30-Apr-2013	06:00:00	26.21	-0.85	-33.37	-3.74								0.00		
30-Apr-2013	12:00:00	25.03	-1.05	-33.43	-4.26										
30-Apr-2013	18:00:00	24.16	-1.22	-33.53	-5.82										
30-Apr-2013	24:00:00	22.49	-1.46	-33.64	-5.73								5.04		
1-May-2013	06:00:00	21.58	-1.17	-33.34	-6.19								0.00		
1-May-2013	12:00:00	20.66	-1.30	-33.36	-6.12										
1-May-2013	18:00:00	19.45	-1.48	-33.53	-6.49										
1-May-2013	24:00:00	18.46	-1.33	-33.37	-6.38										
2-May-2013	06:00:00	17.86	-1.37	-33.32	-6.80								0.03		
2-May-2013	12:00:00	17.65	-1.33	-33.29	-6.92										
2-May-2013	18:00:00	16.84	-1.55	-33.47	-7.76										
2-May-2013	24:00:00	16.25	-1.54	-33.50	-7.56										
3-May-2013	06:00:00	16.10	-1.41	-33.30	-8.13								0.00		
3-May-2013	12:00:00	16.04	-1.31	-33.24	-8.86										
3-May-2013	18:00:00	14.77	-1.96	-33.72	-10.75										
3-May-2013	24:00:00	13.28	-1.85	-33.66	-10.66										
4-May-2013	06:00:00	12.82	-1.70	-33.55	-11.12								0.00		
4-May-2013	12:00:00	12.80	-1.71	-33.52	-11.26										
4-May-2013	18:00:00	12.48	-1.94	-33.73	-12.68										
4-May-2013	24:00:00	11.52	-2.06	-33.82	-12.54										
5-May-2013	06:00:00	11.22	-1.85	-33.70	-12.67								0.00		
5-May-2013	12:00:00	11.42	-1.93	-33.73	-12.60										
5-May-2013	18:00:00	11.03	-1.89	-33.80	-12.90										
5-May-2013	24:00:00	11.27	-1.58	-33.40	-11.97										

Date	Time	Water Level (inches)						CG1	CG2	CG3	On-site Manual Raingauge	On-site Auto Rainguage	On-site Monthly Total	Weatherstation Rainfall Data	
		RP AW1	RP AW2	RP RAW1	RP RAW2									Albemarle Daily Rainfall	Albemarle Monthly Rainfall
6-May-2013	06:00:00	11.12	-1.54	-33.43	-9.51									0.41	
6-May-2013	12:00:00	11.71	-0.92	-33.20	-7.57										
6-May-2013	18:00:00	12.62	-1.18	-33.43	-10.66										
6-May-2013	24:00:00	10.64	-1.59	-33.62	-10.84										
7-May-2013	06:00:00	10.09	-1.42	-33.28	-11.37									0.00	
7-May-2013	12:00:00	10.36	-1.43	-33.29	-11.96										
7-May-2013	18:00:00	9.23	-1.97	-33.67	-13.34										
7-May-2013	24:00:00	7.87	-1.99	-33.71	-9.03										
8-May-2013	06:00:00	8.33	-0.81	-33.13	-9.62									0.03	
8-May-2013	12:00:00	9.49	-1.12	-33.23	-10.24										
8-May-2013	18:00:00	9.71	-1.55	-33.50	-12.25										
8-May-2013	24:00:00	8.34	-1.77	-33.55	-11.96										
9-May-2013	06:00:00	8.04	-1.52	-33.35	-12.50									0.00	
9-May-2013	12:00:00	8.16	-1.54	-33.32	-13.05										
9-May-2013	18:00:00	7.22	-2.24	-33.83	-14.84										
9-May-2013	24:00:00	5.53	-2.31	-33.97	-14.79										
10-May-2013	06:00:00	5.35	-1.95	-33.64	-15.14									0.00	
10-May-2013	12:00:00	5.56	-1.89	-33.60	-16.03										
10-May-2013	18:00:00	5.00	-2.44	-34.19	-18.12										
10-May-2013	24:00:00	3.25	-2.50	-34.42	-17.97										
11-May-2013	06:00:00	2.99	-2.33	-34.10	-18.15									0.00	
11-May-2013	12:00:00	3.41	-2.11	-33.94	-19.38										
11-May-2013	18:00:00	2.39	-2.80	-34.84	-21.36										
11-May-2013	24:00:00	1.01	-2.81	-35.02	-21.14										
12-May-2013	06:00:00	0.80	-2.29	-33.82	-21.51									0.00	
12-May-2013	12:00:00	0.89	-2.39	-34.12	-22.68										
12-May-2013	18:00:00	0.12	-3.05	-35.26	-24.63										
12-May-2013	24:00:00	-1.31	-3.27	-36.11	-24.73										
13-May-2013	06:00:00	-1.85	-3.02	-35.62	-25.29									0.02	
13-May-2013	12:00:00	-2.03	-3.09	-35.46	-26.25										
13-May-2013	18:00:00	-2.94	-3.89	-36.89	-28.21										
13-May-2013	24:00:00	-3.90	-4.51	-38.15	-28.40										
14-May-2013	06:00:00	-4.31	-3.99	-37.07	-28.96									0.00	
14-May-2013	12:00:00	-4.40	-4.04	-36.68	-29.83										
14-May-2013	18:00:00	-5.15	-5.06	-38.56	-31.71										
14-May-2013	24:00:00	-5.41	-5.59	-40.61	-31.52										
15-May-2013	06:00:00	-5.26	-4.87	-38.78	-31.78									0.00	
15-May-2013	12:00:00	-5.27	-4.79	-37.97	-34.93	0.70	0.00	0.50	8.30						
15-May-2013	18:00:00	-5.12	-6.59	-39.59	-34.63										
15-May-2013	24:00:00	-5.12	-7.75	-42.18	-34.83										
16-May-2013	06:00:00	-4.98	-6.58	-40.64	-35.64									0.00	
16-May-2013	12:00:00	-4.96	-6.69	-39.59	-37.48										
16-May-2013	18:00:00	-5.17	-8.37	-41.27	-37.05										
16-May-2013	24:00:00	-5.05	-9.17	-43.03	-37.02										
17-May-2013	06:00:00	-4.94	-8.26	-41.92	-37.86									0.00	
17-May-2013	12:00:00	-4.94	-8.29	-40.82	-39.70										
17-May-2013	18:00:00	-5.21	-10.29	-42.31	-39.39										
17-May-2013	24:00:00	-5.16	-12.17	-44.08	-39.40										
18-May-2013	06:00:00	-4.97	-10.82	-43.78	-39.28									0.00	
18-May-2013	12:00:00	-4.99	-10.69	-43.21	-39.38										

Date	Time	Water Level (inches)						CG1	CG2	CG3	On-site Manual Raingauge	On-site Auto Raingauge	On-site Monthly Total	Weatherstation Rainfall Data	
		RP AW1	RP AW2	RP RAW1	RP RAW2									Albemarle Daily Rainfall	Albemarle Monthly Rainfall
18-May-2013	18:00:00	-5.20	-11.73	-42.74	-39.46										
18-May-2013	24:00:00	-4.98	-9.47	-41.93	-39.44										
19-May-2013	06:00:00	-5.04	-10.03	-40.32	-38.71								0.25		
19-May-2013	12:00:00	-5.03	-7.55	-37.36	-38.47										
19-May-2013	18:00:00	-5.05	-7.96	-36.38	-37.64										
19-May-2013	24:00:00	-5.14	-5.95	-34.45	-37.38										
20-May-2013	06:00:00	-5.05	-6.73	-35.18	-36.45							0.75			
20-May-2013	12:00:00	-4.99	-5.72	-34.01	-37.20										
20-May-2013	18:00:00	-5.14	-6.92	-34.99	-36.34										
20-May-2013	24:00:00	-5.02	-5.08	-33.91	-36.12										
21-May-2013	06:00:00	-5.00	-5.81	-34.32	-35.50							0.87			
21-May-2013	12:00:00	-5.06	-5.79	-34.02	-36.64										
21-May-2013	18:00:00	-5.22	-6.73	-34.69	-36.10										
21-May-2013	24:00:00	-5.03	-7.96	-35.09	-35.78										
22-May-2013	06:00:00	-5.02	-7.90	-34.82	-36.50							0.00			
22-May-2013	12:00:00	-4.98	-7.59	-34.55	-39.04										
22-May-2013	18:00:00	-5.16	-9.87	-35.93	-38.89										
22-May-2013	24:00:00	-5.16	-11.97	-37.42	-38.55										
23-May-2013	06:00:00	-4.99	-10.42	-36.16	-38.70							0.02			
23-May-2013	12:00:00	-5.05	-7.71	-34.20	-39.86										
23-May-2013	18:00:00	-5.23	-10.72	-35.77	-39.48										
23-May-2013	24:00:00	-5.27	-12.62	-36.72	-39.20										
24-May-2013	06:00:00	-5.06	-5.80	-33.54	-39.74							0.00			
24-May-2013	12:00:00	-4.98	-7.12	-34.10	-39.87										
24-May-2013	18:00:00	-5.22	-10.71	-35.32	-39.56										
24-May-2013	24:00:00	-5.08	-14.57	-37.55	-39.96										
25-May-2013	06:00:00	-5.15	-14.05	-37.00	-39.60							0.00			
25-May-2013	12:00:00	-5.14	-14.27	-36.95	-40.02										
25-May-2013	18:00:00	-5.26	-16.09	-38.80	-39.81										
25-May-2013	24:00:00	-5.20	-18.21	-42.04	-40.04										
26-May-2013	06:00:00	-4.99	-18.17	-41.56	-39.84							0.00			
26-May-2013	12:00:00	-5.10	-18.43	-40.81	-39.98										
26-May-2013	18:00:00	-5.17	-19.48	-42.04	-39.61										
26-May-2013	24:00:00	-5.15	-20.97	-44.11	-39.86										
27-May-2013	06:00:00	-4.99	-20.98	-43.85	-39.76							0.00			
27-May-2013	12:00:00	-5.05	-21.19	-43.52	-39.86										
27-May-2013	18:00:00	-5.21	-22.18	-44.42	-39.50										
27-May-2013	24:00:00	-5.12	-23.62	-45.67	-39.70										
28-May-2013	06:00:00	-5.03	-23.50	-45.72	-39.57							0.50			
28-May-2013	12:00:00	-4.97	-23.55	-45.50	-39.99										
28-May-2013	18:00:00	-5.24	-24.71	-46.15	-39.54										
28-May-2013	24:00:00	-5.15	-25.88	-46.75	-39.73										
29-May-2013	06:00:00	-4.94	-25.64	-46.60	-39.67							0.00			
29-May-2013	12:00:00	-4.91	-25.69	-46.52	-39.96										
29-May-2013	18:00:00	-5.26	-26.90	-47.12	-39.52										
29-May-2013	24:00:00	-5.12	-28.03	-47.42	-39.84										
30-May-2013	06:00:00	-4.85	-27.79	-47.32	-39.49							0.00			
30-May-2013	12:00:00	-4.91	-27.75	-47.30	-39.93										
30-May-2013	18:00:00	-5.15	-28.77	-47.80	-39.60										
30-May-2013	24:00:00	-5.11	-29.30	-48.19	-39.75										

Date	Time	Water Level (inches)						CG1	CG2	CG3	On-site Manual Raingauge	On-site Auto Raingauge	On-site Monthly Total	Weatherstation Rainfall Data	
		RP AW1	RP AW2	RP RAW1	RP RAW2									Albemarle Daily Rainfall	Albemarle Monthly Rainfall
31-May-2013	06:00:00	-5.00	-29.15	-47.92	-39.63									0.00	
31-May-2013	12:00:00	-5.03	-29.27	-48.04	-39.94										
31-May-2013	18:00:00	-5.34	-29.45	-48.41	-39.54										
31-May-2013	24:00:00	-5.18	-29.30	-48.53	-39.63								0.00		2.88
1-Jun-2013	06:00:00	-5.09	-29.19	-48.29	-39.75									0.00	
1-Jun-2013	12:00:00	-5.02	-29.12	-48.11	-39.84										
1-Jun-2013	18:00:00	-5.14	-29.43	-48.59	-39.48										
1-Jun-2013	24:00:00	-5.18	-29.33	-49.02	-39.80										
2-Jun-2013	06:00:00	-5.02	-29.24	-48.83	-39.75									0.00	
2-Jun-2013	12:00:00	-5.00	-29.23	-48.50	-40.06										
2-Jun-2013	18:00:00	-5.22	-29.41	-49.12	-39.58										
2-Jun-2013	24:00:00	-5.16	-29.36	-49.51	-39.76										
3-Jun-2013	06:00:00	-5.05	0.59	-33.47	-39.75									1.30	
3-Jun-2013	12:00:00	-5.09	-0.44	-33.50	-40.09										
3-Jun-2013	18:00:00	-5.22	-1.51	-33.78	-39.40										
3-Jun-2013	24:00:00	-5.24	-2.36	-34.01	-39.98										
4-Jun-2013	06:00:00	-5.00	-2.41	-33.85	-39.68									0.07	
4-Jun-2013	12:00:00	-5.00	-2.51	-33.85	-39.99										
4-Jun-2013	18:00:00	-5.20	-3.23	-34.37	-39.55										
4-Jun-2013	24:00:00	-5.15	-3.28	-34.46	-39.82										
5-Jun-2013	06:00:00	-4.94	-2.91	-34.13	-39.58									0.00	
5-Jun-2013	12:00:00	-4.90	-2.86	-34.04	-39.74										
5-Jun-2013	18:00:00	-5.11	-3.15	-34.25	-39.58										
5-Jun-2013	24:00:00	-5.09	-3.34	-34.48	-39.80										
6-Jun-2013	06:00:00	-4.97	-3.11	-34.22	-39.46									0.00	
6-Jun-2013	12:00:00	-4.94	-2.78	-33.88	-39.73										
6-Jun-2013	18:00:00	-5.12	-2.09	-33.43	-39.43										
6-Jun-2013	24:00:00	-5.00	-2.00	-33.43	-39.58										
7-Jun-2013	06:00:00	-4.97	-1.34	-32.98	-39.74									1.38	
7-Jun-2013	12:00:00	-4.96	-0.25	-32.92	-26.90										
7-Jun-2013	18:00:00	1.42	2.33	-32.39	-6.67										
7-Jun-2013	24:00:00	-3.61	-0.59	-33.37	-6.18										
8-Jun-2013	06:00:00	28.04	1.71	-32.78	-7.44									1.92	
8-Jun-2013	12:00:00	17.66	-0.22	-33.29	-11.30										
8-Jun-2013	18:00:00	5.06	-1.28	-33.68	-11.37										
8-Jun-2013	24:00:00	-1.62	-2.03	-33.94	-12.04										
9-Jun-2013	06:00:00	-2.99	-1.81	-33.65	-13.44									0.00	
9-Jun-2013	12:00:00	-5.00	-1.84	-33.52	-16.68										
9-Jun-2013	18:00:00	-5.35	-2.53	-34.04	-16.60										
9-Jun-2013	24:00:00	-5.00	-2.31	-33.84	-17.47										
10-Jun-2013	06:00:00	-5.02	-2.32	-33.82	-13.44									0.03	
10-Jun-2013	12:00:00	-5.12	-2.31	-33.78	-5.00										
10-Jun-2013	18:00:00	-5.16	-1.09	-33.42	-6.50										
10-Jun-2013	24:00:00	22.33	1.22	-33.24	-8.41										
11-Jun-2013	06:00:00	12.26	-0.79	-33.32	-8.50									1.10	
11-Jun-2013	12:00:00	9.77	-1.10	-33.22	-12.13										
11-Jun-2013	18:00:00	9.83	-1.49	-33.62	-12.72										
11-Jun-2013	24:00:00	1.88	-2.11	-33.88	-13.57										
12-Jun-2013	06:00:00	-1.10	-1.81	-33.66	-14.60									0.00	
12-Jun-2013	12:00:00	-2.23	-1.84	-33.59	-18.31										

											Weatherstation Rainfall Data		
Date	Time	Water Level (inches)				CG1	CG2	CG3	On-site Manual Raingauge	On-site Auto Rainguage	On-site Monthly Total	Albemarle Daily Rainfall	Albemarle Monthly Rainfall
dd-mmm-yyyy	hh:mm:ss	RP AW1	RP AW2	RP RAW1	RP RAW2								
12-Jun-2013	18:00:00	-4.58	-2.69	-34.15	-18.27								
12-Jun-2013	24:00:00	-5.26	-2.92	-34.42	-18.85								
13-Jun-2013	06:00:00	-5.00	-2.25	-34.03	-21.91						0.00		
13-Jun-2013	12:00:00	-4.98	-2.17	-33.79	-27.21								
13-Jun-2013	18:00:00	-5.32	-3.17	-34.56	-15.49								
13-Jun-2013	24:00:00	-5.04	-1.61	-33.11	-14.88								
14-Jun-2013	06:00:00	-3.38	-1.31	-33.35	-17.12						0.45		
14-Jun-2013	12:00:00	-3.49	-1.70	-33.32	-21.39								
14-Jun-2013	18:00:00	-5.26	-2.49	-33.88	-22.44								
14-Jun-2013	24:00:00	-5.22	-2.98	-34.20	-23.70								
15-Jun-2013	06:00:00	-5.06	-2.57	-33.96	-26.29						0.00		
15-Jun-2013	12:00:00	-5.04	-2.41	-33.86	-30.68								
15-Jun-2013	18:00:00	-5.42	-3.21	-34.62	-31.45								
15-Jun-2013	24:00:00	-5.16	-3.50	-35.17	-31.84								
16-Jun-2013	06:00:00	-5.02	-3.05	-34.76	-33.33						0.00		
16-Jun-2013	12:00:00	-4.99	-2.86	-34.63	-37.10								
16-Jun-2013	18:00:00	-5.32	-3.58	-35.62	-37.12								
16-Jun-2013	24:00:00	-5.28	-4.11	-36.61	-36.84								
17-Jun-2013	06:00:00	-5.11	-3.61	-35.82	-37.86						0.00		
17-Jun-2013	12:00:00	-5.09	-3.38	-35.53	-39.72								
17-Jun-2013	18:00:00	-5.34	-4.25	-36.60	-39.27								
17-Jun-2013	24:00:00	-5.03	-2.69	-33.47	-39.44								
18-Jun-2013	06:00:00	-5.18	-2.85	-34.57	-38.76						0.25		
18-Jun-2013	12:00:00	-5.27	-2.90	-34.73	-39.79								
18-Jun-2013	18:00:00	-5.29	-3.25	-34.96	-39.46								
18-Jun-2013	24:00:00	-5.11	-3.46	-35.56	-37.40								
19-Jun-2013	06:00:00	-5.06	-1.59	-33.30	-37.27						0.27		
19-Jun-2013	12:00:00	-5.15	-2.06	-33.40	-39.81								
19-Jun-2013	18:00:00	-5.34	-2.83	-33.92	-39.40								
19-Jun-2013	24:00:00	-5.15	-2.95	-33.98	-39.64								
20-Jun-2013	06:00:00	-5.02	-2.72	-33.84	-39.63						0.00		
20-Jun-2013	12:00:00	-5.03	-2.69	-33.78	-39.99								
20-Jun-2013	18:00:00	-5.32	-3.41	-34.43	-39.49								
20-Jun-2013	24:00:00	-5.33	-3.93	-35.15	-39.75								
21-Jun-2013	06:00:00	-5.14	-3.58	-34.73	-39.74						0.00		
21-Jun-2013	12:00:00	-5.10	-3.62	-34.73	-39.80								
21-Jun-2013	18:00:00	-5.41	-4.71	-35.92	-39.45								
21-Jun-2013	24:00:00	-5.27	-5.80	-37.36	-39.76								
22-Jun-2013	06:00:00	-4.99	-4.82	-36.41	-39.67						0.00		
22-Jun-2013	12:00:00	-5.23	-4.97	-36.23	-40.02								
22-Jun-2013	18:00:00	-5.28	-5.81	-36.89	-39.44								
22-Jun-2013	24:00:00	-5.29	-6.79	-38.35	-39.72								
23-Jun-2013	06:00:00	-5.04	-5.86	-37.55	-39.66						0.05		
23-Jun-2013	12:00:00	-5.11	-5.68	-36.64	-39.79								
23-Jun-2013	18:00:00	-5.40	-6.83	-37.80	-39.74								
23-Jun-2013	24:00:00	-5.11	-7.40	-40.10	-39.85								
24-Jun-2013	06:00:00	-5.15	-7.09	-39.32	-39.56						0.00		
24-Jun-2013	12:00:00	-5.06	-6.97	-38.60	-5.89								
24-Jun-2013	18:00:00	-5.29	-8.44	-39.94	-6.81								
24-Jun-2013	24:00:00	9.35	-0.70	-33.32	-7.53								

Date	Time							On-site Manual Raingauge	On-site Auto Rainguage	On-site Monthly Total	Weatherstation Rainfall Data	
		RP AW1	RP AW2	RP RAW1	RP RAW2	CG1	CG2				Albemarle Daily Rainfall	Albemarle Monthly Rainfall
25-Jun-2013	06:00:00	3.31	-1.61	-33.37	-9.21						0.00	
25-Jun-2013	12:00:00	1.42	-1.88	-33.40	-11.82							
25-Jun-2013	18:00:00	-1.76	-2.56	-33.90	-11.11							
25-Jun-2013	24:00:00	-5.14	-2.72	-33.96	-11.53							
26-Jun-2013	06:00:00	-5.11	-2.43	-33.77	-12.40						0.00	
26-Jun-2013	12:00:00	-4.99	-2.37	-33.67	-17.06							
26-Jun-2013	18:00:00	-5.35	-3.11	-34.16	-15.76							
26-Jun-2013	24:00:00	-5.22	-3.27	-34.26	-16.11							
27-Jun-2013	06:00:00	-5.05	-2.29	-33.52	-17.58						0.16	
27-Jun-2013	12:00:00	-5.06	-2.37	-33.52	-21.22							
27-Jun-2013	18:00:00	-5.23	-2.95	-33.85	-6.85							
27-Jun-2013	24:00:00	-5.05	-3.01	-33.96	-8.47							
28-Jun-2013	06:00:00	4.56	-0.83	-33.31	-10.47						0.83	
28-Jun-2013	12:00:00	-0.86	-1.69	-33.38	-13.89							
28-Jun-2013	18:00:00	-4.13	-2.41	-33.88	-3.57							
28-Jun-2013	24:00:00	-5.16	-2.68	-33.98	-6.46							
29-Jun-2013	06:00:00	23.99	2.12	-32.95	-7.10						0.00	
29-Jun-2013	12:00:00	11.72	-1.17	-33.36	-9.12							
29-Jun-2013	18:00:00	5.74	-1.78	-33.76	-8.12							
29-Jun-2013	24:00:00	-0.89	-2.07	-33.76	-8.05							
30-Jun-2013	06:00:00	-2.00	-2.09	-33.65	-9.37						0.00	
30-Jun-2013	12:00:00	-2.38	-2.11	-33.60	-6.94							
30-Jun-2013	18:00:00	-3.66	-2.19	-33.43	-3.34							
30-Jun-2013	24:00:00	1.34	-1.48	-33.17	-3.30						0.00	7.81
1-Jul-2013	06:00:00	26.26	-0.17	-33.19	-3.25							3.67
1-Jul-2013	12:00:00	29.06	1.31	-32.70	-3.70							
1-Jul-2013	18:00:00	27.52	-0.74	-33.36	-3.69							
1-Jul-2013	24:00:00	24.20	-1.15	-33.37	-4.90							
2-Jul-2013	06:00:00	22.03	-1.45	-33.37	-3.60							0.03
2-Jul-2013	12:00:00	20.64	-1.41	-33.26	-3.31							
2-Jul-2013	18:00:00	28.52	0.37	-33.16	-2.86							
2-Jul-2013	24:00:00	29.20	0.92	-33.00	-3.27							
3-Jul-2013	06:00:00	29.18	0.58	-33.04	-3.54							1.12
3-Jul-2013	12:00:00	28.51	-0.63	-33.13	-4.64							
3-Jul-2013	18:00:00	27.00	-1.18	-33.31	-4.83							
3-Jul-2013	24:00:00	24.58	-1.46	-33.36	-5.66							
4-Jul-2013	06:00:00	24.10	-0.88	-33.17	-6.62						0.00	
4-Jul-2013	12:00:00	23.34	-1.22	-33.28	-7.78							
4-Jul-2013	18:00:00	20.28	-1.69	-33.58	-6.14							
4-Jul-2013	24:00:00	14.23	-1.84	-33.56	-6.74							
5-Jul-2013	06:00:00	13.92	-1.52	-33.30	-7.23						0.17	
5-Jul-2013	12:00:00	14.14	-1.70	-33.25	-4.93							
5-Jul-2013	18:00:00	12.56	-2.20	-33.72	-3.94							
5-Jul-2013	24:00:00	13.07	-0.53	-33.07	-6.09							
6-Jul-2013	06:00:00	25.43	0.40	-33.00	-6.56						0.00	
6-Jul-2013	12:00:00	25.28	-0.91	-33.24	-9.13							
6-Jul-2013	18:00:00	23.18	-1.57	-33.61	-8.08							
6-Jul-2013	24:00:00	18.52	-1.66	-33.54	-8.34							
7-Jul-2013	06:00:00	17.04	-1.64	-33.47	-9.30						0.00	
7-Jul-2013	12:00:00	17.00	-1.67	-33.42	-11.96							

Date	Time	Water Level (inches)						CG1	CG2	CG3	On-site Manual Raingauge	On-site Auto Rainguage	On-site Monthly Total	Weatherstation Rainfall Data	
		RP AW1	RP AW2	RP RAW1	RP RAW2									Albemarle Daily Rainfall	Albemarle Monthly Rainfall
7-Jul-2013	18:00:00	14.62	-2.12	-33.82	-2.85										
7-Jul-2013	24:00:00	8.15	-2.32	-33.97	-3.13										
8-Jul-2013	06:00:00	28.72	0.40	-33.12	-3.31								0.40		
8-Jul-2013	12:00:00	28.58	-0.43	-33.17	-3.91										
8-Jul-2013	18:00:00	26.74	-1.23	-33.42	-3.42										
8-Jul-2013	24:00:00	26.81	-1.06	-33.42	-4.42										
9-Jul-2013	06:00:00	25.25	-1.15	-33.24	-5.46							0.00			
9-Jul-2013	12:00:00	24.46	-1.35	-33.29	-7.15										
9-Jul-2013	18:00:00	22.66	-1.75	-33.50	-6.37										
9-Jul-2013	24:00:00	18.22	-1.96	-33.64	-6.34										
10-Jul-2013	06:00:00	17.05	-1.75	-33.50	-7.03							0.00			
10-Jul-2013	12:00:00	17.20	-1.67	-33.42	-9.76										
10-Jul-2013	18:00:00	15.68	-2.17	-33.91	-3.84										
10-Jul-2013	24:00:00	14.69	-1.15	-32.71	-4.89										
11-Jul-2013	06:00:00	25.56	-0.64	-33.10	-5.29							0.00			
11-Jul-2013	12:00:00	24.00	-1.07	-33.12	-3.86										
11-Jul-2013	18:00:00	22.87	-1.27	-33.32	-3.37										
11-Jul-2013	24:00:00	27.85	-0.20	-33.10	-4.05										
12-Jul-2013	06:00:00	29.03	-0.34	-32.96	-3.70							0.21			
12-Jul-2013	12:00:00	28.40	-0.76	-33.16	-5.06										
12-Jul-2013	18:00:00	27.65	-1.27	-33.30	-3.91										
12-Jul-2013	24:00:00	23.62	-1.42	-33.29	-4.03										
13-Jul-2013	06:00:00	22.18	-1.30	-33.24	-4.45							0.00			
13-Jul-2013	12:00:00	21.13	-1.34	-33.32	-6.94										
13-Jul-2013	18:00:00	19.86	-1.48	-33.35	-6.78										
13-Jul-2013	24:00:00	16.67	-1.75	-33.59	-5.36										
14-Jul-2013	06:00:00	15.37	-1.64	-33.50	-7.50							0.00			
14-Jul-2013	12:00:00	15.00	-1.27	-33.23	-11.41										
14-Jul-2013	18:00:00	13.68	-1.83	-33.78	-10.99										
14-Jul-2013	24:00:00	10.18	-1.99	-33.96	-10.96										
15-Jul-2013	06:00:00	9.06	-1.84	-33.80	-11.50							0.14			
15-Jul-2013	12:00:00	8.70	-1.89	-33.80	-13.87										
15-Jul-2013	18:00:00	7.82	-2.33	-34.31	-13.84										
15-Jul-2013	24:00:00	5.36	-2.65	-34.64	-13.94										
16-Jul-2013	06:00:00	4.54	-2.29	-34.33	-15.66							0.00			
16-Jul-2013	12:00:00	4.33	-2.13	-34.26	-18.69										
16-Jul-2013	18:00:00	3.07	-2.72	-35.16	-18.52										
16-Jul-2013	24:00:00	0.20	-2.86	-35.80	-18.63										
17-Jul-2013	06:00:00	-0.10	-2.55	-35.11	-19.48							0.02			
17-Jul-2013	12:00:00	-0.12	-2.49	-35.04	-16.66										
17-Jul-2013	18:00:00	-1.03	-3.04	-36.14	-15.58										
17-Jul-2013	24:00:00	-1.70	-0.32	-33.22	-15.93										
18-Jul-2013	06:00:00	-1.50	-1.28	-33.29	-17.19							0.00			
18-Jul-2013	12:00:00	-1.30	-1.39	-33.24	-20.18										
18-Jul-2013	18:00:00	-2.14	-1.94	-33.72	-19.90										
18-Jul-2013	24:00:00	-4.38	-1.96	-33.85	-20.23										
19-Jul-2013	06:00:00	-4.90	-1.90	-33.82	-21.43							0.00			
19-Jul-2013	12:00:00	-4.68	-1.81	-33.82	-24.09										
19-Jul-2013	18:00:00	-5.26	-2.25	-34.30	-24.43										
19-Jul-2013	24:00:00	-5.28	-2.43	-34.64	-24.66										

Date	Time	Water Level (inches)						CG1	CG2	CG3	On-site Manual Raingauge	On-site Auto Rainguage	On-site Monthly Total	Weatherstation Rainfall Data	
		RP AW1	RP AW2	RP RAW1	RP RAW2									Albemarle Daily Rainfall	Albemarle Monthly Rainfall
20-Jul-2013	06:00:00	-5.14	-2.15	-34.37	-24.28									0.00	
20-Jul-2013	12:00:00	-5.24	-2.11	-34.34	-26.61										
20-Jul-2013	18:00:00	-5.45	-2.35	-34.90	-26.91										
20-Jul-2013	24:00:00	-5.23	-2.51	-35.22	-26.54										
21-Jul-2013	06:00:00	-5.11	-2.20	-34.81	-26.31									0.00	
21-Jul-2013	12:00:00	-5.15	-2.20	-34.72	-30.03										
21-Jul-2013	18:00:00	-5.34	-2.49	-35.47	-2.78										
21-Jul-2013	24:00:00	-5.27	-2.65	-36.17	-3.68										
22-Jul-2013	06:00:00	29.04	0.27	-32.87	-3.49									0.46	
22-Jul-2013	12:00:00	27.02	-0.88	-33.08	-6.01										
22-Jul-2013	18:00:00	24.44	-1.40	-33.34	-5.85										
22-Jul-2013	24:00:00	19.79	-1.57	-33.53	-6.44										
23-Jul-2013	06:00:00	18.18	-1.41	-33.41	-7.14									0.00	
23-Jul-2013	12:00:00	17.24	-1.45	-33.44	-9.74										
23-Jul-2013	18:00:00	14.23	-2.01	-34.04	-8.76										
23-Jul-2013	24:00:00	9.13	-2.26	-34.42	-8.86										
24-Jul-2013	06:00:00	8.10	-1.96	-34.20	-10.52									0.00	
24-Jul-2013	12:00:00	8.26	-1.79	-34.14	-13.12										
24-Jul-2013	18:00:00	6.20	-2.27	-35.02	-3.30										
24-Jul-2013	24:00:00	2.72	-2.30	-35.23	-6.00										
25-Jul-2013	06:00:00	25.93	0.52	-32.90	-6.93									0.69	
25-Jul-2013	12:00:00	23.62	-0.80	-33.17	-8.40										
25-Jul-2013	18:00:00	20.09	-1.47	-33.56	-7.05										
25-Jul-2013	24:00:00	15.41	-1.64	-33.76	-6.80										
26-Jul-2013	06:00:00	13.97	-1.43	-33.54	-8.59									0.00	
26-Jul-2013	12:00:00	13.33	-1.40	-33.60	-11.88										
26-Jul-2013	18:00:00	11.05	-1.88	-34.18	-11.04										
26-Jul-2013	24:00:00	7.10	-2.11	-34.57	-10.99										
27-Jul-2013	06:00:00	7.09	-1.75	-34.27	-11.02									0.00	
27-Jul-2013	12:00:00	7.48	-1.72	-34.31	-3.18										
27-Jul-2013	18:00:00	7.10	-1.85	-34.73	-3.10										
27-Jul-2013	24:00:00	28.78	0.29	-33.06	-3.52										
28-Jul-2013	06:00:00	27.12	-0.79	-33.11	-3.67									3.17	
28-Jul-2013	12:00:00	25.28	-0.85	-33.26	-4.53										
28-Jul-2013	18:00:00	22.62	-1.35	-33.61	-3.24										
28-Jul-2013	24:00:00	17.84	-1.53	-33.82	-4.06										
29-Jul-2013	06:00:00	18.78	-0.93	-33.00	-4.74									0.05	
29-Jul-2013	12:00:00	20.41	-0.37	-33.12	-8.18										
29-Jul-2013	18:00:00	17.76	-1.13	-33.64	-6.94										
29-Jul-2013	24:00:00	13.18	-1.60	-33.88	-7.29										
30-Jul-2013	06:00:00	12.76	-1.24	-33.62	-8.83									0.00	
30-Jul-2013	12:00:00	12.62	-1.33	-33.60	-11.62										
30-Jul-2013	18:00:00	10.86	-1.73	-34.28	-10.95										
30-Jul-2013	24:00:00	8.11	-1.75	-34.49	-11.06										
31-Jul-2013	06:00:00	8.32	-1.52	-34.33	-11.47									0.00	
31-Jul-2013	12:00:00	8.81	-1.57	-34.20	-12.96										
31-Jul-2013	18:00:00	8.12	-1.67	-34.58	-10.28										
31-Jul-2013	24:00:00	7.26	-1.57	-34.73	-11.05									10.13	
1-Aug-2013	06:00:00	7.27	-1.28	-33.80	-11.12									0.93	
1-Aug-2013	12:00:00	7.98	-1.22	-33.79	-13.11										

Date	Time	Water Level (inches)						CG1	CG2	CG3	On-site Manual Raingauge	On-site Auto Rainguage	On-site Monthly Total	Weatherstation Rainfall Data	
		RP AW1	RP AW2	RP RAW1	RP RAW2									Albemarle Daily Rainfall	Albemarle Monthly Rainfall
1-Aug-2013	18:00:00	7.78	-1.40	-34.14	-13.04										
1-Aug-2013	24:00:00	6.29	-1.63	-34.26	-13.34										
2-Aug-2013	06:00:00	5.98	-1.48	-34.09	-14.37									0.00	
2-Aug-2013	12:00:00	6.14	-1.46	-33.96	-16.68										
2-Aug-2013	18:00:00	4.85	-1.88	-35.03	-16.33										
2-Aug-2013	24:00:00	3.13	-1.97	-35.14	-16.24										
3-Aug-2013	06:00:00	3.13	-1.67	-34.67	-16.33								0.00		
3-Aug-2013	12:00:00	3.40	-1.67	-34.58	-18.56										
3-Aug-2013	18:00:00	3.18	-2.12	-35.41	-18.37										
3-Aug-2013	24:00:00	1.42	-2.21	-35.76	-18.54										
4-Aug-2013	06:00:00	1.04	-2.08	-35.27	-19.76								0.00		
4-Aug-2013	12:00:00	1.16	-2.11	-35.09	-22.22										
4-Aug-2013	18:00:00	0.19	-2.56	-36.52	-22.47										
4-Aug-2013	24:00:00	-1.76	-2.69	-37.93	-23.04										
5-Aug-2013	06:00:00	-2.14	-2.56	-36.79	-23.74								0.00		
5-Aug-2013	12:00:00	-2.24	-2.68	-36.44	-25.95										
5-Aug-2013	18:00:00	-3.08	-3.32	-38.06	-25.98										
5-Aug-2013	24:00:00	-4.30	-3.89	-40.07	-26.36										
6-Aug-2013	06:00:00	-4.44	-3.43	-38.65	-25.27								0.00		
6-Aug-2013	12:00:00	-4.15	-2.59	-37.33	-23.67										
6-Aug-2013	18:00:00	-4.18	-2.24	-33.29	-22.92										
6-Aug-2013	24:00:00	-4.27	-2.44	-34.62	-22.77										
7-Aug-2013	06:00:00	-4.51	-2.35	-34.54	-23.42								0.00		
7-Aug-2013	12:00:00	-4.44	-2.30	-34.50	-26.10										
7-Aug-2013	18:00:00	-4.97	-2.87	-35.46	-26.40										
7-Aug-2013	24:00:00	-5.38	-2.84	-36.25	-26.64										
8-Aug-2013	06:00:00	-5.23	-2.81	-35.64	-27.39								0.20		
8-Aug-2013	12:00:00	-5.17	-2.75	-35.39	-28.70										
8-Aug-2013	18:00:00	-5.39	-3.29	-35.96	-28.24										
8-Aug-2013	24:00:00	-5.35	-3.70	-37.21	-28.44										
9-Aug-2013	06:00:00	-5.22	-3.55	-36.40	-29.29								0.00		
9-Aug-2013	12:00:00	-5.33	-3.68	-36.13	-30.93										
9-Aug-2013	18:00:00	-5.46	-4.67	-37.79	-30.68										
9-Aug-2013	24:00:00	-5.35	-5.44	-40.24	-30.72										
10-Aug-2013	06:00:00	-5.22	-4.59	-38.56	-31.70								0.00		
10-Aug-2013	12:00:00	-5.15	-4.52	-37.96	-33.38										
10-Aug-2013	18:00:00	-5.44	-6.14	-40.44	-31.99										
10-Aug-2013	24:00:00	-5.27	-4.55	-37.76	-31.77										
11-Aug-2013	06:00:00	-5.12	-4.21	-35.83	-32.25								0.00		
11-Aug-2013	12:00:00	-5.23	-4.61	-36.18	-34.23										
11-Aug-2013	18:00:00	-5.52	-5.80	-37.70	-33.57										
11-Aug-2013	24:00:00	-5.27	-7.28	-41.12	-33.40										
12-Aug-2013	06:00:00	-5.23	-6.40	-40.15	-34.63								0.30		
12-Aug-2013	12:00:00	-5.23	-6.37	-39.44	-36.49										
12-Aug-2013	18:00:00	-5.59	-8.37	-42.24	-36.31										
12-Aug-2013	24:00:00	-5.34	-10.21	-44.92	-22.44										
13-Aug-2013	06:00:00	-5.39	-5.38	-40.24	-22.40								0.20		
13-Aug-2013	12:00:00	-5.38	-1.71	-33.31	-24.07										
13-Aug-2013	18:00:00	-5.48	-2.68	-33.80	-24.50										
13-Aug-2013	24:00:00	-5.34	-2.98	-33.72	-25.32										
14-Aug-2013	06:00:00	-5.20	-2.80	-33.55	-25.89								0.00		
14-Aug-2013	12:00:00	-5.12	-2.83	-33.47	-27.86										

Date	Time	Water Level (inches)						CG1	CG2	CG3	On-site Manual Raingauge	On-site Auto Raingauge	On-site Monthly Total	Weatherstation Rainfall Data	
		RP AW1	RP AW2	RP RAW1	RP RAW2									Albemarle Daily Rainfall	Albemarle Monthly Rainfall
14-Aug-2013	18:00:00	-5.30	-3.17	-33.90	-28.16										
14-Aug-2013	24:00:00	-5.08	-3.41	-34.09	-28.81										
15-Aug-2013	06:00:00	-4.94	-3.28	-34.03	-30.08								0.00		
15-Aug-2013	12:00:00	-5.05	-3.43	-33.97	-31.38										
15-Aug-2013	18:00:00	-5.24	-4.46	-34.85	-31.23										
15-Aug-2013	24:00:00	-5.10	-4.48	-34.92	-31.57										
16-Aug-2013	06:00:00	-5.05	-4.25	-34.90	-31.51							0.00			
16-Aug-2013	12:00:00	-5.09	-4.43	-34.96	-31.64										
16-Aug-2013	18:00:00	-5.14	-4.53	-35.02	-31.66										
16-Aug-2013	24:00:00	-5.06	-4.18	-34.68	-31.57										
17-Aug-2013	06:00:00	-4.99	-4.29	-34.54	-30.38							0.00			
17-Aug-2013	12:00:00	-4.99	-2.50	-32.84	-28.12										
17-Aug-2013	18:00:00	-5.14	-2.81	-33.32	-25.69										
17-Aug-2013	24:00:00	-5.06	-2.50	-33.00	-20.22										
18-Aug-2013	06:00:00	-5.14	-1.48	-32.86	-19.57							0.00			
18-Aug-2013	12:00:00	-5.03	-1.42	-33.04	-21.56										
18-Aug-2013	18:00:00	-5.28	-2.13	-33.47	-21.64										
18-Aug-2013	24:00:00	-5.02	-2.26	-33.60	-20.60										
19-Aug-2013	06:00:00	-4.99	-2.23	-33.24	-15.33							1.35			
19-Aug-2013	12:00:00	-4.91	-1.31	-32.68	-12.04										
19-Aug-2013	18:00:00	-5.02	-1.10	-32.75	-12.93										
19-Aug-2013	24:00:00	-4.34	-1.22	-33.10	-13.95										
20-Aug-2013	06:00:00	-3.47	-1.45	-33.02	-14.65							0.10			
20-Aug-2013	12:00:00	-3.26	-1.59	-33.00	-16.96										
20-Aug-2013	18:00:00	-3.88	-2.17	-33.38	-16.60										
20-Aug-2013	24:00:00	-4.49	-2.17	-33.43	-17.17										
21-Aug-2013	06:00:00	-4.49	-1.97	-33.26	-17.17							0.09			
21-Aug-2013	12:00:00	-4.42	-2.08	-33.23	-5.76										
21-Aug-2013	18:00:00	-4.62	-2.41	-33.55	-7.06										
21-Aug-2013	24:00:00	10.21	0.46	-32.78	-8.86										
22-Aug-2013	06:00:00	1.93	-0.92	-32.94	-10.12							0.12			
22-Aug-2013	12:00:00	0.47	-1.23	-32.98	-12.58										
22-Aug-2013	18:00:00	-0.70	-1.54	-33.47	-12.19										
22-Aug-2013	24:00:00	-3.59	-1.67	-33.54	-13.30										
23-Aug-2013	06:00:00	-3.74	-1.58	-33.26	-14.26							0.00			
23-Aug-2013	12:00:00	-3.34	-1.45	-33.24	-16.90										
23-Aug-2013	18:00:00	-4.60	-2.01	-33.88	-16.59										
23-Aug-2013	24:00:00	-5.11	-2.00	-33.86	-16.93										
24-Aug-2013	06:00:00	-4.94	-1.85	-33.62	-18.21							0.00			
24-Aug-2013	12:00:00	-4.97	-1.79	-33.58	-20.42										
24-Aug-2013	18:00:00	-5.22	-2.23	-34.40	-20.80										
24-Aug-2013	24:00:00	-5.09	-2.33	-34.68	-21.37										
25-Aug-2013	06:00:00	-5.02	-2.33	-34.44	-22.22							0.00			
25-Aug-2013	12:00:00	-4.96	-2.20	-34.27	-24.30										
25-Aug-2013	18:00:00	-5.21	-2.68	-35.52	-24.46										
25-Aug-2013	24:00:00	-5.08	-2.65	-35.99	-24.80										
26-Aug-2013	06:00:00	-4.99	-2.53	-35.48	-25.47							0.00			
26-Aug-2013	12:00:00	-5.09	-2.59	-35.33	-27.52										
26-Aug-2013	18:00:00	-5.24	-3.08	-36.49	-27.31										
26-Aug-2013	24:00:00	-5.12	-3.20	-37.61	-27.33										
27-Aug-2013	06:00:00	-5.05	-2.99	-36.60	-28.24							0.00			
27-Aug-2013	12:00:00	-4.97	-3.03	-36.04	-30.02										

Date	Time	Water Level (inches)						CG1	CG2	CG3	On-site Manual Raingauge	On-site Auto Raingauge	On-site Monthly Total	Weatherstation Rainfall Data	
		RP AW1	RP AW2	RP RAW1	RP RAW2									Albemarle Daily Rainfall	Albemarle Monthly Rainfall
27-Aug-2013	18:00:00	-5.35	-3.82	-37.52	-29.62										
27-Aug-2013	24:00:00	-5.12	-4.10	-38.95	-29.71										
28-Aug-2013	06:00:00	-5.03	-3.68	-37.60	-30.22								0.00		
28-Aug-2013	12:00:00	-5.10	-3.75	-36.90	-30.86										
28-Aug-2013	18:00:00	-5.26	-4.58	-38.32	-30.15										
28-Aug-2013	24:00:00	-5.20	-4.37	-38.53	-30.19										
29-Aug-2013	06:00:00	-5.11	-3.99	-37.46	-31.41							0.00			
29-Aug-2013	12:00:00	-5.09	-4.04	-36.83	-32.97										
29-Aug-2013	18:00:00	-5.27	-5.38	-39.36	-32.74										
29-Aug-2013	24:00:00	-5.14	-6.11	-41.53	-32.62										
30-Aug-2013	06:00:00	-5.09	-5.26	-40.00	-33.46							0.00			
30-Aug-2013	12:00:00	-4.93	-5.08	-39.00	-35.14										
30-Aug-2013	18:00:00	-5.30	-6.46	-41.52	-34.65										
30-Aug-2013	24:00:00	-5.15	-7.77	-44.29	-34.83										
31-Aug-2013	06:00:00	-5.02	-6.92	-43.27	-35.44							0.00			
31-Aug-2013	12:00:00	-5.16	-6.89	-42.22	-37.04										
31-Aug-2013	18:00:00	-5.33	-8.00	-43.03	-36.52										
31-Aug-2013	24:00:00	-5.16	-9.49	-45.54	-36.42							3.29			
1-Sep-2013	06:00:00	-5.09	-8.54	-44.75	-37.06							0.00			
1-Sep-2013	12:00:00	-5.04	-8.35	-43.61	-39.58										
1-Sep-2013	18:00:00	-5.16	-10.27	-44.10	-37.32										
1-Sep-2013	24:00:00	-5.17	-12.88	-46.45	-36.30										
2-Sep-2013	06:00:00	-5.00	-4.52	-35.00	-35.53							0.85			
2-Sep-2013	12:00:00	-5.02	-5.11	-35.28	-36.98										
2-Sep-2013	18:00:00	-5.14	-5.95	-35.89	-36.36										
2-Sep-2013	24:00:00	-5.20	-7.53	-37.26	-36.08										
3-Sep-2013	06:00:00	-5.04	-7.16	-37.21	-35.91							0.00			
3-Sep-2013	12:00:00	-4.96	-7.23	-37.06	-38.18										
3-Sep-2013	18:00:00	-5.30	-8.57	-37.90	-37.75										
3-Sep-2013	24:00:00	-5.06	-12.14	-40.43	-37.84										
4-Sep-2013	06:00:00	-5.09	-10.82	-40.44	-39.10							0.00			
4-Sep-2013	12:00:00	-4.93	-10.76	-39.96	-39.96										
4-Sep-2013	18:00:00	-5.29	-13.67	-41.77	-39.38										
4-Sep-2013	24:00:00	-5.10	-16.01	-44.56	-39.78										
5-Sep-2013	06:00:00	-5.06	-14.78	-44.66	-39.58							0.00			
5-Sep-2013	12:00:00	-5.00	-14.49	-43.85	-39.78										
5-Sep-2013	18:00:00	-5.27	-16.75	-44.64	-39.45										
5-Sep-2013	24:00:00	-5.14	-19.10	-46.66	-39.78										
6-Sep-2013	06:00:00	-4.92	-18.21	-47.14	-39.60							0.00			
6-Sep-2013	12:00:00	-5.03	-18.13	-46.92	-39.88										
6-Sep-2013	18:00:00	-5.28	-20.35	-47.36	-39.54										
6-Sep-2013	24:00:00	-5.16	-22.07	-48.32	-39.69										
7-Sep-2013	06:00:00	-4.96	-21.44	-48.74	-39.58							0.00			
7-Sep-2013	12:00:00	-4.98	-21.58	-48.94	-39.85										
7-Sep-2013	18:00:00	-5.17	-22.72	-49.03	-39.54										
7-Sep-2013	24:00:00	-5.05	-24.15	-49.50	-39.81										
8-Sep-2013	06:00:00	-5.00	-23.95	-49.61	-39.88							0.00			
8-Sep-2013	12:00:00	-5.11	-24.02	-49.60	-39.81										
8-Sep-2013	18:00:00	-5.26	-25.43	-49.78	-39.54										
8-Sep-2013	24:00:00	-5.02	-26.92	-50.03	-39.66										
9-Sep-2013	06:00:00	-5.04	-26.71	-50.26	-39.62							0.00			
9-Sep-2013	12:00:00	-5.06	-26.91	-50.40	-39.70										

Date	Time	Water Level (inches)						CG1	CG2	CG3	On-site Manual Raingauge	On-site Auto Raingauge	On-site Monthly Total	Weatherstation Rainfall Data	
		RP AW1	RP AW2	RP RAW1	RP RAW2									Albemarle Daily Rainfall	Albemarle Monthly Rainfall
9-Sep-2013	18:00:00	-5.18	-27.99	-50.80	-39.51										
9-Sep-2013	24:00:00	-5.05	-29.17	-51.10	-39.74										
10-Sep-2013	06:00:00	-4.92	-28.87	-51.10	-39.72									0.00	
10-Sep-2013	12:00:00	-4.97	-28.90	-51.16	-39.88										
10-Sep-2013	18:00:00	-5.22	-29.25	-51.66	-39.42										
10-Sep-2013	24:00:00	-5.08	-29.01	-51.82	-39.78										
11-Sep-2013	06:00:00	-5.08	-28.93	-51.91	-39.72								0.00		
11-Sep-2013	12:00:00	-5.02	-28.91	-51.77	-40.05										
11-Sep-2013	18:00:00	-5.39	-29.12	-52.20	-39.48										
11-Sep-2013	24:00:00	-5.09	-28.93	-52.21	-39.56										
12-Sep-2013	06:00:00	-4.98	-28.82	-52.00	-39.60									0.00	
12-Sep-2013	12:00:00	-4.92	-28.77	-51.66	-40.21										
12-Sep-2013	18:00:00	-5.20	-29.01	-52.00	-39.61										
12-Sep-2013	24:00:00	-4.98	-28.75	-52.39	-39.94										
13-Sep-2013	06:00:00	-4.97	-28.73	-52.31	-39.63									0.00	
13-Sep-2013	12:00:00	-4.93	-28.70	-51.89	-39.97										
13-Sep-2013	18:00:00	-5.15	-28.87	-52.25	-39.38										
13-Sep-2013	24:00:00	-5.02	-28.75	-52.87	-39.68										
14-Sep-2013	06:00:00	-5.03	-28.73	-53.10	-39.55									0.00	
14-Sep-2013	12:00:00	-5.04	-28.70	-53.33	-39.72										
14-Sep-2013	18:00:00	-5.22	-28.85	-53.89	-39.55										
14-Sep-2013	24:00:00	-5.08	-28.77	-54.10	-39.68										
15-Sep-2013	06:00:00	-5.04	-28.76	-54.20	-39.60									0.00	
15-Sep-2013	12:00:00	-4.99	-28.71	-54.24	-39.85										
15-Sep-2013	18:00:00	-5.23	-28.99	-54.67	-39.52										
15-Sep-2013	24:00:00	-5.04	-28.77	-54.80	-39.85										
16-Sep-2013	06:00:00	-5.04	-28.66	-54.68	-39.62									0.12	
16-Sep-2013	12:00:00	-5.11	-28.82	-54.48	-39.97										
16-Sep-2013	18:00:00	-5.28	-28.99	-54.65	-39.62										
16-Sep-2013	24:00:00	-4.94	-28.78	-55.22	-39.64										
17-Sep-2013	06:00:00	-4.87	-28.69	-55.21	-39.51									0.00	
17-Sep-2013	12:00:00	-4.86	-28.71	-55.33	-39.69										
17-Sep-2013	18:00:00	-5.11	-28.87	-55.79	-39.49										
17-Sep-2013	24:00:00	-4.74	-28.67	-56.04	-39.64										
18-Sep-2013	06:00:00	-4.85	-28.72	-55.93	-39.49									0.00	
18-Sep-2013	12:00:00	-4.90	-28.64	-55.79	-39.75										
18-Sep-2013	18:00:00	-5.22	-28.97	-56.18	-39.62										
18-Sep-2013	24:00:00	-4.93	-28.78	-56.36	-39.76										
19-Sep-2013	06:00:00	-4.99	-28.61	-56.33	-39.60									0.00	
19-Sep-2013	12:00:00	-4.92	-28.76	-56.03	-39.85										
19-Sep-2013	18:00:00	-5.22	-28.96	-56.35	-39.72										
19-Sep-2013	24:00:00	-4.87	-28.73	-56.62	-39.76										
20-Sep-2013	06:00:00	-4.91	-28.84	-56.69	-39.69									0.00	
20-Sep-2013	12:00:00	-4.91	-28.73	-56.22	-39.92										
20-Sep-2013	18:00:00	-5.15	-28.96	-56.42	-39.58										
20-Sep-2013	24:00:00	-4.90	-28.76	-56.83	-39.84										
21-Sep-2013	06:00:00	-4.99	-28.82	-57.00	-39.72									0.00	
21-Sep-2013	12:00:00	-4.93	-28.70	-56.51	-39.93										
21-Sep-2013	18:00:00	-5.18	-28.97	-56.63	-39.14										
21-Sep-2013	24:00:00	-5.03	-28.84	-56.90	-39.69										
22-Sep-2013	06:00:00	-4.92	-15.98	-33.12	-39.62									0.00	
22-Sep-2013	12:00:00	-4.97	-0.64	-33.37	-39.87										

Date	Time	Water Level (inches)							On-site Manual Raingauge	On-site Auto Raingauge	On-site Monthly Total	Weatherstation Rainfall Data	
		RP AW1	RP AW2	RP RAW1	RP RAW2	CG1	CG2	CG3				Albemarle Daily Rainfall	Albemarle Monthly Rainfall
22-Sep-2013	18:00:00	-5.24	-2.38	-34.03	-39.55								
22-Sep-2013	24:00:00	-5.12	-2.78	-34.28	-39.81	0.00	0.00	1.60	10.00				
23-Sep-2013	06:00:00										0.00		
23-Sep-2013	12:00:00												
23-Sep-2013	18:00:00												
23-Sep-2013	24:00:00												
24-Sep-2013	06:00:00										0.00		
24-Sep-2013	12:00:00												
24-Sep-2013	18:00:00												
24-Sep-2013	24:00:00												
25-Sep-2013	06:00:00												
25-Sep-2013	12:00:00												
25-Sep-2013	18:00:00												
25-Sep-2013	24:00:00												
26-Sep-2013	06:00:00												
26-Sep-2013	12:00:00												
26-Sep-2013	18:00:00												
26-Sep-2013	24:00:00												
27-Sep-2013	06:00:00												
27-Sep-2013	12:00:00												
27-Sep-2013	18:00:00												
27-Sep-2013	24:00:00												
28-Sep-2013	06:00:00												
28-Sep-2013	12:00:00												
28-Sep-2013	18:00:00												
28-Sep-2013	24:00:00												
29-Sep-2013	06:00:00												
29-Sep-2013	12:00:00												
29-Sep-2013	18:00:00												
29-Sep-2013	24:00:00												
30-Sep-2013	06:00:00												
30-Sep-2013	12:00:00												
30-Sep-2013	18:00:00												
30-Sep-2013	24:00:00										0.97		