

DEPARTMENT OF ENVIRONMENTAL QUALITY
DIVISION OF ENERGY, MINERAL, AND LAND RESOURCES

FACT SHEET

GENERAL PERMIT NCG120000
NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM
PERMIT TO DISCHARGE STORMWATER

2026 – 2031 Permit Term

Permit No. NCG120000

Date: July 1, 2026

1. TYPES OF DISCHARGES COVERED

a. Industrial Activities Covered by this General Permit

Coverage under this general permit applies to all owners or operators of stormwater point source discharges associated with activities from establishments primarily engaged in:

- **Activities categorized as landfills, including construction and demolition debris landfills, which are permitted by the North Carolina Division of Water Management under the provisions and requirements of North Carolina General Statute 130A-294.**

Coverage is also applicable to point source discharges **from like industrial activities** deemed by the Division of Energy, Mineral, and Land Resources (DEMLR) to be similar to these operations in the process, or the discharges, or the exposure of raw materials, intermediate products, by-products, products, or waste products.

b. Types of Operations Covered

The **landfills** category includes facilities primarily engaged in receiving and disposing of waste and debris, including municipal solid waste, industrial waste, construction and demolition waste, land-clearing waste, scrap tires, medical waste, compost and septage. The operations of a landfill can include receiving solid waste, staging, size reduction, separation, placing, compaction, excavation, loading, hauling, filling, covering, leachate management, vehicle maintenance, vehicle fueling, and vehicle and equipment cleaning.

Nearly all landfills and much of the material that is deposited in landfills are exposed to stormwater. Stormwater can either run off the facility to surface waters or infiltrate through the landfill, and contaminate groundwater with leachate. In addition, landfill activities often include large scale excavation, grading, and importation of soil or other cover material, which provides significant erosion potential.

c. Characteristics of Discharged Stormwater

Stormwater discharged from a landfill can contain many different types of pollutants, depending on the materials deposited and the degree to which best management practices are implemented. Runoff from landfills can contain solids and floatables, pathogens, nutrients, and

other pollutants. High sediment loading is common due to the large scale movement of soil and the potential for erosion. The vehicles and equipment can also contribute oils, lubricants, and other fluids.

The draft renewal permit maintains the requirement for qualitative and analytical monitoring of all stormwater discharges associated with this industrial activity, including stormwater discharges from *on-site vehicle and equipment maintenance activities* (VMA). These parameters continue to be useful as the standard stormwater pollution indicators for VMA from this industrial sector.

d. Geographic Area(s) Covered by this General Permit

Discharges covered by this general permit are located at any place within the political boundary of the State of North Carolina. Discharges located on the Cherokee Indian Tribal Reservation are subject to permitting by the U.S. Environmental Protection Agency and are not covered by this general permit.

e. Receiving Waters

Receiving waters include all surface waters of North Carolina or municipal separate storm sewer systems conveying stormwater to surface waters.

2. PROPOSED DISCHARGE CONTROLS AND LIMITATIONS

The renewal permit maintains benchmark concentrations for stormwater discharges from industrial site activities to provide facilities with a tool with which to assess the effectiveness of best management practices (BMPs). These benchmark concentrations are not effluent limits but provide guidelines for the facility's Stormwater Pollution Prevention Plan (SWPPP). Exceedances of benchmark values trigger notification to the Regional Office and may require the permittee to increase monitoring, increase management actions, increase record keeping, and/or install stormwater BMPs in a tiered program. Four (4) benchmark exceedances within the permit term trigger notification to the Regional Office and may prompt additional requirements (Tier Three).

Some parts of the **Stormwater Pollution Prevention Plan** (SWPPP) have been expanded or modified. Please refer to the proposed draft General Permit NCG120000 for those requirements.

3. MONITORING AND REPORTING REQUIREMENTS

This permit specifies monitoring and reporting requirements for both quantitative and qualitative assessments of the stormwater discharges and operational inspections of the entire facility. Specific pollutant parameters are based on the types of materials used, stored, and transferred at these sites, and on the potential for contamination of the stormwater runoff from these facilities. Qualitative parameters are consistent with other general permits in the NPDES stormwater program.

The draft renewal permit maintains previous monitoring requirements for the following parameters: **chemical oxygen demand (COD), fecal coliform, and total suspended solids (TSS)**. In addition, qualifying discharges from vehicle maintenance areas will be analyzed for **pH, non-polar oil and grease** [by EPA Method 1664 (SGT-HEM)], and **TSS**, based on the amount of motor oil/hydraulic oil usage (more than 55 gallons of new motor oil and/or hydraulic oil per month when averaged over the calendar year). The rationale for retaining these parameters in the renewal permit is their utility as stormwater pollution indicators for vehicle maintenance areas.

The renewal permit retains the term “**measurable storm event.**” The measurable storm event is an event that results in an actual discharge, rather than an event with a rainfall measuring 0.1 inches or more. To qualify as a measurable storm event, the previous storm event must have been at least 72 hours prior.

As before, the renewal permit specifies qualitative (visual) monitoring of each stormwater outfall for the purpose of evaluating the effectiveness of the Stormwater Pollution Prevention Plan (SWPPP) and assessing new sources of stormwater pollution. Qualitative monitoring parameters include color, odor, clarity, floating and suspended solids, foam, oil sheen, and other obvious indicators of stormwater pollution. Qualitative monitoring shall be performed concurrent with analytical monitoring.

The renewed permit maintains specific direction to the permittee about how to respond to qualitative monitoring. If qualitative monitoring indicates that existing stormwater BMPs are ineffective, or that significant stormwater contamination is present, the permittee must investigate potential causes, evaluate the feasibility of corrective actions, and implement those corrective actions within 60 days. A written record of the permittee’s investigation, evaluation, and response actions must be kept in the SWPPP. The **Qualitative Monitoring Response** establishes actions for when a permittee repeatedly fails to respond effectively to correct problems, or if the discharge causes or contributes to a water quality standard violation.

4. COMPLIANCE SCHEDULE

The compliance schedule in Part I, Section I-1 advises that the permittee comply with Limitations and Controls specified for stormwater discharges in accordance with the following schedule:

Existing Facilities already operating but applying for permit coverage for the first time: The Stormwater Pollution Prevention Plan shall be developed and implemented within 12 months of the effective date of the **Certificate of Coverage** and updated thereafter on an annual basis. Secondary containment, as specified in Part B, Section B-7 of this general permit, shall be accomplished within 12 months of the effective date of the issuance of the **Certificate of Coverage**.

New Facilities applying for coverage for the first time: The Stormwater Pollution Prevention Plan shall be developed and implemented prior to the

beginning of discharges from the operation of the industrial activity and be updated thereafter on an annual basis. Secondary containment, as specified in Part B, Section B-7 of this general permit, shall be accomplished prior to the beginning of discharges from the operation of the industrial activity.

Existing facilities previously permitted and applying for renewal under this General Permit: All requirements, conditions, limitations, and controls contained in this permit (except new SWPPP elements in this permit renewal) shall become effective immediately upon issuance of the **Certificate of Coverage**. New elements of the Stormwater Pollution Prevention Plan for this permit renewal shall be developed and implemented within six months of the effective date of this general permit and updated thereafter on an annual basis. Secondary containment, as specified in Part B, Section B-7 of this general permit, shall be accomplished prior to the beginning of discharges from the operation of the industrial activity.

5. BASIS FOR CONTROLS AND LIMITATIONS

The conditions of this general permit have been designed using best professional judgment to achieve water quality protection through compliance with the technology-based standards of the Clean Water Act (Best Available Technology [BAT] and Best Conventional Pollutant Control Technology [BCT]). Where the Director determines that a water quality violation has occurred and water quality-based controls or effluent limitations are required to protect the receiving waters, coverage under the general permit shall be terminated and an individual permit will be required. Based on a consideration of the appropriate factors for BAT and BCT requirements, and a consideration of the factors discussed in this fact sheet for controlling pollutants in stormwater discharges associated with the activities as described in Item 1 (Types of Discharge Covered), this permit retains a set of requirements for developing and implementing stormwater pollution prevention plans, and specific requirements for monitoring and reporting on stormwater discharges.

The permit conditions reflect the Environmental Protection Agency's (EPA) and North Carolina's pollution prevention approach to stormwater permitting. The quality of the stormwater discharge associated with an industrial activity will depend on the availability of pollutant sources. This renewal permit still reflects the Division's position that implementation of Best Management Practices (BMPs) and traditional stormwater management practices which control the source of pollutants meets the definition of BAT and BCT. The permit conditions are not numeric effluent limitations but rather are designed to be flexible requirements for developing and implementing site specific plans to minimize and control pollutants in the stormwater discharges associated with the industrial activity.

Title 40 Code of Federal Regulations (CFR) Part 122.44(k)(2) authorizes the use of BMPs in lieu of numeric effluent limitations in NPDES permits when the agency finds numeric effluent limitations to be infeasible. The agency may also impose BMP requirements which are "reasonably necessary" to carry out the purposes of the Act under the authority of 40

CFR 122.44(k)(3). The conditions of the renewal permit are retained under the authority of both of these regulatory provisions. The pollution prevention requirements (BMP requirements) in this permit operate as limitations on effluent discharges that reflect the application of BAT/BCT. The basis is that the BMPs identified require the use of source control technologies which, in the context of these general permits, are the best available of the technologies economically achievable (or the equivalent BCT finding).

All facilities covered by this general permit must prepare, retain, implement, and (at a minimum of annually) update a Stormwater Pollution Prevention Plan (SWPPP). The term "pollution prevention" distinguishes this source reduction approach from traditional pollution control measures that typically rely on end-of-pipe treatment to remove pollutants in the discharges. The plan requirements are based primarily on traditional stormwater management, pollution prevention and BMP concepts, providing a flexible basis for developing site-specific measures to minimize and control the amounts of pollutants that would otherwise contaminate the stormwater runoff.

The pollution prevention approach adopted in the SWPPP in this renewal permit still focuses on two major objectives: 1) to identify sources of pollution potentially affecting the quality of stormwater discharges associated with industrial activity from the facility; and 2) to describe and ensure that practices are implemented to minimize and control pollutants in stormwater discharges associated with industrial activity from the facility and to ensure compliance with the terms and conditions of the permit.

The Division believes that it is not appropriate at this time to require a single set of effluent limitations or a single design or operational standard for all facilities which discharge stormwater associated with industrial activity. This permit instead establishes a framework for the development and implementation of a site-specific SWPPP. This framework provides the necessary flexibility to address the variable risk for pollutants in stormwater discharges associated with the industrial activities that are addressed by this permit, while ensuring procedures to prevent stormwater pollution at a given facility are appropriate given the processes employed, engineering aspects, functions, costs of controls, location, and age of facility (as discussed in 40 CFR 125.3). This approach allows flexibility to establish controls which can appropriately address different sources of pollutants at different facilities.

There has been no significant change to this rationale since the previous General Permit NCG120000.

6. REQUESTED VARIANCES OR ALTERNATIVES TO REQUIRED STANDARDS

There are no requested variances or alternatives to required standards. Facilities requesting variances to required standards will not be covered under this General Permit but will instead be required to seek coverage under an individual permit.

7. THE ADMINISTRATIVE RECORD

The administrative record, including application, draft permits, fact sheet, public notice, comments received, and additional information is available by writing to:

Stormwater Program
 Division of Energy, Mineral and Land Resources (DEMLR)
 1612 Mail Service Center
 Raleigh, North Carolina 27699-1612

The above documents are available for review and copying at:

Archdale Building, 6th Floor
 DEMLR Stormwater Program
 512 N. Salisbury Street
 Raleigh, North Carolina

between the hours of 8:00 AM and 5:00 PM Monday through Friday. Copies will be provided at a charge of 10 cents per page.

8. STATE CONTACT

Additional information about the draft permit may be obtained at the above address between the hours of 8:00 AM and 5:00 PM Monday through Friday by contacting: **Brittany Cook** at brittany.cook@deq.nc.gov.

9. SCHEDULE OF PERMIT ISSUANCE

Draft Permit Public Notice – **Statewide Notice to publish April 15, 2026;**
Draft available on-line by April 15, 2026;
Comment Period Ends May 15, 2026

Permit Scheduled to Issue – **No later than June 30, 2026;**
Effective July 1, 2026

10. PROCEDURE FOR THE FORMULATION OF FINAL DETERMINATIONS

a. Comment Period

The Division of Energy, Mineral and Land Resources proposes to issue an NPDES General Permit for the above-described stormwater discharges subject to the outlined effluent limitations, management practices, and special conditions. These determinations are open to comment from the public.

Interested persons are invited to submit written comments on the permit applications or on the Division of Energy, Mineral and Land Resources’ proposed determinations to the following address:

NC DEMLR- Stormwater Program
Attn: Brittany Cook
1612 Mail Service Center
Raleigh, North Carolina 27699-1612

All comments received within thirty (30) days following the date of public notice are considered in the formulation of final determinations.

b. Public Meeting

The Director of the Division of Energy, Mineral and Land Resources may hold a public meeting if there is a significant degree of public interest in a proposed permit or group of permits. Public notice of such a meeting will be circulated in newspapers in the geographical area of the discharge and to those on the Division of Energy, Mineral and Land Resources' mailing list at least thirty (30) days prior to the meeting.

c. Appeal Hearing

An applicant whose permit is denied, or is granted subject to conditions they deem unacceptable, shall have the right to a hearing before the Commission upon making written demand to the Office of Administrative Hearing (OAH) within 30 days following issuance or denial of the permit. This request must be in the form of a written petition, conforming to Chapter 150B of the North Carolina General Statutes, and filed with the Office of Administrative Hearings (6714 Mail Service Center, Raleigh, North Carolina 27699-6714). Unless such demand is made, this decision shall be final and binding.

d. Issuance of a Permit When no Hearing is Held

If no public meeting or appeal hearing is held, after review of the comments received, and if the Division of Energy, Mineral and Land Resources' determinations are substantially unchanged, the permit will be issued and become effective on the first day of the month following the issuance date. This will be the final action of the Division of Energy, Mineral and Land Resources.

If a public meeting or appeal hearing is not held, but there have been substantial changes, public notice of the Division of Energy, Mineral and Land Resources' revised determinations will be made. Following a 30-day comment period, the permit will be issued and will become effective on the first day of the month following the issuance date. This will be the final action of the Division of Energy, Mineral and Land Resources unless a public meeting or appeal hearing is granted.