

Administrative Order(s) Issued	Violations	Penalty Amount	Administrative Order(s) Issued
The City of Jacksonville -Water Treatment Plant located at 177 New Frontier Way, Jacksonville, NC 28546 Docket #2025-019	Failed to: <ul style="list-style-type: none"> request a 30-day extension; have a RCRA storage Permit; and not accumulated hazardous waste longer than the 90 days allowed. 	penalty of \$6,500.00 \$1,592.81 for investigative and inspection costs \$1,680.00 in fees for acting as a hazardous waste storage facility	Signed April 29, 2025
Fujifilm Diosynth Biotechnologies U.S.A., Inc. 6051 George Watts Hill Drive, Research Triangle Park, NC 6040 George Watts Hill Drive, Research Triangle Park, NC Docket #2025-048	Failed to: <ul style="list-style-type: none"> request a 30-day extension; have a RCRA storage Permit; and not accumulated hazardous waste longer than the 90 days allowed. 	penalty of \$6,500.00 \$945.48 for investigative and inspection costs \$1,680.00 in fees for acting as a hazardous waste storage facility	Signed May 28, 2025
Alcami Corporation operates a facility located at 2320 Scientific Park Drive, Wilmington, NC Docket#2025-033	Failed to: <ul style="list-style-type: none"> to include identification of on-site notification systems in its quick reference guide of the contingency plan; complete required annual RCRA training review within 365 days; request a 30-day extension; have a RCRA storage Permit; and not accumulated hazardous waste longer than the 90 days allowed. 	penalty of \$10,400.00 \$1,689.31 for investigative and inspection costs \$1,680.00 in fees for acting as a hazardous waste storage facility	Signed June 4, 2025
IBC Specialties, Inc. 101 Boxwood Lane, Gastonia, NC Docket#2025-036	<ul style="list-style-type: none"> waste determination; not accumulate hazardous waste on-site for no more than 180 days; properly inspect hazardous waste containers for leaks or deterioration; label as hazardous waste, indication of the hazard of the content labels, and accumulation start dates; post the required emergency information next to telephones or in areas directly involved in the generation and accumulation of hazardous waste; properly train facility personnel; properly complete Item 1 of the hazardous waste instructions for EPA Form 8700- 	penalty of \$24,981.76 \$1,689.31 for investigative and inspection costs \$1,680.00 in fees for acting as a hazardous waste storage facility	Signed June 4, 2025

	<p>22A;</p> <ul style="list-style-type: none">• provide any Land Disposal Restriction Forms for waste streams generated and shipped for off-site disposal;• have a RCRA storage Permit;• closed UW lamps containers;• properly labeled or marked with one of the required phrases at the time of the inspection;• maintain adequate aisle space in areas where hazardous waste is accumulated; and• not accumulated hazardous waste longer than the 90 days allowed.		
--	---	--	--