

Agenda Item G-7. Wastewater Applications: Project Descriptions

Blue rows = proposed full or partial funding in the scenario [preliminary]

Application Number	Proposed Funding in Scenario?	Reconsidered Appl. from Previous Round?	Instance ID	Applicant Name	County	Designated Distressed?	Residential Connections	New Connections in Project	Funding Requested per New Connection	Project Name	Project Description	Additional Info. Added?	Application Preparer	Total Project Cost	Funding Requested	Points Claimed by Applicant (unadjusted for reconsid.)	Points Verified	Difference in Points Claimed and Verified
1	Yes	No	256840	Lenoir, City of	Caldwell	No	7,420	0	NA	Lower Creek WWTP Process Basin Imprvmts	Rehabilitate and replace mixers, diffusers, blowers, air piping and aeration basins.	No	McGill Associates	\$5,600,000	\$5,600,000	65	65	
2	Yes	No	256853	Waynesville, Town of	Haywood	Yes	4,412	0	NA	Little Champion GS & PS Improvements	Relocate existing junction box and replace it with a new pump station. Convert existing pressurized sewer line to force main. Replace existing 24-inch gravity sewer so it may be re-laid to meet elevation requirements.	Yes	McGill Associates	\$8,234,050	\$8,234,050	65	65	
3	Yes	No	256969	Belhaven, Town of	Beaufort	Yes	754	0	NA	Belhaven WWTP Improvements CWSRF	Improve WWTP headworks, rapid mix basin, aeration basin and systems, clarifier, tertiary filter, UV basin, final aeration basin, solids processing, replacing generator, security cameras, fencing and cybersecurity upgrates to SCADA.	Yes	WithersRavenel, Inc.	\$4,841,330	\$4,746,400	63	63	
4	Yes	No	254822	Cape Fear Public Utility Authority	New Hanover	No	69,316	0	NA	Southside WWTP Replacement	Replace and expand existing WWTP from 12 MGD to 16 MGD.	No	Cape Fear Public Utility Authority	\$396,564,166	\$256,564,166	63	63	
5	Yes	No	255337	Jamesville, Town of	Martin	Yes	160	0	NA	WWTP Upgrade - Phase II	Install new 150K GPD package WWTP and sludge loading station.	Yes	Municipal Engineering, Inc.	\$4,802,500	\$4,802,500	62	62	
6	Yes	No	256849	Aurora, Town of	Beaufort	Yes	238	0	NA	Force Main Replace & Lift Station Rehab	Replace primary force main and rehabilitate pump station, including rehabilitation of wet well, new SCADA, rebuilding pump base, replacing pumps, valves, checks, piping and refurb of existing building.	Yes	Mid-East Commission	\$1,996,729	\$1,996,729	60	60	
7	Yes	No	255838	Warrenton, Town of	Warren	Yes	596	0	NA	WWTP Improvements Phase IV	Replace the existing 1,750 GPM influent raw sewage pumps, rehab of the tertiary filter, replacement of the chlorine gas disinfection with UV disenfection, and construction of a flood protection berm, training office annex and septage receiving station.	Yes	Municipal Engineering, Inc.	\$10,000,000	\$10,000,000	64	60	2.N.4. Lost 4 points due to insufficient narrative.
8	Yes	No	256938	Lexington, City of	Davidson	No	8,095	0	NA	LRWWTP Solids Handling Improvements D&C	Install new dryer facility with thermal dryer, sludge pumps, holding tank improvemnets, digester complex improvements and dried biosolids storage as well as new dewatering building with polymer system, BFP's pumps.	Yes	CDM Smith	\$41,691,000	\$13,712,000	55	55	
9	Yes	No	255840	Henderson, City of	Vance	No	6,741	0	NA	Sandy Creek Pump Station and Force Main	Replace of 9,400 LF of force main associated with the Sandy Creek Pump Station.	Yes	Ardurra Group North Carolina	\$10,720,000	\$10,720,000	54	54	
10	No	Yes	220940	White Lake, Town of	Bladen	No	2,242	0	NA	Phase 3 Sewer Improvements	Replace/Repair/Rehabilitate aging infrastructure, including approximately 5,595-LF gravity sewer, SCADA, and generator at PS#8.	Yes	Engineering Services, PA	\$4,428,322	\$4,428,322	54	51	2.E.2. Lost 3 points due to age of NOV's.
11	No	No	256979	Bryson City, Town of	Swain	Yes	881	0	NA	Wastewater Treatment Plant Improvements	Expand WWTP from 0.6 to 0.9 MGD.	Yes	McGill Associates	\$26,749,500	\$9,237,200	70	50	2.N.5. Lost 4 points due to award of 2.N.4 points. 2.O. Lost 20 points due to no benefit from project to impaired waters. 3.A.2. Lost 2 points due to award of 3.A.1.

Application Number	Proposed Funding in Scenario?	Reconsidered Appl. from Previous Round?	Instance ID	Applicant Name	County	Designated Distressed?	Residential Connections	New Connections in Project	Funding Requested per New Connection	Project Name	Project Description	Additional Info. Added?	Application Preparer	Total Project Cost	Funding Requested	Points Claimed by Applicant (unadjusted for reconsid.)	Points Verified	Difference in Points Claimed and Verified
12	No	Yes	220699	Spindale, Town of	Rutherford	No	1,600	0	NA	WASTEWATER TREATMENT IMPROVEMENTS PROJEC	Upgrade existing WWTP.	No	Water Funding Financial	\$7,848,500	\$7,848,500	86	47	1.B. Lost 20 points due to award of 1.C. and 1.C.1 points. 1.I. Lost 10 points due to award of 1.C and 1.C.1 points. 2.C.1. Lost 15 points due to insufficient documentation. 2.N.7. Lost 3 points due to insufficient documentaiton. 3.A.1. Lost 10 points due to insufficient narrative. Awarded 3.A.2 for 2 points instead.
13	No	Yes	219896	Fayetteville Public Works Commission	Cumberland	No	86,220	0	NA	Rockfish Creek WRF Expansion Phase 3	Expand Rockfish Creek WERF to 28 MGD.	No	Hazen and Sawyer	\$157,354,515	\$149,263,250	47	47	
14	No	No	255750	Walstonburg, Town of	Greene	Yes	102	0	NA	Pump Station #2 Rehabilitation	Replace pumps, piping and fencing. Replace scada with telemetry. Rehab wetwell.	No	TRC Engineers Inc	\$540,500	\$540,500	54	46	2.N.7. Lost 3 points due to no redundancy installed. 4.C.4. Lost 3 points due to lack of sufficient narrative.
15	No	No	255737	Walstonburg, Town of	Greene	Yes	102	0	NA	Collection System Rehabilitation Phase 2	Replace existing ACP and VCP pipes, replace or heavy coating of several manholes throughout the system that are contributing to ongoing inflow and infiltration.	No	TRC Engineers Inc	\$1,176,780	\$1,176,780	51	46	4.C.4. Lost 5 points due to insufficient narrative.
16	No	No	255655	Fayetteville Public Works Commission	Cumberland	No	86,758	0	NA	I-95 to NC 87 54-inch Sewer Rehab	Rehabilitate 15,800 LF of 54-inch GS outfall.	No	Ardurra Group North Carolina	\$42,154,500	\$42,154,500	46	46	
17	No	Yes	223024	Newton Grove, Town of	Sampson	Yes	212	0	NA	Wastewater Treatment Plant Improvements	Rehabilitate clarifier, UV system controls, backwash station pump and electrical, and equalization basin. New sand filter, UV bank, SCADA, potable water well, air basin rotor and filter on sludge irrigation pump system.	No	TRC Engineers, Inc.	\$3,188,750	\$3,188,750	50	45	4.C.4. Lost 5 points due to insufficient documentation.
18	No	No	256888	Nashville, Town of	Nash	No	2,228	0	NA	Collection System Rehabilitation Project	Rehabilitate existing sewer system which consist of all VCP.	No	Mack Gay Associates	\$7,323,878	\$7,323,878	59	44	2.N.7. Lost 3 points due to lack of redundancy. 3.A.1. Lost 10 points due to insufficient narrative. 3.A.2. Lost 2 points due to lack of CIP span.
19	No	Yes	220742	Washington County	Washington	Yes	1,534	0	NA	Pines Elementary Lift Station Replacemen	Replace pump station, including wet well, pumps, control equipment, emergency power and control equipment.	Yes	The Wooten Company	\$827,500	\$827,500	59	44	3.A.1. Lost 10 points due to lack of documentation.
20	No	Yes	219716	Pinetops, Town of	Edgecombe	Yes	685	0	NA	2024 Collection System Improvements	Replac existing 8-inch and 10-inch VCP sewer mains, manholes, sewer services, and miscellaneous appurtenances.	No	The Wooten Company	\$1,918,000	\$1,918,000	57	44	3.A.1. Lost 10 points due to insufficient narrative. Received 2 points for 3.A.2 instead.
21	No	No	255844	Louisburg, Town of	Franklin	No	1,140	1,290	\$2,802	Green Hill Pump Station Upgrade	Upgrade capacity of Green Hill PS, replacement of FM and addition of standby generator.	No	Municipal Engineering, Inc.	\$3,615,200	\$3,615,200	44	44	
22	No	No	255668	Lumberton, City of	Robeson	No	7,677	0	NA	Sewer System Rehabilitation	Line via CIPP 9,600 LF of gravity sewer and rehabilitate the Freeman Sewer LS.	Yes	The Wooten Company	\$2,168,790	\$2,168,790	46	43	2.E.2: Lost 3 points due to insufficient documentation.
23	No	No	255446	Junaluska Sanitary District	Haywood	No	1,170	0	NA	HWY 209 Pump Station Rehabilitation	Rehabilitate/Replace Hwy 209 pump station and new backup power generator.	No	Brown Consultants, PA	\$488,650	\$488,650	43	43	

Application Number	Proposed Funding in Scenario?	Reconsidered Appl. from Previous Round?	Instance ID	Applicant Name	County	Designated Distressed?	Residential Connections	New Connections in Project	Funding Requested per New Connection	Project Name	Project Description	Additional Info. Added?	Application Preparer	Total Project Cost	Funding Requested	Points Claimed by Applicant (unadjusted for reconsid.)	Points Verified	Difference in Points Claimed and Verified
24	No	No	255200	Norwood, Town of	Stanly	Yes	953	0	NA	Sanitary Sewer Replacement Project	Replace10,500 LF VCP pipe and 67 manholes.	No	Chambers Engineering, PA	\$4,764,725	\$4,764,725	58	43	2.C.1. Lost 15 points due to not claiming Line Item 1.A.
25	No	No	256943	River Bend, Town of	Craven	No	964	0	NA	WWTP Enhancements - Phase 2	Rehabilitate existing WWTP with new flow meters, headworks, and secondary treatment.	No	Rivers & Associates, Inc.	\$12,460,000	\$12,460,000	66	43	1.C. Lost 12 points due to expansion. 1.D. Awarded 2 points in lieu of Line Item 1.C. 2.D. Lost 10 points due to insufficient narrative. 2.N.7. Lost 3 points due to award of Line Item 2.N.4 points.
26	No	Yes	223021	Newton Grove, Town of	Sampson	Yes	212	0	NA	Wastewater Collection System Repairs	Replace 103 grinder pumps and 3 manholes. Rehabilitate 26 manholes and point repairs for gravity sewer.	No	TRC Engineers, Inc.	\$1,488,250	\$1,488,250	62	42	2.C.1. Lost 15 points due to insufficient documentation. 4.C.4. Lost 5 points due to insufficient documentation.
27	No	No	256883	Hookerton, Town of	Greene	Yes	193	0	NA	Multi Lift Station Rehab & Improvements	Replace three existing failed lift-stations.	No	Mack Gay Associates	\$1,392,833	\$1,392,833	76	40	2.C.1. Lost 20 points due to insufficient narrative. 2.N.4. Lost 4 points due to award of 2.N.5. 2.N.7. Lost 3 points due to award of 2.N.5. 3.A.1. Lost 10 points due to insufficient documentation. 3.A.2. Lost 2 points due to no updated resolution. 4.C.2. Lost 2 points due to 3 of 4 LGU indicators in scorecard.
28	No	No	256889	Nashville, Town of	Nash	No	2,228	0	NA	Stony Creek Outfall Replacement	Replace an existing sewer outfall with new outfall	Yes	Mack Gay Associates	\$14,372,955	\$14,372,955	82	40	1.C.1. Lost 8 points due to insufficient age. 2.C.1. Lost 15 points due to project not receiving Line Item 1.A points or replacing failing septic. 3.A.1. Lost 10 points due to insufficient narrative. 3.A.2. Lost 2 points due to insufficient CIP span.
29	No	No	256999	Sanford, City of	Lee	No	10,398	0	NA	Dry Creek Basin Sewer Rehabilitation	Rehabilitate/Replace brick manholes and 9,300 LF gravity sewer.	No	WithersRavenel, Inc.	\$7,438,554	\$7,292,700	81	39	2.C.1. Lost 15 points due to issues discussed being older than five years, being resolved, or related to severe natural conditions. 2.E.2. Lost 3 points due to insufficient narrative. 2.O. Lost 20 points due to insufficient documentation.
30	No	Yes	219394	Newton, City of	Catawba	No	4,995	0	NA	Clark Creek WWTP Improvements	Expand Clark Creek 5 MGD WWTP to 7.5 MGD	No	The Wooten Company	\$71,836,000	\$26,446,000	54	39	2.C.1. Lost 15 points due to claiming 1.D. points.
31	No	Yes	220780	Yanceyville, Town of	Caswell	No	748	0	NA	W Main Street Sewer Rehabilitation	Rehabilitate approximately 2,500-LF of 8-inch sewer along West Main Street between 7th St. and 5th St. Install CIPP, rehabilitate MHs.	0	Alley, Williams, Carmen, & King, Inc.	\$850,000	\$850,000	55	38	2.C.1. Lost 15 points due to lack of documentation. 3.A.2. Lost 2 points due to lack of resolution.

Application Number	Proposed Funding in Scenario?	Reconsidered Appl. from Previous Round?	Instance ID	Applicant Name	County	Designated Distressed?	Residential Connections	New Connections in Project	Funding Requested per New Connection	Project Name	Project Description	Additional Info. Added?	Application Preparer	Total Project Cost	Funding Requested	Points Claimed by Applicant (unadjusted for reconsid.)	Points Verified	Difference in Points Claimed and Verified
32	No	No	256906	Chocowinity, Town of	Beaufort	Yes	1,127	0	NA	WTP and Waste Discharge Impvts.	Improve 2 Filter-softener WTPs to meet and maintain operations and compliance by providing onsite treatment of the filter backwash and softener regeneration waste streams and to relocate both discharges into a single deep water subaqueous discharge via multi-port diffuser.	No	Rivers & Associates, Inc.	\$4,485,000	\$4,485,000	58	38	1.C Lost 12 points due to change in capacity. 1.C.1. Lost 8 points due to no award of Line Item 1.C points. 1.D. Awarded 2 points in lieu of Line Item 1.C. 1.D.1. Awarded 8 points in lieu of Line Item 1.C.1. 3.A.1. Lost 10 points due to lack of narrative.
33	No	Yes	219951	Goldsboro, City of	Wayne	Yes	10,621	0	NA	Arrington Bridge Road WRF Plant Upgrade	Improve Arrington Bridge Rd Water Reclamation Facility by increasing capacity from 14.2 mgd to 17.6 mgd.	No	Hazen and Sawyer	\$150,000,000	\$150,000,000	58	38	2.O. Lost 20 points due to insufficient documentation. 3.A.2. Lost 2 points due to award of 3.A.1.
34	No	No	256903	Newland, Town of	Avery	No	328	0	NA	Tweetsie LS Rehab / Improvements	Install improvements at lift station allowing elimination of the existing elevator shaft to the underground pump room and provide reconfigured pumps. Wlevate the overall height of the walls on the existing bar screen, wet-well structure, and all other elements currently below the 100-year flood elevation.	Yes	Mack Gay Associates	\$1,710,540	\$1,710,540	54	37	2.N.5 Loar 4 points due to award of Line Item 2.N.4 points. 2.N.7. Lost 3 points due to award of Line Item 2.N.4 points. 3.A.1. Lost 10 points due to insufficient narrative.
35	No	Yes	220958	Oakboro, Town of	Stanly	No	972	0	NA	McCoy's Outfall Replacement Project	Replace (2) 8-inch VCP pipes and a single 15-inch VCP with a single 15-inch sewer pipe.	Yes	Chambers Engineering, PA	\$1,718,855	\$1,718,855	35	37	3.A.1. Lost 2 points due to lack of years in CIP.
36	No	Yes	219623	Johnston County	Johnston	No	17,391	0	NA	WW Collection SCADA & Security Improv	Upgrade SCADA.	No	Johnston County Public Utilities	\$2,800,000	\$2,497,000	37	37	2.N.7. Lost 3 points due to award of 2.N.5 points. 3.A.2 Lost 2 points due to award of 3.A.1 points.
37	No	No	256891	Nashville, Town of	Nash	No	2,228	0	NA	Regency Lift Station Elimination	Eliminate an exisiting PS and replace it with a new gravity sewer system .	No	Mack Gay Associates	\$2,316,207	\$2,316,207	78	37	1.C. Lost 12 points due to project being an expansion. 1.C.1. Lost 8 points due to loss of Line Item 1.C. points. 1.D. Awarded 2 points in lieu of Line Item 1.C. 1.D.1. Awarded 8 point sin lieu of Line Item 1.C.1. 2.C.1. Lost 15 points due to no Line Item 1.A claim and project does not contain septic systems. 2.N.5. Lost 4 points due to pump station not in floodplain. 3.A.1. Lost 10 points due to insufficienat narrative. 3.A.2. Lost 2 points due to insufficient CIP span.
38	No	Yes	219712	Thomasville, City of	Davidson	No	11,255	0	NA	Northside PS Forcemain Rehabilitation	Rehabilitate approximately 6,000 LF 12-inch FM with CIPP.	0	Alley, Williams, Carmen, & King, Inc	\$3,000,000	\$3,000,000	36	36	

Application Number	Proposed Funding in Scenario?	Reconsidered Appl. from Previous Round?	Instance ID	Applicant Name	County	Designated Distressed?	Residential Connections	New Connections in Project	Funding Requested per New Connection	Project Name	Project Description	Additional Info. Added?	Application Preparer	Total Project Cost	Funding Requested	Points Claimed by Applicant (unadjusted for reconsid.)	Points Verified	Difference in Points Claimed and Verified
39	No	Yes	219866	Roseboro, Town of	Sampson	No	520	0	NA	2024 WWTP Improvements	Rehabilitate and expand WWTP from 0.49 MGD to 0.7 MGD.	Yes	The Wooten Company	\$3,083,400	\$3,083,400	56	36	1.C. Lost 12 points due to project being an expansion project. Awarded 1.D. for 2 points. 1.C.1. Lost 8 points due to project being an expansion project. Awarded 1.D.1 for 8 points. 3.A.1. Lost 10 points due to insufficient years on CIP.
40	No	Yes	220703	Anson County	Anson	No	247	0	NA	Sanitary Sewer Force Main Replacement	Replace 12,000 LF of 20-inch force main.	No	Hazen & Sawyer	\$13,870,000	\$13,870,000	55	35	2.C.1. Lost 15 points due to insufficient documentation. 2.N.7. Lost 3 points due to insufficient narrative. 3.A.1. Lost 10 points due to lack of years in CIP.
41	No	Yes	219890	Cape Fear Public Utility Authority	New Hanover	No	69,328	0	NA	Motts & Barnards Creek Outfall Rehab	Rehabilita 22,290 LF of 21-inch to 48-inch gravity sewer, CCTV inspection and cleaning.	No	Cape Fear Public Utility Authority	\$21,715,857	\$21,715,857	34	34	
42	No	No	256872	Princeton, Town of	Johnston	Yes	570	0	NA	Collection System Repairs	Repair and replace collection system.	No	TRC Engineers InC	\$966,188	\$966,188	56	33	1.C.1. Lost 8 points due to insufficient narrative and documentation. 4.C.4. Lost 5 points due to insufficient narrative.
43	No	Yes	223018	Newton Grove, Town of	Sampson	Yes	212	0	NA	Pump Station Improvements	Rehabilitae four pump stations.	No	TRC Engineers, Inc.	\$1,000,000	\$1,000,000	47	32	1.C. Lost 12 points due to award for 1.D for 2 points. 1.C.1. Lost 8 points due to award of 1.D.1 for 8 points. 4.C.4. Lost 5 points due to insufficient documentation.
44	No	Yes	219780	Oxford, City of	Granville	No	3,106	0	NA	Oxford WWTP Expansion	Expand from 3.5 to 7.0 MGD.	No	CDM Smith	\$121,415,000	\$35,000,000	62	32	2.E.2. Lost 3 points due to NOVs being for high rainfall events. 2.I. Lost 3 points due to insufficient documentation. 2.N.4. Lost 4 points due to insufficient documentation. 2.O. Lost 20 points due to insufficient documentation.
45	No	No	255832	Beaufort, Town of	Carteret	No	3,304	0	NA	Pump Station #7 Replacement	Replace pump station, including new wet well, pumps, flood-proof hatches, generator, meter vault, 260 LF of gravity sewer line, and 4 manholes.	No	Rivers & Associates, Inc.	\$3,023,800	\$2,000,000	51	31	3.A.1. Lost 10 points due to lack of CIP resolution. 1.C. Lost 12 points due to increase in capacity. 1.C.1. Lost 8 pointes due to lost of 1.C. points. 1.D. Awarded 2 points in lieu of Line Item 1.C. 1.D.1. Awarded 8 points in lieu of Line Item 1.D.1.
46	No	No	257017	Hillsborough, Town of	Orange	No	4,703	0	NA	Eno River Outfall - East	Rehabilitate 3,000 LF of sewer line with larger pipe for future expansion.	Yes	Town of Hillsborough NC	\$5,950,000	\$5,950,000	51	31	2.C. Lost 15 points due to SSO being for tropical event. 3.A.1. Lost 10 points due to CIP adoption beyond 2-year window.

Application Number	Proposed Funding in Scenario?	Reconsidered Appl. from Previous Round?	Instance ID	Applicant Name	County	Designated Distressed?	Residential Connections	New Connections in Project	Funding Requested per New Connection	Project Name	Project Description	Additional Info. Added?	Application Preparer	Total Project Cost	Funding Requested	Points Claimed by Applicant (unadjusted for reconsid.)	Points Verified	Difference in Points Claimed and Verified
47	No	No	256982	Hendersonville, City of	Henderson	No	9,091	0	NA	WWTF 6.0 MGD Expansion and Improvements	Expand 4.8 MGD WWTF to 6 MGD.	Yes	McKim & Creed, Inc.	\$106,713,647	\$106,713,647	51	30	2.E.2. Lost 3 points due to NOD/NOV being for collection system. 2.I. Lost 3 points due to lack of calculations. 2.N.3. Lost 3 points due to lack of clear mapping. 2.O. Lost 20 points due to insufficient narrative.
48	No	No	257006	Dunn, City of	Harnett	No	3,687	0	NA	Food Lion PS & FM Replacement	Replace existing pump station and approximately 4,400 LF of new forcemain.	No	Davis-Martin-Powell & Associates Inc	\$4,500,000	\$4,500,000	40	30	3.A.1. Lost 10 points due to lack of project on CIP and adoption greater than 4 years old.
49	No	Yes	219619	Johnston County	Johnston	No	17,391	0	NA	Duchess Downs Sewer Interceptor	Install approximately 8,400-LF of 16-INCH GS and 32 MH.	No	Johnston County Public Utilities	\$4,963,000	\$4,400,000	46	28	1.C. Lost 12 points due to receiving1.D points. 3.A.2. Lost 2 points due to rexeiving 3.A.1 points.
50	No	Yes	219906	Fayetteville Public Works Commission	Cumberland	No	86,220	0	NA	BRCO Sanitary Sewer	Construct approximately 34,000 LF gravity sewer along Big Rockfish Creek to eliminate a regional pump station and FM.	No	WK Dickson	\$42,212,964	\$11,024,963	28	28	
51	Yes	No	256963	Cumberland County	Cumberland	Yes	0	0	NA	Landfill Leachate PFAS Treatment	Pretreat landfill leachate to reduce PFAS compounds to concentrations at, or below, drinking water standards prior to release to a water reclamation facility.	Yes	HDR Engineering, Inc. of the Carolinas	\$10,169,782	\$10,074,782	24	24	
52	No	No	255741	New London, Town of	Stanly	No	144	0	NA	Patrick Pump Station & FM Replacement	Expand PS from 50 GPM to 120 GPM and 3-inch FM to a 4-inch FM.	No	Chambers Engineering, PA	\$1,551,000	\$1,551,000	32	24	
53	No	No	256850	Ansonville, Town of	Anson	No	219	0	NA	Sewer Bypass Pumps	Purchase of 2 bypass pumps to replace rented temporary bypass pumps to maintain operation during outages caused by aging infrastructure.	No	TRC Engineers Inc	\$200,000	\$200,000	37	24	1.D. Lost 2 points due to insufficient narrative. 1.D.1. Lost 8 points due to denial of 1.D points. 2.N.7. Lost 3 points due to lack of resiliency added.
54	No	No	255701	Roanoke Rapids Sanitary District	Halifax,Northampton	No	7,935	0	NA	Belmont Pump Station Improvement Project	Upgrade Belmont PS from 200-gpm to new 600-gpm. Replace existing Laurel St PS with 5,900-LF of 8-in ductile iron force main.	No	Roanoke Rapids Sanitary District	\$4,847,819	\$4,847,819	29	21	2.E.2. Lost 3 points due to insufficient narrative. 3.B. Lost 5 points due to insufficient narrative.

Application Number	Proposed Funding in Scenario? Reconsidered Appl. from Previous Round?	Instance ID	Applicant Name	County	Designated Distressed?	Residential Connections	New Connections in Project	Funding Requested per New Connection	Project Name	Project Description	Additional Info. Added?	Application Preparer	Total Project Cost	Funding Requested	Points Claimed by Applicant (unadjusted for reconsid.)	Points Verified	Difference in Points Claimed and Verified
--------------------	---	-------------	----------------	--------	------------------------	-------------------------	----------------------------	--------------------------------------	--------------	---------------------	-------------------------	----------------------	--------------------	-------------------	--	-----------------	---

Incomplete/Ineligible Applications

Application Number	Proposed Funding in Scenario? Reconsidered Appl. from Previous Round?	Instance ID	Applicant Name	County	Designated Distressed?	Residential Connections	New Connections in Project	Funding Requested per New Connection	Project Name	Project Description	Additional Info. Added?	Application Preparer	Total Project Cost	Funding Requested	Points Claimed by Applicant (unadjusted for reconsid.)	Points Verified	Reason for Incompleteness/Ineligibility
--------------------	---	-------------	----------------	--------	------------------------	-------------------------	----------------------------	--------------------------------------	--------------	---------------------	-------------------------	----------------------	--------------------	-------------------	--	-----------------	---

None