

IDEXX Quanti-Tray®/2000

MPN Table (per 100mL) with 95% Confidence Limits

Positive Large Wells	Positive Small Wells	MPN	95% Confidence Lower Limit	95% Confidence Upper Limit
0	0	<1	0.0	3.7
0	1	1.0	0.0	3.7
0	2	2.0	0.3	5.6
0	3	3.0	0.6	7.3
0	4	4.0	1.1	8.9
0	5	5.0	1.7	10.5
0	6	6.0	2.3	12.1
0	7	7.0	2.9	13.7
0	8	8.0	3.7	15.3
0	9	9.0	4.5	15.8
0	10	10.0	5.2	16.9
0	11	11.0	5.9	18.5
0	12	12.0	6.9	20.1
0	13	13.0	7.8	21.2
0	14	14.1	8.6	21.9
0	15	15.1	9.0	23.4
0	16	16.1	9.6	24.9
0	17	17.1	10.5	25.7
0	18	18.1	11.5	26.9
0	19	19.1	12.5	28.6
0	20	20.2	13.2	29.3
0	21	21.2	13.9	30.5
0	22	22.2	14.5	31.8
0	23	23.3	15.7	33.1
0	24	24.3	16.4	34.2
0	25	25.3	17.6	35.2
0	26	26.4	18.3	36.5
0	27	27.4	19.5	37.7
0	28	28.4	19.7	38.6
0	29	29.5	21.0	39.9
0	30	30.5	21.7	41.2
0	31	31.5	22.5	42.3
0	32	32.6	23.9	43.4
0	33	33.6	24.6	44.4
0	34	34.7	25.4	45.7
0	35	35.7	26.2	46.8
0	36	36.8	27.7	48.0
0	37	37.8	28.5	49.0
0	38	38.9	29.2	50.3
0	39	40.0	30.0	51.2
0	40	41.0	30.8	52.8
0	41	42.1	31.6	53.7
0	42	43.1	33.3	54.7
0	43	44.2	34.1	56.1
0	44	45.3	34.9	57.1

Positive Large Wells	Positive Small Wells	MPN	95% Confidence Lower Limit	95% Confidence Upper Limit
25	0	33.6	22.0	48.9
25	1	35.0	22.9	51.2
25	2	36.4	23.8	52.6
25	3	37.9	25.5	54.0
25	4	39.3	26.5	55.9
25	5	40.8	28.3	57.3
25	6	42.2	29.3	59.0
25	7	43.7	30.3	60.7
25	8	45.2	31.3	62.5
25	9	46.7	33.3	64.2
25	10	48.2	34.4	66.0
25	11	49.7	35.4	67.3
25	12	51.2	36.5	69.0
25	13	52.7	37.6	70.7
25	14	54.3	39.7	72.4
25	15	55.8	40.9	74.0
25	16	57.3	42.0	75.9
25	17	58.9	43.1	77.6
25	18	60.5	45.5	79.5
25	19	62.0	46.7	81.2
25	20	63.6	47.8	83.0
25	21	65.2	49.0	84.6
25	22	66.8	50.2	86.2
25	23	68.4	51.5	87.4
25	24	70.0	54.0	89.5
25	25	71.7	55.3	91.6
25	26	73.3	56.6	93.9
25	27	75.0	57.8	94.6
25	28	76.6	59.1	96.1
25	29	78.3	60.4	98.6
25	30	80.0	61.7	101.0
25	31	81.7	64.6	101.6
25	32	83.3	65.9	103.6
25	33	85.1	67.3	106.2
25	34	86.8	68.6	107.3
25	35	88.5	70.0	109.1
25	36	90.2	71.4	111.4
25	37	92.0	72.8	112.8
25	38	93.7	74.2	114.9
25	39	95.5	77.4	116.4
25	40	97.3	78.9	118.3
25	41	99.1	80.3	120.4
25	42	100.9	81.8	121.9
25	43	102.7	83.2	124.2
25	44	104.5	84.7	126.0

Positive Large Wells	Positive Small Wells	MPN	95% Confidence	
			Lower Limit	Upper Limit
0	45	46.3	35.7	58.1
0	46	47.4	37.5	59.5
0	47	48.5	38.3	60.7
0	48	49.5	39.2	61.6
1	0	1.0	0.1	5.5
1	1	2.0	0.3	5.9
1	2	3.0	0.6	7.3
1	3	4.0	1.1	8.9
1	4	5.0	1.7	10.5
1	5	6.0	2.3	12.1
1	6	7.1	3.0	13.7
1	7	8.1	3.7	15.3
1	8	9.1	4.3	16.2
1	9	10.1	5.2	17.2
1	10	11.1	6.0	18.5
1	11	12.1	6.8	20.1
1	12	13.2	7.6	21.7
1	13	14.2	8.7	22.2
1	14	15.2	9.4	23.6
1	15	16.2	9.7	25.1
1	16	17.3	10.6	26.4
1	17	18.3	11.6	27.0
1	18	19.3	12.6	28.6
1	19	20.4	13.3	30.0
1	20	21.4	14.0	30.7
1	21	22.4	14.7	32.3
1	22	23.5	15.8	33.1
1	23	24.5	17.0	34.5
1	24	25.6	17.2	35.7
1	25	26.6	18.4	37.1
1	26	27.7	19.2	38.1
1	27	28.7	20.5	39.2
1	28	29.8	21.2	40.6
1	29	30.8	22.0	41.6
1	30	31.9	22.7	42.7
1	31	32.9	23.5	44.0
1	32	34.0	24.9	44.9
1	33	35.0	25.7	46.4
1	34	36.1	26.4	47.2
1	35	37.2	27.9	48.8
1	36	38.2	28.7	49.6
1	37	39.3	29.5	51.0
1	38	40.4	30.4	52.0
1	39	41.4	31.2	53.1
1	40	42.5	32.8	54.5
1	41	43.6	33.6	55.4
1	42	44.7	34.5	56.6
1	43	45.7	35.3	58.0
1	44	46.8	36.1	58.9

Positive Large Wells	Positive Small Wells	MPN	95% Confidence	
			Lower Limit	Upper Limit
25	45	106.3	86.2	128.0
25	46	108.2	89.8	130.2
25	47	110.0	91.3	132.1
25	48	111.9	92.9	133.7
26	0	35.5	23.2	52.0
26	1	36.9	24.9	53.7
26	2	38.4	25.9	55.4
26	3	39.9	26.9	56.5
26	4	41.4	27.9	58.6
26	5	42.8	29.7	60.1
26	6	44.3	30.7	61.8
26	7	45.9	31.8	63.5
26	8	47.4	32.8	65.4
26	9	48.9	34.9	66.6
26	10	50.4	36.0	68.5
26	11	52.0	37.1	70.4
26	12	53.5	38.2	72.2
26	13	55.1	40.4	73.7
26	14	56.7	41.5	75.7
26	15	58.2	42.7	77.6
26	16	59.8	43.8	79.2
26	17	61.4	45.0	80.8
26	18	63.0	46.2	82.7
26	19	64.7	48.6	84.2
26	20	66.3	49.8	85.4
26	21	67.9	51.1	87.3
26	22	69.6	52.3	89.5
26	23	71.2	55.0	91.6
26	24	72.9	54.8	93.9
26	25	74.6	57.5	94.6
26	26	76.3	58.8	96.2
26	27	78.0	60.1	98.6
26	28	79.7	61.5	101.0
26	29	81.4	62.8	102.2
26	30	83.1	64.1	103.6
26	31	84.9	67.1	106.2
26	32	86.6	68.5	108.0
26	33	88.4	69.9	109.4
26	34	90.1	71.3	111.8
26	35	91.9	72.7	113.5
26	36	93.7	74.1	115.1
26	37	95.5	75.6	117.5
26	38	97.3	78.9	119.2
26	39	99.2	80.4	121.2
26	40	101.0	81.9	123.1
26	41	102.9	83.4	125.0
26	42	104.7	84.9	127.1
26	43	106.6	86.4	128.9
26	44	108.5	90.1	130.6

Positive Large Wells	Positive Small Wells	MPN	95% Confidence	
			Lower Limit	Upper Limit
1	45	47.9	37.0	60.1
1	46	49.0	38.7	61.3
1	47	50.1	39.6	62.5
1	48	51.2	40.5	63.6
2	0	2.0	0.3	7.1
2	1	3.0	0.7	7.4
2	2	4.1	1.2	9.0
2	3	5.1	1.6	10.6
2	4	6.1	2.3	12.1
2	5	7.1	3.0	13.7
2	6	8.1	3.7	15.3
2	7	9.2	4.4	16.9
2	8	10.2	5.3	17.8
2	9	11.2	6.0	18.6
2	10	12.2	6.8	20.1
2	11	13.3	7.7	21.7
2	12	14.3	8.5	22.9
2	13	15.4	9.4	24.0
2	14	16.4	9.8	25.1
2	15	17.4	10.4	26.8
2	16	18.5	11.4	27.5
2	17	19.5	12.4	28.8
2	18	20.6	13.5	30.4
2	19	21.6	14.1	31.2
2	20	22.7	14.8	32.6
2	21	23.7	16.0	33.8
2	22	24.8	17.2	35.0
2	23	25.8	17.9	36.1
2	24	26.9	18.1	37.1
2	25	27.9	19.4	38.5
2	26	29.0	20.7	39.7
2	27	30.0	21.4	40.6
2	28	31.1	22.2	42.0
2	29	32.2	23.6	43.4
2	30	33.2	24.4	44.4
2	31	34.3	25.1	45.7
2	32	35.4	25.9	46.6
2	33	36.5	26.7	48.0
2	34	37.5	28.2	48.9
2	35	38.6	29.0	50.3
2	36	39.7	29.9	51.2
2	37	40.8	30.7	52.8
2	38	41.9	31.5	53.7
2	39	43.0	32.3	54.9
2	40	44.0	34.0	56.2
2	41	45.1	34.8	57.1
2	42	46.2	35.7	58.6
2	43	47.3	36.5	59.7
2	44	48.4	37.4	60.8

Positive Large Wells	Positive Small Wells	MPN	95% Confidence	
			Lower Limit	Upper Limit
26	45	110.4	89.5	132.4
26	46	112.3	93.2	135.0
26	47	114.2	94.8	137.0
26	48	116.2	96.4	138.7
27	0	37.4	24.5	54.5
27	1	38.9	26.2	55.9
27	2	40.4	27.3	57.4
27	3	42.0	28.3	59.7
27	4	43.5	29.3	60.8
27	5	45.0	31.2	63.0
27	6	46.5	32.3	64.7
27	7	48.1	33.3	66.1
27	8	49.6	35.4	67.8
27	9	51.2	36.5	69.7
27	10	52.8	37.6	71.7
27	11	54.4	38.8	73.4
27	12	56.0	41.0	75.0
27	13	57.6	42.2	77.2
27	14	59.2	43.3	78.6
27	15	60.8	44.5	80.6
27	16	62.4	45.7	82.3
27	17	64.1	46.9	83.7
27	18	65.7	49.4	85.3
27	19	67.4	50.7	87.3
27	20	69.1	51.9	89.5
27	21	70.8	53.2	91.6
27	22	72.5	55.9	93.9
27	23	74.2	55.8	94.6
27	24	75.9	58.5	96.2
27	25	77.6	59.9	98.6
27	26	79.4	61.2	101.0
27	27	81.1	62.6	102.5
27	28	82.9	63.9	103.8
27	29	84.6	65.3	106.2
27	30	86.4	68.4	108.3
27	31	88.2	69.8	109.6
27	32	90.0	71.2	111.8
27	33	91.9	72.7	113.8
27	34	93.7	74.1	115.4
27	35	95.5	75.6	118.0
27	36	97.4	77.1	119.8
27	37	99.3	80.5	121.8
27	38	101.2	82.0	123.7
27	39	103.1	83.5	125.9
27	40	105.0	85.1	127.6
27	41	106.9	86.6	129.4
27	42	108.8	88.2	132.0
27	43	110.8	89.8	133.7
27	44	112.7	91.4	135.3

Positive Large Wells	Positive Small Wells	MPN	95% Confidence	
			Lower Limit	Upper Limit
2	45	49.5	38.2	61.8
2	46	50.6	40.0	63.0
2	47	51.7	40.9	64.2
2	48	52.8	41.8	65.4
3	0	3.1	0.7	8.9
3	1	4.1	1.2	9.1
3	2	5.1	1.7	10.6
3	3	6.2	2.3	12.1
3	4	7.2	3.0	13.7
3	5	8.2	3.6	15.3
3	6	9.2	4.4	16.9
3	7	10.3	5.1	18.3
3	8	11.3	6.1	18.8
3	9	12.4	6.9	20.2
3	10	13.4	7.7	21.8
3	11	14.5	8.6	23.4
3	12	15.5	9.5	24.1
3	13	16.5	10.2	25.3
3	14	17.6	10.5	26.9
3	15	18.6	11.5	28.2
3	16	19.7	12.5	29.2
3	17	20.8	13.6	30.4
3	18	21.8	14.3	31.8
3	19	22.9	15.0	32.7
3	20	23.9	15.7	34.2
3	21	25.0	16.8	35.2
3	22	26.1	18.1	36.5
3	23	27.1	18.8	37.7
3	24	28.2	19.6	39.1
3	25	29.3	20.9	40.2
3	26	30.4	21.6	41.3
3	27	31.4	22.4	42.7
3	28	32.5	23.2	43.6
3	29	33.6	24.6	44.9
3	30	34.7	25.4	46.2
3	31	35.8	26.2	47.2
3	32	36.8	27.0	48.6
3	33	37.9	27.8	49.5
3	34	39.0	29.3	51.0
3	35	40.1	30.2	52.0
3	36	41.2	31.0	53.2
3	37	42.3	31.8	54.5
3	38	43.4	32.6	55.4
3	39	44.5	34.3	57.0
3	40	45.6	35.2	58.0
3	41	46.7	36.0	59.0
3	42	47.8	36.9	60.2
3	43	48.9	37.8	61.5
3	44	50.0	38.6	62.6

Positive Large Wells	Positive Small Wells	MPN	95% Confidence	
			Lower Limit	Upper Limit
27	45	114.7	95.2	137.8
27	46	116.7	94.6	140.1
27	47	118.7	98.5	142.1
27	48	120.7	100.2	144.2
28	0	39.5	25.9	57.0
28	1	41.0	27.7	58.8
28	2	42.6	28.7	60.7
28	3	44.1	30.6	62.5
28	4	45.7	30.8	63.8
28	5	47.3	32.8	65.9
28	6	48.8	33.9	67.5
28	7	50.4	35.0	69.1
28	8	52.0	37.1	71.0
28	9	53.6	38.2	73.0
28	10	55.2	39.4	74.4
28	11	56.9	41.7	76.4
28	12	58.5	41.7	77.9
28	13	60.2	44.1	80.0
28	14	61.8	45.3	81.5
28	15	63.5	46.5	83.4
28	16	65.2	47.7	85.3
28	17	66.9	50.3	87.3
28	18	68.6	51.6	89.5
28	19	70.3	52.8	91.6
28	20	72.0	54.1	93.9
28	21	73.7	55.5	94.6
28	22	75.5	56.8	96.2
28	23	77.3	59.6	98.6
28	24	79.0	61.0	101.0
28	25	80.8	62.4	102.8
28	26	82.6	63.7	103.9
28	27	84.4	65.1	106.2
28	28	86.3	66.5	108.8
28	29	88.1	68.0	110.3
28	30	89.9	71.1	112.2
28	31	91.8	72.6	114.7
28	32	93.7	74.1	116.4
28	33	95.6	75.6	118.3
28	34	97.5	77.1	120.4
28	35	99.4	78.6	121.9
28	36	101.3	80.1	124.2
28	37	103.3	83.7	126.0
28	38	105.2	85.3	128.5
28	39	107.2	86.9	130.6
28	40	109.2	88.5	132.4
28	41	111.2	90.1	135.0
28	42	113.2	91.7	137.0
28	43	115.2	95.6	138.7
28	44	117.3	95.0	140.7

Positive Large Wells	Positive Small Wells	95% Confidence		
		MPN	Lower Limit	Upper Limit
3	45	51.2	40.5	63.8
3	46	52.3	41.4	65.0
3	47	53.4	42.2	66.1
3	48	54.5	43.1	67.3
4	0	4.1	1.7	9.5
4	1	5.2	1.8	10.8
4	2	6.2	2.4	12.2
4	3	7.2	2.9	13.7
4	4	8.3	3.6	15.3
4	5	9.3	4.5	16.9
4	6	10.4	5.2	18.5
4	7	11.4	5.9	19.5
4	8	12.5	6.9	20.5
4	9	13.5	7.8	21.8
4	10	14.6	8.7	23.4
4	11	15.6	9.6	24.6
4	12	16.7	10.3	25.7
4	13	17.8	10.9	26.9
4	14	18.8	11.6	28.6
4	15	19.9	12.6	29.3
4	16	21.0	13.7	30.7
4	17	22.0	14.8	32.2
4	18	23.1	15.1	33.1
4	19	24.2	15.8	34.5
4	20	25.3	17.0	35.7
4	21	26.3	18.3	37.1
4	22	27.4	19.0	38.1
4	23	28.5	19.8	39.2
4	24	29.6	20.5	40.6
4	25	30.7	21.9	41.8
4	26	31.8	22.6	42.8
4	27	32.8	23.4	44.2
4	28	33.9	24.9	45.6
4	29	35.0	25.7	46.5
4	30	36.1	26.5	48.0
4	31	37.2	27.3	48.8
4	32	38.3	28.1	50.3
4	33	39.4	29.7	51.2
4	34	40.5	30.5	52.8
4	35	41.6	31.3	53.7
4	36	42.8	32.2	55.2
4	37	43.9	33.0	56.2
4	38	45.0	34.7	57.4
4	39	46.1	35.6	58.6
4	40	47.2	36.4	59.8
4	41	48.3	37.3	60.9
4	42	49.5	38.2	62.5
4	43	50.6	40.0	63.5
4	44	51.7	40.9	64.7

Positive Large Wells	Positive Small Wells	95% Confidence		
		MPN	Lower Limit	Upper Limit
28	45	119.3	99.0	143.0
28	46	121.4	98.4	145.4
28	47	123.5	102.5	147.9
28	48	125.6	104.2	149.8
29	0	41.7	28.1	59.8
29	1	43.2	29.1	61.4
29	2	44.8	30.2	63.4
29	3	46.4	31.3	65.4
29	4	48.0	33.3	67.2
29	5	49.6	34.4	68.5
29	6	51.2	35.5	70.7
29	7	52.8	36.6	72.3
29	8	54.5	38.8	74.1
29	9	56.1	40.0	75.9
29	10	57.8	41.2	77.8
29	11	59.5	42.4	79.5
29	12	61.2	44.8	81.4
29	13	62.9	46.0	83.3
29	14	64.6	47.3	85.3
29	15	66.3	48.6	87.3
29	16	68.0	51.2	89.5
29	17	69.8	51.1	91.6
29	18	71.5	53.8	93.9
29	19	73.3	55.1	94.6
29	20	75.1	56.5	96.2
29	21	76.9	57.8	98.6
29	22	78.7	60.7	101.0
29	23	80.5	62.1	103.3
29	24	82.4	63.5	104.7
29	25	84.2	65.0	106.4
29	26	86.1	66.4	109.0
29	27	87.9	67.8	111.1
29	28	89.8	69.3	112.8
29	29	91.7	72.6	114.9
29	30	93.7	74.1	116.9
29	31	95.6	75.6	119.2
29	32	97.5	77.2	121.2
29	33	99.5	78.7	123.1
29	34	101.5	80.3	125.0
29	35	103.5	81.8	127.3
29	36	105.5	83.4	129.1
29	37	107.5	87.1	131.7
29	38	109.5	88.8	133.7
29	39	111.6	90.4	135.3
29	40	113.7	92.1	138.1
29	41	115.7	93.8	140.4
29	42	117.8	95.5	142.2
29	43	120.0	99.6	144.2
29	44	122.1	99.0	146.3

Positive Large Wells	Positive Small Wells	MPN	95% Confidence	
			Lower Limit	Upper Limit
4	45	52.9	41.8	66.0
4	46	54.0	42.7	67.3
4	47	55.1	43.6	68.4
4	48	56.3	44.5	69.4
5	0	5.2	2.3	11.9
5	1	6.3	2.5	12.7
5	2	7.3	2.9	13.9
5	3	8.4	3.7	15.3
5	4	9.4	4.3	16.9
5	5	10.5	5.2	18.5
5	6	11.5	6.0	20.1
5	7	12.6	6.8	21.2
5	8	13.7	7.6	21.9
5	9	14.7	8.5	23.4
5	10	15.8	9.4	25.1
5	11	16.9	10.4	26.4
5	12	17.9	11.0	27.0
5	13	19.0	11.7	28.6
5	14	20.1	12.4	30.0
5	15	21.2	13.4	31.2
5	16	22.2	14.6	32.3
5	17	23.3	15.7	33.8
5	18	24.4	16.0	35.0
5	19	25.5	17.2	36.1
5	20	26.6	17.9	37.5
5	21	27.7	19.2	38.5
5	22	28.8	20.0	39.9
5	23	29.9	20.7	41.2
5	24	31.0	22.1	42.3
5	25	32.1	22.9	43.4
5	26	33.2	23.7	44.9
5	27	34.3	24.4	45.8
5	28	35.4	25.9	47.2
5	29	36.5	26.7	48.5
5	30	37.6	27.6	49.5
5	31	38.7	28.4	51.0
5	32	39.9	29.2	52.0
5	33	41.0	30.8	53.3
5	34	42.1	31.7	54.5
5	35	43.2	32.5	55.7
5	36	44.4	33.4	57.0
5	37	45.5	35.1	58.0
5	38	46.6	36.0	59.3
5	39	47.7	36.8	60.7
5	40	48.9	37.7	61.8
5	41	50.0	38.6	63.0
5	42	51.2	39.5	64.2
5	43	52.3	41.4	65.4
5	44	53.5	42.3	66.6

Positive Large Wells	Positive Small Wells	MPN	95% Confidence	
			Lower Limit	Upper Limit
29	45	124.2	103.1	148.9
29	46	126.4	104.9	151.7
29	47	128.6	106.7	153.5
29	48	130.8	108.6	155.9
30	0	43.9	29.6	62.6
30	1	45.5	30.7	64.5
30	2	47.1	31.8	66.6
30	3	48.7	33.8	68.0
30	4	50.4	34.9	70.1
30	5	52.0	36.1	72.2
30	6	53.7	38.3	74.0
30	7	55.4	39.5	75.8
30	8	57.1	40.7	77.6
30	9	58.8	41.9	79.5
30	10	60.5	43.1	81.4
30	11	62.2	45.6	83.3
30	12	64.0	46.8	85.3
30	13	65.7	48.1	87.3
30	14	67.5	49.4	89.5
30	15	69.3	50.7	91.6
30	16	71.0	52.0	93.9
30	17	72.9	54.8	94.6
30	18	74.7	56.1	96.2
30	19	76.5	57.5	98.6
30	20	78.3	58.9	101.0
30	21	80.2	60.3	103.6
30	22	82.1	63.3	105.0
30	23	84.0	64.8	106.4
30	24	85.9	66.2	109.0
30	25	87.8	67.7	111.4
30	26	89.7	69.2	112.9
30	27	91.7	70.7	115.1
30	28	93.6	74.1	117.5
30	29	95.6	75.6	119.2
30	30	97.6	77.2	121.8
30	31	99.6	78.8	124.2
30	32	101.6	80.4	126.0
30	33	103.7	82.0	128.2
30	34	105.7	83.6	130.6
30	35	107.8	87.4	132.1
30	36	109.9	89.1	135.0
30	37	112.0	88.6	137.0
30	38	114.2	92.5	138.7
30	39	116.3	94.3	141.6
30	40	118.5	96.0	144.0
30	41	120.6	97.8	145.9
30	42	122.8	99.6	148.2
30	43	125.1	101.4	150.3
30	44	127.3	105.7	152.6

Positive Large Wells	Positive Small Wells	MPN	95% Confidence	
			Lower Limit	Upper Limit
5	45	54.6	43.2	67.8
5	46	55.8	44.1	69.0
5	47	56.9	45.0	70.4
5	48	58.1	45.9	71.7
6	0	6.3	2.9	13.7
6	1	7.4	3.2	14.4
6	2	8.4	3.7	15.3
6	3	9.5	4.4	16.9
6	4	10.6	5.3	18.5
6	5	11.6	6.0	20.1
6	6	12.7	6.8	21.7
6	7	13.8	7.7	22.2
6	8	14.9	8.6	23.6
6	9	16.0	9.5	25.1
6	10	17.0	10.5	26.8
6	11	18.1	11.1	27.5
6	12	19.2	11.8	28.8
6	13	20.3	12.5	30.4
6	14	21.4	13.6	31.8
6	15	22.5	14.7	32.6
6	16	23.6	15.9	34.2
6	17	24.7	16.6	35.2
6	18	25.8	17.4	36.5
6	19	26.9	18.1	37.8
6	20	28.0	19.4	39.1
6	21	29.1	20.2	40.2
6	22	30.2	20.9	41.6
6	23	31.3	22.3	42.7
6	24	32.4	23.1	44.2
6	25	33.5	23.9	45.2
6	26	34.7	24.7	46.5
6	27	35.8	26.2	47.9
6	28	36.9	27.0	48.8
6	29	38.0	27.9	50.3
6	30	39.2	28.7	51.2
6	31	40.3	29.5	52.8
6	32	41.4	31.1	53.8
6	33	42.6	32.0	55.4
6	34	43.7	32.9	56.2
6	35	44.8	33.7	57.6
6	36	46.0	35.5	58.9
6	37	47.1	36.4	60.1
6	38	48.3	37.2	61.3
6	39	49.4	38.1	62.5
6	40	50.6	39.0	63.6
6	41	51.7	39.9	64.8
6	42	52.9	40.8	66.1
6	43	54.1	42.8	67.5
6	44	55.2	43.7	68.7

Positive Large Wells	Positive Small Wells	MPN	95% Confidence	
			Lower Limit	Upper Limit
30	45	129.5	107.5	155.5
30	46	131.8	109.4	157.6
30	47	134.1	111.3	159.8
30	48	136.4	113.2	162.7
31	0	46.2	31.1	65.5
31	1	47.9	32.3	67.5
31	2	49.5	34.4	69.3
31	3	51.2	35.5	71.7
31	4	52.9	36.7	73.7
31	5	54.6	37.9	75.6
31	6	56.3	39.1	77.6
31	7	58.1	41.4	79.5
31	8	59.8	42.6	81.4
31	9	61.6	43.9	83.3
31	10	63.3	46.4	85.3
31	11	65.1	47.7	87.3
31	12	66.9	49.0	89.5
31	13	68.7	50.3	91.6
31	14	70.5	51.7	93.9
31	15	72.4	53.0	94.6
31	16	74.2	55.8	96.2
31	17	76.1	57.2	98.5
31	18	78.0	58.6	101.0
31	19	79.9	60.1	103.6
31	20	81.8	61.5	105.7
31	21	83.7	63.0	107.0
31	22	85.7	66.1	109.1
31	23	87.6	67.6	111.8
31	24	89.6	69.1	113.8
31	25	91.6	70.7	115.4
31	26	93.6	72.2	118.0
31	27	95.6	73.8	120.4
31	28	97.7	75.4	121.9
31	29	99.7	78.9	124.7
31	30	101.8	80.5	127.1
31	31	103.9	82.2	128.9
31	32	106.0	83.9	131.5
31	33	108.2	85.6	133.7
31	34	110.3	87.3	135.3
31	35	112.5	89.0	138.7
31	36	114.7	93.0	140.4
31	37	116.9	94.7	142.7
31	38	119.1	96.5	145.4
31	39	121.4	98.4	147.9
31	40	123.6	100.2	150.0
31	41	125.9	102.1	152.3
31	42	128.2	103.9	154.7
31	43	130.5	105.8	156.6
31	44	132.9	110.3	159.8

Positive Large Wells	Positive Small Wells	MPN	95% Confidence	
			Lower Limit	Upper Limit
6	45	56.4	44.6	69.8
6	46	57.6	45.5	71.0
6	47	58.7	46.5	72.4
6	48	59.9	47.4	73.7
7	0	7.5	3.6	14.9
7	1	8.5	3.9	15.6
7	2	9.6	4.4	16.9
7	3	10.7	5.1	18.5
7	4	11.8	6.1	20.1
7	5	12.8	6.9	21.7
7	6	13.9	7.8	22.9
7	7	15.0	8.7	24.0
7	8	16.1	9.6	25.3
7	9	17.2	10.6	26.9
7	10	18.3	11.6	28.2
7	11	19.4	12.3	29.3
7	12	20.5	12.6	30.5
7	13	21.6	13.7	31.9
7	14	22.7	14.9	33.1
7	15	23.8	15.6	34.5
7	16	24.9	16.8	35.7
7	17	26.0	17.5	37.1
7	18	27.1	18.3	38.1
7	19	28.3	19.6	39.7
7	20	29.4	20.4	40.6
7	21	30.5	21.2	42.0
7	22	31.6	21.9	43.4
7	23	32.8	23.4	44.4
7	24	33.9	24.2	45.7
7	25	35.0	25.0	47.2
7	26	36.2	26.5	48.3
7	27	37.3	27.3	49.5
7	28	38.4	28.2	51.0
7	29	39.6	29.0	52.0
7	30	40.7	30.6	53.5
7	31	41.9	31.5	54.5
7	32	43.0	32.4	55.9
7	33	44.2	33.2	57.1
7	34	45.3	34.1	58.3
7	35	46.5	35.0	59.7
7	36	47.7	36.8	60.8
7	37	48.8	37.7	61.9
7	38	50.0	38.6	63.4
7	39	51.2	39.5	64.7
7	40	52.3	40.4	66.0
7	41	53.5	41.3	67.3
7	42	54.7	43.3	68.5
7	43	55.9	44.2	69.7
7	44	57.1	45.1	70.8

Positive Large Wells	Positive Small Wells	MPN	95% Confidence	
			Lower Limit	Upper Limit
31	45	135.3	112.3	162.4
31	46	137.7	114.3	163.9
31	47	140.1	116.3	167.8
31	48	142.5	118.3	168.8
32	0	48.7	32.8	69.0
32	1	50.4	33.9	70.9
32	2	52.1	36.1	73.0
32	3	53.8	37.3	75.0
32	4	55.6	38.5	77.2
32	5	57.3	39.7	79.1
32	6	59.1	42.1	81.2
32	7	60.9	43.4	83.3
32	8	62.7	44.7	85.3
32	9	64.5	46.0	87.3
32	10	66.3	48.6	89.5
32	11	68.2	49.9	91.6
32	12	70.0	51.3	93.9
32	13	71.9	52.6	94.6
32	14	73.8	54.0	96.2
32	15	75.7	56.9	98.5
32	16	77.6	58.4	101.0
32	17	79.5	59.8	103.6
32	18	81.5	61.3	106.2
32	19	83.5	62.8	108.0
32	20	85.4	64.3	109.4
32	21	87.5	65.8	111.8
32	22	89.5	69.0	114.7
32	23	91.5	70.6	116.4
32	24	93.6	72.2	118.3
32	25	95.7	73.8	121.2
32	26	97.8	75.4	123.1
32	27	99.9	77.0	125.1
32	28	102.0	78.7	127.6
32	29	104.2	82.4	130.5
32	30	106.3	84.1	132.1
32	31	108.5	85.8	135.0
32	32	110.7	87.6	137.0
32	33	113.0	89.4	139.5
32	34	115.2	91.1	142.1
32	35	117.5	95.2	144.2
32	36	119.8	94.8	146.2
32	37	122.1	99.0	148.9
32	38	124.5	100.9	151.7
32	39	126.8	102.8	154.0
32	40	129.2	104.7	156.2
32	41	131.6	106.7	159.5
32	42	134.0	111.3	161.3
32	43	136.5	113.3	163.7
32	44	139.0	115.4	167.2

Positive Large Wells	Positive Small Wells	MPN	95% Confidence	
			Lower Limit	Upper Limit
7	45	58.3	46.1	72.2
7	46	59.4	47.0	73.4
7	47	60.6	48.0	74.4
7	48	61.8	48.9	75.9
8	0	8.6	4.5	16.9
8	1	9.7	4.5	17.2
8	2	10.8	5.2	18.6
8	3	11.9	5.9	20.2
8	4	13.0	6.7	21.8
8	5	14.1	7.8	23.4
8	6	15.2	8.7	24.6
8	7	16.3	9.7	25.7
8	8	17.4	10.4	26.9
8	9	18.5	11.4	28.6
8	10	19.6	12.4	30.0
8	11	20.7	13.1	30.7
8	12	21.8	13.9	32.3
8	13	22.9	14.6	33.8
8	14	24.1	15.7	35.0
8	15	25.2	17.0	36.1
8	16	26.3	17.7	37.7
8	17	27.4	18.5	38.5
8	18	28.6	19.2	40.2
8	19	29.7	20.6	41.3
8	20	30.8	21.4	42.7
8	21	32.0	22.2	44.0
8	22	33.1	23.6	44.9
8	23	34.3	24.4	46.5
8	24	35.4	25.2	47.8
8	25	36.6	26.1	48.8
8	26	37.7	27.6	50.3
8	27	38.9	28.5	51.2
8	28	40.0	29.3	52.8
8	29	41.2	30.2	53.8
8	30	42.3	31.8	55.4
8	31	43.5	32.7	56.4
8	32	44.7	33.6	58.0
8	33	45.9	34.5	59.0
8	34	47.0	35.4	60.2
8	35	48.2	36.3	61.6
8	36	49.4	38.1	63.0
8	37	50.6	39.0	64.2
8	38	51.8	39.9	65.4
8	39	53.0	40.9	66.6
8	40	54.1	41.8	67.8
8	41	55.3	43.8	69.1
8	42	56.5	44.7	70.4
8	43	57.7	45.7	71.7
8	44	59.0	46.6	73.0

Positive Large Wells	Positive Small Wells	MPN	95% Confidence	
			Lower Limit	Upper Limit
32	45	141.5	117.4	168.3
32	46	144.0	119.5	172.4
32	47	146.6	121.7	174.4
32	48	149.1	123.8	177.0
33	0	51.2	34.5	72.3
33	1	53.0	36.7	74.3
33	2	54.8	38.0	76.4
33	3	56.5	39.2	78.6
33	4	58.3	40.5	80.6
33	5	60.2	42.9	83.0
33	6	62.0	44.2	85.1
33	7	63.8	45.5	87.2
33	8	65.7	46.8	89.2
33	9	67.6	49.5	91.6
33	10	69.5	50.9	93.9
33	11	71.4	52.3	94.6
33	12	73.3	53.7	96.2
33	13	75.2	55.1	98.5
33	14	77.2	58.1	101.0
33	15	79.2	59.5	103.6
33	16	81.2	61.0	106.2
33	17	83.2	62.6	108.3
33	18	85.2	64.1	110.3
33	19	87.3	65.6	112.2
33	20	89.3	67.2	114.9
33	21	91.4	70.5	117.5
33	22	93.6	72.2	119.2
33	23	95.7	73.8	121.8
33	24	97.8	75.5	124.2
33	25	100.0	77.2	126.0
33	26	102.2	78.8	128.9
33	27	104.4	80.6	130.6
33	28	106.6	84.4	133.7
33	29	108.9	86.1	135.3
33	30	111.2	88.0	138.7
33	31	113.5	89.8	140.5
33	32	115.8	91.6	143.0
33	33	118.2	95.8	145.9
33	34	120.5	95.3	148.2
33	35	122.9	99.6	150.9
33	36	125.4	101.6	153.0
33	37	127.8	103.6	155.9
33	38	130.3	105.6	158.7
33	39	132.8	107.6	160.7
33	40	135.3	109.7	163.7
33	41	137.8	111.7	167.2
33	42	140.4	113.8	168.3
33	43	143.0	118.7	172.4
33	44	145.6	120.9	174.4

Positive Large Wells	Positive Small Wells	MPN	95% Confidence	
			Lower Limit	Upper Limit
8	45	60.2	47.6	74.3
8	46	61.4	48.5	75.7
8	47	62.6	49.5	77.0
8	48	63.8	50.5	77.9
9	0	9.8	4.7	18.4
9	1	10.9	5.6	19.5
9	2	12.0	6.0	20.3
9	3	13.1	6.8	21.8
9	4	14.2	7.6	23.4
9	5	15.3	8.5	25.1
9	6	16.4	9.5	26.4
9	7	17.6	10.5	27.0
9	8	18.7	11.5	28.6
9	9	19.8	12.6	30.4
9	10	20.9	13.3	31.2
9	11	22.0	14.0	32.6
9	12	23.2	14.7	34.2
9	13	24.3	15.9	35.2
9	14	25.4	17.1	36.5
9	15	26.6	17.9	38.1
9	16	27.7	18.7	39.2
9	17	28.9	19.5	40.6
9	18	30.0	20.8	41.8
9	19	31.2	21.6	43.2
9	20	32.3	22.4	44.4
9	21	33.5	23.2	45.7
9	22	34.6	24.7	47.2
9	23	35.8	25.5	48.0
9	24	37.0	26.3	49.5
9	25	38.1	27.9	51.0
9	26	39.3	28.8	52.0
9	27	40.5	29.6	53.7
9	28	41.6	30.5	54.5
9	29	42.8	32.2	56.1
9	30	44.0	33.1	57.1
9	31	45.2	34.0	58.6
9	32	46.4	34.9	59.8
9	33	47.6	35.8	61.2
9	34	48.8	36.7	62.5
9	35	50.0	38.6	63.6
9	36	51.2	39.5	64.7
9	37	52.4	40.4	66.1
9	38	53.6	41.3	67.5
9	39	54.8	42.3	69.0
9	40	56.0	44.3	70.3
9	41	57.2	45.3	71.5
9	42	58.4	46.2	72.5
9	43	59.7	47.2	74.0
9	44	60.9	48.2	75.4

Positive Large Wells	Positive Small Wells	MPN	95% Confidence	
			Lower Limit	Upper Limit
33	45	148.3	123.1	177.0
33	46	150.9	125.3	180.8
33	47	153.7	127.5	182.1
33	48	156.4	129.8	186.4
34	0	53.9	37.4	75.8
34	1	55.7	38.6	77.9
34	2	57.6	39.9	80.0
34	3	59.4	41.2	82.2
34	4	61.3	43.7	84.6
34	5	63.1	45.0	86.9
34	6	65.0	46.4	89.2
34	7	67.0	47.7	91.5
34	8	68.9	50.5	93.8
34	9	70.8	50.5	94.6
34	10	72.8	51.9	96.2
34	11	74.8	54.8	98.5
34	12	76.8	56.2	101.0
34	13	78.8	57.7	103.6
34	14	80.8	60.8	106.2
34	15	82.9	62.3	108.8
34	16	85.0	63.9	111.1
34	17	87.1	65.5	112.8
34	18	89.2	67.1	115.1
34	19	91.4	68.7	118.0
34	20	93.5	70.3	120.4
34	21	95.7	73.8	121.9
34	22	97.9	75.5	125.0
34	23	100.2	77.3	127.3
34	24	102.4	79.0	129.4
34	25	104.7	80.8	132.1
34	26	107.0	84.6	135.0
34	27	109.3	84.3	137.0
34	28	111.7	86.1	139.5
34	29	114.0	90.2	142.2
34	30	116.4	92.1	145.0
34	31	118.9	94.0	147.9
34	32	121.3	96.0	150.0
34	33	123.8	97.9	152.6
34	34	126.3	102.4	155.5
34	35	128.8	101.9	158.2
34	36	131.4	106.5	160.1
34	37	134.0	108.6	163.7
34	38	136.6	110.7	166.5
34	39	139.2	112.9	168.0
34	40	141.9	115.0	172.4
34	41	144.6	117.2	174.4
34	42	147.4	119.4	177.0
34	43	150.1	124.6	180.8
34	44	152.9	126.9	182.1

Positive Large Wells	Positive Small Wells	MPN	95% Confidence	
			Lower Limit	Upper Limit
9	45	62.1	49.1	76.4
9	46	63.4	51.4	77.8
9	47	64.6	51.1	79.3
9	48	65.8	53.4	80.6
10	0	11.0	5.7	20.1
10	1	12.1	6.5	21.1
10	2	13.2	7.1	22.0
10	3	14.4	7.7	23.6
10	4	15.5	8.6	25.1
10	5	16.6	9.6	26.8
10	6	17.7	10.6	27.5
10	7	18.9	11.6	28.8
10	8	20.0	12.7	30.4
10	9	21.1	13.4	31.8
10	10	22.3	14.1	33.1
10	11	23.4	14.9	34.5
10	12	24.6	16.1	35.7
10	13	25.7	16.8	37.1
10	14	26.9	18.1	38.5
10	15	28.0	18.9	39.7
10	16	29.2	19.7	41.2
10	17	30.3	21.0	42.3
10	18	31.5	21.8	43.4
10	19	32.7	23.3	44.9
10	20	33.8	23.5	46.5
10	21	35.0	25.0	47.5
10	22	36.2	25.8	48.8
10	23	37.4	26.6	50.3
10	24	38.6	28.2	51.2
10	25	39.7	29.1	52.8
10	26	40.9	30.0	54.1
10	27	42.1	30.9	55.4
10	28	43.3	31.7	56.8
10	29	44.5	33.5	58.0
10	30	45.7	34.4	59.1
10	31	46.9	35.3	60.7
10	32	48.1	36.2	61.8
10	33	49.3	37.1	63.0
10	34	50.6	39.0	64.5
10	35	51.8	40.0	66.0
10	36	53.0	40.9	67.3
10	37	54.2	41.8	68.5
10	38	55.5	42.8	69.7
10	39	56.7	43.7	71.0
10	40	57.9	45.8	72.3
10	41	59.2	46.8	73.7
10	42	60.4	47.8	75.0
10	43	61.7	48.8	76.3
10	44	62.9	49.8	77.6

Positive Large Wells	Positive Small Wells	MPN	95% Confidence	
			Lower Limit	Upper Limit
34	45	155.7	129.3	187.0
34	46	158.6	131.6	188.5
34	47	161.5	134.0	192.5
34	48	164.4	136.5	194.9
35	0	56.8	39.4	79.5
35	1	58.6	40.7	81.5
35	2	60.5	42.0	83.7
35	3	62.4	43.3	86.2
35	4	64.4	44.6	88.6
35	5	66.3	47.3	90.4
35	6	68.3	48.7	93.0
35	7	70.3	50.1	94.6
35	8	72.3	51.5	96.4
35	9	74.3	53.0	98.8
35	10	76.3	55.9	101.2
35	11	78.4	57.4	103.6
35	12	80.5	59.0	106.2
35	13	82.6	60.5	109.0
35	14	84.7	62.1	111.4
35	15	86.9	65.3	113.8
35	16	89.1	67.0	115.4
35	17	91.3	68.6	118.3
35	18	93.5	70.3	121.2
35	19	95.7	72.0	123.1
35	20	98.0	73.7	126.0
35	21	100.3	75.4	128.2
35	22	102.6	79.2	130.6
35	23	105.0	81.0	133.7
35	24	107.3	82.8	135.3
35	25	109.7	84.7	138.7
35	26	112.2	86.5	140.7
35	27	114.6	88.4	144.0
35	28	117.1	92.6	146.2
35	29	119.6	94.6	148.9
35	30	122.2	96.6	152.0
35	31	124.7	98.7	154.7
35	32	127.3	100.7	157.0
35	33	129.9	102.8	159.9
35	34	132.6	107.5	163.6
35	35	135.3	109.7	165.7
35	36	138.0	111.9	168.0
35	37	140.8	114.1	172.4
35	38	143.6	116.4	174.4
35	39	146.4	118.6	177.0
35	40	149.2	121.0	181.4
35	41	152.1	123.3	182.9
35	42	155.0	125.7	187.3
35	43	158.0	128.1	190.0
35	44	161.0	130.5	192.8

Positive Large Wells	Positive Small Wells	MPN	95% Confidence	
			Lower Limit	Upper Limit
10	45	64.2	50.7	79.2
10	46	65.4	53.0	80.0
10	47	66.7	54.0	81.4
10	48	67.9	55.1	83.2
11	0	12.2	6.8	21.4
11	1	13.4	7.4	22.3
11	2	14.5	7.8	23.6
11	3	15.6	8.7	25.3
11	4	16.8	9.7	26.8
11	5	17.9	10.7	28.2
11	6	19.1	11.4	29.3
11	7	20.2	12.4	30.7
11	8	21.4	13.6	32.3
11	9	22.5	14.3	33.8
11	10	23.7	15.5	35.0
11	11	24.8	15.8	36.1
11	12	26.0	17.0	37.7
11	13	27.2	18.3	39.1
11	14	28.3	19.1	40.2
11	15	29.5	19.9	41.6
11	16	30.7	20.7	42.7
11	17	31.9	22.1	44.2
11	18	33.0	23.6	45.7
11	19	34.2	23.7	46.8
11	20	35.4	25.2	48.0
11	21	36.6	26.1	49.5
11	22	37.8	26.9	51.0
11	23	39.0	28.6	52.0
11	24	40.2	29.4	53.7
11	25	41.4	30.3	54.6
11	26	42.6	31.2	56.2
11	27	43.8	32.1	57.4
11	28	45.0	33.9	58.9
11	29	46.3	34.8	60.1
11	30	47.5	35.7	61.3
11	31	48.7	36.6	62.6
11	32	49.9	38.5	64.2
11	33	51.2	39.5	65.4
11	34	52.4	40.4	66.6
11	35	53.7	41.4	67.8
11	36	54.9	42.4	69.2
11	37	56.1	43.3	70.7
11	38	57.4	45.4	72.2
11	39	58.6	45.2	73.4
11	40	59.9	47.4	74.5
11	41	61.2	48.4	75.9
11	42	62.4	49.4	77.6
11	43	63.7	50.4	78.6
11	44	65.0	51.4	80.0

Positive Large Wells	Positive Small Wells	MPN	95% Confidence	
			Lower Limit	Upper Limit
35	45	164.0	136.1	195.8
35	46	167.1	138.7	198.9
35	47	170.2	141.3	202.9
35	48	173.3	143.9	205.9
36	0	59.8	41.4	83.4
36	1	61.7	42.8	85.4
36	2	63.7	44.1	87.8
36	3	65.7	45.5	90.3
36	4	67.7	46.9	92.7
36	5	69.7	49.7	95.3
36	6	71.7	51.1	97.5
36	7	73.8	52.6	99.5
36	8	75.9	54.1	101.4
36	9	78.0	55.6	103.8
36	10	80.1	58.7	106.4
36	11	82.3	60.3	109.1
36	12	84.5	61.9	111.8
36	13	86.7	63.5	114.7
36	14	88.9	66.9	116.4
36	15	91.2	68.6	119.2
36	16	93.5	70.3	121.8
36	17	95.8	72.0	124.2
36	18	98.1	73.8	127.1
36	19	100.5	75.5	129.1
36	20	102.9	77.3	132.1
36	21	105.3	81.2	135.0
36	22	107.7	83.1	137.0
36	23	110.2	85.0	140.4
36	24	112.7	87.0	142.7
36	25	115.2	88.9	145.4
36	26	117.8	93.2	148.2
36	27	120.4	95.2	151.7
36	28	123.0	94.9	154.0
36	29	125.7	99.4	156.6
36	30	128.4	101.6	159.8
36	31	131.1	103.7	163.1
36	32	133.9	105.9	165.2
36	33	136.7	110.8	168.0
36	34	139.5	110.4	172.4
36	35	142.4	115.4	174.4
36	36	145.3	117.8	177.0
36	37	148.3	120.2	181.9
36	38	151.3	122.6	183.1
36	39	154.3	125.1	187.3
36	40	157.3	127.5	190.0
36	41	160.5	130.1	193.1
36	42	163.6	135.8	197.7
36	43	166.8	138.4	200.4
36	44	170.0	141.1	203.5

Positive Large Wells	Positive Small Wells	MPN	95% Confidence	
			Lower Limit	Upper Limit
11	45	66.3	52.4	81.4
11	46	67.5	54.7	83.0
11	47	68.8	55.8	83.7
11	48	70.1	56.8	85.3
12	0	13.5	7.8	23.4
12	1	14.6	8.2	24.6
12	2	15.8	8.8	25.7
12	3	16.9	9.4	27.0
12	4	18.1	10.4	28.6
12	5	19.3	11.5	30.0
12	6	20.4	12.6	31.2
12	7	21.6	13.7	32.6
12	8	22.8	14.9	34.2
12	9	23.9	15.7	35.2
12	10	25.1	15.9	36.5
12	11	26.3	17.2	38.1
12	12	27.5	18.0	39.2
12	13	28.6	19.3	40.6
12	14	29.8	20.1	42.0
12	15	31.0	21.5	43.4
12	16	32.2	22.3	44.9
12	17	33.4	23.2	46.2
12	18	34.6	24.7	47.2
12	19	35.8	24.8	48.8
12	20	37.0	26.4	50.3
12	21	38.2	27.3	51.2
12	22	39.5	28.9	52.8
12	23	40.7	29.8	54.4
12	24	41.9	30.7	55.4
12	25	43.1	31.6	57.0
12	26	44.3	32.5	58.0
12	27	45.6	33.4	59.7
12	28	46.8	35.2	60.8
12	29	48.1	36.1	62.5
12	30	49.3	37.1	63.6
12	31	50.6	38.0	64.7
12	32	51.8	40.0	66.1
12	33	53.1	40.9	67.7
12	34	54.3	41.9	69.0
12	35	55.6	42.9	70.4
12	36	56.8	43.9	71.7
12	37	58.1	44.8	73.0
12	38	59.4	47.0	74.4
12	39	60.7	48.0	75.8
12	40	62.0	49.0	77.2
12	41	63.2	50.0	78.6
12	42	64.5	51.0	79.5
12	43	65.8	52.1	81.4
12	44	67.1	53.1	82.7

Positive Large Wells	Positive Small Wells	MPN	95% Confidence	
			Lower Limit	Upper Limit
36	45	173.3	143.8	206.2
36	46	176.6	146.6	210.2
36	47	179.9	149.4	213.8
36	48	183.3	152.2	217.5
37	0	62.9	43.6	87.4
37	1	65.0	45.0	89.6
37	2	67.0	46.5	92.0
37	3	69.1	47.9	95.6
37	4	71.2	50.7	98.3
37	5	73.3	52.2	100.1
37	6	75.4	53.8	102.6
37	7	77.6	55.3	104.5
37	8	79.8	56.9	107.0
37	9	82.0	60.0	109.4
37	10	84.2	61.7	112.2
37	11	86.5	63.3	114.9
37	12	88.8	65.0	117.5
37	13	91.1	66.7	120.2
37	14	93.4	70.3	121.9
37	15	95.8	72.0	125.0
37	16	98.2	73.8	127.6
37	17	100.6	75.7	130.6
37	18	103.1	77.5	133.7
37	19	105.6	79.4	135.3
37	20	108.1	83.4	138.7
37	21	110.7	83.2	142.1
37	22	113.3	87.4	144.2
37	23	115.9	89.4	147.9
37	24	118.6	91.5	150.0
37	25	121.3	93.6	152.6
37	26	124.0	95.7	155.9
37	27	126.8	97.8	159.5
37	28	129.6	102.5	162.7
37	29	132.4	104.8	164.6
37	30	135.3	107.0	168.0
37	31	138.2	109.3	172.4
37	32	141.2	111.7	174.4
37	33	144.2	114.1	177.0
37	34	147.3	116.5	181.9
37	35	150.3	118.9	184.2
37	36	153.5	124.4	187.3
37	37	156.7	127.0	191.9
37	38	159.9	129.6	194.0
37	39	163.1	132.2	198.0
37	40	166.5	134.9	200.4
37	41	169.8	137.6	205.3
37	42	173.2	140.4	209.3
37	43	176.7	146.7	212.3
37	44	180.2	149.6	215.7

Positive Large Wells	Positive Small Wells	MPN	95% Confidence	
			Lower Limit	Upper Limit
12	45	68.4	54.1	83.7
12	46	69.7	56.5	85.3
12	47	71.0	57.6	86.9
12	48	72.4	58.6	87.7
13	0	14.8	8.5	25.1
13	1	16.0	9.2	26.4
13	2	17.1	9.9	27.4
13	3	18.3	10.5	28.8
13	4	19.5	11.6	30.4
13	5	20.6	12.7	31.8
13	6	21.8	13.4	33.1
13	7	23.0	14.6	34.5
13	8	24.2	15.8	35.7
13	9	25.4	16.6	37.1
13	10	26.6	17.4	38.5
13	11	27.8	18.2	39.9
13	12	29.0	19.5	41.3
13	13	30.2	20.3	42.7
13	14	31.4	21.8	44.2
13	15	32.6	22.6	45.6
13	16	33.8	23.4	46.6
13	17	35.0	25.0	48.0
13	18	36.2	25.8	49.5
13	19	37.5	26.7	51.0
13	20	38.7	27.6	52.0
13	21	39.9	28.5	53.7
13	22	41.2	30.1	54.7
13	23	42.4	31.1	56.2
13	24	43.6	32.0	57.6
13	25	44.9	32.9	58.9
13	26	46.1	34.7	60.2
13	27	47.4	35.6	61.6
13	28	48.6	36.6	63.0
13	29	49.9	37.5	64.4
13	30	51.2	38.5	66.0
13	31	52.5	39.4	67.3
13	32	53.7	41.4	68.5
13	33	55.0	42.4	69.7
13	34	56.3	43.4	71.0
13	35	57.6	44.4	72.4
13	36	58.9	45.4	74.0
13	37	60.2	46.4	75.7
13	38	61.5	48.6	76.9
13	39	62.8	49.6	77.9
13	40	64.1	50.7	79.5
13	41	65.4	51.7	81.2
13	42	66.7	52.8	82.3
13	43	68.0	53.8	83.4
13	44	69.3	54.9	85.3

Positive Large Wells	Positive Small Wells	MPN	95% Confidence	
			Lower Limit	Upper Limit
37	45	183.7	152.5	219.3
37	46	187.3	155.5	222.7
37	47	191.0	158.5	227.0
37	48	194.7	161.6	229.7
38	0	66.3	46.0	91.7
38	1	68.4	47.5	96.2
38	2	70.6	48.9	98.5
38	3	72.7	51.9	101.0
38	4	74.9	53.4	102.9
38	5	77.1	55.0	105.7
38	6	79.4	56.6	107.7
38	7	81.6	58.2	110.3
38	8	83.9	59.8	112.8
38	9	86.2	63.2	115.4
38	10	88.6	64.9	118.3
38	11	91.0	66.6	121.0
38	12	93.4	68.4	123.1
38	13	95.8	70.2	126.0
38	14	98.3	73.9	128.9
38	15	100.8	75.8	132.1
38	16	103.4	77.7	135.0
38	17	105.9	79.7	137.0
38	18	108.6	81.6	140.4
38	19	111.2	83.6	143.0
38	20	113.9	85.6	146.2
38	21	116.6	90.0	148.9
38	22	119.4	92.1	152.3
38	23	122.2	94.3	155.5
38	24	125.0	96.5	158.7
38	25	127.9	98.7	161.3
38	26	130.8	103.5	163.9
38	27	133.8	105.9	168.0
38	28	136.8	105.6	172.4
38	29	139.9	110.7	174.4
38	30	143.0	113.1	177.0
38	31	146.2	115.6	181.9
38	32	149.4	118.1	185.4
38	33	152.6	120.7	187.3
38	34	155.9	123.3	192.2
38	35	159.2	126.0	194.9
38	36	162.6	131.8	198.9
38	37	166.1	134.6	203.5
38	38	169.6	137.5	206.2
38	39	173.2	140.4	209.3
38	40	176.8	143.3	213.8
38	41	180.4	146.3	218.1
38	42	184.2	149.3	221.8
38	43	188.0	152.3	226.4
38	44	191.8	159.2	229.7

Positive Large Wells	Positive Small Wells	MPN	95% Confidence	
			Lower Limit	Upper Limit
13	45	70.7	55.9	86.7
13	46	72.0	58.4	87.4
13	47	73.3	59.4	89.5
13	48	74.7	60.5	90.8
14	0	16.1	9.3	26.8
14	1	17.3	10.3	28.2
14	2	18.5	11.0	29.2
14	3	19.7	11.7	30.7
14	4	20.9	12.4	32.3
14	5	22.1	13.6	33.7
14	6	23.3	14.8	35.0
14	7	24.5	16.0	36.1
14	8	25.7	16.8	37.7
14	9	26.9	17.6	39.1
14	10	28.1	18.4	40.6
14	11	29.3	19.7	41.8
14	12	30.5	20.6	43.4
14	13	31.7	22.0	44.4
14	14	33.0	22.9	45.8
14	15	34.2	23.7	47.2
14	16	35.4	24.6	48.8
14	17	36.7	26.1	50.3
14	18	37.9	27.0	51.2
14	19	39.1	27.9	52.8
14	20	40.4	28.8	54.5
14	21	41.6	30.5	55.4
14	22	42.9	31.4	57.1
14	23	44.2	32.4	58.6
14	24	45.4	33.3	59.8
14	25	46.7	35.1	61.3
14	26	48.0	36.1	62.5
14	27	49.3	37.0	64.0
14	28	50.5	38.0	65.4
14	29	51.8	39.0	66.6
14	30	53.1	41.0	67.9
14	31	54.4	42.0	69.6
14	32	55.7	43.0	70.9
14	33	57.0	44.0	72.3
14	34	58.3	45.0	73.7
14	35	59.6	46.0	75.0
14	36	60.9	47.0	76.4
14	37	62.3	49.3	77.8
14	38	63.6	50.3	79.5
14	39	64.9	51.4	80.8
14	40	66.3	52.4	82.1
14	41	67.6	53.5	83.3
14	42	68.9	54.5	85.3
14	43	70.3	55.6	86.3
14	44	71.6	56.7	87.4

Positive Large Wells	Positive Small Wells	MPN	95% Confidence	
			Lower Limit	Upper Limit
38	45	195.7	162.4	234.0
38	46	199.7	165.7	238.0
38	47	203.7	169.1	243.1
38	48	207.7	172.4	245.9
39	0	70.0	48.5	98.5
39	1	72.2	50.0	101.1
39	2	74.4	53.0	103.6
39	3	76.7	54.6	106.2
39	4	78.9	56.3	108.8
39	5	81.3	57.9	111.4
39	6	83.6	59.6	113.8
39	7	86.0	61.3	115.5
39	8	88.4	63.0	119.2
39	9	90.9	66.6	121.6
39	10	93.4	68.4	124.2
39	11	95.9	70.2	127.6
39	12	98.4	72.1	130.6
39	13	101.0	74.0	133.7
39	14	103.6	75.9	135.3
39	15	106.3	77.9	138.7
39	16	109.0	82.0	142.2
39	17	111.8	84.0	145.4
39	18	114.6	86.1	148.2
39	19	117.4	88.3	151.7
39	20	120.3	92.8	154.7
39	21	123.2	95.0	158.2
39	22	126.1	94.9	160.7
39	23	129.2	99.6	163.7
39	24	132.2	102.0	168.0
39	25	135.3	104.4	172.4
39	26	138.5	106.8	174.4
39	27	141.7	109.3	177.0
39	28	145.0	114.7	181.9
39	29	148.3	117.3	185.5
39	30	151.7	120.0	187.8
39	31	155.1	122.7	192.8
39	32	158.6	125.4	196.8
39	33	162.1	128.2	200.4
39	34	165.7	131.1	203.8
39	35	169.4	134.0	208.0
39	36	173.1	140.3	212.3
39	37	176.9	143.4	215.7
39	38	180.7	146.5	219.3
39	39	184.7	149.7	223.6
39	40	188.7	152.9	228.5
39	41	192.7	156.2	233.7
39	42	196.8	159.5	236.1
39	43	201.0	166.9	242.5
39	44	205.3	170.4	245.0

Positive Large Wells	Positive Small Wells	MPN	95% Confidence Lower Limit	95% Confidence Upper Limit
14	45	73.0	59.2	89.5
14	46	74.4	60.3	90.7
14	47	75.7	61.4	91.6
14	48	77.1	62.5	93.8
15	0	17.5	10.1	28.6
15	1	18.7	10.8	30.0
15	2	19.9	11.9	30.9
15	3	21.1	12.6	32.6
15	4	22.3	13.7	34.1
15	5	23.5	14.9	35.2
15	6	24.7	15.7	36.5
15	7	25.9	17.0	38.1
15	8	27.2	17.8	39.7
15	9	28.4	18.6	41.2
15	10	29.6	19.4	42.3
15	11	30.9	20.8	44.0
15	12	32.1	21.6	44.9
15	13	33.3	23.1	46.5
15	14	34.6	24.0	48.0
15	15	35.8	24.9	49.5
15	16	37.1	26.4	51.0
15	17	38.4	27.3	52.0
15	18	39.6	28.2	53.7
15	19	40.9	29.1	55.2
15	20	42.2	30.9	56.2
15	21	43.4	31.8	58.0
15	22	44.7	32.8	59.0
15	23	46.0	33.7	60.7
15	24	47.3	35.6	61.8
15	25	48.6	36.5	63.5
15	26	49.9	37.5	64.7
15	27	51.2	38.5	66.1
15	28	52.5	39.5	67.8
15	29	53.8	40.5	69.0
15	30	55.1	41.4	70.4
15	31	56.4	43.5	72.0
15	32	57.8	44.6	73.4
15	33	59.1	45.6	74.7
15	34	60.4	46.6	75.9
15	35	61.8	47.7	77.6
15	36	63.1	48.7	79.2
15	37	64.5	51.0	80.6
15	38	65.8	52.1	81.5
15	39	67.2	53.1	83.3
15	40	68.5	54.2	85.1
15	41	69.9	55.3	86.2
15	42	71.3	56.4	87.3
15	43	72.6	58.9	89.5
15	44	74.0	60.0	90.5

Positive Large Wells	Positive Small Wells	MPN	95% Confidence Lower Limit	95% Confidence Upper Limit
39	45	209.6	174.0	251.4
39	46	214.0	177.6	254.1
39	47	218.5	181.3	260.5
39	48	223.0	185.1	264.5
40	0	73.8	51.2	103.6
40	1	76.2	52.8	106.2
40	2	78.5	56.0	109.0
40	3	80.9	57.7	111.7
40	4	83.3	59.4	114.6
40	5	85.7	61.1	117.2
40	6	88.2	62.9	120.2
40	7	90.8	66.5	123.1
40	8	93.3	66.5	125.4
40	9	95.9	70.2	128.9
40	10	98.5	72.2	132.1
40	11	101.2	74.1	135.0
40	12	103.9	76.1	137.0
40	13	106.7	78.2	140.4
40	14	109.5	80.2	144.0
40	15	112.4	84.5	147.9
40	16	115.3	86.7	150.0
40	17	118.2	88.9	154.0
40	18	121.2	91.1	156.6
40	19	124.3	95.9	159.9
40	20	127.4	95.8	163.7
40	21	130.5	98.1	168.0
40	22	133.7	103.2	172.4
40	23	137.0	105.7	174.4
40	24	140.3	108.2	177.0
40	25	143.7	110.8	181.9
40	26	147.1	113.5	186.9
40	27	150.6	119.2	190.0
40	28	154.2	119.0	193.1
40	29	157.8	124.8	197.7
40	30	161.5	127.8	200.4
40	31	165.3	130.8	205.9
40	32	169.1	133.8	209.3
40	33	173.0	136.9	213.8
40	34	177.0	140.0	219.3
40	35	181.1	143.2	222.4
40	36	185.2	146.5	227.0
40	37	189.4	153.5	230.9
40	38	193.7	157.0	235.5
40	39	198.1	160.6	242.2
40	40	202.5	164.2	244.1
40	41	207.1	167.8	251.4
40	42	211.7	175.7	254.1
40	43	216.4	175.4	260.5
40	44	221.1	183.6	264.5

Positive Large Wells	Positive Small Wells	MPN	95% Confidence	
			Lower Limit	Upper Limit
15	45	75.4	61.1	91.6
15	46	76.8	62.3	93.8
15	47	78.2	63.4	94.6
15	48	79.6	64.5	96.1
16	0	18.9	11.3	30.4
16	1	20.1	12.4	31.8
16	2	21.3	12.7	32.6
16	3	22.6	13.9	34.5
16	4	23.8	14.6	35.8
16	5	25.0	15.9	37.1
16	6	26.2	17.2	38.5
16	7	27.5	18.0	40.2
16	8	28.7	18.8	41.6
16	9	30.0	19.6	42.7
16	10	31.2	21.0	44.4
16	11	32.5	21.9	45.7
16	12	33.7	23.4	47.2
16	13	35.0	24.3	48.8
16	14	36.3	25.2	50.3
16	15	37.5	26.8	51.2
16	16	38.8	27.7	52.8
16	17	40.1	28.6	54.5
16	18	41.4	29.5	55.9
16	19	42.7	30.4	57.1
16	20	44.0	32.2	58.6
16	21	45.3	33.2	60.1
16	22	46.6	34.1	61.5
16	23	47.9	35.1	63.0
16	24	49.2	37.0	64.2
16	25	50.5	38.0	66.0
16	26	51.8	39.0	67.3
16	27	53.2	40.0	68.5
16	28	54.5	41.0	70.3
16	29	55.8	43.1	71.7
16	30	57.2	44.1	73.0
16	31	58.5	45.2	74.4
16	32	59.9	46.2	75.9
16	33	61.2	47.3	77.6
16	34	62.6	48.3	78.9
16	35	64.0	49.4	80.0
16	36	65.3	50.4	81.4
16	37	66.7	52.8	83.3
16	38	68.1	53.9	84.8
16	39	69.5	55.0	85.9
16	40	70.9	56.1	87.3
16	41	72.3	57.2	89.5
16	42	73.7	58.3	90.3
16	43	75.1	60.9	91.6
16	44	76.5	62.0	93.8

Positive Large Wells	Positive Small Wells	MPN	95% Confidence	
			Lower Limit	Upper Limit
40	45	226.0	187.6	270.3
40	46	231.0	191.7	274.9
40	47	236.0	195.9	281.0
40	48	241.1	200.2	285.6
41	0	78.0	54.1	109.0
41	1	80.5	55.8	111.8
41	2	83.0	57.5	114.9
41	3	85.5	60.9	118.0
41	4	88.0	62.8	121.0
41	5	90.6	64.6	124.1
41	6	93.3	66.5	126.3
41	7	95.9	68.4	130.5
41	8	98.7	72.3	133.7
41	9	101.4	74.3	136.1
41	10	104.3	76.4	139.3
41	11	107.1	78.5	142.7
41	12	110.0	80.6	146.2
41	13	113.0	82.8	149.1
41	14	116.0	87.2	152.6
41	15	119.1	89.6	156.1
41	16	122.2	91.9	159.8
41	17	125.4	94.3	163.7
41	18	128.7	94.2	168.0
41	19	132.0	99.2	172.4
41	20	135.4	101.8	174.4
41	21	138.8	107.1	177.0
41	22	142.3	107.0	181.9
41	23	145.9	109.7	187.2
41	24	149.5	115.3	190.1
41	25	153.2	118.2	194.0
41	26	157.0	121.1	198.9
41	27	160.9	124.1	203.5
41	28	164.8	130.4	206.2
41	29	168.9	133.6	212.3
41	30	173.0	133.4	215.7
41	31	177.2	140.1	221.8
41	32	181.5	143.5	226.4
41	33	185.8	147.0	229.7
41	34	190.3	150.5	235.5
41	35	194.8	154.1	240.7
41	36	199.5	161.7	243.4
41	37	204.2	165.5	251.4
41	38	209.1	169.5	254.1
41	39	214.0	173.5	260.5
41	40	219.1	177.6	266.0
41	41	224.2	186.1	270.3
41	42	229.4	186.0	277.9
41	43	234.8	194.9	282.2
41	44	240.2	194.7	290.1

Positive Large Wells	Positive Small Wells	MPN	95% Confidence	
			Lower Limit	Upper Limit
16	45	77.9	63.2	94.6
16	46	79.3	64.3	96.1
16	47	80.8	65.5	98.4
16	48	82.2	66.6	98.9
17	0	20.3	12.1	32.2
17	1	21.6	12.9	33.7
17	2	22.8	14.0	35.0
17	3	24.1	14.8	36.5
17	4	25.3	16.1	37.7
17	5	26.6	16.9	39.2
17	6	27.8	18.2	40.6
17	7	29.1	19.0	42.0
17	8	30.3	20.4	43.4
17	9	31.6	21.3	44.9
17	10	32.9	22.2	46.5
17	11	34.1	23.7	48.0
17	12	35.4	24.6	49.5
17	13	36.7	25.5	51.0
17	14	38.0	26.4	52.0
17	15	39.3	28.0	53.7
17	16	40.6	28.9	55.4
17	17	41.9	29.9	56.4
17	18	43.2	30.8	58.0
17	19	44.5	32.6	59.7
17	20	45.9	33.6	60.8
17	21	47.2	34.6	62.5
17	22	48.5	35.5	63.6
17	23	49.8	37.5	65.4
17	24	51.2	38.5	66.6
17	25	52.5	39.5	68.4
17	26	53.9	40.5	69.7
17	27	55.2	41.5	71.0
17	28	56.6	42.6	72.4
17	29	58.0	44.7	74.0
17	30	59.3	45.8	75.7
17	31	60.7	46.8	77.2
17	32	62.1	47.9	78.6
17	33	63.5	49.0	79.8
17	34	64.9	51.3	81.4
17	35	66.3	51.1	83.3
17	36	67.7	53.5	84.6
17	37	69.1	54.6	85.4
17	38	70.5	55.8	87.3
17	39	71.9	56.9	89.4
17	40	73.3	58.0	90.3
17	41	74.8	59.1	91.6
17	42	76.2	60.3	93.9
17	43	77.6	62.9	94.6
17	44	79.1	64.1	96.1

Positive Large Wells	Positive Small Wells	MPN	95% Confidence	
			Lower Limit	Upper Limit
41	45	245.8	204.0	294.4
41	46	251.5	208.7	302.0
41	47	257.2	213.5	306.9
41	48	263.1	218.4	314.5
42	0	82.6	57.3	115.4
42	1	85.2	59.1	118.3
42	2	87.8	60.9	121.9
42	3	90.5	62.8	125.0
42	4	93.2	66.5	128.0
42	5	96.0	68.4	131.7
42	6	98.8	70.4	135.3
42	7	101.7	72.5	138.2
42	8	104.6	74.6	142.1
42	9	107.6	78.8	145.4
42	10	110.6	81.0	148.8
42	11	113.7	83.3	151.7
42	12	116.9	85.6	155.9
42	13	120.1	87.9	159.8
42	14	123.4	92.8	163.7
42	15	126.7	95.3	168.0
42	16	130.1	95.3	172.4
42	17	133.6	97.8	174.4
42	18	137.2	103.1	177.0
42	19	140.8	105.9	182.0
42	20	144.5	108.7	187.2
42	21	148.3	111.5	192.3
42	22	152.2	114.4	195.0
42	23	156.1	120.5	200.4
42	24	160.2	123.6	205.3
42	25	164.3	126.8	209.3
42	26	168.6	130.0	213.8
42	27	172.9	133.4	219.3
42	28	177.3	136.8	222.7
42	29	181.9	140.3	228.5
42	30	186.5	147.5	234.0
42	31	191.3	151.3	238.0
42	32	196.1	155.1	243.1
42	33	201.1	159.1	251.4
42	34	206.2	163.1	254.1
42	35	211.4	167.2	260.5
42	36	216.7	175.7	268.2
42	37	222.2	175.7	270.9
42	38	227.7	184.6	279.8
42	39	233.4	189.2	283.1
42	40	239.2	193.9	290.4
42	41	245.2	198.7	296.2
42	42	251.3	208.6	303.3
42	43	257.5	208.7	310.9
42	44	263.8	219.0	315.5

Positive Large Wells	Positive Small Wells	MPN	95% Confidence	
			Lower Limit	Upper Limit
17	45	80.5	65.3	98.6
17	46	82.0	66.5	99.0
17	47	83.5	67.7	101.0
17	48	84.9	68.8	102.5
18	0	21.8	13.4	33.9
18	1	23.1	14.2	35.7
18	2	24.3	15.4	37.1
18	3	25.6	15.7	38.4
18	4	26.9	17.1	39.8
18	5	28.1	18.4	41.3
18	6	29.4	19.2	42.7
18	7	30.7	20.7	44.2
18	8	32.0	21.6	45.7
18	9	33.3	22.4	47.2
18	10	34.6	23.3	48.8
18	11	35.9	24.9	50.3
18	12	37.2	25.8	51.2
18	13	38.5	26.7	52.8
18	14	39.8	27.6	54.5
18	15	41.1	29.3	56.1
18	16	42.4	30.3	57.4
18	17	43.8	31.2	58.9
18	18	45.1	33.0	60.2
18	19	46.5	34.0	61.8
18	20	47.8	35.0	63.4
18	21	49.2	36.0	64.7
18	22	50.5	38.0	66.1
18	23	51.9	39.0	67.8
18	24	53.2	40.0	69.1
18	25	54.6	41.1	70.7
18	26	56.0	42.1	72.2
18	27	57.4	43.1	73.7
18	28	58.8	45.3	75.1
18	29	60.2	46.4	76.6
18	30	61.6	47.5	77.9
18	31	63.0	48.6	79.5
18	32	64.4	49.7	81.4
18	33	65.8	50.8	83.0
18	34	67.2	53.2	84.2
18	35	68.6	53.0	85.3
18	36	70.1	55.4	87.3
18	37	71.5	56.6	89.2
18	38	73.0	57.7	90.0
18	39	74.4	58.9	91.6
18	40	75.9	60.0	93.9
18	41	77.3	61.2	94.6
18	42	78.8	63.9	96.1
18	43	80.3	65.1	98.6
18	44	81.8	66.3	99.2

Positive Large Wells	Positive Small Wells	MPN	95% Confidence	
			Lower Limit	Upper Limit
42	45	270.3	219.1	325.8
42	46	276.9	229.8	328.6
42	47	283.6	235.4	340.8
42	48	290.5	241.2	343.5
43	0	87.6	60.7	123.1
43	1	90.4	62.7	126.0
43	2	93.2	64.6	129.1
43	3	96.0	68.5	132.1
43	4	99.0	70.5	136.7
43	5	101.9	72.7	140.4
43	6	105.0	74.8	143.9
43	7	108.1	77.0	147.2
43	8	111.2	79.3	151.7
43	9	114.5	81.6	155.5
43	10	117.8	86.3	158.2
43	11	121.1	88.7	163.3
43	12	124.6	91.2	167.8
43	13	128.1	93.8	172.1
43	14	131.7	96.5	174.4
43	15	135.4	99.2	177.0
43	16	139.1	101.9	182.0
43	17	143.0	107.5	187.2
43	18	147.0	110.5	192.9
43	19	151.0	113.5	197.7
43	20	155.2	116.7	200.4
43	21	159.4	119.9	206.2
43	22	163.8	123.1	212.3
43	23	168.2	126.5	215.7
43	24	172.8	133.3	221.8
43	25	177.5	133.5	227.0
43	26	182.3	140.7	233.7
43	27	187.3	144.5	238.0
43	28	192.4	148.4	243.1
43	29	197.6	152.4	251.4
43	30	202.9	160.5	254.1
43	31	208.4	160.8	260.5
43	32	214.0	169.3	269.7
43	33	219.8	173.9	273.3
43	34	225.8	178.6	281.0
43	35	231.8	187.9	287.7
43	36	238.1	188.3	294.4
43	37	244.5	198.2	302.0
43	38	251.0	198.6	306.9
43	39	257.7	208.9	315.5
43	40	264.6	214.5	322.8
43	41	271.7	220.2	328.6
43	42	278.9	226.0	340.8
43	43	286.3	232.0	343.5
43	44	293.8	238.1	356.3

Positive Large Wells	Positive Small Wells	MPN	95% Confidence	
			Lower Limit	Upper Limit
18	45	83.3	67.5	101.0
18	46	84.8	68.7	102.8
18	47	86.3	69.9	103.8
18	48	87.8	71.1	106.2
19	0	23.3	14.4	36.1
19	1	24.6	15.1	37.6
19	2	25.9	16.4	39.1
19	3	27.2	17.3	40.2
19	4	28.5	18.1	41.8
19	5	29.8	19.5	43.4
19	6	31.1	20.9	44.9
19	7	32.4	21.8	46.5
19	8	33.7	22.7	48.0
19	9	35.0	23.6	49.5
19	10	36.3	25.2	51.0
19	11	37.6	26.1	52.0
19	12	39.0	27.0	53.7
19	13	40.3	27.9	55.4
19	14	41.6	29.7	57.0
19	15	43.0	30.7	58.0
19	16	44.3	31.6	59.8
19	17	45.7	32.6	61.3
19	18	47.1	34.5	62.6
19	19	48.4	35.5	64.2
19	20	49.8	36.5	66.0
19	21	51.2	37.5	67.3
19	22	52.6	39.5	69.0
19	23	54.0	40.6	70.4
19	24	55.4	41.6	71.7
19	25	56.8	42.7	73.4
19	26	58.2	43.7	75.0
19	27	59.6	44.8	76.4
19	28	61.0	47.1	77.8
19	29	62.4	48.2	79.5
19	30	63.9	49.3	81.2
19	31	65.3	50.4	82.7
19	32	66.8	51.5	83.7
19	33	68.2	54.0	85.3
19	34	69.7	53.7	87.3
19	35	71.1	56.3	89.1
19	36	72.6	57.4	89.8
19	37	74.1	58.6	91.6
19	38	75.5	59.8	93.9
19	39	77.0	60.9	94.6
19	40	78.5	62.1	96.1
19	41	80.0	64.9	98.6
19	42	81.5	66.1	99.5
19	43	83.1	67.3	101.0
19	44	84.6	68.6	103.3

Positive Large Wells	Positive Small Wells	MPN	95% Confidence	
			Lower Limit	Upper Limit
43	45	301.5	244.4	360.0
43	46	309.4	256.8	372.4
43	47	317.4	263.5	378.5
43	48	325.7	270.3	388.2
44	0	93.1	64.6	130.6
44	1	96.1	66.6	135.3
44	2	99.1	68.7	138.7
44	3	102.2	70.9	142.2
44	4	105.4	75.1	145.4
44	5	108.6	77.4	150.0
44	6	111.9	79.8	154.0
44	7	115.3	82.2	158.1
44	8	118.7	84.7	162.7
44	9	122.3	87.2	167.2
44	10	125.9	92.2	172.0
44	11	129.6	95.0	174.4
44	12	133.4	95.1	177.9
44	13	137.4	97.9	182.9
44	14	141.4	103.5	187.8
44	15	145.5	106.6	193.2
44	16	149.7	109.7	199.0
44	17	154.1	115.9	203.5
44	18	158.5	119.2	209.3
44	19	163.1	122.7	213.8
44	20	167.9	126.2	219.3
44	21	172.7	129.9	226.4
44	22	177.7	133.6	229.7
44	23	182.9	137.5	235.5
44	24	188.2	141.5	243.1
44	25	193.6	145.6	251.4
44	26	199.3	153.7	254.1
44	27	205.1	158.2	260.5
44	28	211.0	162.8	270.3
44	29	217.2	167.5	274.9
44	30	223.5	172.4	282.2
44	31	230.0	177.5	290.4
44	32	236.7	187.3	296.2
44	33	243.6	188.0	305.1
44	34	250.8	198.4	314.5
44	35	258.1	204.1	320.9
44	36	265.6	210.1	328.6
44	37	273.3	221.5	340.8
44	38	281.2	222.5	343.5
44	39	289.4	234.6	359.4
44	40	297.8	235.5	364.3
44	41	306.3	248.3	378.5
44	42	315.1	255.4	382.7
44	43	324.1	262.7	398.6
44	44	333.3	270.2	401.7

Positive Large Wells	Positive Small Wells	MPN	95% Confidence	
			Lower Limit	Upper Limit
19	45	86.1	69.8	103.9
19	46	87.6	71.0	106.2
19	47	89.2	72.3	107.6
19	48	90.7	73.5	109.1
20	0	24.9	15.8	38.1
20	1	26.2	16.6	39.7
20	2	27.5	17.5	41.2
20	3	28.8	18.3	42.7
20	4	30.1	19.7	44.2
20	5	31.5	20.6	45.7
20	6	32.8	22.1	47.2
20	7	34.1	23.0	48.8
20	8	35.4	23.9	50.3
20	9	36.8	25.5	51.2
20	10	38.1	26.4	52.8
20	11	39.5	27.4	54.5
20	12	40.8	28.3	56.2
20	13	42.2	30.1	57.6
20	14	43.6	31.1	59.0
20	15	44.9	32.0	60.7
20	16	46.3	33.0	62.5
20	17	47.7	34.9	63.6
20	18	49.1	36.0	65.4
20	19	50.5	37.0	66.6
20	20	51.9	38.0	68.5
20	21	53.3	40.1	69.7
20	22	54.7	41.1	71.5
20	23	56.1	42.2	73.0
20	24	57.6	43.3	74.4
20	25	59.0	44.4	75.9
20	26	60.4	45.5	77.6
20	27	61.9	47.8	79.3
20	28	63.3	48.9	80.8
20	29	64.8	50.0	82.3
20	30	66.3	51.1	83.4
20	31	67.7	52.3	85.3
20	32	69.2	53.4	87.3
20	33	70.7	55.9	88.7
20	34	72.2	57.1	89.6
20	35	73.7	58.3	91.6
20	36	75.2	59.5	93.9
20	37	76.7	60.7	94.6
20	38	78.2	61.9	96.1
20	39	79.8	63.1	98.6
20	40	81.3	64.3	99.5
20	41	82.8	65.5	101.0
20	42	84.4	68.4	103.3
20	43	85.9	69.7	104.4
20	44	87.5	70.9	106.2

Positive Large Wells	Positive Small Wells	MPN	95% Confidence	
			Lower Limit	Upper Limit
44	45	342.8	277.8	418.7
44	46	352.4	285.7	423.0
44	47	362.3	293.7	439.5
44	48	372.4	301.8	446.2
45	0	99.3	68.8	140.4
45	1	102.5	71.1	144.2
45	2	105.8	73.4	148.9
45	3	109.2	75.7	152.6
45	4	112.6	78.1	156.6
45	5	116.2	80.6	160.7
45	6	119.8	83.1	165.2
45	7	123.6	85.7	170.1
45	8	127.4	90.8	176.4
45	9	131.4	93.6	180.4
45	10	135.4	96.5	184.0
45	11	139.6	99.5	190.0
45	12	143.9	102.6	195.0
45	13	148.3	105.7	199.9
45	14	152.9	112.0	206.2
45	15	157.6	115.4	212.3
45	16	162.4	119.0	215.7
45	17	167.4	122.6	222.7
45	18	172.6	126.4	228.5
45	19	178.0	130.3	235.5
45	20	183.5	134.4	243.1
45	21	189.2	142.3	251.4
45	22	195.1	146.7	254.1
45	23	201.2	151.3	260.5
45	24	207.5	156.1	270.3
45	25	214.1	161.0	279.8
45	26	220.9	170.4	283.1
45	27	227.9	175.8	294.4
45	28	235.2	176.8	302.0
45	29	242.7	187.2	310.9
45	30	250.4	193.2	318.2
45	31	258.4	199.4	328.6
45	32	266.7	205.8	340.8
45	33	275.3	212.4	343.5
45	34	284.1	219.2	360.0
45	35	293.3	232.0	365.5
45	36	302.6	233.5	378.3
45	37	312.3	247.0	388.2
45	38	322.3	254.9	401.7
45	39	332.5	263.0	413.9
45	40	343.0	278.0	423.0
45	41	353.8	279.9	439.5
45	42	364.9	295.7	446.2
45	43	376.2	297.6	467.0
45	44	387.9	314.4	472.5

Positive Large Wells	Positive Small Wells	MPN	95% Confidence	
			Lower Limit	Upper Limit
20	45	89.1	72.2	108.0
20	46	90.7	73.5	109.1
20	47	92.2	74.8	111.4
20	48	93.8	76.1	112.8
21	0	26.5	16.8	40.1
21	1	27.9	18.2	41.3
21	2	29.2	18.5	43.1
21	3	30.5	19.4	44.8
21	4	31.8	20.8	46.4
21	5	33.2	21.7	47.9
21	6	34.5	23.3	49.5
21	7	35.9	24.2	51.0
21	8	37.3	25.8	52.0
21	9	38.6	26.8	53.7
21	10	40.0	27.7	55.4
21	11	41.4	28.7	57.1
21	12	42.8	30.5	58.6
21	13	44.1	31.5	60.1
21	14	45.5	32.5	61.6
21	15	46.9	33.5	63.0
21	16	48.4	35.4	64.7
21	17	49.8	36.5	66.1
21	18	51.2	37.5	67.8
21	19	52.6	38.5	69.2
21	20	54.1	39.6	70.9
21	21	55.5	41.7	72.4
21	22	56.9	42.8	74.0
21	23	58.4	43.9	75.8
21	24	59.9	45.0	77.6
21	25	61.3	46.1	79.2
21	26	62.8	48.5	80.6
21	27	64.3	49.6	81.7
21	28	65.8	50.7	83.4
21	29	67.3	51.9	85.3
21	30	68.8	53.1	87.2
21	31	70.3	54.2	88.6
21	32	71.8	56.8	89.5
21	33	73.3	58.0	91.6
21	34	74.9	59.2	93.9
21	35	76.4	60.4	94.6
21	36	77.9	61.7	96.1
21	37	79.5	62.9	98.6
21	38	81.1	64.1	99.8
21	39	82.6	65.4	101.0
21	40	84.2	68.2	103.6
21	41	85.8	69.5	104.7
21	42	87.4	70.8	106.2
21	43	89.0	72.1	108.3
21	44	90.6	73.4	109.4

Positive Large Wells	Positive Small Wells	MPN	95% Confidence	
			Lower Limit	Upper Limit
45	45	399.8	316.2	495.6
45	46	412.0	334.0	498.7
45	47	424.5	344.1	524.9
45	48	437.4	354.5	526.2
46	0	106.3	71.6	151.7
46	1	109.8	76.1	155.9
46	2	113.4	78.7	159.9
46	3	117.2	81.3	163.9
46	4	121.0	83.9	168.3
46	5	125.0	86.7	176.8
46	6	129.1	89.5	181.9
46	7	133.3	92.4	186.9
46	8	137.6	98.1	192.3
46	9	142.1	101.3	196.8
46	10	146.7	104.6	201.1
46	11	151.5	108.0	207.8
46	12	156.5	111.6	215.4
46	13	161.6	115.2	220.6
46	14	167.0	119.0	227.9
46	15	172.5	123.0	235.5
46	16	178.2	130.5	243.1
46	17	184.2	134.9	251.4
46	18	190.4	135.7	254.1
46	19	196.8	144.2	260.8
46	20	203.5	149.1	270.3
46	21	210.5	154.2	281.0
46	22	217.8	159.5	290.4
46	23	225.4	169.5	296.2
46	24	233.3	175.4	306.9
46	25	241.5	176.9	315.5
46	26	250.0	188.0	328.6
46	27	258.9	194.7	340.8
46	28	268.2	201.6	343.5
46	29	277.8	208.9	360.0
46	30	287.8	216.4	372.2
46	31	298.1	230.0	382.9
46	32	308.8	232.2	398.6
46	33	319.9	246.8	405.3
46	34	331.4	255.7	423.0
46	35	343.3	264.8	439.5
46	36	355.5	281.2	446.2
46	37	368.1	284.0	471.2
46	38	381.1	294.0	476.1
46	39	394.5	312.1	498.1
46	40	408.3	315.0	515.2
46	41	422.5	334.2	526.2
46	42	437.1	337.2	555.5
46	43	452.0	357.6	556.7
46	44	467.4	369.8	586.6

Positive Large Wells	Positive Small Wells	MPN	95% Confidence	
			Lower Limit	Upper Limit
21	45	92.2	74.7	111.8
21	46	93.8	76.0	112.9
21	47	95.4	79.2	114.9
21	48	97.1	78.7	116.4
22	0	28.2	17.9	42.3
22	1	29.5	18.8	44.0
22	2	30.9	19.6	45.5
22	3	32.3	21.1	47.2
22	4	33.6	22.0	48.8
22	5	35.0	23.6	50.3
22	6	36.4	24.5	51.3
22	7	37.7	26.2	52.9
22	8	39.1	27.1	54.5
22	9	40.5	28.1	56.2
22	10	41.9	29.1	58.0
22	11	43.3	30.9	59.7
22	12	44.8	31.9	60.8
22	13	46.2	32.9	62.5
22	14	47.6	33.9	64.2
22	15	49.0	35.0	66.0
22	16	50.5	37.0	67.3
22	17	51.9	38.0	69.0
22	18	53.4	39.1	70.4
22	19	54.8	40.2	72.2
22	20	56.3	41.2	73.7
22	21	57.8	43.5	75.7
22	22	59.3	44.6	77.2
22	23	60.8	45.7	78.6
22	24	62.3	46.8	80.0
22	25	63.8	47.9	81.5
22	26	65.3	50.4	83.3
22	27	66.8	51.5	85.3
22	28	68.3	52.7	87.0
22	29	69.8	53.9	88.2
22	30	71.4	55.1	89.5
22	31	72.9	56.3	91.6
22	32	74.5	58.9	93.9
22	33	76.1	60.2	94.6
22	34	77.6	61.4	96.1
22	35	79.2	62.7	98.6
22	36	80.8	63.9	100.1
22	37	82.4	65.2	101.0
22	38	84.0	66.4	103.6
22	39	85.6	69.4	105.0
22	40	87.2	70.7	106.4
22	41	88.9	72.0	108.8
22	42	90.5	73.4	110.0
22	43	92.1	74.7	111.8
22	44	93.8	76.0	113.8

Positive Large Wells	Positive Small Wells	MPN	95% Confidence	
			Lower Limit	Upper Limit
46	45	483.3	382.3	600.6
46	46	499.6	404.9	618.9
46	47	516.3	408.4	648.2
46	48	533.5	422.0	652.5
47	0	114.3	79.3	163.7
47	1	118.3	82.0	168.0
47	2	122.4	84.8	177.0
47	3	126.6	85.3	181.9
47	4	130.9	88.2	187.2
47	5	135.4	91.3	192.7
47	6	140.1	97.2	198.8
47	7	145.0	100.5	204.8
47	8	150.0	104.0	211.8
47	9	155.3	107.7	218.7
47	10	160.7	111.4	226.4
47	11	166.4	115.4	234.0
47	12	172.3	119.5	242.2
47	13	178.5	123.8	250.5
47	14	185.0	131.9	256.3
47	15	191.8	136.7	264.5
47	16	198.9	141.8	273.3
47	17	206.4	147.1	283.1
47	18	214.2	152.7	294.4
47	19	222.4	158.5	303.3
47	20	231.0	169.2	315.5
47	21	240.0	175.8	328.6
47	22	249.5	177.9	340.8
47	23	259.5	185.0	343.5
47	24	270.0	197.7	360.0
47	25	280.9	205.8	378.3
47	26	292.4	214.2	388.4
47	27	304.4	217.0	401.8
47	28	316.9	232.1	423.0
47	29	330.0	248.2	439.5
47	30	343.6	251.7	446.2
47	31	357.8	262.0	471.2
47	32	372.5	280.1	495.6
47	33	387.7	299.1	498.7
47	34	403.4	295.5	526.2
47	35	419.8	315.6	555.5
47	36	436.6	336.9	556.7
47	37	454.1	341.4	586.6
47	38	472.1	355.0	618.9
47	39	490.7	378.6	623.8
47	40	509.9	393.4	652.5
47	41	529.8	398.4	687.9
47	42	550.4	424.6	700.1
47	43	571.7	441.1	724.5
47	44	593.8	458.1	763.6

Positive Large Wells	Positive Small Wells	MPN	95% Confidence	
			Lower Limit	Upper Limit
22	45	95.5	77.4	115.1
22	46	97.1	78.7	117.3
22	47	98.8	82.0	118.7
22	48	100.5	83.4	120.4
23	0	29.9	19.0	44.4
23	1	31.3	20.5	46.0
23	2	32.7	21.4	47.7
23	3	34.1	22.3	49.2
23	4	35.5	23.9	51.0
23	5	36.8	24.8	52.2
23	6	38.3	25.8	53.8
23	7	39.7	26.7	55.4
23	8	41.1	28.5	57.1
23	9	42.5	29.5	58.9
23	10	43.9	30.5	60.2
23	11	45.4	32.3	61.8
23	12	46.8	33.4	63.6
23	13	48.3	34.4	65.4
23	14	49.7	35.5	66.6
23	15	51.2	37.5	68.5
23	16	52.7	38.6	70.3
23	17	54.2	39.7	71.7
23	18	55.6	40.8	73.4
23	19	57.1	41.9	75.0
23	20	58.6	43.0	76.4
23	21	60.2	45.2	77.9
23	22	61.7	46.4	79.5
23	23	63.2	47.5	81.4
23	24	64.7	48.7	83.3
23	25	66.3	51.1	85.3
23	26	67.8	51.0	86.9
23	27	69.4	53.5	87.8
23	28	71.0	54.7	89.5
23	29	72.5	56.0	91.6
23	30	74.1	57.2	93.9
23	31	75.7	58.4	94.6
23	32	77.3	61.2	96.1
23	33	78.9	62.4	98.6
23	34	80.5	63.7	100.4
23	35	82.2	65.0	101.2
23	36	83.8	66.3	103.6
23	37	85.4	67.6	105.6
23	38	87.1	68.9	106.4
23	39	88.7	70.2	109.0
23	40	90.4	73.3	110.3
23	41	92.1	74.6	112.2
23	42	93.8	76.0	114.0
23	43	95.5	77.4	115.4
23	44	97.2	78.8	117.5

Positive Large Wells	Positive Small Wells	MPN	95% Confidence	
			Lower Limit	Upper Limit
47	45	616.7	487.8	786.4
47	46	640.5	494.2	804.8
47	47	665.3	513.2	847.5
47	48	691.0	546.6	886.5
48	0	123.9	83.5	181.9
48	1	128.4	86.5	187.2
48	2	133.1	89.7	192.9
48	3	137.9	92.9	199.0
48	4	143.0	99.2	206.3
48	5	148.3	102.8	212.4
48	6	153.9	106.7	222.4
48	7	159.7	110.7	229.7
48	8	165.8	114.9	238.0
48	9	172.2	119.4	245.0
48	10	178.9	124.0	257.8
48	11	186.0	125.3	268.8
48	12	193.5	130.4	279.5
48	13	201.4	135.7	284.0
48	14	209.8	145.5	301.1
48	15	218.7	151.7	314.5
48	16	228.2	158.2	323.1
48	17	238.2	165.2	340.8
48	18	248.9	172.6	350.2
48	19	260.3	175.4	365.2
48	20	272.3	183.5	382.9
48	21	285.1	197.7	398.8
48	22	298.7	207.1	423.2
48	23	313.0	217.0	439.5
48	24	328.2	233.9	448.0
48	25	344.1	245.3	472.5
48	26	360.9	257.3	498.7
48	27	378.4	262.4	526.2
48	28	396.8	275.1	555.5
48	29	416.0	296.6	556.7
48	30	436.0	310.9	586.6
48	31	456.9	334.6	618.9
48	32	478.6	341.2	652.5
48	33	501.2	357.3	687.9
48	34	524.7	374.1	700.1
48	35	549.3	402.3	724.5
48	36	574.8	432.2	763.6
48	37	601.5	440.6	804.5
48	38	629.4	448.7	847.5
48	39	658.6	482.4	886.5
48	40	689.3	518.3	892.6
48	41	721.5	542.6	941.5
48	42	755.6	553.4	993.9
48	43	791.5	579.7	1048.9
48	44	829.7	623.9	1108.7

Positive Large Wells	Positive Small Wells	MPN	95% Confidence	
			Lower Limit	Upper Limit
23	45	98.9	80.2	119.2
23	46	100.6	81.6	121.2
23	47	102.4	83.0	123.1
23	48	104.1	86.4	124.7
24	0	31.7	20.7	46.6
24	1	33.1	21.7	48.1
24	2	34.5	23.3	50.1
24	3	35.9	24.2	51.9
24	4	37.3	25.2	53.3
24	5	38.8	26.1	54.7
24	6	40.2	27.1	56.4
24	7	41.7	28.9	58.0
24	8	43.1	29.9	59.8
24	9	44.6	30.9	61.3
24	10	46.0	32.8	63.0
24	11	47.5	33.9	64.7
24	12	49.0	34.9	66.1
24	13	50.5	36.0	67.8
24	14	52.0	38.1	69.7
24	15	53.5	39.2	71.0
24	16	55.0	40.3	73.0
24	17	56.5	41.4	74.4
24	18	58.0	42.5	75.9
24	19	59.5	44.8	77.8
24	20	61.1	45.9	79.5
24	21	62.6	47.1	81.4
24	22	64.2	48.3	83.3
24	23	65.8	49.4	85.1
24	24	67.3	50.6	86.3
24	25	68.9	53.2	87.7
24	26	70.5	54.4	89.5
24	27	72.1	55.6	91.6
24	28	73.7	56.9	93.9
24	29	75.3	58.1	94.6
24	30	77.0	60.9	96.1
24	31	78.6	62.2	98.6
24	32	80.3	63.5	100.6
24	33	81.9	64.8	101.5
24	34	83.6	66.1	103.6
24	35	85.2	67.4	105.7
24	36	86.9	68.8	107.0
24	37	88.6	70.1	109.0
24	38	90.3	71.4	111.1
24	39	92.0	74.6	112.2
24	40	93.8	76.0	114.7
24	41	95.5	77.4	116.4
24	42	97.2	78.8	118.0
24	43	99.0	80.2	120.1
24	44	100.7	81.7	121.8

Positive Large Wells	Positive Small Wells	MPN	95% Confidence	
			Lower Limit	Upper Limit
48	45	870.4	654.5	1153.8
48	46	913.9	705.0	1174.6
48	47	960.6	703.6	1245.4
48	48	1011.2	740.6	1323.5
49	0	135.5	88.7	203.4
49	1	140.8	92.1	209.3
49	2	146.4	98.7	219.3
49	3	152.3	102.6	228.4
49	4	158.5	106.8	235.5
49	5	165.0	111.2	243.4
49	6	172.0	115.9	260.5
49	7	179.3	120.8	270.3
49	8	187.2	126.1	281.0
49	9	195.6	128.0	292.9
49	10	204.6	137.9	306.9
49	11	214.3	140.2	320.9
49	12	224.7	147.0	343.5
49	13	235.9	159.0	360.0
49	14	248.1	162.3	371.9
49	15	261.3	170.9	398.5
49	16	275.5	185.7	416.8
49	17	290.9	190.4	446.1
49	18	307.6	195.3	471.2
49	19	325.5	206.6	498.1
49	20	344.8	218.9	520.7
49	21	365.4	231.9	555.5
49	22	387.3	245.9	567.0
49	23	410.6	260.6	618.9
49	24	435.2	276.2	650.0
49	25	461.1	292.7	687.9
49	26	488.4	310.0	721.5
49	27	517.2	338.4	763.6
49	28	547.5	358.2	804.5
49	29	579.4	379.1	847.2
49	30	613.1	401.2	879.2
49	31	648.8	424.5	941.5
49	32	686.7	449.3	974.4
49	33	727.0	475.7	1048.9
49	34	770.1	549.0	1094.0
49	35	816.4	550.1	1174.6
49	36	866.4	583.8	1245.4
49	37	920.8	620.5	1282.0
49	38	980.4	660.6	1410.2
49	39	1046.2	705.0	1509.0
49	40	1119.9	754.6	1614.0
49	41	1203.3	810.8	1750.7
49	42	1299.7	850.4	1896.6
49	43	1413.6	924.9	2101.6
49	44	1553.1	1016.2	2353.1

Positive Large Wells	Positive Small Wells	MPN	95% Confidence Lower Limit	95% Confidence Upper Limit
24	45	102.5	83.1	123.4
24	46	104.3	86.6	125.1
24	47	106.1	86.0	127.3
24	48	107.9	89.6	128.9

Positive Large Wells	Positive Small Wells	MPN	95% Confidence Lower Limit	95% Confidence Upper Limit
49	45	1732.9	1167.7	2709.5
49	46	1986.3	1222.0	3300.2
49	47	2419.6	1630.4	4716.1
49	48	>2419.6	1439.5	infinite