

BIBLIOGRAPHY

9

- Adam, J.I & O.A. Sæther. 1999. Revision of the genus *Nilothauma* Kieffer, 1921 (Diptera: Chironomidae). Ent. scand. Suppl. 56: 1-107.
- Ali, A. 1991. Perspectives on management of pestiferous Chironomidae (Diptera), an emerging global problem. J. Am. Mosq. Control Assoc. 7: 260-281.
- Armitage, P., P.S. Cranston & L.C.V. Pinder (eds). 1995. The Chironomidae. Biology and ecology of non-biting midges. Chapman & Hall, London. 572 pp.
- Ashe, P. 1983. A catalogue of chironomid genera and subgenera of the world including synonyms (Diptera: Chironomidae). Ent. scand. Suppl. 17: 1-68.
- Barton, D.R., D.R. Oliver & M.E. Dillon. 1993. The first Nearctic record of *Stackelbergina* Shilova and Zelentsov (Diptera: Chironomidae): Taxonomic and ecological observations. Aquatic Insects 15: 57-63.
- Beck, E.C & W.M. Beck, Jr. 1959. A checklist of the Chironomidae (Insecta) of Florida (Diptera: Chironomidae). Bull. Fl. St. Mus. Biol. Sci. 4: 85-96.
- Beck, E.C. & W.M. Beck, Jr. 1969a. The Chironomidae of Florida II. The nuisance species. Fla. Ent. 52:1-11.
- Beck, E.C. & W.M. Beck, Jr. 1969b. Chironomidae (Diptera) of Florida III. The *Harnischia* complex (Chironominae). Bull. Fla. St. Mus. Biol. Sci. 13:277-313.
- Beck, W.M., Jr. 1976. Biology of the larval chironomids. Fla. State Dept. Environ. Reg. Tech. Ser. 2:1-58
- Beck, W.M., Jr. 1977. Environmental requirements and pollution tolerance of common freshwater Chironomidae. U.S. Environmental Protection Agency, EPA 600/4-77-024. 260 pp.
- Beck, W.M., Jr. 1979. Biology of the larval chironomids. Revised edition. Fla. State Dept. Environ. Reg. Tech. Ser. 2:1-58
- Beck, W.M., Jr. 1980. Interesting new chironomid records for the southern United States (Diptera: Chironomidae). J. Ga. Ent. Soc. 15:69-73.
- Beck, W.M., Jr. & E.C. Beck. 1966. Chironomidae (Diptera) of Florida - I. Pentaneurini (Tanypodinae). Bull. Fla. St. Mus. Biol. Sci. 10:305-379.
- Beck, W.M., Jr., & E.C. Beck. 1970. The immature stages of some Chironomini (Chironomidae). Q.J. Fla. Acad. Sci. 33:29-42.
- Bilyj, B. 1984. Descriptions of two new species of Tanypodinae (Diptera: Chironomidae) from Southern Indian Lake, Canada. Can. J. Fish. Aquat. Sci. 41: 659-671.
- Bilyj, B. 1985. New placement of *Tanypus pallens* Coquillett, 1902 nec *Larsia pallens* (Coq.) sensu Roback 1971 (Diptera: Chironomidae) and redescription of the holotype. Can. Ent. 117: 39-42.
- Bilyj, B. 1988. A taxonomic review of *Guttipelopia* (Diptera: Chironomidae). Ent. scand. 19:1-26.
- Bilyj, B. & Davies, I.J. 1989. Descriptions and ecological notes on seven new species of *Cladotanytarsus* (Chironomidae: Diptera) collected from an experimentally acidified lake. Can. J. Zool. 67:948-962.
- Bjørlo, A., H. Vårdal & O.A. Sæther. 2000. A preliminary phylogenetic analysis of the subgenus *Tripodura* Townes of the genus *Polypedilum* Kieffer (Diptera: Chironomidae). pp 35-50 in Hoffrichter, O. (ed.) Late 20th Century Research on Chironomidae: an Anthology from the 13th International Symposium on Chironomidae. Shaker Verlag, Aachen, Germany.
- Bode, R.W. 1983. Larvae of North American *Eukiefferiella* and *Tvetenia* (Diptera: Chironomidae). Bull. N.Y. St. Mus. No. 452:1-40.
- Boesel, M.W. 1974. Observations on the Coelotanypodini of the northeastern states, with keys to the known stages. (Diptera: Chironomidae: Tanypodinae). J. Kans. Ent.

- Soc. 47: 417-432.
- Boesel, M.W. 1983. A review of the genus *Cricotopus* in Ohio, with a key to the adults of the northeastern United States (Diptera, Chironomidae). Ohio J. Sci. 83: 74-90.
- Boesel, M.W. 1985. A brief review of the genus *Polypedilum* in Ohio, with keys to the known stages of species occurring in northeastern United States (Diptera: Chironomidae). Ohio J. Sci. 85:245-262.
- Boesel, M.W. & R.W. Winner. 1980. Corynoneurinae of northeastern United States, with a key to adults and observations on their occurrence in Ohio (Diptera: Chironomidae). J. Kans. Ent. Soc. 53: 501-508.
- Bolton, M.J. 1991. The identity of Chironomini Genus C (Diptera: Chironomidae) in Pinder and Reiss (1986). Ent. News 102: 125-126.
- Bolton, M.J. 1992. Chironomidae (Diptera) of Cedar Bog, Champaign County, Ohio. Ohio J. Sci. 92: 147-152.
- Borkent, A. 1984. The systematics and phylogeny of the *Stenochironomus* complex (*Xestochironomus*, *Harrisius*, and *Stenochironomus*). (Diptera: Chironomidae). Mem. ent. Soc. Canada 128:1-269.
- Bretschko, G. 1981. *Pontomyia* Edwards (Diptera: Chironomidae), a member of the coral reef community at Carrie Bow Cay, Belize, pp. 381-385 in Rätzler, K. & I.G. Macintyre (eds.): The Atlantic Barrier Reef Ecosystem at Carrie Bow Cay, Belize, 1: Structure and Communities. Smithsonian Contr. Mar. Sci. 12: 539 pp.
- Brundin, L. 1948. Über die Metamorphose der Sectio Tanytarsariae connectentes (Dipt. Chironomidae). Ark. Zool. 41A: 1-22 + 7 plates.
- Brundin, L. 1966. Transantarctic relationships and their significance, as evidenced by chironomid midges. With a monograph of the subfamilies Podonominae and Aphroteniinae and the austral Heptagyiidae. K. svenska VetenskAkad. Handl. 11: 1-472.
- Caldwell, B.A. 1984. Two new species and records of other chironomids from Georgia (Diptera: Chironomidae) with some observations on ecology. Georgia J. Sci. 42: 81-96.
- Caldwell, B.A. 1985. *Paracricotopus millrockensis*, a new species of Orthocladiinae (Diptera: Chironomidae) from the southeastern United States. Brimleyana 11:161-168.
- Caldwell, B.A. 1986. Description of the immature stages and adult female of *Unniella multivirga* Sæther (Diptera: Chironomidae) with comments on phylogeny. Aquatic Insects 8: 217-222.
- Caldwell, B.A. 1993. The immature stages of *Ablabesmyia cinctipes* (Johannsen) with comments on ecology (Insecta, Diptera, Chironomidae). Spixiana 16: 49-52.
- Caldwell, B.A. 1996. Two new Nearctic species of small Orthocladiinae (Diptera: Chironomidae) with notes on ecology. Hydrobiol. 328: 1-7.
- Caldwell, B.A. 1997. The American *Chaetocladius stamfordi* (Johannsen), a synonym of *C. piger* (Goetghebuer) from the Palearctic (Diptera: Chironomidae). Aquatic Insects 19: 117-122.
- Caldwell, B.A. 1999. Description of the adult male and larva of *Orthocladus (Orthocladus) vaillanti* (Diptera: Chironomidae). J. Kans. Ent. Soc. 71: 234-240.
- Caldwell, B.A. 2000a. A new species of *Omisus* Townes from Georgia, USA (Diptera: Chironomidae). pp 59-67 in Hoffrichter, O. (ed.) Late 20th Century Research on Chironomidae: an Anthology from the 13th International Symposium on Chironomidae. Shaker Verlag, Aachen, Germany.
- Caldwell, B.A. 2000b. First Nearctic record of *Neostempellina* Reiss, with description of a new species (Insecta, Diptera, Chironomidae). Spixiana 23: 163-166.
- Caldwell, B.A., P.L. Hudson, D.R. Lenat & D.R. Smith. 1997. A revised annotated checklist of the Chironomidae (Insecta: Diptera) of the Southeastern United States. Trans. Am. ent. Soc. 123: 1-53.
- Caldwell, B.A. & A.R. Sponis. 1982. *Hudsonimyia parrishi*, a new species of Tanypodinae (Diptera: Chironomidae) from Georgia. Fla. Ent. 65: 506-513.

- Chernovskij, A.A. 1949. Opredelitel lichinok komarov semejstva Tendipedidae. Opred. po Faune SSSR 31: 1-189.
- Coffman, W.P. & L.C. Ferrington, Jr. 1996. Chironomidae. Pp. 635-754 in Merritt, R.W. & K.W. Cummins (eds.). An introduction to the aquatic insects of North America. Third Edition. Kendall/Hunt Publishing Co., Dubuque, IA.
- Coffman, W.P., L.C. Ferrington, Jr. & R.M. Seward. 1988. *Paraboreochlus stahli* sp. n., a new species of Podonominae (Diptera: Chironomidae) from the Nearctic. Aquatic Insects 10: 189-200.
- Coffman, W.P. & S.S. Roback. 1984. *Lopescladius (Cordiella) hyporheicus*, a new subgenus and species (Diptera: Chironomidae: Orthocladiinae). Proc. Acad. Nat. Sci. Philad. 136: 130-144.
- Colbo, M.H. 1996. Chironomidae from marine coastal environments near St. John's, Newfoundland, Canada. Hydrobiol. 318: 117-122.
- Contreras-Lichtenberg, R. 1982. Ein Beitrag zur Kenntnis von *Goeldichironomus (Chironomus) carus* (Townes) 1945. Spixiana 5: 175-180.
- Cranston, P.S. 1982. A key to the larvae of the British Orthocladiinae (Chironomidae). Scient. Publ. Freshwat. Biol. Ass. 45: 1-152.
- Cranston, P.S. 1985. *Eretmoptera murphyi* Schaeffer (Diptera: Chironomidae), an apparently parthenogenetic antarctic midge. Br. Antarct. Surv. Bull. 66: 35-45.
- Cranston, P.S. 1987. A non-biting midge (Diptera: Chironomidae) of horticultural significance. Bull. Ent. Res. 77: 661-667.
- Cranston, P.S. 1999. Nearctic *Orthocladius* subgenus *Eudactylocladius* revised (Diptera: Chironomidae). J. Kansas Ent. Soc. 71: 272-295.
- Cranston, P.S., M.E. Dillon, L.C.V. Pinder & F. Reiss. 1989. The adult males of the Chironominae (Diptera: Chironomidae) of the Holarctic region - Keys and diagnoses. Ent. scand. Suppl. 34: 353-502.
- Cranston, P.S. & D.D. Judd. 1987. *Metriocnemus* (Diptera: Chironomidae) - an ecological survey and description of a new species. J. New York Ent. Soc. 95: 534-546.
- Cranston, P.S. & R. Kitching. 1995. The Chironomidae of Austro-Oriental phytotelmata (plant-held waters): *Richea pandanifolia* Hook.f., pp. 225-231 in Cranston, P.S. (ed.). Chironomids - from Genes to Ecosystems. CSIRO Publications, East Melbourne, Australia.
- Cranston, P.S. & U. Nolte. 1996. *Fissimentum*, a new genus of drought-tolerant Chironomini (Diptera: Chironomidae) from the Americas and Australia. Ent. News 107: 1-15.
- Cranston, P.S. & D.R. Oliver. 1988a. Additions and corrections to the Nearctic Orthocladiinae (Diptera: Chironomidae). Can. Ent. 120: 425-462.
- Cranston, P.S. & D.R. Oliver. 1988b. Aquatic xylophagous Orthocladiinae - systematics and ecology. Spixiana Suppl. 14: 143-154.
- Cranston, P.S., D.R. Oliver, & O.A. Sæther. 1983. The larvae of Orthocladiinae (Diptera: Chironomidae) of the Holarctic region. Keys and diagnoses. Ent. scand. Suppl. 19: 149-291.
- Cranston, P.S. & O.A. Sæther. 1982. A redefinition of *Acamptocladius* Brundin, 1956 (syn. *Phycoidella* Sæther, 1971, n. syn.) (Diptera: Chironomidae), with the description of *A. reissi* n. sp. Ent. scand. 13: 25-32.
- Cranston, P.S. & O.A. Sæther. 1986. *Rheosmittia* (Diptera: Chironomidae): a generic validation and revision of the western Palaearctic species. J. nat. Hist. 20: 31-51.
- Curry, L.L. 1958. Larvae and pupae of the species of *Cryptochironomus* (Diptera) in Michigan. Limnol. Oceanogr. 3: 427-442.
- Darby, R.E. 1962. Midges associated with California rice fields, with special reference to their ecology (Diptera: Chironomidae). Hilgardia 32: 1-206.
- Davis, J.R. 1992. Occurrence of *Fittkauimyia* (Diptera: Chironomidae: Tanypodinae) in Texas. Ent. News 103: 78-80.
- de la Rosa, C.L. & A.J. Nastase. 1987. Larvae of *Metriocnemus* cf. *fuscipes*, *Limnophyes* sp., Pentaneurini (Diptera: Chironomidae) and

- Culicoides* (Diptera: Ceratopogonidae) from pitcher plants, *Sarracenia purpurea*. J. Kans. Ent. Soc. 60: 339-341.
- Dendy, J.S. 1973. Predation on chironomid eggs and larvae by *Nanocladius alternantherae* Dendy and Sublette (Diptera: Chironomidae, Orthoclaadiinae). Ent. News 84: 91-95.
- Dendy, J.S. & J.E. Sublette. 1959. The Chironomidae (=Tendipedidae: Diptera) of Alabama with descriptions of six new species. Ann. Ent. Soc. Am. 52: 506-519.
- Donley, S., L.C. Ferrington, Jr. & D. Strayer. 1999. The habitat of *Paraboreochlus* larvae (Chironomidae: Podonominae). J. Kans. Ent. Soc. 71: 501-504.
- Dosdall, L.M. & P.G. Mason. 1981. A chironomid (*Nanocladius (Plecopteracoluthus) branchicolus* Diptera) phoretic on a stonefly (*Acroneuria lycorias*: Plecoptera) in Saskatchewan. Can. Ent. 113: 141-147.
- Dosdall, L.M., P.G. Mason & D.M. Lehmkuhl. 1986. First records of phoretic Chironomidae (Diptera) associated with nymphs of *Pteronarcys dorsata* (Say) (Plecoptera: Pteronarcyidae). Can. Ent. 118: 511-515.
- Dosdall, L.M. & D.W. Parker. 1998. First report of a symphoretic association between *Nanocladius branchicolus* Sæther (Diptera: Chironomidae) and *Argia moesta* (Hagen) (Odonata: Coenagrionidae). Am. Midl. Nat. 139: 181-185.
- Doughman, J.S. 1983. A guide to the larvae of the Nearctic Diamesinae (Diptera: Chironomidae). The genera *Boreoheptagyia*, *Protanypus*, *Diamesa* and *Pseudokiefferiella*. U.S. Geological Survey, Water-Resources Investigations Report 83-4006: 1-58.
- Doughman, J.S. 1985a. Annotated keys to the genera of the tribe Diamesini (Diptera: Chironomidae), descriptions of the female and immatures of *Potthastia iberica* Tosio, and keys to the known species of *Potthastia*. Univ. Alsk. IWR (Inst. Water Resour.) Ser. IWR-107. 49 pp.
- Doughman, J.S. 1985b. *Sympotthastia* Pagast (Diptera: Chironomidae), an update based on larvae from North Carolina, *S. diastena* (Sublette) comb. n., and other Nearctic species. Brimleyana 11: 39-53.
- Dowling, C. & D. Murray. 1980. *Zalutschia humphriesae* sp. n., a new species of Orthoclaadiinae (Diptera, Chironomidae) from Ireland. Acta Univ. Carol. Biol. 1978: 49-58.
- Eaton, L. 1994. A preliminary survey of benthic macroinvertebrates of Currituck Sound, North Carolina. J. Elisha Mitchell Sci. Soc. 110: 121-129.
- Epler, J.H. 1986a. A novel new Neotropical *Nanocladius* (Diptera: Chironomidae), symphoretic on *Traverella* (Ephemeroptera: Leptophlebiidae). Fla. Ent. 69: 319-327.
- Epler, J.H. 1986b. The larva of *Radotanypus submarginella* (Sublette) (Diptera, Chironomidae). Spixiana 9: 285-287.
- Epler, J.H. 1987. Revision of the Nearctic *Dicrotendipes* Kieffer, 1913 (Diptera: Chironomidae). Evol. Monogr. 9: 102 pp + 37 plates.
- Epler, J.H. 1988a. A reconsideration of the genus *Apedilum* Townes, 1945 (Diptera: Chironomidae: Chironominae). Spixiana Suppl. 14: 105-116.
- Epler, J.H. 1988b. Biosystematics of the genus *Dicrotendipes* Kieffer, 1913 (Diptera: Chironomidae: Chironominae) of the world. Mem. Am. Ent. Soc. 36: 1-214.
- Epler, J.H. 1992. Identification Manual for the Larval Chironomidae (Diptera) of Florida. FL Dept. Environ. Reg., Orlando, FL. 302 pp.
- Epler, J.H. 1995. Identification Manual for the Larval Chironomidae (Diptera) of Florida. Revised edition. FL Dept. Environ. Protection, Tallahassee, FL. 317 pp.
- Epler, J.H., J.P. Cuda & T.D. Center. 2000. Redescription of *Cricotopus lebetis* (Diptera: Chironomidae), a potential biocontrol agent of the aquatic weed hydrilla (Hydrocharitaceae). Fla. Ent. 83: 171-180.
- Epler, J.H. & L.C. Ferrington, Jr. 1994. The immature stages of *Paratendipes basidens* Townes (Diptera: Chironomidae: Chironominae). J. Kans. Ent. Soc. 67: 311-317.
- Epler, J.H., A.D. Harrison & L. Hare. 1999. *Acinoretracus*, a new Afrotropical genus for

- some species previously placed in *Dicrotendipes* (Diptera: Chironomidae: Chironominae). Tijds. voor Ent. 141: 209-220.
- Epler, J.H. & W.J. Janetzky. 1999. A new species of *Monopelopia* (Diptera: Chironomidae) from phytotelmata in Jamaica, with preliminary ecological notes. J. Kans. Ent. Soc. 71: 216-225.
- Fagnani, J.P. , & A.R. Soptonis. 1988. The occurrence of setal tufts on larvae of *Orthocladius* (*Orthocladius*) *annectens* Sæther. Spixiana Suppl. 14: 139-142.
- Ferrington, L.C., Jr. 1984. Evidence for the hyporheic zone as a microhabitat of *Krenosmittia* spp. larvae (Diptera: Chironomidae). J. Freshwater Ecol. 2: 353-358.
- Ferrington, L.C., Jr. 1987. Microhabitat preferences of larvae of three Orthocladiinae species (Diptera: Chironomidae) in Big Springs, a sandbottom spring in the high plains of western Kansas. Ent. scand. Suppl. 29: 361-368.
- Ferrington, L.C., Jr. 1992. Habitat and sediment preferences of *Axarus festivus* larvae. Neth. J. Aquat. Ecol. 26: 347-354.
- Ferrington, L.C., Jr. 1995. Utilization of anterior headcapsule structures in locomotion by larvae of *Constempellina* sp. (Diptera: Chironomidae). Pp. 305-315 in Cranston, P.S. (ed.). Chironomids - from Genes to Ecosystems. CSIRO Publications, East Melbourne, Australia. 482 pp.
- Ferrington, L.C., Jr. & O.A. Sæther. 1987. Male, female, pupa and biology of *Oliveridia hugginsi* n. sp. (Chironomidae: Diptera) from Kansas. J. Kans. Ent. Soc. 60: 451-461.
- Fittkau, E.J. 1962. Die Tanypodinae (Diptera: Chironomidae). (Die Tribus Anatopyniini, Macropelopiini und Pentaneurini). Abh. Larval-syst. Insekten 6: 1-453.
- Fittkau, E.J. 1963. *Manoa*, eine neue Gattung der Chironomidae (Diptera) aus Zentralamazonien. Arch. Hydrobiol. 59: 373-390.
- Fittkau, E.J. & J. Lehmann. 1970. Revision der Gattung *Microcricotopus* Thien. u. Harn. (Dipt., Chironomidae). Int. Rev. ges. Hydrobiol. 55: 391-402.
- Fittkau, E.J. & D.A. Murray. 1985. *Radotanypusa* a new genus of Tanypodinae from the Nearctic (Diptera, Chironomidae). Spixiana Suppl. 11: 209-213.
- Fittkau, E.J., & D.A. Murray. 1986. The pupae of Tanypodinae (Diptera: Chironomidae) of the Holarctic region: Keys and Diagnoses. Ent. scand. Suppl. 28: 31-113.
- Fittkau, E.J. & D.A. Murray. 1988. *Bethbilbeckia floridensis*: a new genus and species of Macropelopiini from the South Eastern Nearctic. Spixiana Suppl. 14: 253-259.
- Fittkau, E.J., F. Reiss & O. Hoffrichter. 1976. A bibliography of the Chironomidae. Gunneria 26: 1-177.
- Fittkau, E.J. & S.S. Roback. 1983. The larvae of Tanypodinae (Diptera: Chironomidae) of the Holarctic region: Keys and diagnoses. Ent. scand. Suppl. 19:33-110.
- Giberson, D.J., A.J. MacInnes & M. Blanchard. 1996. Seasonal frequency and positioning of parasitic midges (Chironomidae) on *Pteronarcys biloba* nymphs (Plecoptera: Pteronarcyidae). J. N. Am. Benth. Soc. 15: 529-536.
- Gonser, T. & M. Spies. 1997. Southern Hemisphere *Symbiocladius* (Diptera, Chironomidae) and their mayfly hosts (Ephemeroptera, Leptophlebiidae). Pp. 455-466 in Landolt, P. & M. Sartori (eds.). Ephemeroptera & Plecoptera: Biology-Ecology-Systematics. MTL, Fribourg.
- Gordon, M.J., B.K. Swan & C.G. Paterson. 1978. *Baeoetenus bicolor* (Diptera: Chironomidae) parasitic in unionid bivalve molluscs, and notes on other chironomid-bivalve associations. J. Fish. Res. Bd. Can. 35: 154-157.
- Gotceitas, V. & R.J. MacKay. 1980. The phoretic association of *Nanocladius* (*Nanocladius*) *rectinervis* (Kieffer) (Diptera: Chironomidae) on *Nigronia serricornis* Say (Megaloptera: Corydalidae). Can. J. Zool. 58: 2260-2263.
- Gouin, F. 1936. Métamorphosis de quelques Chironomides d'Alsace et de Lorraine avec la description de trois espèces nouvelles par

- M. Goetghebuer. Rev. Fr. Ent. 3: 151-173.
- Grodhaus, G. 1976. Two species of *Phaenopsectra* with drought-resistant larvae (Diptera: Chironomidae). J. Kans. Ent. Soc. 49: 405-418.
- Grodhaus, G. 1987a. *Endochironomus* Kieffer, *Tribeles* Townes, *Synendotendipes*, n. gen., and *Endotribeles*, n. gen. (Diptera: Chironomidae) of the Nearctic region. J. Kansas Ent. Soc. 60:167-247.
- Grodhaus, G. 1987b. *Phaenopsectra mortensoni* n. sp. and its relationship to other Chironomidae (Diptera) of temporary pools. Ent. scand. Suppl. 29:137-145.
- Halvorsen, G.A. 1982. *Saetheriella amplicristata* gen. n., sp. n., a new Orthoclaadiinae (Diptera: Chironomidae) from Tennessee. Aquatic Insects 4: 131-136.
- Halvorsen, G.A. & O.A. Sæther. 1987. Redefinition and revision of the genus *Tokunagaia* Sæther, 1973 (Diptera: Chironomidae). Ent. scand. Suppl. 29: 173-188.
- Hamilton, A.L. 1965. An analysis of a freshwater benthic community with special reference to the Chironomidae. Ph.D. thesis, Univ. of British Columbia. 94 + 216 pp.
- Hansen, D.C. & E.F. Cook. 1976. The systematics and morphology of the Nearctic species of *Diamesa* Meigen, 1835 (Diptera: Chironomidae). Mem. Am. Ent. Soc. 30:1-203.
- Hashimoto, H. 1976. Non-biting midges of marine habitats (Diptera: Chironomidae), pp. 377-414 in Cheng, L. Marine Insects. North-Holland Pub.Co., Amsterdam. 581 pp.
- Hauber, U.A. 1944. Life histories and ecology of Iowa midges (Tendipedidae). I. The genus *Tanytarsus*. Proc. Iowa Acad. Sci. 51:451-461.
- Hestenes, T.C. & O.A. Sæther. 2000. Three new Nearctic *Thienemanniella* Kieffer species with a review of the Nearctic species, pp. 103-127 in Hoffrichter, O. (ed.) Late 20th Century Research on Chironomidae: an Anthology from the 13th International Symposium on Chironomidae. Shaker Verlag, Aachen, Germany.
- Heyn, M.W. 1992. A review of the systematic position of the North American species of the genus *Glyptotendipes*. Neth. J. Aquat. Ecol. 26: 129-137.
- Hirvenoja, M. 1973. Revision der Gattung *Cricotopus* van der Wulp und ihrer Verwandten (Diptera, Chironomidae). Ann. Zool. Fennici 10:1-363.
- Hirvenoja, M. & E. Hirvenoja. 1988. *Corynoneura brundini* spec. nov. Ein Beitrag zur Systematik der Gattung *Corynoneura*. Spixiana Suppl. 14:213-238.
- Hoffrichter, O. & F. Reiss. 1981. Supplement 1 to a Bibliography of the Chironomidae. Gunneria 37: 1-68.
- Hudson, P.L., D.R. Lenat, B.A. Caldwell & D. Smith. 1990. Chironomidae of the Southeastern United States: A checklist of species and notes on biology, distribution, and habitat. U.S. Fish Wildl. Ser., Fish. Wildl. Res. 7:1-46.
- International Commission on Zoological Nomenclature. 1999. International Code of Zoological Nomenclature. Fourth edition adopted by the International Union of Biological Sciences. International Trust for Zoological Nomenclature, London. 306 pp.
- Jackson, G.A. 1977. Nearctic and Palearctic *Paracladopelma* Harnisch and *Saetheria* n. gen. (Diptera: Chironomidae). J. Fish. Res. Bd. Canada 34:1321-1359.
- Jacobsen, R.E. 1992. Descriptions of the larvae of four Nearctic species of *Epoicocladius* (Diptera: Chironomidae) with a redescription of *Epoicocladius ephemerae* (Kieffer). Neth. J. Aquat. Ecol. 26: 145-155.
- Jacobsen, R.E. 1998. Taxonomy of the genus *Platysmittia* (Diptera: Chironomidae), with comments on its ecology and phylogenetic position. Aquatic Insects 20 (4): 239-256.
- Jacobsen, R.E. & S.A. Perry. 2000. A review of *Beardius* Reiss & Sublette, with description of a new species from Everglades National Park, Florida. Spixiana 23: 129-144.
- Jacobsen, R.E. & S.A. Perry (in press). A new species of *Manoa* (Diptera: Chironomidae) from Everglades National Park. J. N. Am. Benth. Soc.
- Johannsen, O.A. 1937a. Aquatic Diptera. Part III.

- Chironomidae: Subfamilies Tanyptodinae, Diamesinae, and Orthoclaadiinae. Mem. Cornell Univ. Agric. Exp. Stn. 205: 3-84 + plates I-XVIII.
- Johannsen, O.A. 1937b. Aquatic Diptera. Part IV. Chironomidae: Subfamily Chironominae. Mem. Cornell Univ. Agric. Exp. Stn. 210: 3-56 + plates I-IX.
- Kyerematen, R.A.K., O.A. Sæther & T. Andersen. 2000. A revision of the *Rheotanytarsus pellucidus* group (Diptera: Chironomidae). pp 147-170 in Hoffrichter, O. (ed.) Late 20th Century Research on Chironomidae: an Anthology from the 13th International Symposium on Chironomidae. Shaker Verlag, Aachen, Germany.
- Kullberg, A. 1988. The case, mouthparts, silk and silk formation of *Rheotanytarsus muscicola* Kieffer (Chironomidae: Tanytarsini). Aquatic Insects 10: 249-255.
- Langton, P.H. 1980. The genus *Psectrocladius* Kieffer (Diptera: Chironomidae) in Britain. Ent. Gaz. 31: 75-88.
- Langton, P.H. 1985. Review of type specimens of the *limbatellus* group, with a provisional key to known females of *Psectrocladius* Kieffer (Diptera: Chironomidae). Ent. scand. 15: 477-485.
- Langton, P.H. 1991. A key to pupal exuviae of West Palaearctic Chironomidae. P.H. Langton, Huntington, Cambridgeshire, England. 386 pp.
- Langton, P.H. & P.S. Cranston. 1991. Pupae in nomenclature and identification: West Palaearctic *Orthocladus* s.str. (Diptera: Chironomidae) revised. Sys. Ent. 16: 239-252.
- Langton, P.H., P.S. Cranston & P. Armitage. 1988. The parthenogenetic midge of water supply systems, *Paratanytarsus grimmii* (Schneider) (Diptera: Chironomidae). Bull. Ent. Res. 78: 317-328.
- Langton, P.H. & Z. Moubayed. 1990. Redescription of the pupal exuviae of *Potthastia montium* Edwards (= *iberica* Serra-Tosio syn. nov.) (Diptera; Chironomidae). Br. J. Nat. Hist. 3: 135-137.
- Lehmann, J. 1970a. Revision der europäischen Arten (Imagines ♂♂) der Gattung *Parachironomus* Lenz (Diptera, Chironomidae). Hydrobiol. 33: 129-158.
- Lehmann, J. 1970b. Revision der europäischen Arten (Imagines ♂♂ und Puppen ♂♂) der Gattung *Rheotanytarsus* Bause (Diptera, Chironomidae). Zool. Anz. 185: 344-378.
- Lehmann, J. 1972. Revision der europäischen Arten (Puppen ♂♂ und Imagines ♂♂) der Gattung *Eukiefferiella* Thienemann. Beitr. Ent. 22: 347-405.
- Lehman, J. 1973. Systematische und phylogenetische Studie über die Gattungen *Thienemanniola* Kieffer und *Corynocera* Zetterstedt (Diptera, Chironomidae). Hydrobiologia 43: 381-414.
- Lenat, D.R. 1993a. Using mentum deformities of *Chironomus* larvae to evaluate the effects of toxicity and organic loading in streams. J.N. Am. Benth. Soc. 12: 265-269.
- Lenat, D.R. 1993b. A biotic index for the southeastern United States: derivation and list of tolerance values, with criteria for assigning water-quality ratings. J. N. Am. Benth. Soc. 12: 279-290.
- Lenat, D.R. & D.R. Folley. 1983. Lotic chironomids of the North Carolina mountains. Mem. Am. Ent. Soc. 34: 145-164.
- Lenz, F. 1921. Chironomidenpuppen und -larven. Bestimmungstabellen. Dt. ent. Zt. 3: 148-162.
- LeSage, L. & A.D. Harrison. 1980. Taxonomy of *Cricotopus* species (Diptera: Chironomidae) from Salem Creek, Ontario. Proc. Ent. Soc. Ont. 111:57-114.
- Lindeberg, B. & T. Wiederholm. 1979. Notes on the taxonomy of European species of *Chironomus* (Diptera: Chironomidae). Ent. scand. Suppl. 10:99-116.
- Magy, H.I., G. Grodhaus, J.D. Gates & J. Montez. 1970. Pondweed - a substrate for chironomids, especially *Paralauterborniella subcincta*. Calif. Mosq. Control. Assoc. 37: 115-119.
- Makarchenko, E.A. 1986. *Diamesa subletti* sp. n., a new species of chironomid (Diptera, Chironomidae) from Canada. Aquatic Insects 8: 155-157.

- Makarchenko, E.A. 1995. New species of *Lappodiamesa* Serra-Tosio and *Arctodiamesa* Makartshenko (Diptera, Chironomidae) from the east Palaearctic. *Aquatic Insects* 17: 83-93.
- Makarchenko, E.A. & M.A. Makarchenko. 2000. Revision of *Pagastia* Oliver, 1959 (Diptera, Chironomidae) of the Holarctic region. pp 171-176 in Hoffrichter, O. (ed.) *Late 20th Century Research on Chironomidae: an Anthology from the 13th International Symposium on Chironomidae*. Shaker Verlag, Aachen, Germany.
- Malloch, J.R. 1915. The Chironomidae, or midges, of Illinois, with particular reference to the species occurring in the Illinois River. *Bull. Illinois St. Lab. Nat. Hist.* 10: 275-543.
- Manuel, K.L. 1976. Description of immature stages of *Glyptotendipes (Phytotendipes) meridionalis* Dendy and Sublette (Diptera: Chironomidae). Unpublished M.S. thesis, Auburn Univ., Auburn, AL. 37 pp.
- Maschwitz, D.E. & E.F. Cook. 2000. Revision of the Nearctic species of the genus *Polypedilum* Kieffer (Diptera: Chironomidae) in the subgenera *P. (Polypedilum)* Kieffer and *P. (Uresipedilum)* Oyewo and Sæther. *Ohio Biological Survey Bulletin New Series Volume 12 Number 3*. vii + 135 pp.
- Mason, P.G. 1985a. The larvae and pupae of *Stictochironomus marmoreus* and *S. quagga* (Diptera: Chironomidae). *Can. Ent.* 117: 43-48.
- Mason, P.G. 1985b. Four new species of the *Cryptochironomus fulvus* (Johannsen) species complex (Diptera: Chironomidae). *Ent. scand.* 16: 399-413.
- Mason, P.G. 1985c. The larva of *Tvetenia vitracies* (Sæther) (Diptera: Chironomidae). *Proc. Ent. Soc. Wash.* 87: 418-420.
- Mason, W.T., Jr. 1973. An introduction to the identification of chironomid larvae (revised edition). *Analytical Quality Control Lab., National Environmental Research Center, U.S.E.P.A., Cincinnati, OH*, 90 pp.
- Morley, R.L. & R.A. Ring. 1972a. The intertidal Chironomidae (Diptera) of British Columbia. I. Keys to their life stages. *Can. Ent.* 104: 1093-1098.
- Morley, R.L. & R.A. Ring. 1972b. The intertidal Chironomidae (Diptera) of British Columbia. II. Life history and population dynamics. *Can. Ent.* 104: 1099-1121.
- Mozley, S.C. 1980. Biological indicators of water quality in North Carolina. I. Guide to identification of orthoclaadiine Chironomidae (Diptera). Unpublished report, North Carolina Department of Natural Resources and Community Development, Division of Environmental Management. (with minor revisions added November 1981.)
- Murray, D.A. & E.J. Fittkau. 1985. *Hayesomyia*, a new genus of Tanypodinae from the Holarctic (Diptera: Chironomidae). *Spixiana Suppl.* 11: 195-207.
- Niitsuma, H. 1985. A new species of the genus *Nilothauma* (Diptera: Chironomidae) from Japan. *Kontyu* 53: 229-232.
- Niitsuma, H. & E.A. Makarchenko. 1997. The first record of *Compteromesa* Sæther (Diptera, Chironomidae) from the Palaearctic region, with description of a new species. *Jap. J. Ent.* 65: 612-620.
- Nolte, U. 1989. Observations on Neotropical rainpools (Bolivia) with emphasis on Chironomidae (Diptera). *Stud. Neotrop. Fauna and Environ.* 24: 105-120.
- Nolte, U. 1993. Egg masses of Chironomidae (Diptera). A review, including new observations and a preliminary key. *Ent. scand. Suppl.* 43: 1-75.
- Nolte, U. 1995. From egg to imago in less than seven days: *Apedilum elachistus* (Chironomidae). Pp. 177-184 in Cranston, P.S. (ed.). *Chironomids - from Genes to Ecosystems*. CSIRO Publications, East Melbourne, Australia.
- Oliver, D.R. 1959. Some Diamesini (Chironomidae) from the Nearctic and Palaearctic. *Ent. Tidskr.* 90: 48-64.
- Oliver, D.R. 1971. Description of *Einfeldia synchrona* n. sp. (Diptera: Chironomidae). *Can. Ent.* 103: 1591-1595.
- Oliver, D.R. 1976. Chironomidae (Diptera) of

- Char Lake, Cornwallis Island, N.W.T., with descriptions of two new species. *Can. Ent.* 108: 1053-1064.
- Oliver, D.R. 1977. *Bicinctus*-group of the genus *Cricotopus* van der Wulp (Diptera: Chironomidae) in the Nearctic with a description of a new species. *J. Fish. Res. Bd. Can.* 34: 98-104.
- Oliver, D.R. 1981a. Chironomidae. Pp 423-458 in McAlpine, J.F., et. al. (coordinators): Manual of Nearctic Diptera, Vol. 1. Agric. Can. Monogr. 27, 674 pp.
- Oliver, D.R. 1981b. Redescription and systematic placement of *Oreadomyia albertae* Kevan and Cutten-Al-Khan (Diptera: Chironomidae). *Quaest. ent.* 17: 121-128.
- Oliver, D.R. 1981c. Description of *Euryhapsis* new genus including three new species (Diptera; Chironomidae). *Can. Ent.* 113: 711-722.
- Oliver, D.R. 1982. *Xylotopus*, a new genus of Orthoclaadiinae (Diptera: Chironomidae). *Can. Ent.* 114:167-168.
- Oliver, D.R. 1983. The larvae of Diamesinae (Diptera: Chironomidae) of the Holarctic region. Keys and diagnoses. *Ent. scand. Suppl.* 19:115-138.
- Oliver, D.R. 1984. Description of a new species of *Cricotopus* van der Wulp (Diptera: Chironomidae) associated with *Myriophyllum spicatum*. *Can. Ent.* 116: 1287-1292.
- Oliver, D.R. 1985. Review of *Xylotopus* Oliver and description of *Irisobrillia* n. gen. (Diptera: Chironomidae). *Can. Ent.* 117: 1093-1110.
- Oliver, D.R. & R.W. Bode. 1985. Description of the larva and pupa of *Cardiocladius albiplumus* Sæther (Diptera: Chironomidae). *Can. Ent.* 117:803-809.
- Oliver, D.R. & M.E. Dillon. 1988. Review of *Cricotopus* (Diptera: Chironomidae) of the Nearctic Arctic zone with description of two new species. *Can. Ent.* 120: 463-496.
- Oliver, D.R. & M.E. Dillon. 1994a. Systematics of some species of *Micropsectra* (Diptera: Chironomidae) living in low-order streams in southern Ontario, Canada. *Can. Ent.* 126: 199-217.
- Oliver, D.R. & M.E. Dillon. 1994b. Corrections and additions to "A catalog of Nearctic Chironomidae". *Proc. Ent. Soc. Wash.* 96: 8-10.
- Oliver, D.R., M.E. Dillon & P.S. Cranston. 1990. A catalog of Nearctic Chironomidae. Research Branch Agriculture Can. Pub. 1857/B. 89 pp.
- Oliver, D.R., D. McClymont & M.E. Roussel. 1978. A key to some larvae of Chironomidae (Diptera) from the Mackenzie and Porcupine River watersheds. *Fish. Mar. Serv. Tch. Report No.* 791: 1-73.
- Oliver, D.R. & M.E. Roussel. 1982. The larvae of *Pagastia* Oliver (Diptera: Chironomidae) with descriptions of three Nearctic species. *Can. Ent.* 114:849-854.
- Oliver, D.R. & M.E. Roussel. 1983a. Redescription of *Brillia* Kieffer (Diptera: Chironomidae) with descriptions of Nearctic species. *Can. Ent.* 115:257-279.
- Oliver, D.R. & M.E. Roussel. 1983b. The genera of larval midges of Canada (Diptera: Chironomidae). Part 11. The insects and arachnids of Canada. *Biosys. Res. Inst., Ottawa.* 263 pp.
- Oliver, D.R. & B.J. Sinclair. 1989. Madicolous Chironomidae (Diptera), with a review of *Metriocnemus hygroetricus* Kieffer. *Acta Biol. Debricina Oecol. Hung.* 2: 285-293.
- Oyewo, E.A. & O.A. Sæther. 1998. Revision of Afrotropical *Polypedilum* Kieffer subgen. *Uresipedilum* Sasa et Kikuchi, 1995 (Diptera: Chironomidae), with a review of the subgenus. *Annls. Limnol.* 34: 315-362.
- Pankratova, V. Ya. 1970. Lichinki i kukolki komarov podsemeistva Orthoclaadiinae fauny SSSR (Diptera, Chironomidae = Tendipedidae). *Opred. po. Faune SSSR* 31: 1-344.
- Pennuto, C.M. 1997. Incidence of chironomid phoretics on hellgrammites in streams of southern Maine. *Northeastern Naturalist* 4: 285-292.
- Pennuto, C.M. 1998. Seasonal position patterns and fate of a commensal chironomid on fishfly host. *J. Freshw. Ecol.* 13: 323-332.
- Picado, C. 1913. Les Broméliacées épiphytes considérées comme milieu biologique. *Bull.*

- Sci. Fr. Belg. (Ser. 7) 47:215-360 + 24 plates.
- Parker, C.R. & J.R. Voshell, Jr. 1979. *Cardiocladius* (Diptera: Chironomidae) larvae ectoparasitic on pupae of Hydropsychidae (Trichoptera). Environ. Ent. 8: 808-809.
- Pescador, M.L., D.R. Lenat & M.L. Hubbard. 1999. Mayflies (Ephemeroptera) of North Carolina and South Carolina: an update. Fla. Ent. 82: 316-332.
- Pinder, L.C.V. 1976. Morphology of the adult and juvenile stages of *Microtendipes rydalensis* (Edw.) comb. nov. (Diptera: Chironomidae). Hydrobiologia 48: 179-184.
- Pinder, L.C.V. 1978. A key to the adult males of the British Chironomidae (Diptera). Scient. Publ. Freshwat. biol. Ass. 37:1-169, 189 figs.
- Pinder, L.C.V. 1982. *Virgatanytarsus* new genus for the "triangularis" group of the genus *Tanytarsus* van der Wulp. Spixiana 5:31-34.
- Pinder, L.C.V., & F. Reiss. 1983. The larvae of Chironominae (Diptera: Chironomidae) of the Holarctic region. Keys and diagnoses. Ent. scand. Suppl. 19:293-435.
- Pinder, L.C.V. & F. Reiss. 1986. The pupae of Chironominae (Diptera: Chironomidae) of the Holarctic region. Keys and diagnoses. Ent. scand. Suppl. 28:299-456.
- Reiss, F. 1969. Die neue, europäisch verbreitete Chironomidengattung *Parapsectra* mit einem brachypteren Artvertreter aus Mooren (Diptera). Arch. Hydrobiol. 66: 192-211.
- Reiss, F. 1972. Die Tanytarsini (Chironomidae, Diptera) Südchiles und Westpatagoniens. Mit Hinweisen auf die Tanytarsini-Fauna der Neotropis. Stud. Neotrop. Fauna 7: 49-94.
- Reiss, F. 1974. Die in stehenden Gewässern der Neotropis verbreitete Chironomidengattung *Goeldichironomus* Fittkau (Diptera, Insecta). Stud. neotrop. Fauna 9:95-122.
- Reiss, F. 1982. *Hyporhygma* n. gen. und *Stelechomyia* n. gen. aus Nordamerika (Diptera, Chironomidae). Spixiana 5:289-302.
- Reiss, F. 1984. *Neostempellina thienemanni* n. gen., n. sp., eine europäische Chironomide mit gehäusetragenden Larven (Diptera, Insecta). Spixiana 7: 203-210.
- Reiss, F. 1985. Die panamerikanisch verbreitete Tanytarsini-Gattung *Skutzia* gen. nov. (Diptera, Chironomidae). Spixiana Suppl. 11: 173-178.
- Reiss, F. 1988a. *Irmakia*, ein neues Subgenus von *Demicryptochironomus* Lenz, 1941, mit der Beschreibung von vier neuen Arten. Spixiana 11: 1-12.
- Reiss, F. 1988b. Die Gattung *Kloosia* Kruseman, 1933 mit der Neubeschreibung zweier Arten. Spixiana Suppl. 14:35-44.
- Reiss, F. 1990. Revision der Gattung *Zavreliella* Kieffer, 1920. (Diptera, Chironomidae). Spixiana 13: 83-115.
- Reiss, F. & E.J. Fittkau. 1971. Taxonomie und Ökologie europäische verbreiteter *Tanytarsus*-Arten (Chironomidae, Diptera). Arch. Hydrobiol. Suppl. 40: 75-200.
- Reiss, F. & L. Säwedal. 1981. Keys to males and pupae of the Palaearctic (excl. Japan) *Paratanytarsus* Thienemann & Bause, 1913, n. comb., with descriptions of three new species (Diptera: Chironomidae). Ent. scand. Suppl. 15: 73-104.
- Reiss, F. & J.E. Sublette. 1985. *Beardius* new genus with notes on additional Pan-American taxa. (Diptera: Chironomidae). Spixiana Suppl. 11:179-193.
- Rempel, J.G. 1937. Notes on the genus *Chasmatonotus* with descriptions of three new species (Diptera, Chironomidae). Can. Ent. 69: 250-255.
- Roback, S.S. 1953. Savannah River tendipedid larvae (Diptera: Tendipedidae (= Chironomidae)). Proc. Acad. Nat. Sci. Philad. 105:91-132.
- Roback, S.S. 1957. The immature tendipedids of the Philadelphia area (Diptera: Tendipedidae). Monogr. Acad. nat. Sci. Philad. 9:1-152.
- Roback, S.S. 1963. The genus *Xenochironomus* (Diptera: Tendipedidae) Kieffer, taxonomy and immature stages. Trans. Am. ent. Soc. 88: 235-245.
- Roback, S.S. 1966a. A new *Procladius* species with description of the immature stages. Ent. News 77: 177-184.
- Roback, S.S. 1966b. A new record of *Symbiocladius*

- equitans* (Claassen) (Diptera: Tendipedidae, Orthocladiinae). Ent. News 77: 254.
- Roback, S.S. 1966c. The Catherwood Foundation Peruvian-Amazon Expedition. XII. Diptera, with some observations on the salivary glands of the Tendipedidae. Monogr. Acad. Nat. Sci. Philad. 14: 305-375.
- Roback, S.S. 1969. The immature stages of the genus *Tanypus* Meigen (Diptera: Chironomidae: Tanypodinae). Trans. Am. Ent. Soc. 94: 407-428.
- Roback, S.S. 1971. The adults of the subfamily Tanypodinae (= Pelopiinae) in North America (Diptera: Chironomidae). Monogr. Acad. Nat. Sci. Philad. 17:1-410.
- Roback, S.S. 1972. The immature stages of *Paramerina smithae* (Sublette) (Diptera: Chironomidae: Tanypodinae). Proc. Acad. Nat. Sci. Philad. 124: 11-15.
- Roback, S.S. 1974a. The immature stages of the genus *Coelotanypus* (Chironomidae: Tanypodinae: Coelotanypodinae) in North America. Proc. Acad. Nat. Sci. Philad. 126: 9-19.
- Roback, S.S. 1974b. Insects (Arthropoda: Insecta). Pp 313-376 in Hart, C.W. & S.L.H. Fuller (eds.): Pollution Ecology of Freshwater Invertebrates. Academic Press, New York.
- Roback, S.S. 1975. A new subgenus and species of the genus *Tanytarsus* Chironomidae: Chironominae: Tanytarsini). Proc. Acad. Nat. Sci. Philad. 127:71-80.
- Roback, S.S. 1976. The immature chironomids of the eastern United States I. Introduction and Tanypodinae-Coelotanypodinae. Proc. Acad. Nat. Sci. Philad. 127:147-201.
- Roback, S.S. 1977. The immature chironomids of the eastern United States II. Tanypodinae - Tanypodini. Proc. Acad. Nat. Sci. Philad. 128:55-87.
- Roback, S.S. 1978a. The immature chironomids of the eastern United States III. Tanypodinae-Anatopyniini, Macropelopiini, and Natarsiini. Proc. Acad. Nat. Sci. Philad. 129:151-202.
- Roback, S.S. 1978b. New name for *Brundinia* Roback nec *Brundinia* Tottenham. Ent. News 89: 141.
- Roback, S.S. 1979a. *Hudsonimyia karelena*, a new genus and species of Tanypodinae, Pentaneurini. Proc. Acad. Nat. Sci. Philad. 131: 1-8.
- Roback, S.S. 1979b. New record and hosts for genus nr. *Phycoidella* Sæther (Diptera: Chironomidae: Orthocladiinae). Ent. News 90: 239-240.
- Roback, S.S. 1980. The immature chironomids of the eastern United States IV. Tanypodinae-Procladiini. Proc. Acad. Nat. Sci. Philad. 132:1-63.
- Roback, S.S. 1981. The immature chironomids of the eastern United States V. Pentaneurini-*Thienemannimyia* group. Proc. Acad. Nat. Sci. Philad. 133:73-128.
- Roback, S.S. 1982a. Identity of *Ablabesmyia* sp., Roback, Bereza and Vidrine (1980) (Diptera: Chironomidae). Ent. News 93:13-15.
- Roback, S.S. 1982b. The Tanypodinae (Diptera: Chironomidae) of Australia II. Proc. Acad. Nat. Sci. Philad. 134: 80-112.
- Roback, S.S. 1983. *Krenopelopia hudsoni*: a new species from the eastern United States (Diptera: Chironomidae: Tanypodinae). Proc. Acad. Nat. Sci. Philad. 135:254-260.
- Roback, S.S. 1984. Tanypodinae (Diptera: Chironomidae) from Afognak and Kodiak Islands, Alaska. Proc. Acad. Nat. Sci. Philad. 136: 12-23.
- Roback, S.S. 1985. The immature chironomids of the eastern United States VI. Pentaneurini-Genus *Ablabesmyia*. Proc. Acad. Nat. Sci. Philad. 137:153-212.
- Roback, S.S. 1986a. The immature chironomids of the eastern United States VII. Pentaneurini-Genus *Monopelopia*, with redescription of the male adults and description of some Neotropical material. Proc. Acad. Nat. Sci. Philad. 138:350-365.
- Roback, S.S. 1986b. The immature chironomids of the eastern United States VIII. Pentaneurini-Genus *Nilotanypus*, with the description of a new species from Kansas. Proc. Acad. Nat. Sci. Philad. 138:443-465.
- Roback, S.S. 1986c. *Reomyia* a new genus of Tanypodinae-Pentaneurini (Diptera, Chironomi-

- dae). *Spixiana* 9: 283-284.
- Roback, S.S. 1987a. The immature chironomids of the eastern United States. IX. Pentaneurini - Genus *Labrundinia* with the description of some Neotropical material. *Proc. Acad. Nat. Sci. Philad.* 139: 159-209.
- Roback, S.S. 1966d. The immature stages of *Stictochironomus annulicrus* (Townes) (Diptera, Tendipedidae). *Ent. News.* 77: 169-173.
- Roback, S.S. 1987b. The immature stages and female adult of *Alotanypus aris* Roback with a redescription of the male adult (Diptera: Chironomidae: Macropelopiini). *Not. Nat.* 466: 1-8.
- Roback, S.S. 1987c. The larval stage of *Monopelopia tillandsia* Beck and Beck (Diptera: Chironomidae: Tanypodinae). *Not. Nat.* 467: 1-3.
- Roback, S.S. 1989. The larval development of *Djalmabatista pulcher* (Joh.) (Diptera: Chironomidae: Tanypodinae). *Proc. Acad. Nat. Sci. Philad.* 141: 73-74.
- Roback, S.S., D.J. Bereza & M.F. Vidrine. 1980. Description of an *Ablabesmyia* [Diptera: Chironomidae: Tanypodinae] symbiont of unionid fresh-water mussels [Mollusca: Bivalvia: Unionacea], with notes on its biology and zoogeography. *Trans. Am. Ent. Soc.* 105: 577-619.
- Roback, S.S. & W.P. Coffman. 1977. New records of probable *Djalmabatista* species from eastern North America and Venezuela (Chironomidae: Tanypodinae). *Proc. Acad. Nat. Sci. Philad.* 128: 49-54.
- Roback, S.S. & L.C. Ferrington, Jr. 1983. The immature stages of *Thienemannimyia barberi* (Coquillett) (Diptera: Chironomidae: Tanypodinae). *Freshwat. Invertebr. Biol.* 2: 107-111.
- Roback, S.S. & R.P. Rutter. 1988. *Denopelopia atria*, a new genus and species of Pentaneurini (Diptera: Chironomidae: Tanypodinae) from Florida. *Spixiana Suppl.* 14: 117-127.
- Roback, S.S. & K.J. Tennessen. 1978. The immature stages of *Djalmabatista pulcher* [= *Procladius (Calotanypus) pulcher* (Joh.)]. *Proc. Acad. Nat. Sci. Philad.* 130: 11-20.
- Rosenberg, D.M., A.P. Wiens & O.A. Sæther. 1977. Responses to crude oil contamination by *Cricotopus (Cricotopus) bicinctus* and *C. (C.) mackenziensis* (Diptera: Chironomidae) in the Fort Simpson area, Northwest Territories. *J. Fish. Res. Bd. Can.* 34: 254-261.
- Rossaro, B. 1979. Description of the larva of *Paratrichocladius rufiventris* (Diptera: Chironomidae). *Not. Ent.* 59: 75-78.
- Rossaro, B. 1984. *Stilocladius* Rossaro, 1979 reconsidered, with descriptions of the female and larva of *S. montanus* Rossaro (Diptera: Chironomidae, Orthocladiinae). *Ent. scand.* 15: 185-191.
- Rossaro, B. 1985. Revision of the genus *Polypedilum* Kieffer, 1912. I. Key to adults, pupae and larvae of the species known to occur in Italy (Diptera, Chironomidae). *Mem. Soc. Ent. Ital.* 62/63: 3-23.
- Rossaro, B. 1990. Revision of the genus *Paratrichocladius* Santos-Abreu. 2nd Note: Description of 4 new species (Diptera Chironomidae Orthocladiinae). *Boll. Soc. Ent. Ital., Gen.*, 122: 58-66.
- Ryser, H.M., W. Wülker & A. Scholl. Revision der Gattung *Chironomus* Meigen (Diptera). X. *Lobochironomus* n. subg. (*C. montuosus* n. sp., *C. storai* Goetgh., *C. mendax* Storà). *Rev. Suisse Zool.* 92: 385-404.
- Sæther, O.A. 1969. Some Nearctic Podonominae, Diamesinae, and Orthocladiinae (Diptera: Chironomidae). *Bull. Fish. Res. Bd. Can.* 170: 1-154.
- Sæther, O.A. 1971. Four new and unusual Chironomidae (Diptera). *Can Ent.* 103: 1799-1827.
- Sæther, O.A. 1973a. Four species of *Bryophaenocladius* Thien., with notes on other Orthocladiinae (Diptera: Chironomidae). *Can. Ent.* 105: 51-60.
- Sæther, O.A. 1973b. Taxonomy and ecology of three new species of *Monodiamesa* Kieffer, with keys to Nearctic and Palaearctic species of the genus (Diptera: Chironomidae). *J. Fish. Res. Bd. Can.* 30: 665-679.
- Sæther, O.A. 1975a. Nearctic and Palaearctic *Heterotrissocladius* (Diptera: Chironomidae).

- Bull. Fish. Res. Bd. Can. 193: 1-67.
- Sæther, O.A. 1975b. Two new species of *Protanypus* Kieffer, with keys to Nearctic and Palaearctic species of the genus (Diptera: Chironomidae). J. Fish. Res. Bd. Can. 32: 367-388.
- Sæther, O.A. 1975c. Two new species of *Heterotanytarsus* Spärck, with keys to Nearctic and Palaearctic males and pupae of the genus (Diptera: Chironomidae). J. Fish. Res. Bd. Can. 32: 259-270.
- Sæther, O.A. 1975d. Twelve new species of *Limnophyes* Eaton, with keys to Nearctic males of the genus (Diptera: Chironomidae). Can. Ent. 107: 1029-1056.
- Sæther, O.A. 1976. Revision of *Hydrobaenus*, *Trissocladius*, *Zalutschia*, *Paratrissocladius*, and some related genera. Bull. Fish. Res. Bd. Can. 195:1-287.
- Sæther, O.A. 1977a. Taxonomic studies on Chironomidae: *Nanocladius*, *Pseudochironomus*, and the *Harnischia* complex. Bull. Fish. Res. Bd. Can. 196:1-143.
- Sæther, O.A. 1977b. *Habrobaenus hudsoni* n. gen., n. sp. and the immatures of *Baeoctenus bicolor* Sæther (Diptera: Chironomidae). J. Fish. Res. Bd. Can. 34: 2354-2361.
- Sæther, O.A. 1980a. Glossary of chironomid morphology terminology (Diptera: Chironomidae). Ent. scand. Suppl. 14:1-51.
- Sæther, O.A. 1980b. The females and immatures of *Paracricotopus* Thienemann and Harnisch, 1932, with the description of a new species. Aquatic Insects 2: 129-145.
- Sæther, O.A. 1980c. New name for *Oliveria* Sæther, 1976 (Diptera: Chironomidae) nec *Oliveria* Sutherland, 1965 († Cnidaria: Anthozoa), with a first record for the European continent. Ent. scand. 11: 399-400.
- Sæther, O.A. 1981a. *Doncricotopus bicaudatus* n. gen., n. sp. (Diptera: Chironomidae, Orthoclaadiinae) from the Northwest Territories, Canada. Ent. scand. 12:223-229.
- Sæther, O.A. 1981b. Orthoclaadiinae (Chironomidae: Diptera) from the British West Indies with descriptions of *Antillocladius* n. gen., *Lipurometriocnemus* n. gen., *Compterosmittia* n. gen. and *Diplosmittia* n. gen. Ent. scand. Suppl. 16: 1-46.
- Sæther, O.A. 1981c. *Compteromesa oconeensis* gen. n., sp.n., a new Prodiamesinae (Diptera: Chironomidae) from South Carolina. Aquatic Insects 3: 193-198.
- Sæther, O.A. 1982. Orthoclaadiinae (Diptera: Chironomidae) from SE U.S.A., with descriptions of *Pludsonia*, *Unniella* and *Platysmittia* n. genera and *Atelopodella* n. subgen. Ent. scand. 13: 465-510.
- Sæther, O.A. 1983a. *Oschia dorsenna* n. gen. n. sp. and *Saetheria hirta* n. sp., two members of the *Harnischia* complex (Diptera: Chironomidae). Ent. scand. 14: 395-404.
- Sæther, O.A. 1983b. Three new species of *Lopescladius* Oliveira, 1967 (syn. "*Cordites*" Brundin, 1966, n. syn.), with a phylogeny of the *Parakiefferiella* group. Mem. Am. Ent. Soc. 34: 279-298.
- Sæther, O.A. 1983c. The larvae of Prodiamesinae (Diptera: Chironomidae) of the Holarctic region - Keys and diagnoses. Ent. scand. Suppl. 19: 141-147.
- Sæther, O.A. 1983d. A review of Holarctic *Gymnometriocnemus* Goetghebuer, 1932, with the description of *Rhaphidocladus* subgen. n. and *Sublettiella* gen. n. (Diptera: Chironomidae). Aquatic Insects 5: 209-226.
- Sæther, O.A. 1984. The immatures of *Antillocladius* Sæther, 1981 (Diptera: Chironomidae). Aquatic Insects 6:1-6.
- Sæther, O.A. 1985a. A review of *Odontomesa* Pagast, 1947 (Diptera, Chironomidae, Prodiamesinae). Spixiana Suppl. 11:15-29.
- Sæther, O.A. 1985b. A review of the genus *Rheocricotopus* Thienemann & Harnisch, 1932, with the description of three new species (Diptera, Chironomidae). Spixiana Suppl. 11:59-108.
- Sæther, O.A. 1985c. The imagines of *Mesosmittia* Brundin, 1956, with description of seven new species. Spixiana 11:37-54.
- Sæther, O.A. 1985d. The females of *Compteromesa oconeensis* Sæther, 1981, and *Prodiamesa olivacea* (Meigen, 1818) (syn. *Trichodiamesa autumnalis* Goetghebuer, 1926, n. syn.) (Diptera, Chironomidae, Prodiamesinae).

- Spixiana Suppl. 11: 7-13.
- Sæther, O.A. 1985e. *Apometriocnemus fontinalis* n. gen., n. sp. (Diptera: Chironomidae) from Tennessee. Ent. scand. 15: 536-539.
- Sæther, O.A. 1985f. *Diplosmittia carinata* sp. n. (Diptera: Chironomidae) from Minnesota. Spixiana Suppl. 11: 55-57.
- Sæther, O.A. 1985g. *Heleniella parva* n. sp. (Diptera: Chironomidae) from South Carolina. Ent. scand. 15: 532-535.
- Sæther, O.A. 1985h. A redefinition of *Thienemannia* Kieffer, 1909 (Diptera: Chironomidae), with the description of *T. pilinucha* sp. n. Aquatic Insects 7: 111-131.
- Sæther, O.A. 1985i. *Trichochilus*, a new genus of Orthoclaadiinae (Diptera: Chironomidae). Spixiana Suppl. 11: 31-36.
- Sæther, O.A. 1985j. Male and female imagines of *Platysmittia bilyji* sp. n. (Diptera: Chironomidae) from Manitoba, Canada. Ent. scand. 15: 527-531.
- Sæther, O.A. 1989a. *Metriocnemus* van der Wulp: a new species and revision of species described by Meigen, Zetterstedt, Stæger, Holmgren, Lundström and Strenzke (Diptera: Chironomidae). Ent. scand. 19: 393-430.
- Sæther, O.A. 1989b. Two new species of *Hydrobaenus* Fries from Massachusetts, U.S.A., and Japan (Diptera: Chironomidae). Ent. scand. 20: 55-63.
- Sæther, O.A. 1990. A review of the genus *Limnophyes* Eaton from the Holarctic and Afrotropical regions (Diptera: Chironomidae, Orthoclaadiinae). Ent. scand. Suppl. 35:1-139.
- Sæther, O.A. 1992a. First Nearctic record of the orthoclad genus *Tavastia* Tuiskunen (Diptera: Chironomidae). Ent. scand. 22: 385-388.
- Sæther, O.A. 1992b. *Heterotrissocladius boltoni* sp. n., a new orthoclad from vernal pools and streams in Ohio, U.S.A. (Diptera: Chironomidae). Neth. J. Aquat. Ecol. 26: 191-196.
- Sæther, O.A. 1997. First description of the imagines and pupa of *Propsilocerus jacuticus* (Zvereva) (Diptera: Chironomidae). Acta Zool. Hung. 43: 241-249.
- Sæther, O.A., P. Ashe & D.A. Murray. 2000. Family Chironomidae. pp 113-334 in Papp, L. & B. Darvas (eds.) Contributions to a Manual of Palaearctic Diptera (with special reference to flies of economic importance). Appendix. Science Herald, Budapest. 604 pp.
- Sæther, O.A. & G.A. Halvorsen. 1981. Diagnoses of *Tvetenia* Kieff. emend., *Dratnalia* n. gen., and *Eukiefferiella* Thien. emend., with a phylogeny of the *Cardiocladius* group (Diptera: Chironomidae). Ent. scand. Suppl. 15: 269-285.
- Sæther, O.A. & Ø. Schnell. 1988. Two new species of the *Rheocricotopus* (*R.*) *effusus* group (Diptera, Chironomidae). Spixiana Suppl. 14: 65-74.
- Sæther, O.A. & J.E. Sublette. 1983. A review of the genera *Doithrix* n. gen., *Georthocladus* Strenzke, *Parachaetocladius* Wülker, and *Pseudorthocladus* Goetghebuer (Diptera: Chironomidae, Orthoclaadiinae). Ent. scand. Suppl. 20:1-100.
- Sæther, O.A. & A. Sundal. 1999. *Cerobregma*, a new subgenus of *Polypedilum* Kieffer, with a tentative phylogeny of subgenera and species groups within *Polypedilum* Diptera: Chironomidae). J. Kansas Ent. Soc. 71: 315-382.
- Sæther, O.A. & X. Wang. 1995. Revision of the genus *Paraphaenocladius* Thienemann, 1924 of the world (Diptera: Chironomidae, Orthoclaadiinae). Ent. scand. Suppl. 48: 3-69.
- Sæther, O.A. & X. Wang. 1996. Revision of the orthoclad genus *Propsilocerus* Kieffer (= *Tokunagayusurika* Sasa) (Diptera: Chironomidae). Ent. scand. 27:441-479.
- Sæther, O.A. & E. Willassen. 1985. The first record of *Protanytus pseudomorio* Makarchenko (Diptera: Chironomidae) from the Arctic, with description of the female and a revised key to males of the genus. Aquatic Insects 7: 141-148.
- Sæther, O.A. & E. Willassen. 1988. A review of *Lappodiamesa* Serra Tosio, with the descrip-

- tion of *L. boltoni* spec. nov. from Ohio, USA (Diptera, Chironomidae). Spixiana Suppl. 14: 75-84.
- Säwedal, L. 1981. Amazonian Tanytarsini II. *Caladomyia* n. gen. and eight new species (Diptera: Chironomidae). Ent. scand. 12: 123-143.
- Säwedal, L. 1982. Taxonomy, morphology, phylogenetic relationships and distribution of *Micropsectra* Kieffer, 1909 (Diptera: Chironomidae). Ent. scand. 13: 371-400.
- Sasa, M. & M. Kikuchi. 1995. Chironomidae (Diptera) of Japan. University of Tokyo Press. 333 pp.
- Schlee, D. 1968. Vergleichende Merkmalsanalyse zur Morphologie und Phylogenie der *Corynoneura*-Gruppe (Diptera: Chironomidae). Zugleich eine allgemeine Morphologie der Chironomiden-Imago. Stuttg. Beitr. Naturk. 180:1-150.
- Schmid, P.E. 1993. A key to the larval Chironomidae and their instars from Austrian Danube region streams and rivers with particular reference to a numerical taxonomic approach. Part I. Diamesinae, Prodiamesinae and Orthocladiinae. Wasser und Abwasser Suppl. 3: 1-514.
- Schnell, Ø. 1991. New records of Chironomidae (Diptera) from Norway (II), with two new species synonyms. Fauna Norv., Ser. B: 38: 5-10.
- Schnell, Ø. & O.A. Sæther. 1988. *Vivacricotopus*, a new genus of Orthocladiinae (Diptera, Chironomidae) from Norway. Spixiana Suppl. 14: 49-55.
- Serra-Tosio, B. 1989. Révision des espèces ouest-paléarctiques et néarctiques de *Boreoheptagyia* Brundin avec des clés pour les larves, les nymphes et les imagos (Diptera, Chironomidae). Spixiana 11: 133-173.
- Shilova, A.I. 1961. Novyi rod i vid tendipedid (Diptera, Tendipedidae) *Lipiniella* Shilova, gen. n. (A new genus and species of tendipedid (Diptera, Tendipedidae) *Lipiniella* Shilova, gen. n.). Byull. Inst. Biol. Vodokhran. 11: 19-23.
- Shilova, A.I. 1963. Metamorfoz *Lipiniella arenicola* Shilova (Diptera, Tendipedidae). (The metamorphosis of *Lipiniella arenicola* Shilova (Diptera, Tendipedidae)). Trudy Inst. Biol. Vodokhran. 5: 71-80.
- Shilova, A.I. 1966. Lichinka *Odontomesa fulva* Kieff. (Diptera, Chironomidae, Orthocladiinae) [The larva of *Odontomesa fulva* Kieff. (Diptera, Chironomidae, Orthocladiinae)]. Trudy Inst. Biol. vnutrenn. Vod 12:239-250.
- Shilova, A.I., I.E. Kerkis & I.I. Kiknadze. 1992. *Lipiniella prima* sp. nov. (Diptera, Chironomidae), larva and karyotype. Neth. J. Aquat. Ecol. 26: 197-201.
- Shobanov, N.A., I.I. Kiknadze & M.G. Butler. 1999. Palaearctic and Nearctic *Chironomus (Camptochironomus) tentans* (Fabricius) are different species (Diptera: Chironomidae). Ent. scand. 30: 311-322.
- Simpson, K.W. 1982. A guide to basic chironomid literature for the genera of North American Chironomidae (Diptera) - adults, pupae, and larvae. Bull. N.Y. State Mus. No. 447.
- Simpson, K.W. & R.W. Bode. 1980. Common larvae of Chironomidae (Diptera) from New York State streams and rivers with particular reference to the fauna of artificial substrates. Bull. N.Y. St. Mus. No. 439:1-105 pp.
- Simpson, K.W., R.W. Bode & P. Albu. 1982. Keys for the genus *Cricotopus* adapted from "Revision der Gattung *Cricotopus* van der Wulp und ihrer Verwandten (Diptera, Chironomidae)" by M. Hirvenoja. Bull. N.Y. St. Mus. 450:1-133.
- Soong, K., G-F. Chen & J-R. Cao. 1999. Life history studies of the flightless marine midges *Pontomyia* spp. (Diptera: Chironomidae). Zool. Stud. 38: 466-473.
- Soponis, A.R. 1977. A revision of the Nearctic species of *Orthocladus (Orthocladus)* van der Wulp (Diptera: Chironomidae). Mem. Ent. Soc. Canada 102:1-187.
- Soponis, A.R. 1979. *Zalutschia briani* n. sp. from Florida (Diptera: Chironomidae). Ent. scand. Suppl. 10:125-131.
- Soponis, A.R. 1980a. Taxonomic composition of Chironomidae (Diptera) in a sand-bottomed stream of northern Florida. Pp 163-169 in

- Murray, D.A. (ed.): Chironomidae - Ecology, Systematics, Cytology and Physiology. Pergamon Press, Oxford & New York.
- Soponis, A.R. 1980b. *Pseudorthocladius macrostomus*, a new species of chironomid (Diptera) with a long proboscis. Fla. Ent. 63:486-490.
- Soponis, A.R. 1983. Emergence of *Polypedilum* (Chironomidae) in a sand-bottomed stream of northern Florida. Mem. Am. Ent. Soc. 34:309-313.
- Soponis, A.R. 1987. Notes on *Orthocladius* (*Orthocladius*) *frigidus* (Zetterstedt) with a redescription of the species (Diptera: Chironomidae). Ent. scand. Suppl. 29: 123-131.
- Soponis, A.R. 1990. A revision of the Holarctic species of *Orthocladius* (*Euorthocladius*) (Diptera: Chironomidae). Spixiana Suppl. 13:1-56.
- Soponis, A.R. & C.L. Russell. 1982. Identification of instars and species in some larval *Polypedilum* (*Polypedilum*) (Diptera: Chironomidae). Hydrobiol. 94: 25-32.
- Soponis, A.R. & C.L. Russell. 1984. Larval drift of Chironomidae (Diptera) in a North Florida stream. Aquatic Insects 6: 191-199.
- Soponis, A.R. & K.W. Simpson. 1992. *Polypedilum digitifer* Townes and *Polypedilum griseopunctatum* (Malloch) (Diptera: Chironomidae): redescription of adult males with a description and separation of the immature stages. Neth. J. Aquat. Ecol. 26: 203-213.
- Spies, M. 1998a. Three species of *Tanytarsus* involved in California midge nuisance problems: descriptions, ecology, and faunal relations (Insecta, Diptera, Chironomidae). Spixiana 21: 253-270.
- Spies, M. 1998b. Resolution of *Tanytarsus mendax* Kieffer, 1925, *T. dibranchi* Kieffer in Zavrel, 1926, and associated names (Diptera: Chironomidae). Studia dipterologica 5: 195-210.
- Spies, M. 1999. *Cricotopus* (*Isocladius*) *subletteorum*, a new species of Chironomidae (Diptera) from the southwestern United States. J. Kans. Ent. Soc. 71: 199-207.
- Spies, M. 2000. A contribution to the knowledge of Holarctic *Parachironomus* Lenz (Diptera: Chironomidae), with two new species and a provisional key to Nearctic adult males. Tijdschr. Ent. 143: 125-143.
- Spies, M., E.J. Fittkau & F. Reiss. 1994. The adult males of *Parachironomus* Lenz, 1921, from the Neotropical faunal region (Insecta, Diptera, Chironomidae). Spixiana Suppl. 20: 61-98.
- Spies, M. & F. Reiss. 1996. Catalog and bibliography of Neotropical and Mexican Chironomidae. Spixiana Suppl. 22: 61-119.
- Steffan, A.W. 1965. *Plecopteracoluthus downesi* gen. et sp. nov. (Diptera: Chironomidae), a species whose larvae live phoretically on larvae of Plecoptera. Can. Ent. 97: 1323-1344.
- Steiner, B. 1983. *Paracricotopus mozleyi* n. sp. from Georgia (Diptera: Chironomidae). Mem. Am. Ent. Soc. 34:329-335.
- Steiner, J.W., J.S. Doughman & C.R. Moore. 1982. A generic guide to the larvae of the Nearctic Tanytarsini. U.S. Geological Survey Open File Report 82-768. 40 pp.
- Steiner, J.W. & J.L. Hulbert. 1982. *Nimbocera pinderi*, a new species (Diptera: Chironomidae) from the southeastern United States. Fla. Ent. 65: 228-233.
- Stone, A. & W.W. Wirth. 1947. On the marine midges of the genus *Clunio* Haliday (Diptera, Tendipedidae). Proc. Ent. Soc. Wash. 49: 201-224.
- Strenzke, K. 1940. Terrestrische Chironomiden V. *Camptocladius stercorarius* De Geer. Zool. Anz. 132: 115-123.
- Strenzke, K. 1950a. Systematik, Morphologie und Ökologie der terrestrischen Chironomiden. Arch. Hydrobiol. Suppl. 18:207-414.
- Strenzke, K. 1950b. Terrestrische Chironomiden XIV. "*Limnophyes*" *flexuellus* Edw. Zool. Anz. 145:101-111.
- Strenzke, K. 1960. Metamorphose und Verwandtschaftsbeziehungen der Gattung *Clunio* Hal. (Dipt.) (Terrestrische Chironomiden XXIV). Suol. eläin-ja kasvit. Seur. Van. kasvit. Julk. 22: 1-30.
- Strixino, S.T. & G. Strixino. 1991. Nova espécie de

- Goeldichironomus* Fittkau (Diptera, Chironomidae) do Brasil. Rev. Bras. Ent. 35: 593-602.
- Sublette, J.E. 1960. Chironomid midges of California. I. Chironominae, exclusive of Tanytarsini (= Calopsectrini). Proc. U.S. Nat. Mus. 112: 197-226.
- Sublette, J.E. 1964. Chironomidae (Diptera) of Louisiana. I. Systematics and immature stages of some lentic chironomids of west-central Louisiana. Tulane Stud. Zool. 11:109-150.
- Sublette, J.E. 1967. Type specimens of Chironomidae (Diptera) in the Cornell University collection. J. Kans. Ent. Soc. 4: 477-564.
- Sublette, J.E. & M. Sasa. 1994. Chironomidae collected in Onchocerciasis endemic areas of Guatemala (Insecta, Diptera). Spixiana Suppl. 20: 1-60.
- Sublette, J.E., L.E. Stevens & J.P. Shannon. 1998. Chironomidae (Diptera) of the Colorado River, Grand Canyon, Arizona, USA, I: Systematics and ecology. Great Basin Naturalist 58: 97-146.
- Sublette, J.S. & M.F. Sublette. 1973. The morphology of *Glyptotendipes barbipes* (Staeger) (Diptera: Chironomidae). Stud. Nat. Sci. 6: 1-80.
- Sublette, J.E. & M.F. Sublette. 1974a. A review of the genus *Chironomus* (Diptera: Chironomidae) V. The *maturus*-complex. Stud. Nat. Sci. 8: 1-41.
- Sublette, J.E. & M.F. Sublette. 1974b. A review of the genus *Chironomus* (Diptera: Chironomidae) VII. The morphology of *Chironomus stigmaterus* Say. Stud. Nat. Sci. 10: 1-65.
- Sublette, J.E. & M. Sublette. 1979. A synopsis of the Chironomidae of New Mexico. Pp. 53-128 in Sublette, J.E. (P.I.): Evaluation of long term effects of thermal effluents on stream biota. Technical Report: "Utilization of Chironomidae (Diptera) as a water quality indicator group in New Mexico". New Mexico Energy Institute 32, 172 pp.
- Sublette, J.E. & W.W. Wirth. 1972. New genera and species of West Indian Chironomidae (Diptera). Fla. Ent. 55: 1-17.
- Tennessen, K.J. & P.K. Gottfried. 1983. Variation in structure of ligula of Tanypodinae larvae (Diptera: Chironomidae). Ent. News 94: 109-116.
- Thienemann, A. 1942. Larve und systematische Stellung von *Neozavrelia luteola* Goetgh. Chironomiden aus dem Lunzer Seengebiet II. Arch. Hydrobiol. 38: 581-585.
- Thienemann, A. 1949. Die Metamorphose von *Stempellina montivaga* Goetgh. (Chironomiden aus dem Lunzer Seengebiet IX.) Ent. Tidskr. 70: 12-18.
- Tokunaga, M. 1935. Chironomidae from Japan (Diptera). IV. The early stages of a marine midge, *Telmatogeton japonicus* Tokunaga. Philipp. J. Sci. 57: 491-511.
- Townes, H.K. 1945. The nearctic species of Tendipedini (Diptera: Tendipedidae (=Chironomidae)). Am. Midl. Nat. 34:1-206.
- Trivinho-Strixino, S. & G. Strixino. 1991. Duas novas espécies de *Nimbocera* Reiss (Diptera, Chironomidae) do Estado de São Paulo, Brasil. Rev. Bras. Ent. 35: 173-178.
- Tuiskunen, J. 1983. A description of *Corynocera gynocera* sp. n. (Diptera, Chironomidae) from Finland. Ant. Ent. Fenn. 49: 100-102.
- Tuiskunen, J. 1986a. A new northern species of *Sympothastia* (Diptera, Chironomidae, Diamesinae). Ann. Ent. Fenn. 52: 78-80.
- Tuiskunen, J. 1986b. The Fennoscandian species of *Parakiefferiella* Thienemann (Diptera, Chironomidae, Orthoclaadiinae). Ann. Zool. Fenn. 23: 175-196.
- Tuiskunen, J. & B. Lindeberg. 1986. Chironomidae (Diptera) from Fennoscandia north of 68° N, with a description of ten new species and two new genera. Ann. Zool. Fenn. 23: 361-393.
- Walker, I.R., D.R. Oliver & M.E. Dillon. 1992. The larva and habitat of *Parakiefferiella nigra* Brundin (Diptera: Chironomidae). Neth. J. Aquat. Ecol. 26: 527-531.
- Warwick, W.F. 1989. Morphological deformities in larvae of *Procladius* Skuse (Diptera: Chironomidae) and their biomonitoring poten-

- tial. Can. J. Fish. Aquat. Sci. 46: 1255- 1270.
- Warwick, W.F. 1990. Morphological deformities in Chironomidae (Diptera) larvae from the Lac St. Louise and Laprairie basins of the St. Lawrence River. J. Great Lakes Res. 16: 185-208.
- Watson, C. 1999. Description of the larva of *Apsectrotanypus algens* (Coquillett) with a review of the generic placement of the species (Diptera: Chironomidae). J. Kans. Ent. Soc. 71: 241-246.
- Webb, C. J. & A. Scholl. 1985. Identification of larvae of European species of *Chironomus* Meigen (Diptera: Chironomidae) by morphological characters. Sys. Ent. 10: 353-372.
- Webb, D.W. 1969. New species of chironomids from Costello Lake, Ontario (Diptera: Chironomidae). J. Kans. Ent. Soc. 42:91-108.
- Webb, D.W. 1972. The immature stages of *Chironomus aethiops* (Townes) with keys to the species of the known immature stages of the subgenus *Dicrotendipes* (Diptera: Chironomidae). Trans. Illinois St. Acad. Sci. 65: 74-76.
- Webb, D.W. 1981. Redescription of *Micropsectra polita* (Diptera: Chironomidae) with the female and immature stages. Great Lakes Ent. 14:185-190.
- Webb, D.W. 1982. *Smittia lasiops* (Malloch): a re-description of the adults with a description of the immature stages (Diptera: Chironomidae). Proc. Ent. Soc. Wash. 84: 468-474.
- Webb, D.W. & W.U. Brigham. 1982. Aquatic Diptera. Pp. 11.1-11.111 in Brigham, A.R., W.U. Brigham & A. Gniska (eds.). Aquatic Insects and Oligochaetes of North and South Carolina. Midwest Aquatic Enterprises, Mahomet, IL. 837 pp.
- Wiederholm, T. (ed.) 1983. Chironomidae of the Holarctic region. Keys and diagnoses. Part 1. Larvae. Ent. scand. Suppl. 19:1-457.
- Wiederholm, T. (ed.) 1986. Chironomidae of the Holarctic region. Keys and diagnoses. Part 2. Pupae. Ent. scand. Suppl. 28:1-482.
- Wiederholm, T. (ed.) 1989. Chironomidae of the Holarctic region. Keys and diagnoses. Part 3. Adult males. Ent. scand. Suppl. 34: 1-524.
- Wirth, W.W. 1949. A revision of the clunionine midges with descriptions of a new genus and four new species (Diptera: Tendipedidae). Univ. Calif. Publ. Ent. 8:151-182.
- Wirth, W.W. 1952. Notes on marine midges from the eastern United States (Diptera, Tendipedidae [= Chironomidae]). Bull. Mar. Sci. Gulf Caribb. 2:307-312.
- Wirth, W.W. 1979. *Siolimya amazonica* Fittkau, an aquatic midge new to Florida with nuisance potential. Fla. Ent. 62: 134-135.
- Wülker, W.F. & M.G. Butler. 1983. Karyosystematics and morphology of northern *Chironomus* (Diptera: Chironomidae): Freshwater species with larvae of the *salinarius* type. Ent. scand. 14: 121-136.
- Wülker, W.F. & E. Morath. 1989. South American *Chironomus* (Dipt.) - Karyotypes and their relations to North America. Acta Biol. Debr. Oecol. Hung. 2: 389-397.
- Wülker, W.F., J.E. Sublette, E. Morath & J. Martin. 1989. *Chironomus columbiensis* n.sp. in South America and *Chironomus anonymus* Williston in North America - closely related species. Stud. Neotrop. Fauna Environ. 3: 121-136.
- Wülker, W.F., J.E. Sublette, M.F. Sublette & J. Martin. 1971. A review of the genus *Chironomus* (Diptera: Chironomidae) I. The *staegeri* group. Stud. Nat. Sci. 1: 1-89.
- Yamamoto, M. 1980. Discovery of the Nearctic genus *Chasmatonotus* Loew (Diptera, Chironomidae) from Japan, with descriptions of three new species. Esakia 15: 79-96.
- Yamamoto, M. 1985. Two new species of the genus *Chasmatonotus* from Japan (Diptera, Chironomidae). Esakia 23: 93-98.